




Annex F. Photographs

F.1 Test Sample

Sample Front	Sample Back
	
Laptop Mode	
	


F.2 Test positions

Laptop Mode	Laptop Mode – Side View
	

F.3 Antenna host platform location and adjacent edge positions relative to the body


Information provided by the customer

Antenna Host Platform location and co-location separation




Minimum Separation Distance			
Item	Antenna	Position	Distance (mm)
A	WLAN-Main	to Top	223.26
B	WLAN-Main	to Right	240.4
C	WLAN-Main	to Left	76.2
D-1	WLAN-Main	to Bottom of Laptop (NOT include Bumper)	11.66
D-2	WLAN-Main	to Bottom of Laptop (Include Bumper)	14.05
E	WLAN-Aux	to Top	233.26
F	WLAN-Aux	to Right	82.3
G	WLAN-Aux	to Left	234.3
H-1	WLAN-Aux	to Bottom of Laptop (NOT include Bumper)	11.66
H-2	WLAN-Aux	to Bottom of Laptop (Include Bumper)	14.05
K	WLAN Main	to WLAN Aux	118.1

Laptop Mode



Laptop Mode – Zoom View



F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch – 180206-04

