



Annex F. Photographs

F.1 Test Sample



F.2 Test positions

Laptop




F.3 Antenna host platform location and adjacent edge positions relative to the body

All information (diagrams, values and dimensions) in this section is provided by the manufacturer

Antenna Host Platform location	Laptop Mode
Diagram illustrating the Antenna Host Platform location. The layout shows the placement of various antennas relative to the laptop's internal components. Key dimensions and labels include: - WWAN(Aux)4G - WWAN(Main)4G - WWAN(MIMO) - WLAN(AUX) - Bottom of laptop - Antenna locations and dimensions: <NB> 4G: 216.54mm (w/o bumper: 215.31mm) <TABLET> 4G: 14.89mm (w/o bumper: 14.89mm) <NB> 4G: 216.54mm (w/o bumper: 215.31mm) <TABLET> 4G: 14.89mm (w/o bumper: 14.89mm) <NB> WLAN: 3.44mm (w/o bumper: 2.2mm) <TABLET> WLAN: 1.40mm (w/o bumper: 1.1mm) <NB> 5G: 12.55mm (w/o bumper: 11.32mm) <TABLET> 5G: 1.52mm (w/o bumper: 1.22mm)	Diagram illustrating the Laptop Mode. The layout shows the placement of antennas relative to the laptop's external dimensions. Key dimensions and labels include: 4G: 216.88mm (w/o bumper: 215.64mm) - WLAN: 3.44mm (w/o bumper: 2.2mm) 227mm

F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch 191014-02



End of the report

This page is intentionally left blank and marks the last page of the test report.