


Annex F. Photographs

F.1 Test Sample

Front Sample 230321-02. S01



Back Sample 230321-02. S01



Laptop view 230321-02. S01




F.2 Test positions

Laptop




F.3 Antenna host platform location and adjacent edge positions relative to the body




Minimum Separation Distance

Item	Antenna	Position	Distance (mm)
A	WLAN-Aux	to Top	227.58
B	WLAN-Aux	to Right	307.26
C	WLAN-Aux	to Left	1.71
D	WLAN-Aux	to Bottom	5.26
E	WLAN-Aux	Main Antenna Length	7.75
F	Main-Aux	Main to Aux	297.8
G	WLAN-Main	to Top	227.58
H	WLAN-Main	to Right	1.71
I	WLAN-Main	to Left	307.26
J	WLAN-Main	to Bottom	5.26
K	WLAN-Main	Aux Antenna Length	7.75
L	NB	Bumper thickness	3.46
X	WLAN-Main	to User	15.02
Y	WLAN-Aux	to User	15.02
Z	NB	Keyboard depth	260.47



F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch -191014-02



End of the report

This page is intentionally left blank and marks the last page of the test report.