


1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n20		

5240 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
<b>Peak</b>								
1	1431.800000	32.0	74.0	42.0	25.5	61.4	2.4	H
2	2404.200000	36.3	74.0	37.7	27.3	59.5	2.8	H
3	3965.650000	39.6	74.0	34.4	30.8	58.5	3.3	H
4	6771.500000	47.2	74.0	26.8	35.8	58.4	4.3	H
5	11439.700000	49.1	74.0	24.9	39.1	61.0	5.8	H
6	17687.200000	55.1	74.0	18.9	40.4	57.9	7.0	H
<b>Avg</b>								
1	1431.800000	23.8	54.0	30.2	25.5	61.4	2.4	H
2	2404.200000	26.8	54.0	27.2	27.3	59.5	2.8	H
3	3965.650000	31.4	54.0	22.6	30.8	58.5	3.3	H
4	6771.500000	36.8	54.0	17.2	35.8	58.4	4.3	H
5	11439.700000	41.4	54.0	12.6	39.1	61.0	5.8	H
6	17687.200000	45.5	54.0	8.5	40.4	57.9	7.0	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n20		

5240 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	38.683874	20.8	40.0	19.2	13.9	32.3	0.8	V
2	69.114058	17.2	40.0	22.8	11.0	32.8	0.8	V
3	98.314078	21.0	43.5	22.5	10.0	32.9	1.3	V
4	184.166657	15.1	43.5	28.4	11.2	32.8	2.0	V
5	311.086653	18.1	46.0	27.9	13.0	32.7	2.7	V
6	559.710646	36.2	46.0	9.8	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n20		

5240 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1222.700000	32.7	74.0	41.3	25.7	60.9	2.3	V
2	1927.350000	32.6	74.0	41.4	25.9	60.9	2.6	V
3	3127.550000	38.2	74.0	35.8	29.7	58.6	3.0	V
4	5522.000000	44.1	74.0	29.9	32.8	58.1	4.0	V
5	9272.200000	49.1	74.0	24.9	38.4	59.5	5.4	V
6	17585.200000	55.6	74.0	18.4	39.8	58.1	6.9	V
Avg								
1	1222.700000	24.3	54.0	29.7	25.7	60.9	2.3	V
2	1927.350000	22.8	54.0	31.2	25.9	60.9	2.6	V
3	3127.550000	28.9	54.0	25.1	29.7	58.6	3.0	V
4	5522.000000	35.1	54.0	18.9	32.8	58.1	4.0	V
5	9272.200000	40.9	54.0	13.1	38.4	59.5	5.4	V
6	17585.200000	46.6	54.0	7.4	39.8	58.1	6.9	V

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n40		

5190 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	42.599954	15.3	40.0	24.7	13.9	32.4	0.8	H
2	75.050579	20.4	40.0	19.6	10.0	32.9	0.9	H
3	121.548576	17.7	43.5	25.8	12.3	32.9	1.4	H
4	199.635245	25.5	43.5	18.0	9.9	32.8	2.3	H
5	334.272302	19.1	46.0	26.9	13.2	32.6	2.7	H
6	559.710646	40.2	46.0	5.8	15.5	32.4	3.1	H



1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n40		

5190 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
<b>Peak</b>								
1	1410.550000	32.1	74.0	41.9	25.6	61.4	2.4	H
2	2434.800000	50.5	74.0	23.5	27.5	59.3	2.8	H
3	3855.150000	40.6	74.0	33.4	30.6	58.7	3.2	H
4	6148.450000	44.6	74.0	29.4	34.0	58.0	4.1	H
5	10800.500000	50.6	74.0	23.4	38.9	61.1	5.6	H
6	17796.000000	54.7	74.0	19.3	41.1	57.8	7.0	H
<b>Avg</b>								
1	1410.550000	23.0	54.0	31.0	25.6	61.4	2.4	H
2	2434.800000	46.2	54.0	7.8	27.5	59.3	2.8	H
3	3855.150000	30.7	54.0	23.3	30.6	58.7	3.2	H
4	6148.450000	36.6	54.0	17.4	34.0	58.0	4.1	H
5	10800.500000	41.6	54.0	12.4	38.9	61.1	5.6	H
6	17796.000000	46.1	54.0	7.9	41.1	57.8	7.0	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n40		

5190 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	42.080322	21.3	40.0	18.7	14.0	32.4	0.8	V
2	72.591655	18.7	40.0	21.3	10.4	32.8	0.9	V
3	98.832556	21.7	43.5	21.8	10.1	32.9	1.4	V
4	176.887808	16.2	43.5	27.3	12.1	32.8	1.9	V
5	308.912598	17.4	46.0	28.6	13.0	32.7	2.7	V
6	559.710646	36.1	46.0	9.9	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n40		

5190 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
<b>Peak</b>								
1	1407.150000	32.2	74.0	41.8	25.6	61.4	2.4	V
2	2311.550000	34.8	74.0	39.2	27.2	59.9	2.8	V
3	3682.600000	37.1	74.0	36.9	29.8	59.0	3.2	V
4	6245.350000	45.4	74.0	28.6	34.2	58.0	4.2	V
5	10638.150000	50.6	74.0	23.4	38.9	61.1	5.6	V
6	17890.350000	54.9	74.0	19.1	41.7	57.7	7.0	V
<b>Avg</b>								
1	1407.150000	23.2	54.0	30.8	25.6	61.4	2.4	V
2	2311.550000	26.2	54.0	27.8	27.2	59.9	2.8	V
3	3682.600000	28.3	54.0	25.7	29.8	59.0	3.2	V
4	6245.350000	37.5	54.0	16.5	34.2	58.0	4.2	V
5	10638.150000	41.9	54.0	12.1	38.9	61.1	5.6	V
6	17890.350000	46.8	54.0	7.2	41.7	57.7	7.0	V

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n40		

5230 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	39.230286	14.4	40.0	25.6	14.0	32.4	0.8	H
2	78.001995	20.8	40.0	19.2	9.6	32.9	0.9	H
3	118.186220	16.0	43.5	27.5	12.0	32.9	1.4	H
4	199.635245	25.6	43.5	17.9	9.9	32.8	2.3	H
5	333.686743	17.2	46.0	28.8	13.2	32.6	2.7	H
6	559.710646	40.1	46.0	5.9	15.5	32.4	3.1	H



1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n40		

5190 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
<b>Peak</b>								
1	1425.850000	32.0	74.0	42.0	25.5	61.4	2.4	H
2	2439.050000	45.8	74.0	28.2	27.5	59.2	2.8	H
3	4171.350000	40.0	74.0	34.0	30.9	58.2	3.4	H
4	7394.550000	48.7	74.0	25.3	36.5	57.5	4.6	H
5	11781.400000	49.4	74.0	24.6	39.0	60.2	5.8	H
6	17687.200000	54.3	74.0	19.7	40.4	57.9	6.9	H
<b>Avg</b>								
1	1425.850000	23.5	54.0	30.5	25.5	61.4	2.4	H
2	2439.050000	25.8	54.0	28.2	27.5	59.2	2.8	H
3	4171.350000	30.2	54.0	23.8	30.9	58.2	3.4	H
4	7394.550000	40.0	54.0	14.0	36.5	57.5	4.6	H
5	11781.400000	40.5	54.0	13.5	39.0	60.2	5.8	H
6	17687.200000	46.0	54.0	8.0	40.4	57.9	6.9	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n40		

5230 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	40.630322	20.7	40.0	19.3	14.0	32.4	0.8	V
2	67.202181	18.5	40.0	21.5	11.4	32.8	0.8	V
3	108.456682	21.0	43.5	22.5	11.0	32.9	1.4	V
4	190.405002	14.5	43.5	29.0	10.4	32.8	2.2	V
5	309.454683	19.0	46.0	27.0	13.0	32.7	2.7	V
6	559.710646	36.1	46.0	9.9	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n40		

5230 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
<b>Peak</b>								
1	1336.600000	33.4	74.0	40.6	25.7	61.2	2.3	V
2	2239.300000	34.8	74.0	39.2	27.2	60.3	2.8	V
3	3740.400000	38.5	74.0	35.5	30.1	58.9	3.2	V
4	6156.100000	45.5	74.0	28.5	34.0	58.0	4.2	V
5	9961.550000	51.3	74.0	22.7	38.5	60.0	5.4	V
6	17791.750000	54.7	74.0	19.3	41.1	57.8	7.0	V
<b>Avg</b>								
1	1336.600000	23.9	54.0	30.1	25.7	61.2	2.3	V
2	2239.300000	26.1	54.0	27.9	27.2	60.3	2.8	V
3	3740.400000	30.1	54.0	23.9	30.1	58.9	3.2	V
4	6156.100000	36.9	54.0	17.1	34.0	58.0	4.2	V
5	9961.550000	41.4	54.0	12.6	38.5	60.0	5.4	V
6	17791.750000	46.5	54.0	7.5	41.1	57.8	7.0	V

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ac80		

5210 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	43.505724	16.1	40.0	23.9	13.9	32.5	0.8	H
2	78.413354	19.7	40.0	20.3	9.5	32.9	0.9	H
3	138.630193	18.5	43.5	25.0	13.4	32.9	1.4	H
4	199.635245	26.8	43.5	16.7	9.9	32.8	2.3	H
5	334.272302	15.7	46.0	30.3	13.2	32.6	2.7	H
6	559.710646	39.8	46.0	6.2	15.5	32.4	3.1	H



1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ac80		

5210 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1532.950000	31.6	74.0	42.4	25.4	61.3	2.5	H
2	2467.950000	44.5	74.0	29.5	27.6	59.0	2.8	H
3	3964.800000	39.9	74.0	34.1	30.8	58.5	3.3	H
4	7399.650000	48.2	74.0	25.8	36.5	57.5	4.6	H
5	11263.750000	50.4	74.0	23.6	39.0	61.1	5.7	H
6	17582.650000	54.7	74.0	19.3	39.8	58.1	6.9	H
Avg								
1	1532.950000	23.1	54.0	30.9	25.4	61.3	2.5	H
2	2467.950000	37.6	54.0	16.4	27.6	59.0	2.8	H
3	3964.800000	31.6	54.0	22.4	30.8	58.5	3.3	H
4	7399.650000	40.3	54.0	13.7	36.5	57.5	4.6	H
5	11263.750000	41.5	54.0	12.5	39.0	61.1	5.7	H
6	17582.650000	46.3	54.0	7.7	39.8	58.1	6.9	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ac80		

5210 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	39.714725	21.0	40.0	19.0	14.0	32.4	0.8	V
2	67.793891	17.8	40.0	22.2	11.2	32.8	0.8	V
3	101.644307	20.5	43.5	23.0	10.3	32.9	1.4	V
4	188.082452	15.7	43.5	27.8	10.7	32.8	2.1	V
5	318.817043	18.4	46.0	27.6	13.2	32.6	2.7	V
6	559.710646	35.9	46.0	10.1	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ac80		

5210 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
<b>Peak</b>								
1	1436.050000	32.4	74.0	41.6	25.5	61.4	2.4	V
2	2238.450000	34.4	74.0	39.6	27.2	60.3	2.8	V
3	3750.600000	38.4	74.0	35.6	30.2	58.9	3.2	V
4	6037.100000	45.1	74.0	28.9	34.0	58.0	4.1	V
5	9052.900000	49.3	74.0	24.7	38.2	59.5	5.4	V
6	17789.200000	54.9	74.0	19.1	41.0	57.8	7.0	V
<b>Avg</b>								
1	1436.050000	24.1	54.0	29.9	25.5	61.4	2.4	V
2	2238.450000	26.9	54.0	27.1	27.2	60.3	2.8	V
3	3750.600000	30.0	54.0	24.0	30.2	58.9	3.2	V
4	6037.100000	37.0	54.0	17.0	34.0	58.0	4.1	V
5	9052.900000	40.2	54.0	13.8	38.2	59.5	5.4	V
6	17789.200000	45.5	54.0	8.5	41.0	57.8	7.0	V

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ax160		

5250 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	42.599954	16.8	40.0	23.2	13.9	32.4	0.8	H
2	76.512057	19.8	40.0	20.2	9.8	32.9	0.9	H
3	120.065933	17.2	43.5	26.3	12.2	32.9	1.4	H
4	199.985568	25.1	43.5	18.4	9.9	32.8	2.3	H
5	333.686743	17.5	46.0	28.5	13.2	32.6	2.7	H
6	559.710646	40.5	46.0	5.5	15.5	32.4	3.1	H



1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ax160		

5250 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
<b>Peak</b>								
1	1252.450000	34.4	74.0	39.6	25.8	61.0	2.3	H
2	2190.850000	36.8	74.0	37.2	27.2	60.6	2.7	H
3	3847.500000	40.0	74.0	34.0	30.6	58.8	3.2	H
4	5941.900000	45.5	74.0	28.5	34.0	58.0	4.1	H
5	10500.450000	51.9	74.0	22.1	38.9	61.2	5.5	H
6	17810.450000	56.5	74.0	17.5	41.2	57.8	7.0	H
<b>Avg</b>								
1	1252.450000	23.6	54.0	30.4	25.8	61.0	2.3	H
2	2190.850000	26.8	54.0	27.2	27.2	60.6	2.7	H
3	3847.500000	31.5	54.0	22.5	30.6	58.8	3.2	H
4	5941.900000	37.7	54.0	16.3	34.0	58.0	4.1	H
5	10500.450000	43.2	54.0	10.8	38.9	61.2	5.5	H
6	17810.450000	48.4	54.0	5.6	41.2	57.8	7.0	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ax160		

5250 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	40.134716	21.5	40.0	18.5	14.1	32.4	0.8	V
2	70.213294	17.8	40.0	22.2	10.8	32.8	0.8	V
3	104.170131	20.1	43.5	23.4	10.6	32.9	1.4	V
4	187.424085	15.2	43.5	28.3	10.8	32.8	2.1	V
5	351.091807	15.9	46.0	30.1	13.8	32.5	2.7	V
6	559.710646	36.2	46.0	9.8	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ax160		

5250 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
<b>Peak</b>								
1	1400.350000	33.0	74.0	41.0	25.6	61.4	2.4	V
2	2263.950000	35.5	74.0	38.5	27.2	60.2	2.8	V
3	3739.550000	39.9	74.0	34.1	30.1	58.9	3.2	V
4	6136.550000	46.7	74.0	27.3	34.0	58.0	4.1	V
5	9598.600000	51.6	74.0	22.4	38.5	58.8	5.4	V
6	17802.800000	56.0	74.0	18.0	41.1	57.8	7.0	V
<b>Avg</b>								
1	1400.350000	23.1	54.0	30.9	25.6	61.4	2.4	V
2	2263.950000	26.0	54.0	28.0	27.2	60.2	2.8	V
3	3739.550000	29.9	54.0	24.1	30.1	58.9	3.2	V
4	6136.550000	37.4	54.0	16.6	34.0	58.0	4.1	V
5	9598.600000	42.7	54.0	11.3	38.5	58.8	5.4	V
6	17802.800000	47.3	54.0	6.7	41.1	57.8	7.0	V

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11a		

5250MHz-5350MHz

5260MHz




Mk.	Freq.(MHz)	Level(d BuV/m)	Limit(dBu V/m)	Margin(d B)	Ant.F/G.(d B/m)	Amp.G.( dB)	Cbl.L. (dB)	Pol.
Peak								
1	37.745902	13.8	40.0	26.2	13.8	32.3	0.8	H
2	78.001995	19.7	40.0	20.3	9.6	32.9	0.9	H
3	121.975541	16.7	43.5	26.8	12.3	32.9	1.4	H
4	199.985568	25.6	43.5	17.9	9.9	32.8	2.3	H
5	333.686743	17.7	46.0	28.3	13.2	32.6	2.7	H
6	559.710646	40.1	46.0	5.9	15.5	32.4	3.1	H



1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11a		

5260 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
<b>Peak</b>								
1	1300.900000	33.1	74.0	40.9	25.8	61.1	2.3	H
2	2063.350000	34.7	74.0	39.3	26.9	60.9	2.7	H
3	3341.750000	37.9	74.0	36.1	29.5	58.2	3.1	H
4	5436.150000	43.8	74.0	30.2	32.8	58.0	3.9	H
5	8856.550000	50.2	74.0	23.8	38.1	58.7	5.3	H
6	17584.350000	55.5	74.0	18.5	39.8	58.1	6.9	H
<b>Avg</b>								
1	1300.900000	25.0	54.0	29.0	25.8	61.1	2.3	H
2	2063.350000	26.4	54.0	27.6	26.9	60.9	2.7	H
3	3341.750000	30.1	54.0	23.9	29.5	58.2	3.1	H
4	5436.150000	34.1	54.0	19.9	32.8	58.0	3.9	H
5	8856.550000	42.2	54.0	11.8	38.1	58.7	5.3	H
6	17584.350000	47.2	54.0	6.8	39.8	58.1	6.9	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11a		

5260 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	34.821189	21.8	40.0	18.2	13.4	32.2	0.8	V
2	68.992988	17.5	40.0	22.5	11.0	32.8	0.8	V
3	99.702770	21.5	43.5	22.0	10.1	32.9	1.4	V
4	182.239439	16.1	43.5	27.4	11.4	32.8	2.0	V
5	316.034381	17.9	46.0	28.1	13.1	32.6	2.7	V
6	559.710646	36.3	46.0	9.7	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11a		

5260 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1533.800000	33.1	74.0	40.9	25.4	61.3	2.5	V
2	2459.450000	43.6	74.0	30.4	27.6	59.1	2.8	V
3	4049.800000	40.4	74.0	33.6	30.8	58.3	3.3	V
4	6661.850000	46.7	74.0	27.3	35.7	58.1	4.3	V
5	10741.850000	52.3	74.0	21.7	38.9	61.1	5.6	V
6	17806.200000	55.8	74.0	18.2	41.2	57.8	7.0	V
Avg								
1	1533.800000	24.2	54.0	29.8	25.4	61.3	2.5	V
2	2459.450000	38.0	54.0	16.0	27.6	59.1	2.8	V
3	4049.800000	31.3	54.0	22.7	30.8	58.3	3.3	V
4	6661.850000	38.0	54.0	16.0	35.7	58.1	4.3	V
5	10741.850000	43.3	54.0	10.7	38.9	61.1	5.6	V
6	17806.200000	47.4	54.0	6.6	41.2	57.8	7.0	V

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11a		

5300 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	42.599954	16.1	40.0	23.9	13.9	32.4	0.8	H
2	85.148633	21.3	40.0	18.7	9.4	32.9	1.0	H
3	129.240983	17.9	43.5	25.6	12.7	32.9	1.4	H
4	199.635245	26.3	43.5	17.2	9.9	32.8	2.3	H
5	333.686743	16.4	46.0	29.6	13.2	32.6	2.7	H
6	559.710646	40.3	46.0	5.7	15.5	32.4	3.1	H



1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11a		

5300 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
<b>Peak</b>								
1	1548.250000	32.7	74.0	41.3	25.3	61.3	2.5	H
2	2589.500000	36.8	74.0	37.2	28.0	59.0	2.9	H
3	4377.050000	41.9	74.0	32.1	31.5	58.1	3.5	H
4	7397.950000	49.4	74.0	24.6	36.5	57.5	4.6	H
5	11452.450000	49.9	74.0	24.1	39.1	61.1	5.8	H
6	17879.300000	55.4	74.0	18.6	41.6	57.7	7.0	H
<b>Avg</b>								
1	1548.250000	23.6	54.0	30.4	25.3	61.3	2.5	H
2	2589.500000	28.2	54.0	25.8	28.0	59.0	2.9	H
3	4377.050000	32.8	54.0	21.2	31.5	58.1	3.5	H
4	7397.950000	41.3	54.0	12.7	36.5	57.5	4.6	H
5	11452.450000	41.9	54.0	12.1	39.1	61.1	5.8	H
6	17879.300000	47.4	54.0	6.6	41.6	57.7	7.0	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11a		

5300 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	40.630322	20.8	40.0	19.2	14.0	32.4	0.8	V
2	71.706186	18.3	40.0	21.7	10.6	32.8	0.8	V
3	104.170131	21.5	43.5	22.0	10.6	32.9	1.4	V
4	191.409140	14.9	43.5	28.6	10.4	32.8	2.2	V
5	359.186005	16.1	46.0	29.9	14.0	32.5	2.7	V
6	559.710646	36.6	46.0	9.4	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11a		

5300 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
<b>Peak</b>								
1	1345.100000	32.5	74.0	41.5	25.7	61.2	2.3	V
2	2120.300000	35.0	74.0	39.0	27.2	60.8	2.7	V
3	3529.600000	39.6	74.0	34.4	29.5	59.0	3.1	V
4	5626.550000	44.0	74.0	30.0	33.1	58.1	4.0	V
5	9159.150000	49.4	74.0	24.6	38.3	59.6	5.4	V
6	17807.900000	55.7	74.0	18.3	41.2	57.8	7.0	V
<b>Avg</b>								
1	1345.100000	23.5	54.0	30.5	25.7	61.2	2.3	V
2	2120.300000	25.6	54.0	28.4	27.2	60.8	2.7	V
3	3529.600000	29.0	54.0	25.0	29.5	59.0	3.1	V
4	5626.550000	36.1	54.0	17.9	33.1	58.1	4.0	V
5	9159.150000	40.7	54.0	13.3	38.3	59.6	5.4	V
6	17807.900000	47.3	54.0	6.7	41.2	57.8	7.0	V

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11a		

5320 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	42.599954	16.8	40.0	23.2	13.9	32.4	0.8	H
2	76.915558	20.7	40.0	19.3	9.8	32.9	0.9	H
3	121.548576	16.6	43.5	26.9	12.3	32.9	1.4	H
4	199.635245	26.2	43.5	17.3	9.9	32.8	2.3	H
5	333.686743	17.1	46.0	28.9	13.2	32.6	2.7	H
6	559.710646	40.3	46.0	5.7	15.5	32.4	3.1	H



1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11a		

5320 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
<b>Peak</b>								
1	1440.300000	32.1	74.0	41.9	25.5	61.4	2.4	H
2	2490.050000	37.1	74.0	36.9	27.7	58.9	2.8	H
3	3966.500000	40.3	74.0	33.7	30.8	58.5	3.3	H
4	6461.250000	46.2	74.0	27.8	34.9	58.0	4.2	H
5	11433.750000	50.5	74.0	23.5	39.1	61.1	5.8	H
6	17689.750000	55.0	74.0	19.0	40.4	57.9	6.9	H
<b>Avg</b>								
1	1440.300000	24.5	54.0	29.5	25.5	61.4	2.4	H
2	2490.050000	27.4	54.0	26.6	27.7	58.9	2.8	H
3	3966.500000	30.5	54.0	23.5	30.8	58.5	3.3	H
4	6461.250000	37.3	54.0	16.7	34.9	58.0	4.2	H
5	11433.750000	40.9	54.0	13.1	39.1	61.1	5.8	H
6	17689.750000	46.2	54.0	7.8	40.4	57.9	6.9	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11a		

5320 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	43.505724	20.6	40.0	19.4	13.9	32.5	0.8	V
2	69.114058	17.6	40.0	22.4	11.0	32.8	0.8	V
3	96.436153	20.1	43.5	23.4	9.9	32.9	1.3	V
4	177.820660	16.8	43.5	26.7	12.0	32.8	1.9	V
5	351.091807	16.0	46.0	30.0	13.8	32.5	2.7	V
6	559.710646	36.4	46.0	9.6	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11a		

5320 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
<b>Peak</b>								
1	1461.550000	31.9	74.0	42.1	25.5	61.4	2.4	V
2	2453.500000	42.9	74.0	31.1	27.5	59.1	2.8	V
3	4496.900000	43.2	74.0	30.8	31.6	58.0	3.5	V
4	8326.150000	50.1	74.0	23.9	37.2	56.7	5.0	V
5	12081.450000	50.9	74.0	23.1	39.0	59.4	5.9	V
6	17884.400000	56.0	74.0	18.0	41.6	57.7	7.0	V
<b>Avg</b>								
1	1461.550000	23.2	54.0	30.8	25.5	61.4	2.4	V
2	2453.500000	38.3	54.0	15.7	27.5	59.1	2.8	V
3	4496.900000	32.9	54.0	21.1	31.6	58.0	3.5	V
4	8326.150000	41.9	54.0	12.1	37.2	56.7	5.0	V
5	12081.450000	42.2	54.0	11.8	39.0	59.4	5.9	V
6	17884.400000	46.9	54.0	7.1	41.6	57.7	7.0	V

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n20		

5260 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	43.050457	17.0	40.0	23.0	13.9	32.5	0.8	H
2	78.001995	20.0	40.0	20.0	9.6	32.9	0.9	H
3	121.548576	16.4	43.5	27.1	12.3	32.9	1.4	H
4	199.985568	25.4	43.5	18.1	9.9	32.8	2.3	H
5	333.686743	16.0	46.0	30.0	13.2	32.6	2.7	H
6	559.710646	40.2	46.0	5.8	15.5	32.4	3.1	H



1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n20		

5260 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
<b>Peak</b>								
1	1423.300000	32.2	74.0	41.8	25.5	61.4	2.4	H
2	2303.050000	34.6	74.0	39.4	27.2	59.9	2.8	H
3	3959.700000	39.8	74.0	34.2	30.8	58.5	3.3	H
4	6439.150000	45.6	74.0	28.4	34.8	58.0	4.2	H
5	11364.050000	51.2	74.0	22.8	39.1	61.1	5.8	H
6	17684.650000	55.4	74.0	18.6	40.4	57.9	6.9	H
<b>Avg</b>								
1	1423.300000	23.5	54.0	30.5	25.5	61.4	2.4	H
2	2303.050000	25.8	54.0	28.2	27.2	59.9	2.8	H
3	3959.700000	31.8	54.0	22.2	30.8	58.5	3.3	H
4	6439.150000	36.9	54.0	17.1	34.8	58.0	4.2	H
5	11364.050000	43.1	54.0	10.9	39.1	61.1	5.8	H
6	17684.650000	46.3	54.0	7.7	40.4	57.9	6.9	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n20		

5260 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	35.251181	21.9	40.0	18.1	13.4	32.2	0.8	V
2	65.343191	17.3	40.0	22.7	11.7	32.8	0.8	V
3	105.087342	20.4	43.5	23.1	10.6	32.9	1.4	V
4	185.137896	14.5	43.5	29.0	11.1	32.8	2.0	V
5	303.011972	20.0	46.0	26.0	12.9	32.7	2.7	V
6	559.710646	36.1	46.0	9.9	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n20		

5260 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
<b>Peak</b>								
1	1350.200000	33.2	74.0	40.8	25.7	61.2	2.3	V
2	2309.000000	35.4	74.0	38.6	27.2	59.9	2.8	V
3	3837.300000	39.8	74.0	34.2	30.5	58.8	3.2	V
4	6865.850000	46.6	74.0	27.4	35.8	58.6	4.3	V
5	10311.750000	51.4	74.0	22.6	38.8	60.8	5.5	V
6	17681.250000	55.6	74.0	18.4	40.4	57.9	6.9	V
<b>Avg</b>								
1	1350.200000	23.6	54.0	30.4	25.7	61.2	2.3	V
2	2309.000000	26.5	54.0	27.5	27.2	59.9	2.8	V
3	3837.300000	29.1	54.0	24.9	30.5	58.8	3.2	V
4	6865.850000	37.6	54.0	16.4	35.8	58.6	4.3	V
5	10311.750000	42.8	54.0	11.2	38.8	60.8	5.5	V
6	17681.250000	46.3	54.0	7.7	40.4	57.9	6.9	V

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n20		

5300 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	39.645155	13.0	40.0	27.0	14.0	32.4	0.8	H
2	75.977347	20.3	40.0	19.7	9.9	32.9	0.9	H
3	118.186220	15.6	43.5	27.9	12.0	32.9	1.4	H
4	199.985568	25.7	43.5	17.8	9.9	32.8	2.3	H
5	343.782228	14.8	46.0	31.2	13.4	32.5	2.7	H
6	559.710646	40.3	46.0	5.7	15.5	32.4	3.1	H



1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n20		

5300 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
<b>Peak</b>								
1	1498.100000	32.1	74.0	41.9	25.4	61.4	2.4	H
2	2428.000000	43.6	74.0	30.4	27.4	59.3	2.8	H
3	4269.950000	41.0	74.0	33.0	31.2	58.2	3.4	H
4	7384.350000	49.2	74.0	24.8	36.6	57.5	4.6	H
5	11144.750000	50.6	74.0	23.4	39.0	61.1	5.7	H
6	17580.100000	55.1	74.0	18.9	39.7	58.1	6.9	H
<b>Avg</b>								
1	1498.100000	22.8	54.0	31.2	25.4	61.4	2.4	H
2	2428.000000	36.5	54.0	17.5	27.4	59.3	2.8	H
3	4269.950000	31.5	54.0	22.5	31.2	58.2	3.4	H
4	7384.350000	39.5	54.0	14.5	36.6	57.5	4.6	H
5	11144.750000	43.2	54.0	10.8	39.0	61.1	5.7	H
6	17580.100000	46.6	54.0	7.4	39.7	58.1	6.9	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n20		

5300 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	34.821189	21.8	40.0	18.2	13.4	32.2	0.8	V
2	66.849636	18.9	40.0	21.1	11.4	32.8	0.8	V
3	104.170131	20.6	43.5	22.9	10.6	32.9	1.4	V
4	178.132703	15.7	43.5	27.8	12.0	32.8	1.9	V
5	299.315848	18.4	46.0	27.6	12.8	32.7	2.7	V
6	559.710646	36.4	46.0	9.6	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n20		

5300 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
<b>Peak</b>								
1	1430.950000	33.2	74.0	40.8	25.5	61.4	2.4	V
2	2391.450000	35.0	74.0	39.0	27.3	59.6	2.8	V
3	4056.600000	40.1	74.0	33.9	30.8	58.3	3.3	V
4	6670.350000	46.1	74.0	27.9	35.7	58.1	4.3	V
5	11017.250000	50.6	74.0	23.4	38.9	61.1	5.7	V
6	17802.800000	55.3	74.0	18.7	41.1	57.8	7.0	V
<b>Avg</b>								
1	1430.950000	23.2	54.0	30.8	25.5	61.4	2.4	V
2	2391.450000	26.2	54.0	27.8	27.3	59.6	2.8	V
3	4056.600000	31.7	54.0	22.3	30.8	58.3	3.3	V
4	6670.350000	37.8	54.0	16.2	35.7	58.1	4.3	V
5	11017.250000	41.0	54.0	13.0	38.9	61.1	5.7	V
6	17802.800000	47.0	54.0	7.0	41.1	57.8	7.0	V

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n20		

5320 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	40.134716	13.8	40.0	26.2	14.1	32.4	0.8	H
2	78.413354	20.6	40.0	19.4	9.5	32.9	0.9	H
3	118.186220	16.8	43.5	26.7	12.0	32.9	1.4	H
4	199.985568	24.5	43.5	19.0	9.9	32.8	2.3	H
5	381.917698	16.6	46.0	29.4	13.7	32.4	2.7	H
6	559.710646	40.0	46.0	6.0	15.5	32.4	3.1	H



1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n20		

5320 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
<b>Peak</b>								
1	1413.100000	31.6	74.0	42.4	25.5	61.4	2.4	H
2	2151.750000	35.1	74.0	38.9	27.2	60.7	2.7	H
3	3343.450000	37.7	74.0	36.3	29.5	58.2	3.1	H
4	5539.000000	43.8	74.0	30.2	32.8	58.1	4.0	H
5	8947.500000	51.2	74.0	22.8	38.2	59.2	5.3	H
6	17801.100000	55.1	74.0	18.9	41.1	57.8	7.0	H
<b>Avg</b>								
1	1413.100000	23.2	54.0	30.8	25.5	61.4	2.4	H
2	2151.750000	26.1	54.0	27.9	27.2	60.7	2.7	H
3	3343.450000	30.0	54.0	24.0	29.5	58.2	3.1	H
4	5539.000000	35.1	54.0	18.9	32.8	58.1	4.0	H
5	8947.500000	41.9	54.0	12.1	38.2	59.2	5.3	H
6	17801.100000	47.2	54.0	6.8	41.1	57.8	7.0	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n20		

5320 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	42.080322	21.0	40.0	19.0	14.0	32.4	0.8	V
2	72.084342	18.8	40.0	21.2	10.5	32.8	0.8	V
3	111.346842	20.5	43.5	23.0	11.3	32.9	1.4	V
4	177.820660	16.3	43.5	27.2	12.0	32.8	1.9	V
5	308.912598	19.5	46.0	26.5	13.0	32.7	2.7	V
6	559.710646	36.6	46.0	9.4	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n20		

5320 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
<b>Peak</b>								
1	1549.100000	32.4	74.0	41.6	25.3	61.3	2.5	V
2	2453.500000	43.2	74.0	30.8	27.5	59.1	2.8	V
3	4473.100000	41.0	74.0	33.0	31.6	58.0	3.5	V
4	7410.700000	48.6	74.0	25.4	36.5	57.5	4.6	V
5	11233.150000	50.1	74.0	23.9	39.0	61.1	5.7	V
6	17884.400000	55.5	74.0	18.5	41.6	57.7	7.0	V
<b>Avg</b>								
1	1549.100000	24.4	54.0	29.6	25.3	61.3	2.5	V
2	2453.500000	37.9	54.0	16.1	27.5	59.1	2.8	V
3	4473.100000	32.1	54.0	21.9	31.6	58.0	3.5	V
4	7410.700000	39.5	54.0	14.5	36.5	57.5	4.6	V
5	11233.150000	41.9	54.0	12.1	39.0	61.1	5.7	V
6	17884.400000	47.0	54.0	7.0	41.6	57.7	7.0	V

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n40		

5270 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	43.505724	15.0	40.0	25.0	13.9	32.5	0.8	H
2	73.102538	18.8	40.0	21.2	10.3	32.8	0.9	H
3	125.006589	15.2	43.5	28.3	12.5	32.9	1.4	H
4	199.985568	24.6	43.5	18.9	9.9	32.8	2.3	H
5	388.672826	15.4	46.0	30.6	13.7	32.4	2.7	H
6	559.710646	31.5	46.0	14.5	15.5	32.4	3.1	H



1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n40		

5270 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
<b>Peak</b>								
1	1522.750000	32.3	74.0	41.7	25.4	61.3	2.5	H
2	2427.150000	43.4	74.0	30.6	27.4	59.3	2.8	H
3	4380.450000	41.5	74.0	32.5	31.5	58.1	3.5	H
4	6266.600000	45.9	74.0	28.1	34.2	58.0	4.2	H
5	11364.050000	50.6	74.0	23.4	39.1	61.1	5.8	H
6	17675.300000	55.3	74.0	18.7	40.3	58.0	6.9	H
<b>Avg</b>								
1	1522.750000	23.3	54.0	30.7	25.4	61.3	2.5	H
2	2427.150000	37.7	54.0	16.3	27.4	59.3	2.8	H
3	4380.450000	32.0	54.0	22.0	31.5	58.1	3.5	H
4	6266.600000	37.3	54.0	16.7	34.2	58.0	4.2	H
5	11364.050000	42.1	54.0	11.9	39.1	61.1	5.8	H
6	17675.300000	46.0	54.0	8.0	40.3	58.0	6.9	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n40		

5270 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	34.821189	21.6	40.0	18.4	13.4	32.2	0.8	V
2	67.320108	18.5	40.0	21.5	11.3	32.8	0.8	V
3	104.536051	21.2	43.5	22.3	10.6	32.9	1.4	V
4	190.739128	14.4	43.5	29.1	10.4	32.8	2.2	V
5	399.730428	21.2	46.0	24.8	14.7	32.3	2.7	V
6	559.710646	36.8	46.0	9.2	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n40		

5270 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
<b>Peak</b>								
1	1549.950000	32.9	74.0	41.1	25.3	61.3	2.5	V
2	2590.350000	37.9	74.0	36.1	28.0	59.0	2.9	V
3	4590.400000	41.8	74.0	32.2	31.6	57.9	3.6	V
4	7592.600000	48.1	74.0	25.9	36.3	57.7	4.7	V
5	11463.500000	50.2	74.0	23.8	39.1	61.1	5.8	V
6	17887.800000	55.7	74.0	18.3	41.7	57.7	7.0	V
<b>Avg</b>								
1	1549.950000	24.1	54.0	29.9	25.3	61.3	2.5	V
2	2590.350000	27.8	54.0	26.2	28.0	59.0	2.9	V
3	4590.400000	33.5	54.0	20.5	31.6	57.9	3.6	V
4	7592.600000	38.9	54.0	15.1	36.3	57.7	4.7	V
5	11463.500000	41.8	54.0	12.2	39.1	61.1	5.8	V
6	17887.800000	47.8	54.0	6.2	41.7	57.7	7.0	V

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n40		

5310 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	48.842895	19.8	40.0	20.2	13.6	32.6	0.8	H
2	81.783290	18.2	40.0	21.8	9.3	32.9	1.0	H
3	139.117161	18.4	43.5	25.1	13.4	32.9	1.4	H
4	199.985568	25.4	43.5	18.1	9.9	32.8	2.3	H
5	334.272302	17.8	46.0	28.2	13.2	32.6	2.7	H
6	559.710646	40.4	46.0	5.6	15.5	32.4	3.1	H



1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n40		

5310 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
<b>Peak</b>								
1	1425.000000	32.5	74.0	41.5	25.5	61.4	2.4	H
2	2500.250000	37.5	74.0	36.5	27.7	58.8	2.8	H
3	4268.250000	40.3	74.0	33.7	31.2	58.2	3.4	H
4	7199.050000	47.7	74.0	26.3	36.7	57.9	4.5	H
5	11861.300000	50.1	74.0	23.9	39.0	60.0	5.9	H
6	17677.000000	54.8	74.0	19.2	40.3	57.9	6.9	H
<b>Avg</b>								
1	1425.000000	23.2	54.0	30.8	25.5	61.4	2.4	H
2	2500.250000	28.6	54.0	25.4	27.7	58.8	2.8	H
3	4268.250000	31.8	54.0	22.2	31.2	58.2	3.4	H
4	7199.050000	38.9	54.0	15.1	36.7	57.9	4.5	H
5	11861.300000	41.5	54.0	12.5	39.0	60.0	5.9	H
6	17677.000000	46.1	54.0	7.9	40.3	57.9	6.9	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n40		

5310 Vertical



Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	34.821189	22.0	40.0	18.0	13.4	32.2	0.8	V
2	68.751484	18.1	40.0	21.9	11.1	32.8	0.8	V
3	98.832556	21.7	43.5	21.8	10.1	32.9	1.4	V
4	188.082452	14.2	43.5	29.3	10.7	32.8	2.1	V
5	353.562708	15.2	46.0	30.8	13.9	32.5	2.7	V
6	559.710646	36.3	46.0	9.7	17.6	32.4	3.1	V