


◆ MAIN FUNCTIONAL CHARACTERISTIC

◆ MAIN FUNCTIONAL CHARACTERISTIC
(Proof of Process Capability Required)**Layout**
2:1**Artwork for production (pcx-file)**

1:1

NOKIA
Nokia Corporation
Model: 3120
Type: RH-19CE168
IC: 661U-RH19
FCC ID: PPIRH-19
MADE IN KOREA**CONNECTION TO PDMS**

Following items are printed from PDMS database

-IMEI "XXXXXX/xx/yyyyyy/0"
-Product Code "Code: XXXXXXXX"

Blank label material: To be printed in NMP production using (600dpi) Thermal Transfer Printer

Place tolerance of printing +/-0.3

4	PRINTING FILE	1	P000125XXdpi300.pcx	XX = Doc. Version Number
3	PRINTING FILE	1	P000125XXdpi600.pcx	XX = Doc. Version Number
2	Thermal Transfer Ribbon R-7963	1	See Data sheet	NMP CODE: 9730082
1	BLANK LABEL 30,5 x 20	1	DMC03291	NMP CODE: 9381149
No.	Part name	Qty	Drw no.	Note
Material			See table.	
			Original Designer	
			TSchmitz 120103	
NOKIA		Sheet 1 of 1	Original Scale 2:1	
			Original Size A4	
			NMP Code	
Item Name		Document Number	Doc. Vers.	Tool Vers.
3120 TYPE LABEL (Gen) Ko		040-000125	1.0	
		Name / Date		Change Ref.
		D.Braig 260204		
		Approved / Date		
		Tschmitz 260204		



NOKIA

NOKIA MOBILE PHONES

Lise-Meitner-Strasse 11

D-89081 Ulm, Germany

+49(0)731-1754-0

+49(0)731-1754-68 00

03/01/2004

Federal Communications Commission

Authorization & Evaluation Division,

7435 Oakland Mills Road,

Columbia, MD. 21046

Attention: Equipment Authorization Branch

COMPLIANCE STATEMENT OF PPIRH-19

The compliance statement can be seen in User Guide of PPIRH-19 because the size of the handportable PPIRH-19 and its identification label are so small that the compliance statement cannot be printed large enough to be visible.

NOKIA MOBILE PHONES



Anton Stock

Product Program Manager, Ulm