





LTE Band 12 / 3MHz

Middle Channel / QPSK




Date: 14.JUN.2019 09:45:22

Middle Channel / 16QAM




Date: 14.JUN.2019 09:44:19

Highest Channel / QPSK



Date: 14.JUN.2019 09:51:18

Highest Channel / 16QAM




Date: 14.JUN.2019 09:52:22




LTE Band 12 / 5MHz

Lowest Channel / QPSK




Date: 14.JUN.2019 10:15:14

Lowest Channel / 16QAM




Date: 14.JUN.2019 10:16:18

Middle Channel / QPSK



Date: 14.JUN.2019 10:19:14

Middle Channel / 16QAM




Date: 14.JUN.2019 10:18:10




LTE Band 12 / 5MHz

Highest Channel / QPSK



Date: 14.JUN.2019 10:26:13


Highest Channel / 16QAM



Date: 14.JUN.2019 10:25:09


LTE Band 12 / 10MHz

Lowest Channel / QPSK



Date: 14.JUN.2019 10:32:09

Lowest Channel / 16QAM




Date: 14.JUN.2019 10:33:13




LTE Band 12 / 10MHz

Middle Channel / QPSK




Date: 14.JUN.2019 10:36:09

Middle Channel / 16QAM




Date: 14.JUN.2019 10:35:05

Highest Channel / QPSK



Date: 14.JUN.2019 10:42:02

Highest Channel / 16QAM




Date: 14.JUN.2019 10:43:07




LTE Band 12 / 1.4MHz

Lowest Channel / 64QAM




Date: 14.JUN.2019 11:53:02

Middle Channel / 64QAM



Date: 14.JUN.2019 11:54:30

Highest Channel / 64QAM




Date: 14.JUN.2019 11:57:59




LTE Band 12 / 3MHz

Lowest Channel / 64QAM




Date: 14.JUN.2019 09:55:53

Middle Channel / 64QAM



Date: 14.JUN.2019 09:57:21

Highest Channel / 64QAM




Date: 14.JUN.2019 10:00:51




LTE Band 12 / 5MHz

Lowest Channel / 64QAM




Date: 14.JUN.2019 10:04:21

Middle Channel / 64QAM



Date: 14.JUN.2019 10:05:49

Highest Channel / 64QAM




Date: 14.JUN.2019 10:09:18




LTE Band 12 / 10MHz

Lowest Channel / 64QAM




Date: 14.JUN.2019 10:46:36

Middle Channel / 64QAM



Date: 14.JUN.2019 10:48:04

Highest Channel / 64QAM



Date: 14.JUN.2019 10:51:33

Frequency Stability

Test Conditions		LTE Band 12 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0010	PASS
40	Normal Voltage	0.0020	
30	Normal Voltage	0.0010	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0028	
0	Normal Voltage	0.0078	
-10	Normal Voltage	0.0013	
-20	Normal Voltage	0.0064	
-30	Normal Voltage	0.0047	
20	Maximum Voltage	0.0023	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0028	

Note:

1. Normal Voltage =3.85 V. ; Battery End Point (BEP) =3.65 V. ; Maximum Voltage =4.25 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of ERP/EIRP and Radiated Test

ERP/EIRP

LTE Band 4 / 1.4MHz (Average) (GT - LC = -5.4 dB)							
Channel	Mode	RB		Conducted		EIRP	
		Size	Offset	Power (dBm)	Power (Watts)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	3	1	19.55	0.0902	14.15	0.0260
Middle		3	1	19.49	0.0889	14.09	0.0256
Highest		3	1	19.42	0.0875	14.02	0.0252
Lowest	16QAM	1	3	19.56	0.0904	14.16	0.0261
Middle		1	3	19.59	0.0910	14.19	0.0262
Highest		1	3	19.53	0.0897	14.13	0.0259
Lowest	64QAM	1	3	19.49	0.0889	14.09	0.0256
Middle		1	3	19.43	0.0877	14.03	0.0253
Highest		1	3	19.34	0.0859	13.94	0.0248
Limit	EIRP < 1W			Result		PASS	

LTE Band 4 / 3MHz (Average) (GT - LC = -5.4 dB)							
Channel	Mode	RB		Conducted		EIRP	
		Size	Offset	Power (dBm)	Power (Watts)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	8	4	19.70	0.0933	14.30	0.0269
Middle		8	4	19.54	0.0899	14.14	0.0259
Highest		8	4	19.48	0.0887	14.08	0.0256
Lowest	16QAM	1	8	19.71	0.0935	14.31	0.0270
Middle		1	8	19.60	0.0912	14.20	0.0263
Highest		1	8	19.53	0.0897	14.13	0.0259
Lowest	64QAM	1	8	19.61	0.0914	14.21	0.0264
Middle		1	8	19.41	0.0873	14.01	0.0252
Highest		1	8	19.34	0.0859	13.94	0.0248
Limit	EIRP < 1W			Result		PASS	

LTE Band 4 / 5MHz (Average) (GT - LC = -5.4 dB)							
Channel	Mode	RB		Conducted		EIRP	
		Size	Offset	Power (dBm)	Power (Watts)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	12	0	19.70	0.0933	14.30	0.0269
Middle		12	0	19.54	0.0899	14.14	0.0259
Highest		12	0	19.49	0.0889	14.09	0.0256
Lowest	16QAM	1	12	19.74	0.0942	14.34	0.0272
Middle		1	12	19.60	0.0912	14.20	0.0263
Highest		1	12	19.52	0.0895	14.12	0.0258
Lowest	64QAM	1	24	19.63	0.0918	14.23	0.0265
Middle		1	24	19.43	0.0877	14.03	0.0253
Highest		1	24	19.34	0.0859	13.94	0.0248
Limit	EIRP < 1W			Result		PASS	



LTE Band 4 / 10MHz (Average) (GT - LC = -5.4 dB)							
Channel	Mode	RB		Conducted		EIRP	
		Size	Offset	Power (dBm)	Power (Watts)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	25	0	19.72	0.0938	14.32	0.0270
Middle		25	0	19.58	0.0908	14.18	0.0262
Highest		25	0	19.55	0.0902	14.15	0.0260
Lowest	16QAM	1	0	19.65	0.0923	14.25	0.0266
Middle		1	0	19.70	0.0933	14.30	0.0269
Highest		1	0	19.64	0.0920	14.24	0.0265
Lowest	64QAM	1	0	19.55	0.0902	14.15	0.0260
Middle		1	0	19.59	0.0910	14.19	0.0262
Highest		1	0	19.48	0.0887	14.08	0.0256
Limit	EIRP < 1W			Result		PASS	

LTE Band 4 / 15MHz (Average) (GT - LC = -5.4 dB)							
Channel	Mode	RB		Conducted		EIRP	
		Size	Offset	Power (dBm)	Power (Watts)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	19.68	0.0929	14.28	0.0268
Middle		1	0	19.79	0.0953	14.39	0.0275
Highest		1	0	19.61	0.0914	14.21	0.0264
Lowest	16QAM	1	0	19.84	0.0964	14.44	0.0278
Middle		1	0	19.84	0.0964	14.44	0.0278
Highest		1	0	19.74	0.0942	14.34	0.0272
Lowest	64QAM	1	0	19.66	0.0925	14.26	0.0267
Middle		1	0	19.76	0.0946	14.36	0.0273
Highest		1	0	19.54	0.0899	14.14	0.0259
Limit	EIRP < 1W			Result		PASS	

LTE Band 4 / 20MHz (Average) (GT - LC = -5.4 dB)							
Channel	Mode	RB		Conducted		EIRP	
		Size	Offset	Power (dBm)	Power (Watts)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	19.68	0.0929	14.28	0.0268
Middle		1	0	19.85	0.0966	14.45	0.0279
Highest		1	0	19.52	0.0895	14.12	0.0258
Lowest	16QAM	1	0	19.84	0.0964	14.44	0.0278
Middle		1	0	19.84	0.0964	14.44	0.0278
Highest		1	0	19.65	0.0923	14.25	0.0266
Lowest	64QAM	1	0	19.60	0.0912	14.20	0.0263
Middle		1	0	19.78	0.0951	14.38	0.0274
Highest		1	0	19.42	0.0875	14.02	0.0252
Limit	EIRP < 1W			Result		PASS	



LTE Band 12 / 1.4MHz (Average) (GT - LC = -9.9 dB)							
Channel	Mode	RB		Conducted		ERP	
		Size	Offset	Power (dBm)	Power (Watts)	ERP(dBm)	ERP(W)
Lowest	QPSK	1	3	22.44	0.1754	10.39	0.0109
Middle		1	3	22.42	0.1746	10.37	0.0109
Highest		1	3	22.45	0.1758	10.40	0.0110
Lowest	16QAM	1	3	22.55	0.1799	10.50	0.0112
Middle		1	3	22.53	0.1791	10.48	0.0112
Highest		1	3	22.54	0.1795	10.49	0.0112
Lowest	64QAM	1	3	21.67	0.1469	9.62	0.0092
Middle		1	3	21.65	0.1462	9.60	0.0091
Highest		1	3	21.67	0.1469	9.62	0.0092
Limit	ERP < 3W			Result		PASS	

LTE Band 12 / 3MHz (Average) (GT - LC = -9.9 dB)							
Channel	Mode	RB		Conducted		ERP	
		Size	Offset	Power (dBm)	Power (Watts)	ERP(dBm)	ERP(W)
Lowest	QPSK	15	0	22.57	0.1807	10.52	0.0113
Middle		15	0	22.45	0.1758	10.40	0.0110
Highest		15	0	22.37	0.1726	10.32	0.0108
Lowest	16QAM	1	14	22.59	0.1816	10.54	0.0113
Middle		1	14	22.50	0.1778	10.45	0.0111
Highest		1	14	22.51	0.1782	10.46	0.0111
Lowest	64QAM	1	14	21.73	0.1489	9.68	0.0093
Middle		1	14	21.66	0.1466	9.61	0.0091
Highest		1	14	21.65	0.1462	9.60	0.0091
Limit	ERP < 3W			Result		PASS	

LTE Band 12 / 5MHz (Average) (GT - LC = -9.9 dB)							
Channel	Mode	RB		Conducted		ERP	
		Size	Offset	Power (dBm)	Power (Watts)	ERP(dBm)	ERP(W)
Lowest	QPSK	12	7	22.57	0.1807	10.52	0.0113
Middle		12	7	22.48	0.1770	10.43	0.0110
Highest		12	7	22.42	0.1746	10.37	0.0109
Lowest	16QAM	1	12	22.53	0.1791	10.48	0.0112
Middle		1	12	22.54	0.1795	10.49	0.0112
Highest		1	12	22.45	0.1758	10.40	0.0110
Lowest	64QAM	1	12	21.74	0.1493	9.69	0.0093
Middle		1	12	21.63	0.1455	9.58	0.0091
Highest		1	12	21.57	0.1435	9.52	0.0090
Limit	ERP < 3W			Result		PASS	



LTE Band 12 / 10MHz (Average) (GT - LC = -9.9 dB)							
Channel	Mode	RB		Conducted		ERP	
		Size	Offset	Power (dBm)	Power (Watts)	ERP(dBm)	ERP(W)
Lowest	QPSK	25	0	22.63	0.1832	10.58	0.0114
Middle		25	0	22.52	0.1786	10.47	0.0111
Highest		25	0	22.45	0.1758	10.40	0.0110
Lowest	16QAM	1	49	22.60	0.1820	10.55	0.0114
Middle		1	49	22.59	0.1816	10.54	0.0113
Highest		1	49	22.59	0.1816	10.54	0.0113
Lowest	64QAM	1	49	21.72	0.1486	9.67	0.0093
Middle		1	49	21.66	0.1466	9.61	0.0091
Highest		1	49	21.72	0.1486	9.67	0.0093
Limit	ERP < 3W			Result		PASS	



LTE Band 17 / 5MHz (Average) (GT - LC = -9.9 dB)							
Channel	Mode	RB		Conducted		ERP	
		Size	Offset	Power (dBm)	Power (Watts)	ERP(dBm)	ERP(W)
Lowest	QPSK	12	7	22.50	0.1778	10.45	0.0111
Middle		12	7	22.54	0.1795	10.49	0.0112
Highest		12	7	22.50	0.1778	10.45	0.0111
Lowest	16QAM	1	24	22.52	0.1786	10.47	0.0111
Middle		1	24	22.55	0.1799	10.50	0.0112
Highest		1	24	22.62	0.1828	10.57	0.0114
Lowest	64QAM	1	24	21.60	0.1445	9.55	0.0090
Middle		1	24	21.64	0.1459	9.59	0.0091
Highest		1	24	21.73	0.1489	9.68	0.0093
Limit	ERP < 3W			Result		PASS	

LTE Band 17 / 10MHz (Average) (GT - LC = -9.9 dB)							
Channel	Mode	RB		Conducted		ERP	
		Size	Offset	Power (dBm)	Power (Watts)	ERP(dBm)	ERP(W)
Lowest	QPSK	1	49	22.44	0.1754	10.39	0.0109
Middle		1	49	22.42	0.1746	10.37	0.0109
Highest		1	49	22.51	0.1782	10.46	0.0111
Lowest	16QAM	1	49	22.54	0.1795	10.49	0.0112
Middle		1	49	22.54	0.1795	10.49	0.0112
Highest		1	49	22.62	0.1828	10.57	0.0114
Lowest	64QAM	1	49	21.65	0.1462	9.60	0.0091
Middle		1	49	21.64	0.1459	9.59	0.0091
Highest		1	49	21.72	0.1486	9.67	0.0093
Limit	ERP < 3W			Result		PASS	



LTE Band 41 / 5MHz (Average) (GT - LC = -0.7 dB)							
Channel	Mode	RB		Conducted		EIRP	
		Size	Offset	Power (dBm)	Power (Watts)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	12	7	21.02	0.1265	20.32	0.1076
Middle		12	7	21.15	0.1303	20.45	0.1109
Highest		12	7	20.91	0.1233	20.21	0.1050
Lowest	16QAM	1	0	20.95	0.1245	20.25	0.1059
Middle		1	0	21.09	0.1285	20.39	0.1094
Highest		1	0	20.95	0.1245	20.25	0.1059
Lowest	64QAM	1	0	20.20	0.1047	19.50	0.0891
Middle		1	0	20.81	0.1205	20.11	0.1026
Highest		1	0	20.15	0.1035	19.45	0.0881
Limit	EIRP < 2W			Result		PASS	

LTE Band 41 / 10MHz (Average) (GT - LC = -0.7 dB)							
Channel	Mode	RB		Conducted		EIRP	
		Size	Offset	Power (dBm)	Power (Watts)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	25	0	21.02	0.1265	20.32	0.1076
Middle		25	0	21.22	0.1324	20.52	0.1127
Highest		25	0	21.07	0.1279	20.37	0.1089
Lowest	16QAM	1	25	20.95	0.1245	20.25	0.1059
Middle		1	25	21.16	0.1306	20.46	0.1112
Highest		1	25	20.95	0.1245	20.25	0.1059
Lowest	64QAM	25	0	19.50	0.0891	18.80	0.0759
Middle		25	0	20.87	0.1222	20.17	0.1040
Highest		25	0	19.51	0.0893	18.81	0.0760
Limit	EIRP < 2W			Result		PASS	

LTE Band 41 / 15MHz (Average) (GT - LC = -0.7 dB)							
Channel	Mode	RB		Conducted		EIRP	
		Size	Offset	Power (dBm)	Power (Watts)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	75	0	21.12	0.1294	20.42	0.1102
Middle		75	0	21.16	0.1306	20.46	0.1112
Highest		75	0	20.88	0.1225	20.18	0.1042
Lowest	16QAM	1	74	20.93	0.1239	20.23	0.1054
Middle		1	74	21.25	0.1334	20.55	0.1135
Highest		1	74	20.79	0.1199	20.09	0.1021
Lowest	64QAM	1	0	20.18	0.1042	19.48	0.0887
Middle		1	0	20.79	0.1199	20.09	0.1021
Highest		1	0	20.19	0.1045	19.49	0.0889
Limit	EIRP < 2W			Result		PASS	



LTE Band 41 / 20MHz (Average) (GT - LC = -0.7 dB)							
Channel	Mode	RB		Conducted		EIRP	
		Size	Offset	Power (dBm)	Power (Watts)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	21.04	0.1271	20.34	0.1081
Middle		1	0	21.20	0.1318	20.50	0.1122
Highest		1	0	21.06	0.1276	20.36	0.1086
Lowest	16QAM	1	0	21.15	0.1303	20.45	0.1109
Middle		1	0	21.24	0.1330	20.54	0.1132
Highest		1	0	21.19	0.1315	20.49	0.1119
Lowest	64QAM	1	0	20.39	0.1094	19.69	0.0931
Middle		1	0	20.98	0.1253	20.28	0.1067
Highest		1	0	20.38	0.1091	19.68	0.0929
Limit	EIRP < 2W			Result		PASS	

**Radiated Spurious Emission****LTE Band 4**

LTE Band 4/ 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420	-59.63	-13	-46.63	-75.96	-69.99	1.80	12.16	H
	10264	-43.86	-13	-30.86	-73.17	-53.55	2.22	11.91	H
	11976	-43.43	-13	-30.43	-73.75	-53.15	2.42	12.14	H
									H
									H
									H
	3420	-59.13	-13	-46.13	-76.09	-69.49	1.80	12.16	V
	10264	-44.91	-13	-31.91	-73.8	-54.60	2.22	11.91	V
	11976	-45.23	-13	-32.23	-75.08	-54.95	2.42	12.14	V
									V
									V
									V
Middle	3448	-56.27	-13	-43.27	-72.91	-66.69	1.83	12.24	H
	5170	-56.23	-13	-43.23	-76.91	-66.07	2.29	12.13	H
	6892	-52.96	-13	-39.96	-76.75	-61.58	2.38	11.01	H
	10344	-43.49	-13	-30.49	-72.83	-53.08	2.34	11.94	H
	12064	-41.46	-13	-28.46	-71.8	-51.36	2.45	12.34	H
									H
	3448	-54.60	-13	-41.60	-71.81	-65.02	1.83	12.24	V
	5170	-55.40	-13	-42.40	-76.64	-65.24	2.29	12.13	V
	6892	-52.57	-13	-39.57	-76.95	-61.19	2.38	11.01	V
	10344	-44.55	-13	-31.55	-73.62	-54.14	2.34	11.94	V
	12064	-45.21	-13	-32.21	-74.94	-55.11	2.45	12.34	V
									V



Highest	3469	-58.31	-13	-45.31	-75.17	-68.77	1.84	12.31	H
	10416	-43.61	-13	-30.61	-72.98	-53.12	2.46	11.97	H
	12152	-41.41	-13	-28.41	-71.74	-51.48	2.47	12.53	H
									H
									H
									H
									H
	3469	-58.54	-13	-45.54	-75.92	-69.00	1.84	12.31	V
	10416	-43.02	-13	-30.02	-72.26	-52.53	2.46	11.97	V
	12152	-44.88	-13	-31.88	-74.52	-54.95	2.47	12.53	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 12**

LTE Band 12 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1400	-61.99	-13	-48.99	-74.04	-66.43	1.15	7.74	H
	2105	-60.45	-13	-47.45	-75.07	-67.11	1.38	10.18	H
	2808	-60.19	-13	-47.19	-75.58	-67.33	1.45	10.75	H
									H
									H
									H
									H
	1400	-62.40	-13	-49.40	-73.88	-66.84	1.15	7.74	V
	2105	-59.53	-13	-46.53	-74.42	-66.19	1.38	10.18	V
	2808	-60.16	-13	-47.16	-75.96	-67.30	1.45	10.75	V
									V
									V
									V
									V
Middle	1408	-62.34	-13	-49.34	-74.35	-66.82	1.15	7.78	H
	2120	-60.45	-13	-47.45	-75.32	-67.12	1.38	10.20	H
	2824	-60.82	-13	-47.82	-76.24	-67.98	1.45	10.76	H
									H
									H
									H
									H
	1408	-61.82	-13	-48.82	-73.29	-66.30	1.15	7.78	V
	2120	-59.49	-13	-46.49	-74.67	-66.16	1.38	10.20	V
	2824	-60.38	-13	-47.38	-76.22	-67.54	1.45	10.76	V
									V
									V
									V
									V



Highest	1417	-62.46	-13	-49.46	-74.45	-66.97	1.15	7.82	H
	2126	-60.10	-13	-47.10	-75.08	-66.77	1.38	10.20	H
	2832	-60.87	-13	-47.87	-76.32	-68.03	1.45	10.77	H
									H
									H
									H
									H
	1417	-61.87	-13	-48.87	-73.34	-66.38	1.15	7.82	V
	2126	-59.46	-13	-46.46	-74.76	-66.13	1.38	10.20	V
	2832	-60.16	-13	-47.16	-76.04	-67.32	1.45	10.77	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 41**

LTE Band 41 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5076	-60.47	-25	-35.47	-53.54	-70.26	2.33	12.12	H
	7620	-44.94	-25	-19.94	-42.66	-53.26	2.11	10.43	H
	10164	-56.27	-25	-31.27	-58.47	-66.08	2.06	11.87	H
									H
									H
									H
									H
	5076	-63.46	-25	-38.46	-57.12	-73.25	2.33	12.12	V
	7620	-45.00	-25	-20.00	-42.76	-53.32	2.11	10.43	V
	10164	-56.20	-25	-31.20	-57.79	-66.01	2.06	11.87	V
									V
									V
									V
									V
Middle	5172	-57.36	-25	-32.36	-50.78	-67.20	2.29	12.13	H
	7752	-46.96	-25	-21.96	-45	-55.75	2.11	10.91	H
	10332	-56.46	-25	-31.46	-58.91	-66.07	2.32	11.93	H
									H
									H
									H
									H
	5172	-61.99	-25	-36.99	-55.97	-71.83	2.29	12.13	V
	7752	-44.71	-25	-19.71	-42.81	-53.50	2.11	10.91	V
	10332	-57.19	-25	-32.19	-59.34	-66.80	2.32	11.93	V
									V
									V
									V
									V



Highest	5256	-56.89	-25	-31.89	-50.63	-66.79	2.26	12.15	H
	7884	-48.16	-25	-23.16	-46.87	-57.43	2.11	11.38	H
	10512	-49.62	-25	-24.62	-52.35	-59.01	2.59	11.98	H
									H
									H
									H
									H
	5256	-60.80	-25	-35.80	-55.07	-70.70	2.26	12.15	V
	7884	-43.37	-25	-18.37	-42.01	-52.64	2.11	11.38	V
	10512	-50.89	-25	-25.89	-53.65	-60.28	2.59	11.98	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.