


Project Information			
Mode:	802.11 a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13693.8	40.09	9.37	49.46	68.20	18.74	PK	179	187	Vertical
2	17052.3	39.55	9.93	49.48	68.20	18.72	PK	202	173	Vertical
3	17988.1	38.57	13.62	52.19	74.00	21.81	PK	104	2	Vertical

Project Information			
Mode:	802.11 a	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13665.5	40.61	9.18	49.79	68.20	18.41	PK	270	70	Horizontal
2	17354.4	39.37	12.22	51.59	68.20	16.61	PK	162	291	Horizontal
3	17844.7	39.03	13.77	52.80	74.00	21.20	PK	212	350	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13702.6	39.82	9.28	49.10	68.20	19.10	PK	109	357	Vertical
2	17384.3	39.00	12.12	51.12	68.20	17.08	PK	168	176	Vertical
3	17995.3	39.00	13.72	52.72	74.00	21.28	PK	270	169	Vertical

Project Information			
Mode:	802.11 a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	15241.0	40.14	9.65	49.79	68.20	18.41	PK	187	313	Horizontal
2	17396.2	40.57	12.09	52.66	68.20	15.54	PK	197	290	Horizontal
3	17991.5	39.28	13.67	52.95	74.00	21.05	PK	290	158	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13653.2	40.06	9.08	49.14	68.20	19.06	PK	175	225	Vertical
2	15244.8	40.43	9.78	50.21	68.20	17.99	PK	107	129	Vertical
3	17995.0	38.93	13.72	52.65	74.00	21.35	PK	141	321	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13692.7	40.13	9.36	49.49	68.20	18.71	PK	212	0	Horizontal
2	17341.4	39.78	11.97	51.75	68.20	16.45	PK	182	20	Horizontal
3	17846.6	38.36	13.84	52.20	74.00	21.80	PK	148	50	Horizontal

Project Information			
Mode:	802.11 n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	14654.1	39.62	9.80	49.42	68.20	18.78	PK	158	79	Vertical
2	17368.2	39.35	12.18	51.53	68.20	16.67	PK	137	114	Vertical
3	17972.0	39.28	13.39	52.67	74.00	21.33	PK	138	188	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	11569.7	43.63	5.23	48.86	74.00	25.14	PK	270	233	Horizontal
2	15249.1	39.71	9.92	49.63	68.20	18.57	PK	162	336	Horizontal
3	17937.5	39.74	13.14	52.88	74.00	21.12	PK	212	160	Horizontal

Project Information			
Mode:	802.11 n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	15249.1	40.32	9.92	50.24	68.20	17.96	PK	166	270	Vertical
2	17395.4	39.60	12.09	51.69	68.20	16.51	PK	125	6	Vertical
3	17861.6	38.39	13.84	52.23	74.00	21.77	PK	230	233	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13696.1	39.74	9.40	49.14	68.20	19.06	PK	270	268	Horizontal
2	15234.5	40.16	9.44	49.60	68.20	18.60	PK	162	357	Horizontal
3	17839.7	39.31	13.55	52.86	74.00	21.14	PK	212	28	Horizontal

Project Information			
Mode:	802.11 n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13701.1	40.09	9.36	49.45	68.20	18.75	PK	197	320	Vertical
2	15217.6	41.22	8.86	50.08	68.20	18.12	PK	126	270	Vertical
3	17853.1	38.49	13.95	52.44	74.00	21.56	PK	246	77	Vertical

Project Information			
Mode:	802.11 ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	11484.2	45.80	4.90	50.70	74.00	23.30	PK	137	232	Horizontal
2	15071.6	40.52	9.14	49.66	68.20	18.54	PK	117	107	Horizontal
3	17859.6	38.48	13.86	52.34	74.00	21.66	PK	211	49	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13720.7	41.62	8.36	49.98	68.20	18.22	PK	146	174	Vertical
2	15110.3	40.71	8.75	49.46	68.20	18.74	PK	201	137	Vertical
3	17994.2	38.64	13.71	52.35	74.00	21.65	PK	169	174	Vertical

Project Information			
Mode:	802.11 ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	14662.5	39.98	9.59	49.57	68.20	18.63	PK	217	136	Horizontal
2	17355.5	39.55	12.23	51.78	68.20	16.42	PK	110	151	Horizontal
3	17888.0	39.00	13.50	52.50	74.00	21.50	PK	221	276	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	15074.3	40.36	9.13	49.49	68.20	18.71	PK	124	65	Vertical
2	17336.0	40.19	11.80	51.99	68.20	16.21	PK	255	291	Vertical
3	17981.2	38.90	13.51	52.41	74.00	21.59	PK	109	79	Vertical

Project Information			
Mode:	802.11 ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	15248.7	39.91	9.91	49.82	68.20	18.38	PK	142	226	Horizontal
2	17392.7	39.40	12.09	51.49	68.20	16.71	PK	188	196	Horizontal
3	17855.0	38.28	13.92	52.20	74.00	21.80	PK	165	0	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	15080.8	40.48	9.10	49.58	68.20	18.62	PK	102	12	Vertical
2	17396.9	39.25	12.08	51.33	68.20	16.87	PK	223	247	Vertical
3	17996.9	38.63	13.75	52.38	74.00	21.62	PK	106	64	Vertical

Project Information			
Mode:	802.11 n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	14349.0	40.88	9.00	49.88	68.20	18.32	PK	213	255	Horizontal
2	17370.5	39.33	12.17	51.50	68.20	16.70	PK	103	79	Horizontal
3	17992.7	39.66	13.68	53.34	74.00	20.66	PK	181	350	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13693.8	40.12	9.37	49.49	68.20	18.71	PK	206	157	Vertical
2	15251.4	39.90	9.91	49.81	68.20	18.39	PK	136	224	Vertical
3	17853.5	38.07	13.95	52.02	74.00	21.98	PK	113	231	Vertical

Project Information			
Mode:	802.11 n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13706.9	40.89	9.07	49.96	68.20	18.24	PK	127	291	Horizontal
2	15059.7	40.40	9.19	49.59	68.20	18.61	PK	193	232	Horizontal
3	17859.3	39.62	13.87	53.49	74.00	20.51	PK	261	166	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13688.1	40.47	9.34	49.81	68.20	18.39	PK	175	202	Vertical
2	15246.0	39.42	9.81	49.23	68.20	18.97	PK	149	137	Vertical
3	17888.4	39.43	13.49	52.92	74.00	21.08	PK	167	262	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13699.2	40.19	9.42	49.61	68.20	18.59	PK	162	167	Horizontal
2	14333.6	40.37	8.90	49.27	68.20	18.93	PK	245	188	Horizontal
3	17867.3	38.95	13.76	52.71	74.00	21.29	PK	225	277	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13699.6	40.75	9.42	50.17	68.20	18.03	PK	130	320	Vertical
2	15244.5	40.15	9.77	49.92	68.20	18.28	PK	255	56	Vertical
3	17972.0	39.02	13.39	52.41	74.00	21.59	PK	180	181	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13692.7	39.68	9.36	49.04	68.20	19.16	PK	162	262	Horizontal
2	15069.7	40.63	9.15	49.78	68.20	18.42	PK	108	320	Horizontal
3	17995.7	38.83	13.73	52.56	74.00	21.44	PK	216	328	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13671.6	40.35	9.21	49.56	68.20	18.64	PK	111	277	Vertical
2	15241.0	39.24	9.65	48.89	68.20	19.31	PK	191	43	Vertical
3	17858.5	39.54	13.88	53.42	74.00	20.58	PK	273	313	Vertical

Project Information			
Mode:	802.11 ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13920.0	41.71	7.87	49.58	68.20	18.62	PK	197	110	Horizontal
2	15251.7	39.64	9.89	49.53	68.20	18.67	PK	119	110	Horizontal
3	17846.6	38.73	13.84	52.57	74.00	21.43	PK	207	0	Horizontal

Project Information			
Mode:	802.11 ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	12841.6	41.66	5.96	47.62	68.20	20.58	PK	127	214	Vertical
2	14368.1	40.55	8.79	49.34	68.20	18.86	PK	155	207	Vertical
3	17848.9	39.52	13.95	53.47	74.00	20.53	PK	249	297	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-1
Bandwidth	20MHZ	Channel	36
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	33771.792393	52.24	-1.16	51.08	68.20	17.12	PK	157	17	Horizontal
2	38113.987133	48.71	3.24	51.95	68.20	16.25	PK	259	268	Horizontal
3	39889.29631	49.70	3.64	53.34	68.20	14.86	PK	191	320	Horizontal

Project Information			
Mode:	802.11 n20	Band:	U-NII-1
Bandwidth	20MHZ	Channel	36
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	33668.288943	53.89	-1.35	52.54	68.20	15.66	PK	194	312	Vertical
2	36179.372646	50.58	0.69	51.27	68.20	16.93	PK	206	333	Vertical
3	39765.542185	50.41	3.87	54.28	68.20	13.92	PK	144	112	Vertical

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	/	Channel	144
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13631.771059	41.50	8.41	49.91	68.20	18.29	PK	240	326	Horizontal
2	15249.49165	39.58	9.93	49.51	68.20	18.69	PK	203	120	Horizontal
3	17983.899463	40.62	13.56	54.18	74.00	19.82	PK	130	359	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	/	Channel	144
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	4803.165158	21.74	14.64	36.38	54.00	17.62	PK	150	43	Horizontal
2	11491.166372	31.19	4.86	36.05	54.00	17.95	PK	150	194	Horizontal
3	17997.699923	28.47	13.76	42.23	54.00	11.77	PK	150	18	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	/	Channel	144
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13682.756092	40.53	9.29	49.82	68.20	18.38	PK	125	120	Vertical
2	15251.40838	39.96	9.91	49.87	68.20	18.33	PK	211	47	Vertical
3	17972.39908	39.74	13.39	53.13	74.00	20.87	PK	190	11	Vertical

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	/	Channel	144
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	4801.515076	21.82	14.69	36.51	54.00	17.49	AV	150	333	Vertical
2	11476.215874	31.36	4.93	36.29	54.00	17.71	AV	150	360	Vertical
3	17987.349578	28.65	13.61	42.26	54.00	11.74	AV	150	119	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-2C
Bandwidth	20MHZ	Channel	144
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13694.639821	40.02	9.38	49.40	68.20	18.80	PK	223	107	Horizontal
2	14349.778326	40.67	9.01	49.68	68.20	18.52	PK	183	76	Horizontal
3	17853.945132	38.90	13.94	52.84	74.00	21.16	PK	205	11	Horizontal

Project Information			
Mode:	802.11 n20	Band:	U-NII-2C
Bandwidth	20MHZ	Channel	144
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13425.147505	41.33	6.99	48.32	68.20	19.88	PK	248	40	Vertical
2	14230.174339	41.61	7.90	49.51	68.20	18.69	PK	107	348	Vertical
3	17844.744825	38.77	13.77	52.54	74.00	21.46	PK	173	18	Vertical

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2C
Bandwidth	20MHZ	Channel	144
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13703.073436	40.15	9.26	49.41	68.20	18.79	PK	196	216	Horizontal
2	15237.60792	39.93	9.53	49.46	68.20	18.74	PK	271	76	Horizontal
3	17862.762092	38.01	13.83	51.84	74.00	22.16	PK	188	163	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2C
Bandwidth	20MHZ	Channel	144
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	14404.213474	41.38	8.36	49.74	68.20	18.46	PK	232	360	Vertical
2	15246.041535	39.46	9.81	49.27	68.20	18.93	PK	172	179	Vertical
3	17987.732924	38.80	13.61	52.41	74.00	21.59	PK	153	75	Vertical

Project Information			
Mode:	802.11 n40	Band:	U-NII-2C
Bandwidth	40MHZ	Channel	142
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13590.753025	43.12	7.17	50.29	68.20	17.91	PK	214	97	Horizontal
2	15078.135938	40.30	9.11	49.41	68.20	18.79	PK	189	25	Horizontal
3	17989.266309	38.93	13.64	52.57	74.00	21.43	PK	274	186	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-2C
Bandwidth	40MHZ	Channel	142
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13679.305977	40.07	9.27	49.34	68.20	18.86	PK	243	126	Vertical
2	15237.991266	40.57	9.54	50.11	68.20	18.09	PK	146	24	Vertical
3	17983.132771	39.07	13.54	52.61	74.00	21.39	PK	235	252	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2C
Bandwidth	40MHZ	Channel	142
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13693.873129	40.12	9.37	49.49	68.20	18.71	PK	234	83	Horizontal
2	14362.812094	40.74	8.86	49.60	68.20	18.60	PK	200	76	Horizontal
3	17988.116271	39.09	13.62	52.71	74.00	21.29	PK	195	156	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2C
Bandwidth	40MHZ	Channel	142
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13698.856629	40.14	9.41	49.55	68.20	18.65	PK	181	18	Vertical
2	15243.358112	40.06	9.73	49.79	68.20	18.41	PK	167	295	Vertical
3	17928.697623	39.39	13.18	52.57	74.00	21.43	PK	141	252	Vertical

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2C
Bandwidth	80MHZ	Channel	138
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13640.971366	41.33	8.74	50.07	68.20	18.13	PK	208	358	Horizontal
2	14661.438715	39.84	9.62	49.46	68.20	18.74	PK	153	360	Horizontal
3	17979.29931	38.71	13.49	52.20	74.00	21.80	PK	278	193	Horizontal

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2C
Bandwidth	80MHZ	Channel	138
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			

Test Graph




NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13722.240741	41.19	8.28	49.47	68.20	18.73	PK	254	360	Vertical
2	15237.991266	39.71	9.54	49.25	68.20	18.95	PK	158	324	Vertical
3	17844.744825	39.16	13.77	52.93	74.00	21.07	PK	182	310	Vertical

FCC ID: PY7-25130W (This Model)

Above 1GHz

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	144
SN:	HQ63B10D26	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13688.1	39.87	9.34	49.21	68.20	18.99	PK	179	86	Horizontal
2	15068.9	40.17	9.15	49.32	68.20	18.88	PK	153	240	Horizontal
3	17997.6	38.90	13.76	52.66	74.00	21.34	PK	265	313	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	144
SN:	HQ63B10D26	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13704.9	40.38	9.16	49.54	68.20	18.66	PK	141	58	Vertical
2	15251.0	40.16	9.92	50.08	68.20	18.12	PK	134	350	Vertical
3	17998.4	39.38	13.76	53.14	74.00	20.86	PK	180	116	Vertical

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	20MHZ	Channel	144
SN:	HQ63B10D26	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	17850.11	28.59	13.99	42.58	54.00	11.42	AV	159	289	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	20MHZ	Channel	144
SN:	HQ63B10D26	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			

Test Graph




NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	17850.4	28.95	13.98	42.93	54.00	11.07	AV	217	360	Vertical

Radiated Band Edge FCC ID: PY7-64228M (Lead Model)

Test Result

Project Information			
Mode:	802.11 a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5144.24	46.82	13.86	60.68	74.00	13.32	PK	191	214	Horizontal
2	5147.14	50.25	13.91	64.16	74.00	9.84	PK	241	214	Horizontal
3	5149.48	50.30	13.94	64.24	74.00	9.76	PK	130	218	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5146.33	32.66	13.90	46.56	54.00	7.44	AV	135	192	Horizontal
2	5148.63	34.09	13.92	48.01	54.00	5.99	AV	177	192	Horizontal
3	5149.80	35.30	13.95	49.25	54.00	4.75	AV	259	192	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5144.02	45.92	13.86	59.78	74.00	14.22	PK	191	188	Vertical
2	5147.20	48.09	13.91	62.00	74.00	12.00	PK	242	226	Vertical
3	5149.84	48.85	13.95	62.80	74.00	11.20	PK	137	156	Vertical

Project Information			
Mode:	802.11 a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5147.111	34.03	13.91	47.94	54.00	6.06	AV	193	238	Vertical
2	5149.12	34.13	13.94	48.07	54.00	5.93	AV	120	198	Vertical
3	5149.90	34.70	13.95	48.65	54.00	5.35	AV	268	238	Vertical

Project Information			
Mode:	802.11 a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5352.07	42.84	14.06	56.90	74.00	17.10	PK	175	113	Horizontal
2	5356.84	40.93	14.10	55.03	74.00	18.97	PK	204	121	Horizontal
3	5361.68	40.10	14.14	54.24	74.00	19.76	PK	245	125	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5350.51	29.73	14.05	43.78	54.00	10.22	AV	177	278	Horizontal
2	5352.59	29.35	14.06	43.41	54.00	10.59	AV	151	303	Horizontal
3	5355.00	28.37	14.08	42.45	54.00	11.55	AV	262	307	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5350.76	43.85	14.05	57.90	74.00	16.10	PK	184	75	Vertical
2	5354.88	42.04	14.08	56.12	74.00	17.88	PK	225	96	Vertical
3	5361.11	42.00	14.13	56.13	74.00	17.87	PK	195	104	Vertical

Project Information			
Mode:	802.11 a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5350.32	31.55	14.04	45.59	54.00	8.41	AV	137	239	Vertical
2	5352.56	30.73	14.06	44.79	54.00	9.21	AV	178	255	Vertical
3	5355.62	29.56	14.09	43.65	54.00	10.35	AV	214	255	Vertical

Project Information			
Mode:	802.11 N20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5142.46	42.90	13.83	56.73	74.00	17.27	PK	191	181	Horizontal
2	5147.04	44.59	13.90	58.49	74.00	15.51	PK	241	197	Horizontal
3	5149.45	45.38	13.94	59.32	74.00	14.68	PK	130	185	Horizontal

Project Information			
Mode:	802.11 n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5145.74	29.46	13.88	43.34	54.00	10.66	AV	122	190	Horizontal
2	5148.18	30.36	13.92	44.28	54.00	9.72	AV	159	190	Horizontal
3	5149.48	31.10	13.94	45.04	54.00	8.96	AV	226	185	Horizontal

Project Information			
Mode:	802.11 N20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5145.58	44.53	13.88	58.41	74.00	15.59	PK	182	227	Vertical
2	5147.111	45.52	13.91	59.43	74.00	14.57	PK	143	220	Vertical
3	5149.93	45.88	13.95	59.83	74.00	14.17	PK	248	248	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5146.91	30.55	13.90	44.45	54.00	9.55	AV	287	243	Vertical
2	5148.57	31.37	13.92	45.29	54.00	8.71	AV	184	231	Vertical
3	5149.64	31.21	13.95	45.16	54.00	8.84	AV	135	236	Vertical

Project Information			
Mode:	802.11 N20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5352.43	44.50	14.06	58.56	74.00	15.44	PK	164	303	Horizontal
2	5356.07	41.06	14.09	55.15	74.00	18.85	PK	138	307	Horizontal
3	5359.65	39.98	14.12	54.10	74.00	19.90	PK	235	296	Horizontal

Project Information			
Mode:	802.11 n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5351.23	28.55	14.05	42.60	54.00	11.40	AV	231	310	Horizontal
2	5354.18	27.76	14.07	41.83	54.00	12.17	AV	124	310	Horizontal
3	5357.63	27.04	14.10	41.14	54.00	12.86	AV	192	302	Horizontal

Project Information			
Mode:	802.11 N20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5352.36	43.82	14.06	57.88	74.00	16.12	PK	136	246	Vertical
2	5356.72	41.38	14.10	55.48	74.00	18.52	PK	168	237	Vertical
3	5359.48	41.12	14.12	55.24	74.00	18.76	PK	256	242	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5350.22	29.65	14.04	43.69	54.00	10.31	AV	202	239	Vertical
2	5352.95	28.65	14.06	42.71	54.00	11.29	AV	127	256	Vertical
3	5355.84	28.29	14.09	42.38	54.00	11.62	AV	217	256	Vertical

Project Information			
Mode:	802.11 ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5143.95	44.86	13.86	58.72	74.00	15.28	PK	150	260	Horizontal
2	5146.78	47.85	13.90	61.75	74.00	12.25	PK	198	191	Horizontal
3	5149.48	49.28	13.94	63.22	74.00	10.78	PK	213	304	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5145.61	30.97	13.88	44.85	54.00	9.15	AV	249	189	Horizontal
2	5146.91	32.47	13.90	46.37	54.00	7.63	AV	204	185	Horizontal
3	5149.32	32.63	13.94	46.57	54.00	7.43	AV	186	189	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			

Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5142.29	44.21	13.83	58.04	74.00	15.96	PK	150	222	Vertical
2	5145.81	45.36	13.88	59.24	74.00	14.76	PK	219	266	Vertical
3	5148.54	48.15	13.92	62.07	74.00	11.93	PK	172	239	Vertical