


Project Information			
Mode:	802.11 ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5146.03	31.34	13.88	45.22	54.00	8.78	AV	197	206	Vertical
2	5148.37	32.48	13.92	46.40	54.00	7.60	AV	264	178	Vertical
3	5149.67	33.33	13.95	47.28	54.00	6.72	AV	217	171	Vertical

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5352.27	42.40	14.06	56.46	74.00	17.54	PK	219	307	Horizontal
2	5357.89	40.11	14.10	54.21	74.00	19.79	PK	147	307	Horizontal
3	5362.77	39.12	14.14	53.26	74.00	20.74	PK	190	274	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5350.74	28.97	14.05	43.02	54.00	10.98	AV	174	266	Horizontal
2	5352.40	28.62	14.06	42.68	54.00	11.32	AV	232	189	Horizontal
3	5354.48	27.96	14.08	42.04	54.00	11.96	AV	155	266	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5352.36	43.62	14.06	57.68	74.00	16.32	PK	139	248	Vertical
2	5354.74	42.63	14.08	56.71	74.00	17.29	PK	168	239	Vertical
3	5358.51	41.39	14.11	55.50	74.00	18.50	PK	247	230	Vertical

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5350.28	30.31	14.04	44.35	54.00	9.65	AV	208	247	Vertical
2	5353.70	29.47	14.07	43.54	54.00	10.46	AV	149	247	Vertical
3	5356.46	28.71	14.10	42.81	54.00	11.19	AV	238	247	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5142.34	47.98	13.83	61.81	74.00	12.19	PK	143	263	Horizontal
2	5146.81	46.28	13.90	60.18	74.00	13.82	PK	186	266	Horizontal
3	5148.85	47.01	13.94	60.95	74.00	13.05	PK	204	263	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5146.09	33.16	13.88	47.04	54.00	6.96	AV	170	270	Horizontal
2	5148.00	34.77	13.92	48.69	54.00	5.31	AV	252	270	Horizontal
3	5149.70	35.46	13.95	49.41	54.00	4.59	AV	118	266	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5145.92	47.97	13.88	61.85	74.00	12.15	PK	136	236	Vertical
2	5147.96	47.68	13.92	61.60	74.00	12.40	PK	215	236	Vertical
3	5149.27	48.12	13.94	62.06	74.00	11.94	PK	200	236	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5145.66	35.49	13.88	49.37	54.00	4.63	AV	167	236	Vertical
2	5148.00	36.34	13.92	50.26	54.00	3.74	AV	251	236	Vertical
3	5149.74	36.09	13.95	50.04	54.00	3.96	AV	114	236	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5351.57	45.77	14.06	59.83	74.00	14.17	PK	114	310	Horizontal
2	5353.31	45.34	14.06	59.40	74.00	14.60	PK	213	305	Horizontal
3	5362.15	44.49	14.14	58.63	74.00	15.37	PK	164	305	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5350.12	33.32	14.04	47.36	54.00	6.64	AV	182	274	Horizontal
2	5353.22	32.88	14.06	46.94	54.00	7.06	AV	176	274	Horizontal
3	5355.90	31.60	14.09	45.69	54.00	8.31	AV	278	271	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5350.46	47.58	14.04	61.62	74.00	12.38	PK	258	234	Vertical
2	5353.61	46.25	14.07	60.32	74.00	13.68	PK	199	217	Vertical
3	5364.49	45.95	14.16	60.11	74.00	13.89	PK	143	242	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5350.16	35.23	14.04	49.27	54.00	4.73	AV	161	242	Vertical
2	5352.71	34.37	14.06	48.43	54.00	5.57	AV	193	235	Vertical
3	5355.61	32.84	14.09	46.93	54.00	7.07	AV	214	246	Vertical

Project Information			
Mode:	802.11 n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5147.40	47.11	13.91	61.02	74.00	12.98	PK	157	189	Horizontal
2	5148.51	47.19	13.92	61.11	74.00	12.89	PK	130	189	Horizontal
3	5149.40	47.89	13.94	61.83	74.00	12.17	PK	234	185	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5146.26	34.39	13.90	48.29	54.00	5.71	AV	205	189	Horizontal
2	5147.70	35.13	13.91	49.04	54.00	4.96	AV	165	189	Horizontal
3	5149.70	35.56	13.95	49.51	54.00	4.49	AV	237	192	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5144.09	46.69	13.86	60.55	74.00	13.45	PK	252	265	Vertical
2	5145.96	48.79	13.88	62.67	74.00	11.33	PK	117	237	Vertical
3	5149.19	48.98	13.94	62.92	74.00	11.08	PK	181	244	Vertical

Project Information			
Mode:	802.11 n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5145.58	34.48	13.88	48.36	54.00	5.64	AV	171	211	Vertical
2	5147.57	36.17	13.91	50.08	54.00	3.92	AV	228	252	Vertical
3	5149.23	36.94	13.94	50.88	54.00	3.12	AV	138	260	Vertical

Project Information			
Mode:	802.11 n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5350.55	44.44	14.05	58.49	74.00	15.51	PK	240	270	Horizontal
2	5352.33	43.86	14.06	57.92	74.00	16.08	PK	132	270	Horizontal
3	5353.56	43.37	14.07	57.44	74.00	16.56	PK	154	270	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5350.63	31.88	14.05	45.93	54.00	8.07	AV	187	274	Horizontal
2	5352.42	30.84	14.06	44.90	54.00	9.10	AV	164	274	Horizontal
3	5353.95	30.29	14.07	44.36	54.00	9.64	AV	224	270	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5350.12	48.02	14.04	62.06	74.00	11.94	PK	173	243	Vertical
2	5351.61	47.04	14.06	61.10	74.00	12.90	PK	155	231	Vertical
3	5352.50	46.76	14.06	60.82	74.00	13.18	PK	240	238	Vertical

Project Information			
Mode:	802.11 n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5350.04	35.04	14.04	49.08	54.00	4.92	AV	226	240	Vertical
2	5351.65	33.39	14.06	47.45	54.00	6.55	AV	156	240	Vertical
3	5353.52	32.52	14.07	46.59	54.00	7.41	AV	258	231	Vertical

Project Information			
Mode:	802.11 ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5134.94	47.10	13.71	60.81	74.00	13.19	PK	186	177	Horizontal
2	5140.19	48.06	13.79	61.85	74.00	12.15	PK	226	189	Horizontal
3	5147.38	48.27	13.91	62.18	74.00	11.82	PK	265	185	Horizontal

Project Information			
Mode:	802.11 ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5138.38	31.37	13.76	45.13	54.00	8.87	AV	141	181	Horizontal
2	5145.57	32.25	13.88	46.13	54.00	7.87	AV	156	193	Horizontal
3	5147.69	32.46	13.91	46.37	54.00	7.63	AV	231	193	Horizontal

Project Information			
Mode:	802.11 ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5134.19	44.72	13.70	58.42	74.00	15.58	PK	199	224	Vertical
2	5140.82	46.56	13.80	60.36	74.00	13.64	PK	194	232	Vertical
3	5147.19	47.03	13.91	60.94	74.00	13.06	PK	246	232	Vertical

Project Information			
Mode:	802.11 ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5145.38	31.62	13.87	45.49	54.00	8.51	AV	162	233	Vertical
2	5147.69	31.79	13.91	45.70	54.00	8.30	AV	221	228	Vertical
3	5149.94	31.32	13.95	45.27	54.00	8.73	AV	147	204	Vertical

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5352.42	48.66	14.06	62.72	74.00	11.28	PK	174	311	Horizontal
2	5353.98	48.09	14.07	62.16	74.00	11.84	PK	232	307	Horizontal
3	5356.74	47.84	14.10	61.94	74.00	12.06	PK	155	299	Horizontal

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5350.55	32.24	14.05	46.29	54.00	7.71	AV	161	302	Horizontal
2	5352.92	31.73	14.06	45.79	54.00	8.21	AV	203	311	Horizontal
3	5358.24	31.60	14.10	45.70	54.00	8.30	AV	178	307	Horizontal

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5350.48	50.15	14.04	64.19	74.00	9.81	PK	176	236	Vertical
2	5353.48	49.77	14.07	63.84	74.00	10.16	PK	200	236	Vertical
3	5357.05	50.16	14.10	64.26	74.00	9.74	PK	236	244	Vertical

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5350.80	33.99	14.05	48.04	54.00	5.96	AV	195	247	Vertical
2	5355.24	33.42	14.08	47.50	54.00	6.50	AV	123	247	Vertical
3	5360.05	33.81	14.12	47.93	54.00	6.07	AV	220	252	Vertical

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5459.78	40.72	14.24	54.96	74.00	19.04	PK	223	274	Horizontal
2	5465.39	42.08	14.27	56.35	68.20	11.85	PK	238	274	Horizontal
3	5468.06	43.37	14.29	57.66	68.20	10.54	PK	215	302	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5456.54	26.21	14.22	40.43	54.00	13.57	AV	166	267	Horizontal
2	5458.46	26.22	14.23	40.45	54.00	13.55	AV	226	271	Horizontal
3	5459.84	26.00	14.24	40.24	54.00	13.76	AV	246	267	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5465.39	43.48	14.27	57.75	68.20	10.45	PK	201	235	Vertical
2	5468.06	45.21	14.29	59.50	68.20	8.70	PK	240	243	Vertical
3	5469.68	45.57	14.30	59.87	68.20	8.33	PK	186	235	Vertical

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5456.72	26.80	14.22	41.02	54.00	12.98	AV	189	242	Vertical
2	5458.58	27.39	14.23	41.62	54.00	12.38	AV	127	263	Vertical
3	5459.81	27.76	14.24	42.00	54.00	12.00	AV	270	251	Vertical

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5727.09	42.86	15.16	58.02	68.20	10.18	PK	185	298	Horizontal
2	5731.21	40.51	15.15	55.66	68.20	12.54	PK	267	286	Horizontal
3	5735.56	39.22	15.14	54.36	68.20	13.84	PK	120	303	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5725.89	44.69	15.17	59.86	68.20	8.34	PK	130	247	Vertical
2	5730.04	42.51	15.16	57.67	68.20	10.53	PK	160	218	Vertical
3	5735.05	40.44	15.14	55.58	68.20	12.62	PK	206	239	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5462.75	39.89	14.26	54.15	68.20	14.05	PK	161	306	Horizontal
2	5466.11	41.22	14.28	55.50	68.20	12.70	PK	249	311	Horizontal
3	5469.56	41.51	14.30	55.81	68.20	12.39	PK	209	311	Horizontal

Project Information			
Mode:	802.11 n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5455.97	25.77	14.22	39.99	54.00	14.01	AV	147	276	Horizontal
2	5458.01	26.22	14.23	40.45	54.00	13.55	AV	202	276	Horizontal
3	5459.57	26.54	14.24	40.78	54.00	13.22	AV	133	279	Horizontal

Project Information			
Mode:	802.11 n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5462.75	42.58	14.26	56.84	68.20	11.36	PK	130	214	Vertical
2	5467.61	43.58	14.29	57.87	68.20	10.33	PK	262	258	Vertical
3	5469.77	43.74	14.30	58.04	68.20	10.16	PK	181	251	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5456.54	27.05	14.22	41.27	54.00	12.73	AV	241	251	Vertical
2	5458.25	27.42	14.23	41.65	54.00	12.35	AV	162	235	Vertical
3	5459.78	27.73	14.24	41.97	54.00	12.03	AV	194	235	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5726.46	41.08	15.17	56.25	68.20	11.95	PK	198	310	Horizontal
2	5729.49	41.58	15.16	56.74	68.20	11.46	PK	143	281	Horizontal
3	5731.63	40.22	15.15	55.37	68.20	12.83	PK	177	298	Horizontal

Project Information			
Mode:	802.11 n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5726.19	44.45	15.17	59.62	68.20	8.58	PK	245	250	Vertical
2	5729.16	44.75	15.16	59.91	68.20	8.29	PK	143	245	Vertical
3	5732.65	41.03	15.15	56.18	68.20	12.02	PK	170	263	Vertical

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5465.78	42.37	14.27	56.64	68.20	11.56	PK	176	238	Horizontal
2	5467.46	43.04	14.28	57.32	68.20	10.88	PK	193	303	Horizontal
3	5469.95	42.73	14.30	57.03	68.20	11.17	PK	143	243	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5457.17	26.00	14.22	40.22	54.00	13.78	AV	258	278	Horizontal
2	5458.49	26.18	14.23	40.41	54.00	13.59	AV	208	275	Horizontal
3	5459.60	26.13	14.24	40.37	54.00	13.63	AV	137	275	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5463.14	42.13	14.26	56.39	68.20	11.81	PK	188	271	Vertical
2	5465.57	45.78	14.27	60.05	68.20	8.15	PK	155	259	Vertical
3	5469.80	45.63	14.30	59.93	68.20	8.27	PK	193	251	Vertical

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5457.23	27.18	14.22	41.40	54.00	12.60	AV	234	247	Vertical
2	5458.91	27.61	14.23	41.84	54.00	12.16	AV	171	254	Vertical
3	5459.99	28.05	14.24	42.29	54.00	11.71	AV	196	242	Vertical

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5726.58	41.47	15.17	56.64	68.20	11.56	PK	203	282	Horizontal
2	5728.62	42.11	15.16	57.27	68.20	10.93	PK	148	302	Horizontal
3	5731.18	40.66	15.15	55.81	68.20	12.39	PK	230	302	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5726.97	43.77	15.16	58.93	68.20	9.27	PK	185	242	Vertical
2	5729.79	43.80	15.16	58.96	68.20	9.24	PK	144	254	Vertical
3	5733.13	41.01	15.15	56.16	68.20	12.04	PK	227	254	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5461.52	44.05	14.25	58.30	68.20	9.90	PK	149	274	Horizontal
2	5467.88	44.95	14.29	59.24	68.20	8.96	PK	164	274	Horizontal
3	5469.04	45.13	14.29	59.42	68.20	8.78	PK	228	271	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5456.20	30.89	14.22	45.11	54.00	8.89	AV	195	268	Horizontal
2	5458.16	31.34	14.23	45.57	54.00	8.43	AV	267	268	Horizontal
3	5459.72	31.03	14.24	45.27	54.00	8.73	AV	175	268	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5463.20	47.51	14.26	61.77	68.20	6.43	PK	242	242	Vertical
2	5466.00	47.11	14.28	61.39	68.20	6.81	PK	165	242	Vertical
3	5469.08	47.98	14.29	62.27	68.20	5.93	PK	236	247	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5456.48	31.72	14.22	45.94	54.00	8.06	AV	213	247	Vertical
2	5458.12	32.49	14.23	46.72	54.00	7.28	AV	158	259	Vertical
3	5459.72	33.21	14.24	47.45	54.00	6.55	AV	251	247	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5725.68	38.73	15.17	53.90	68.20	14.30	PK	152	290	Horizontal
2	5734.04	39.22	15.14	54.36	68.20	13.84	PK	272	133	Horizontal
3	5741.04	39.13	15.13	54.26	68.20	13.94	PK	226	145	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5726.03	41.15	15.17	56.32	68.20	11.88	PK	194	251	Vertical
2	5731.39	39.87	15.15	55.02	68.20	13.18	PK	127	268	Vertical
3	5737.84	39.49	15.13	54.62	68.20	13.58	PK	151	284	Vertical

Project Information			
Mode:	802.11 n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5463.84	44.90	14.26	59.16	68.20	9.04	PK	245	308	Horizontal
2	5466.00	44.91	14.28	59.19	68.20	9.01	PK	195	304	Horizontal
3	5469.40	45.65	14.30	59.95	68.20	8.25	PK	129	312	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5456.04	31.18	14.22	45.40	54.00	8.60	AV	150	266	Horizontal
2	5458.28	30.99	14.23	45.22	54.00	8.78	AV	150	266	Horizontal
3	5459.80	31.15	14.24	45.39	54.00	8.61	AV	150	271	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5459.36	47.01	14.24	61.25	74.00	12.75	PK	217	244	Vertical
2	5463.64	47.45	14.26	61.71	68.20	6.49	PK	141	235	Vertical
3	5469.48	48.96	14.30	63.26	68.20	4.94	PK	246	244	Vertical

Project Information			
Mode:	802.11 n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5457.44	32.14	14.22	46.36	54.00	7.64	AV	255	259	Vertical
2	5458.56	32.87	14.23	47.10	54.00	6.90	AV	127	259	Vertical
3	5459.48	33.19	14.24	47.43	54.00	6.57	AV	247	259	Vertical

Project Information			
Mode:	802.11 n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5728.78	39.27	15.16	54.43	68.20	13.77	PK	154	286	Horizontal
2	5731.84	38.60	15.15	53.75	68.20	14.45	PK	208	327	Horizontal
3	5736.64	38.96	15.14	54.10	68.20	14.10	PK	184	295	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5725.93	41.36	15.17	56.53	68.20	11.67	PK	136	256	Vertical
2	5731.39	40.36	15.15	55.51	68.20	12.69	PK	178	271	Vertical
3	5735.89	39.30	15.14	54.44	68.20	13.76	PK	265	251	Vertical

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5463.38	40.01	14.26	54.27	68.20	13.93	PK	182	294	Horizontal
2	5466.08	39.50	14.28	53.78	68.20	14.42	PK	220	290	Horizontal
3	5469.62	39.22	14.30	53.52	68.20	14.68	PK	206	210	Horizontal

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5455.76	28.42	14.21	42.63	54.00	11.37	AV	138	266	Horizontal
2	5457.44	28.41	14.22	42.63	54.00	11.37	AV	246	270	Horizontal
3	5459.18	28.42	14.24	42.66	54.00	11.34	AV	197	266	Horizontal

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5463.38	41.50	14.26	55.76	68.20	12.44	PK	189	251	Vertical
2	5466.62	41.50	14.28	55.78	68.20	12.42	PK	233	235	Vertical
3	5468.48	41.12	14.29	55.41	68.20	12.79	PK	214	235	Vertical

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5454.80	28.63	14.21	42.84	54.00	11.16	AV	210	263	Vertical
2	5457.50	29.08	14.23	43.31	54.00	10.69	AV	179	258	Vertical
3	5459.72	29.42	14.24	43.66	54.00	10.34	AV	164	258	Vertical

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5731.99	37.91	15.15	53.06	68.20	15.14	PK	169	122	Horizontal
2	5735.32	38.55	15.14	53.69	68.20	14.51	PK	181	359	Horizontal
3	5745.49	38.10	15.11	53.21	68.20	14.99	PK	205	204	Horizontal

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5729.82	38.81	15.16	53.97	68.20	14.23	PK	264	84	Vertical
2	5739.37	38.29	15.13	53.42	68.20	14.78	PK	163	254	Vertical
3	5746.12	38.18	15.11	53.29	68.20	14.91	PK	148	1	Vertical


Project Information			
Mode:	802.11 a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

### Test Graph




Project Information			
Mode:	802.11 a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

### Test Graph




Project Information			
Mode:	802.11 a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

### Test Graph




Project Information			
Mode:	802.11 a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

### Test Graph




Project Information			
Mode:	802.11 n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

### Test Graph




Project Information			
Mode:	802.11 n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

### Test Graph




Project Information			
Mode:	802.11 n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

### Test Graph




Project Information			
Mode:	802.11 n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

### Test Graph




Project Information			
Mode:	802.11 ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

### Test Graph




Project Information			
Mode:	802.11 ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

## Test Graph




Project Information			
Mode:	802.11 ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

### Test Graph




Project Information			
Mode:	802.11 ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

### Test Graph




Project Information			
Mode:	802.11 ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

## Test Graph




Project Information			
Mode:	802.11 ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

### Test Graph




Project Information			
Mode:	802.11 ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

### Test Graph



Project Information			
Mode:	802.11 ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

### Test Graph



Project Information			
Mode:	802.11 n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

### Test Graph

