


Test Graphs



NTVN-DH5-Ant6-2402




NTVN-DH5-Ant7-2402




NTVN-DH5-Ant6-2441



NTVN-DH5-Ant7-2441




NTVN-DH5-Ant6-2480




NTVN-DH5-Ant7-2480




NTNV-2DH5-Ant6-2402




NTNV-2DH5-Ant7-2402




NTNV-2DH5-Ant6-2441




NTNV-2DH5-Ant7-2441




NTNV-2DH5-Ant6-2480




NTNV-2DH5-Ant7-2480




NTNV-3DH5-Ant6-2402




NTNV-3DH5-Ant7-2402




NTNV-3DH5-Ant6-2441



NTNV-3DH5-Ant7-2441



NTNV-3DH5-Ant6-2480



NTNV-3DH5-Ant7-2480


Radiated Spurious Emissions

FCC ID: PY7-63277Y (Lead Model)

Test Result

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT6		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2402.00	45.72	2.22	47.94	-	-	Horizontal	NA
2	9608.50	36.91	2.85	39.76	54.00	14.24	Horizontal	PASS
3	15072.50	33.09	8.97	42.06	54.00	11.94	Horizontal	PASS
4	17351.00	32.91	12.82	45.73	54.00	8.27	Horizontal	PASS
5	2401.80	47.84	2.22	50.06	-	-	Horizontal	NA
6	9635.00	43.17	2.85	46.02	74.00	27.98	Horizontal	PASS
7	14353.00	39.73	9.29	49.02	74.00	24.98	Horizontal	PASS
8	17789.50	40.29	11.78	52.07	74.00	21.93	Horizontal	PASS

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT6		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.00	38.04	2.22	40.26	-	-	Vertical	NA
2	9608.50	38.72	2.85	41.57	54.00	12.43	Vertical	PASS
3	15076.00	33.86	8.98	42.84	54.00	11.16	Vertical	PASS
4	17350.00	32.40	12.86	45.26	54.00	8.74	Vertical	PASS
5	2401.80	43.02	2.22	45.24	-	-	Vertical	NA
6	9608.00	43.55	2.84	46.39	74.00	27.61	Vertical	PASS
7	14358.00	40.49	9.18	49.67	74.00	24.33	Vertical	PASS
8	17362.00	39.22	12.39	51.61	74.00	22.39	Vertical	PASS

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	39
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT6		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2441.00	40.63	2.29	42.92	-	-	Horizontal	NA
2	9764.50	37.10	2.72	39.82	54.00	14.18	Horizontal	PASS
3	13805.00	34.20	8.01	42.21	54.00	11.79	Horizontal	PASS
4	17361.50	32.51	12.41	44.92	54.00	9.08	Horizontal	PASS
5	2440.80	43.41	2.29	45.70	-	-	Horizontal	NA
6	9586.00	43.50	2.75	46.25	74.00	27.75	Horizontal	PASS
7	13846.00	39.75	8.67	48.42	74.00	25.58	Horizontal	PASS
8	17364.00	39.81	12.31	52.12	74.00	21.88	Horizontal	PASS

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	39
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT6		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9764.50	36.69	2.72	39.41	54.00	14.59	Vertical	PASS
2	15081.50	33.69	9.00	42.69	54.00	11.31	Vertical	PASS
3	17343.00	32.40	12.54	44.94	54.00	9.06	Vertical	PASS
4	9550.00	43.49	2.53	46.02	74.00	27.98	Vertical	PASS
5	15083.00	40.34	9.00	49.34	74.00	24.66	Vertical	PASS
6	17339.50	39.31	12.38	51.69	74.00	22.31	Vertical	PASS

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT6		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	48.50	2.37	50.87	-	-	Horizontal	NA
2	7440.50	41.72	-1.65	40.07	54.00	13.93	Horizontal	PASS
3	14320.00	34.05	8.61	42.66	54.00	11.34	Horizontal	PASS
4	17352.00	32.64	12.78	45.42	54.00	8.58	Horizontal	PASS
5	2480.00	49.58	2.37	51.95	-	-	Horizontal	NA
6	7440.00	45.98	-1.64	44.34	74.00	29.66	Horizontal	PASS
7	14319.50	41.42	8.60	50.02	74.00	23.98	Horizontal	PASS
8	17350.50	39.48	12.84	52.32	74.00	21.68	Horizontal	PASS

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT6		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	43.63	2.37	46.00	-	-	Vertical	NA
2	7440.50	41.05	-1.65	39.40	54.00	14.60	Vertical	PASS
3	9920.50	37.94	3.17	41.11	54.00	12.89	Vertical	PASS
4	17336.00	32.80	12.22	45.02	54.00	8.98	Vertical	PASS
5	2479.80	45.84	2.37	48.21	-	-	Vertical	NA
6	7440.50	46.38	-1.65	44.73	74.00	29.27	Vertical	PASS
7	9920.00	43.10	3.17	46.27	74.00	27.73	Vertical	PASS
8	17341.00	40.77	12.45	53.22	74.00	20.78	Vertical	PASS

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.20	44.61	2.22	46.83	-	-	Horizontal	NA
2	7206.50	38.83	-1.37	37.46	54.00	16.54	Horizontal	PASS
3	14342.00	32.88	9.16	42.04	54.00	11.96	Horizontal	PASS
4	17350.00	32.29	12.86	45.15	54.00	8.85	Horizontal	PASS
5	17363.50	32.24	12.33	44.57	54.00	9.43	Horizontal	PASS
6	2402.00	47.17	2.22	49.39	-	-	Horizontal	NA
7	7206.00	44.22	-1.37	42.85	74.00	31.15	Horizontal	PASS
8	14082.00	41.39	8.07	49.46	74.00	24.54	Horizontal	PASS
9	17351.00	39.03	12.82	51.85	74.00	22.15	Horizontal	PASS

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.20	41.85	2.22	44.07	-	-	Vertical	NA
2	7206.50	40.06	-1.37	38.69	54.00	15.31	Vertical	PASS
3	9608.50	37.33	2.85	40.18	54.00	13.82	Vertical	PASS
4	15074.50	33.96	8.97	42.93	54.00	11.07	Vertical	PASS
5	2401.80	44.98	2.22	47.20	-	-	Vertical	NA
6	7206.00	44.00	-1.37	42.63	74.00	31.37	Vertical	PASS
7	9517.50	43.45	2.63	46.08	74.00	27.92	Vertical	PASS
8	17347.50	39.42	12.75	52.17	74.00	21.83	Vertical	PASS

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	39
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2441.20	40.71	2.29	43.00	-	-	Horizontal	NA
2	9506.00	37.00	2.65	39.65	54.00	14.35	Horizontal	PASS
3	14132.50	34.47	8.12	42.59	54.00	11.41	Horizontal	PASS
4	17351.00	33.09	12.82	45.91	54.00	8.09	Horizontal	PASS
5	2441.00	43.90	2.29	46.19	-	-	Horizontal	NA
6	9579.50	43.37	2.71	46.08	74.00	27.92	Horizontal	PASS
7	14362.00	40.74	9.10	49.84	74.00	24.16	Horizontal	PASS
8	17358.50	39.99	12.53	52.52	74.00	21.48	Horizontal	PASS

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	39
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9764.50	38.94	2.72	41.66	54.00	12.34	Vertical	PASS
2	14677.00	33.18	9.17	42.35	54.00	11.65	Vertical	PASS
3	17350.50	32.49	12.84	45.33	54.00	8.67	Vertical	PASS
4	9764.00	43.10	2.72	45.82	74.00	28.18	Vertical	PASS
5	14339.00	40.40	9.08	49.48	74.00	24.52	Vertical	PASS
6	17528.00	40.12	11.54	51.66	74.00	22.34	Vertical	PASS

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	49.67	2.37	52.04	-	-	Horizontal	NA
2	7440.50	41.28	-1.65	39.63	54.00	14.37	Horizontal	PASS
3	15071.00	33.51	8.96	42.47	54.00	11.53	Horizontal	PASS
4	17349.00	33.51	12.82	46.33	54.00	7.67	Horizontal	PASS
5	2479.80	50.98	2.37	53.35	-	-	Horizontal	NA
6	7439.50	44.58	-1.64	42.94	74.00	31.06	Horizontal	PASS
7	15069.50	40.38	8.96	49.34	74.00	24.66	Horizontal	PASS
8	17350.00	39.38	12.86	52.24	74.00	21.76	Horizontal	PASS

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	44.08	2.37	46.45	-	-	Vertical	NA
2	7440.50	41.10	-1.65	39.45	54.00	14.55	Vertical	PASS
3	9920.50	37.54	3.17	40.71	54.00	13.29	Vertical	PASS
4	17354.00	32.74	12.70	45.44	54.00	8.56	Vertical	PASS
5	2480.00	46.04	2.37	48.41	-	-	Vertical	NA
6	7440.50	46.98	-1.65	45.33	74.00	28.67	Vertical	PASS
7	9920.00	42.47	3.17	45.64	74.00	28.36	Vertical	PASS
8	17351.00	39.09	12.82	51.91	74.00	22.09	Vertical	PASS


Test for spot check:

FCC ID: PY7-29686W (This Model)

Test Result

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	HQ652G0040	Engineer:	Ou Shuyan
Remark:	Z; ANT 7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	50.19	2.37	52.56	-	-	Horizontal	NA
2	9502.00	36.61	2.66	39.27	54.00	14.73	Horizontal	PASS
3	14667.00	33.96	9.45	43.41	54.00	10.59	Horizontal	PASS
4	17357.00	33.54	12.59	46.13	54.00	7.87	Horizontal	PASS
5	2480.20	51.25	2.37	53.62	-	-	Horizontal	NA
6	9174.00	45.16	3.04	48.20	74.00	25.80	Horizontal	PASS
7	13689.00	42.14	7.70	49.84	74.00	24.16	Horizontal	PASS
8	17356.50	40.22	12.61	52.83	74.00	21.17	Horizontal	PASS

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	HQ652G0040	Engineer:	Ou Shuyan
Remark:	Z; ANT 7		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	49.54	2.37	51.91	-	-	Vertical	NA
2	7440.00	42.43	-1.64	40.79	54.00	13.21	Vertical	PASS
3	15075.50	33.87	8.98	42.85	54.00	11.15	Vertical	PASS
4	17356.00	32.86	12.63	45.49	54.00	8.51	Vertical	PASS
5	2480.20	50.94	2.37	53.31	-	-	Vertical	NA
6	7440.50	46.39	-1.65	44.74	74.00	29.26	Vertical	PASS
7	13851.50	41.00	8.70	49.70	74.00	24.30	Vertical	PASS
8	17362.50	40.16	12.37	52.53	74.00	21.47	Vertical	PASS


Radiated Band Edge

FCC ID: PY7-63277Y (Lead Model)

Test Result

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT6		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2342.91	32.96	1.39	34.35	54.00	19.65	Horizontal	PASS
2	2365.85	32.97	1.44	34.41	54.00	19.59	Horizontal	PASS
3	2388.48	33.66	1.43	35.09	54.00	18.91	Horizontal	PASS
4	2344.29	44.27	1.40	45.67	74.00	28.33	Horizontal	PASS
5	2363.85	44.18	1.44	45.62	74.00	28.38	Horizontal	PASS
6	2389.55	44.36	1.43	45.79	74.00	28.21	Horizontal	PASS

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT6		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2343.73	33.07	1.40	34.47	54.00	19.53	Vertical	PASS
2	2368.17	33.20	1.44	34.64	54.00	19.36	Vertical	PASS
3	2387.95	33.31	1.43	34.74	54.00	19.26	Vertical	PASS
4	2341.69	43.90	1.38	45.28	74.00	28.72	Vertical	PASS
5	2369.08	43.73	1.44	45.17	74.00	28.83	Vertical	PASS
6	2389.27	43.85	1.43	45.28	74.00	28.72	Vertical	PASS

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT6		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.50	38.16	1.85	40.01	54.00	13.99	Horizontal	PASS
2	2484.10	33.73	1.87	35.60	54.00	18.40	Horizontal	PASS
3	2489.13	33.37	1.92	35.29	54.00	18.71	Horizontal	PASS
4	2483.62	47.99	1.86	49.85	74.00	24.15	Horizontal	PASS
5	2484.09	48.17	1.87	50.04	74.00	23.96	Horizontal	PASS
6	2489.28	45.25	1.92	47.17	74.00	26.83	Horizontal	PASS

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT6		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	2483.56	34.38	1.85	36.23	54.00	17.77	Vertical	PASS
2	2486.28	33.06	1.89	34.95	54.00	19.05	Vertical	PASS
3	2492.44	33.05	1.95	35.00	54.00	19.00	Vertical	PASS
4	2483.88	43.90	1.87	45.77	74.00	28.23	Vertical	PASS
5	2486.09	44.29	1.88	46.17	74.00	27.83	Vertical	PASS
6	2492.71	43.97	1.95	45.92	74.00	28.08	Vertical	PASS

Project Information			
Mode:	BT(2DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT6		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2341.12	33.06	1.37	34.43	54.00	19.57	Horizontal	PASS
2	2362.38	33.33	1.44	34.77	54.00	19.23	Horizontal	PASS
3	2387.86	33.30	1.43	34.73	54.00	19.27	Horizontal	PASS
4	2342.63	44.28	1.39	45.67	74.00	28.33	Horizontal	PASS
5	2362.47	43.65	1.44	45.09	74.00	28.91	Horizontal	PASS
6	2389.61	44.39	1.43	45.82	74.00	28.18	Horizontal	PASS

Project Information			
Mode:	BT(2DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT6		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	2338.24	33.04	1.35	34.39	54.00	19.61	Vertical	PASS
2	2358.43	32.97	1.45	34.42	54.00	19.58	Vertical	PASS
3	2388.14	33.31	1.43	34.74	54.00	19.26	Vertical	PASS
4	2337.71	43.68	1.34	45.02	74.00	28.98	Vertical	PASS
5	2358.61	44.78	1.45	46.23	74.00	27.77	Vertical	PASS
6	2389.64	43.74	1.43	45.17	74.00	28.83	Vertical	PASS

Project Information			
Mode:	BT(2DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT6		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.51	38.85	1.85	40.70	54.00	13.30	Horizontal	PASS
2	2484.45	33.43	1.87	35.30	54.00	18.70	Horizontal	PASS
3	2494.49	33.32	1.97	35.29	54.00	18.71	Horizontal	PASS
4	2483.91	47.42	1.87	49.29	74.00	24.71	Horizontal	PASS
5	2484.44	46.86	1.87	48.73	74.00	25.27	Horizontal	PASS
6	2494.62	45.18	1.98	47.16	74.00	26.84	Horizontal	PASS

Project Information			
Mode:	BT(2DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT6		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.51	34.69	1.85	36.54	54.00	17.46	Vertical	PASS
2	2489.26	33.08	1.92	35.00	54.00	19.00	Vertical	PASS
3	2494.43	33.15	1.97	35.12	54.00	18.88	Vertical	PASS
4	2483.50	43.90	1.85	45.75	74.00	28.25	Vertical	PASS
5	2489.25	44.30	1.92	46.22	74.00	27.78	Vertical	PASS
6	2494.17	45.24	1.97	47.21	74.00	26.79	Vertical	PASS

Project Information			
Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT6		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2340.18	33.17	1.37	34.54	54.00	19.46	Horizontal	PASS
2	2357.52	33.14	1.45	34.59	54.00	19.41	Horizontal	PASS
3	2389.64	33.38	1.43	34.81	54.00	19.19	Horizontal	PASS
4	2340.34	43.87	1.37	45.24	74.00	28.76	Horizontal	PASS
5	2357.36	43.52	1.44	44.96	74.00	29.04	Horizontal	PASS
6	2388.67	43.56	1.43	44.99	74.00	29.01	Horizontal	PASS

Project Information			
Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT6		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2346.64	32.87	1.42	34.29	54.00	19.71	Vertical	PASS
2	2360.84	33.21	1.44	34.65	54.00	19.35	Vertical	PASS
3	2387.48	33.21	1.42	34.63	54.00	19.37	Vertical	PASS
4	2345.79	43.23	1.41	44.64	74.00	29.36	Vertical	PASS
5	2360.56	44.18	1.44	45.62	74.00	28.38	Vertical	PASS
6	2387.36	43.71	1.42	45.13	74.00	28.87	Vertical	PASS

Project Information			
Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT6		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.56	39.53	1.85	41.38	54.00	12.62	Horizontal	PASS
2	2484.72	33.50	1.87	35.37	54.00	18.63	Horizontal	PASS
3	2491.47	33.26	1.95	35.21	54.00	18.79	Horizontal	PASS
4	2483.54	48.03	1.85	49.88	74.00	24.12	Horizontal	PASS
5	2485.10	45.45	1.87	47.32	74.00	26.68	Horizontal	PASS
6	2491.56	44.33	1.95	46.28	74.00	27.72	Horizontal	PASS

Project Information			
Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT6		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.52	35.09	1.85	36.94	54.00	17.06	Vertical	PASS
2	2485.52	33.00	1.88	34.88	54.00	19.12	Vertical	PASS
3	2488.91	33.08	1.92	35.00	54.00	19.00	Vertical	PASS
4	2483.50	45.28	1.85	47.13	74.00	26.87	Vertical	PASS
5	2485.55	44.88	1.88	46.76	74.00	27.24	Vertical	PASS
6	2489.21	44.16	1.92	46.08	74.00	27.92	Vertical	PASS

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2331.63	33.25	1.29	34.54	54.00	19.46	Horizontal	PASS
2	2355.92	33.20	1.44	34.64	54.00	19.36	Horizontal	PASS
3	2388.45	33.37	1.43	34.80	54.00	19.20	Horizontal	PASS
4	2329.46	43.51	1.27	44.78	74.00	29.22	Horizontal	PASS
5	2357.05	44.34	1.44	45.78	74.00	28.22	Horizontal	PASS
6	2388.61	44.01	1.43	45.44	74.00	28.56	Horizontal	PASS

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2334.98	33.32	1.32	34.64	54.00	19.36	Vertical	PASS
2	2359.59	33.33	1.45	34.78	54.00	19.22	Vertical	PASS
3	2387.64	33.21	1.43	34.64	54.00	19.36	Vertical	PASS
4	2333.48	43.88	1.31	45.19	74.00	28.81	Vertical	PASS
5	2360.02	44.24	1.44	45.68	74.00	28.32	Vertical	PASS
6	2389.61	43.68	1.43	45.11	74.00	28.89	Vertical	PASS

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.56	37.43	1.85	39.28	54.00	14.72	Horizontal	PASS
2	2485.19	33.54	1.88	35.42	54.00	18.58	Horizontal	PASS
3	2492.57	33.50	1.95	35.45	54.00	18.55	Horizontal	PASS
4	2483.76	47.98	1.87	49.85	74.00	24.15	Horizontal	PASS
5	2484.83	48.56	1.87	50.43	74.00	23.57	Horizontal	PASS
6	2492.62	44.97	1.95	46.92	74.00	27.08	Horizontal	PASS

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.50	34.99	1.85	36.84	54.00	17.16	Vertical	PASS
2	2491.23	33.13	1.93	35.06	54.00	18.94	Vertical	PASS
3	2495.12	33.19	1.98	35.17	54.00	18.83	Vertical	PASS
4	2483.52	44.93	1.85	46.78	74.00	27.22	Vertical	PASS
5	2491.17	44.20	1.93	46.13	74.00	27.87	Vertical	PASS
6	2495.34	45.05	1.98	47.03	74.00	26.97	Vertical	PASS

Project Information			
Mode:	BT(2DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2341.03	33.04	1.37	34.41	54.00	19.59	Horizontal	PASS
2	2358.36	33.16	1.45	34.61	54.00	19.39	Horizontal	PASS
3	2389.21	33.43	1.43	34.86	54.00	19.14	Horizontal	PASS
4	2341.94	43.96	1.38	45.34	74.00	28.66	Horizontal	PASS
5	2358.83	43.65	1.45	45.10	74.00	28.90	Horizontal	PASS
6	2389.46	43.79	1.43	45.22	74.00	28.78	Horizontal	PASS

Project Information			
Mode:	BT(2DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2343.16	33.28	1.39	34.67	54.00	19.33	Vertical	PASS
2	2360.24	33.08	1.44	34.52	54.00	19.48	Vertical	PASS
3	2386.64	33.18	1.42	34.60	54.00	19.40	Vertical	PASS
4	2343.07	43.43	1.39	44.82	74.00	29.18	Vertical	PASS
5	2359.62	43.41	1.44	44.85	74.00	29.15	Vertical	PASS
6	2389.74	43.65	1.43	45.08	74.00	28.92	Vertical	PASS

Project Information			
Mode:	BT(2DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.51	38.62	1.85	40.47	54.00	13.53	Horizontal	PASS
2	2488.55	33.31	1.91	35.22	54.00	18.78	Horizontal	PASS
3	2492.89	33.32	1.95	35.27	54.00	18.73	Horizontal	PASS
4	2483.56	47.16	1.85	49.01	74.00	24.99	Horizontal	PASS
5	2488.53	43.82	1.91	45.73	74.00	28.27	Horizontal	PASS
6	2492.55	45.52	1.95	47.47	74.00	26.53	Horizontal	PASS

Project Information			
Mode:	BT(2DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.50	34.90	1.85	36.75	54.00	17.25	Vertical	PASS
2	2487.65	33.14	1.90	35.04	54.00	18.96	Vertical	PASS
3	2491.47	33.09	1.95	35.04	54.00	18.96	Vertical	PASS
4	2483.58	44.06	1.85	45.91	74.00	28.09	Vertical	PASS
5	2487.90	44.08	1.90	45.98	74.00	28.02	Vertical	PASS
6	2491.51	44.40	1.95	46.35	74.00	27.65	Vertical	PASS

Project Information			
Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2321.91	33.27	1.21	34.48	54.00	19.52	Horizontal	PASS
2	2354.23	33.23	1.45	34.68	54.00	19.32	Horizontal	PASS
3	2385.54	33.35	1.43	34.78	54.00	19.22	Horizontal	PASS
4	2323.16	44.39	1.22	45.61	74.00	28.39	Horizontal	PASS
5	2354.63	44.08	1.45	45.53	74.00	28.47	Horizontal	PASS
6	2388.48	43.62	1.43	45.05	74.00	28.95	Horizontal	PASS

Project Information			
Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	2338.80	33.16	1.35	34.51	54.00	19.49	Vertical	PASS
2	2364.35	33.06	1.44	34.50	54.00	19.50	Vertical	PASS
3	2386.57	33.05	1.42	34.47	54.00	19.53	Vertical	PASS
4	2339.15	45.13	1.36	46.49	74.00	27.51	Vertical	PASS
5	2364.07	43.70	1.44	45.14	74.00	28.86	Vertical	PASS
6	2389.90	43.47	1.43	44.90	74.00	29.10	Vertical	PASS

Project Information			
Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.59	37.95	1.85	39.80	54.00	14.20	Horizontal	PASS
2	2489.65	33.26	1.92	35.18	54.00	18.82	Horizontal	PASS
3	2494.27	33.21	1.97	35.18	54.00	18.82	Horizontal	PASS
4	2483.76	46.97	1.87	48.84	74.00	25.16	Horizontal	PASS
5	2489.60	44.40	1.92	46.32	74.00	27.68	Horizontal	PASS
6	2494.07	44.59	1.97	46.56	74.00	27.44	Horizontal	PASS

Project Information			
Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.57	34.35	1.85	36.20	54.00	17.80	Vertical	PASS
2	2490.12	32.99	1.93	34.92	54.00	19.08	Vertical	PASS
3	2495.17	33.13	1.98	35.11	54.00	18.89	Vertical	PASS
4	2483.84	44.29	1.87	46.16	74.00	27.84	Vertical	PASS
5	2490.18	43.98	1.93	45.91	74.00	28.09	Vertical	PASS
6	2495.22	44.52	1.98	46.50	74.00	27.50	Vertical	PASS


Test for spot check:

FCC ID: PY7-29686W (This Model)

Test Result

Project Information			
Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	HQ652G0040	Engineer:	Ou shuyan
Remark:	X.ANT6		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.51	38.73	1.85	40.58	54.00	13.42	Horizontal	PASS
2	2483.67	37.17	1.86	39.03	54.00	14.97	Horizontal	PASS
3	2489.60	33.56	1.92	35.48	54.00	18.52	Horizontal	PASS
4	2483.50	45.33	1.85	47.18	74.00	26.82	Horizontal	PASS
5	2483.63	46.88	1.86	48.74	74.00	25.26	Horizontal	PASS
6	2489.49	44.18	1.92	46.10	74.00	27.90	Horizontal	PASS

Project Information			
Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	HQ652G0040	Engineer:	Ou shuyan
Remark:	X.ANT6		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.50	34.44	1.85	36.29	54.00	17.71	Vertical	PASS
2	2486.34	33.43	1.89	35.32	54.00	18.68	Vertical	PASS
3	2490.38	33.34	1.93	35.27	54.00	18.73	Vertical	PASS
4	2483.50	44.22	1.85	46.07	74.00	27.93	Vertical	PASS
5	2486.06	44.40	1.88	46.28	74.00	27.72	Vertical	PASS
6	2490.46	45.49	1.93	47.42	74.00	26.58	Vertical	PASS

~The End~