


Project Information			
Mode:	802.11b	Band:	-
Bandwidth	-	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2461.20	43.04	2.33	45.37	-	-	Horizontal	NA
2	7385.50	45.11	-1.17	43.94	54.00	10.06	Horizontal	PASS
3	15066.50	34.43	8.95	43.38	54.00	10.62	Horizontal	PASS
4	17346.50	33.34	12.70	46.04	54.00	7.96	Horizontal	PASS
5	2462.40	47.37	2.33	49.70	-	-	Horizontal	NA
6	7383.50	48.66	-1.19	47.47	74.00	26.53	Horizontal	PASS
7	14349.50	41.03	9.34	50.37	74.00	23.63	Horizontal	PASS
8	17348.50	41.15	12.79	53.94	74.00	20.06	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	-	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2461.40	42.61	2.34	44.95	-	-	Vertical	NA
2	7387.00	43.95	-1.15	42.80	54.00	11.20	Vertical	PASS
3	14678.00	34.27	9.15	43.42	54.00	10.58	Vertical	PASS
4	17340.00	33.29	12.40	45.69	54.00	8.31	Vertical	PASS
5	2461.20	46.81	2.33	49.14	-	-	Vertical	NA
6	7387.00	47.68	-1.15	46.53	74.00	27.47	Vertical	PASS
7	14410.50	42.27	8.12	50.39	74.00	23.61	Vertical	PASS
8	17991.50	39.70	12.72	52.42	74.00	21.58	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	-	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	7230.00	39.04	-1.47	37.57	54.00	16.43	Horizontal	PASS
2	13825.00	35.62	8.33	43.95	54.00	10.05	Horizontal	PASS
3	17351.50	33.25	12.80	46.05	54.00	7.95	Horizontal	PASS
4	7229.50	46.01	-1.46	44.55	74.00	29.45	Horizontal	PASS
5	14666.50	40.94	9.46	50.40	74.00	23.60	Horizontal	PASS
6	17351.50	40.19	12.80	52.99	74.00	21.01	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	-	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2408.40	41.05	2.23	43.28	-	-	Vertical	NA
2	8869.50	37.54	2.36	39.90	54.00	14.10	Vertical	PASS
3	13846.50	35.20	8.67	43.87	54.00	10.13	Vertical	PASS
4	17351.50	33.42	12.80	46.22	54.00	7.78	Vertical	PASS
5	2408.60	48.56	2.23	50.79	-	-	Vertical	NA
6	8797.00	44.12	2.16	46.28	74.00	27.72	Vertical	PASS
7	14356.50	41.01	9.21	50.22	74.00	23.78	Vertical	PASS
8	17967.00	40.52	12.39	52.91	74.00	21.09	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2463.00	39.83	2.33	42.16	-	-	Horizontal	NA
2	7391.00	43.14	-1.11	42.03	54.00	11.97	Horizontal	PASS
3	15129.00	34.17	8.65	42.82	54.00	11.18	Horizontal	PASS
4	17356.50	32.68	12.61	45.29	54.00	8.71	Horizontal	PASS
5	2460.40	47.16	2.33	49.49	-	-	Horizontal	NA
6	7385.50	49.11	-1.17	47.94	74.00	26.06	Horizontal	PASS
7	14654.00	40.24	9.81	50.05	74.00	23.95	Horizontal	PASS
8	17341.00	40.74	12.45	53.19	74.00	20.81	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2461.40	41.34	2.34	43.68	-	-	Vertical	NA
2	7388.00	41.10	-1.14	39.96	54.00	14.04	Vertical	PASS
3	15081.00	33.71	9.00	42.71	54.00	11.29	Vertical	PASS
4	17347.00	33.52	12.73	46.25	54.00	7.75	Vertical	PASS
5	2460.20	48.78	2.33	51.11	-	-	Vertical	NA
6	7387.50	48.75	-1.15	47.60	74.00	26.40	Vertical	PASS
7	15251.00	40.57	9.33	49.90	74.00	24.10	Vertical	PASS
8	17344.00	40.41	12.58	52.99	74.00	21.01	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2389.00	46.67	2.22	48.89	-	-	Horizontal	NA
2	7236.50	46.19	-1.50	44.69	54.00	9.31	Horizontal	PASS
3	15071.00	34.38	8.96	43.34	54.00	10.66	Horizontal	PASS
4	17352.00	33.49	12.78	46.27	54.00	7.73	Horizontal	PASS
5	2388.80	54.59	2.22	56.81	-	-	Horizontal	NA
6	7237.00	51.63	-1.50	50.13	74.00	23.87	Horizontal	PASS
7	15235.00	41.42	9.00	50.42	74.00	23.58	Horizontal	PASS
8	17364.50	40.53	12.29	52.82	74.00	21.18	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2388.80	45.63	2.22	47.85	-	-	Vertical	NA
2	7239.00	44.59	-1.50	43.09	54.00	10.91	Vertical	PASS
3	14640.50	33.89	9.70	43.59	54.00	10.41	Vertical	PASS
4	17350.50	32.91	12.84	45.75	54.00	8.25	Vertical	PASS
5	2389.60	53.60	2.22	55.82	-	-	Vertical	NA
6	7232.00	51.11	-1.48	49.63	74.00	24.37	Vertical	PASS
7	14369.50	42.09	8.94	51.03	74.00	22.97	Vertical	PASS
8	17349.00	39.51	12.82	52.33	74.00	21.67	Vertical	PASS

Project Information			
Mode:	802.11ax20 26RU0	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	7362.50	38.31	-1.42	36.89	54.00	17.11	Horizontal	PASS
2	11470.00	35.99	4.95	40.94	54.00	13.06	Horizontal	PASS
3	17355.50	33.64	12.65	46.29	54.00	7.71	Horizontal	PASS
4	2452.80	49.06	2.31	51.37	-	-	Horizontal	NA
5	2452.80	49.06	2.31	51.37	-	-	Horizontal	NA
6	7359.50	47.08	-1.45	45.63	74.00	28.37	Horizontal	PASS
7	10938.50	43.58	4.72	48.30	74.00	25.70	Horizontal	PASS
8	17882.50	40.79	12.42	53.21	74.00	20.79	Horizontal	PASS

Project Information			
Mode:	802.11ax20 26RU0	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2454.20	47.46	2.32	49.78	-	-	Vertical	NA
2	7360.00	39.37	-1.44	37.93	54.00	16.07	Vertical	PASS
3	14409.00	35.25	8.15	43.40	54.00	10.60	Vertical	PASS
4	17343.50	33.43	12.56	45.99	54.00	8.01	Vertical	PASS
5	2453.80	55.35	2.32	57.67	-	-	Vertical	NA
6	7361.00	47.64	-1.43	46.21	74.00	27.79	Vertical	PASS
7	14357.00	41.02	9.20	50.22	74.00	23.78	Vertical	PASS
8	17845.00	39.99	12.73	52.72	74.00	21.28	Vertical	PASS

Project Information			
Mode:	802.11ax20 52RU37	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2406.20	41.95	2.22	44.17	-	-	Horizontal	NA
2	7215.00	42.03	-1.40	40.63	54.00	13.37	Horizontal	PASS
3	13823.00	35.18	8.30	43.48	54.00	10.52	Horizontal	PASS
4	17348.50	32.74	12.79	45.53	54.00	8.47	Horizontal	PASS
5	2406.40	49.49	2.23	51.72	-	-	Horizontal	NA
6	7214.50	50.04	-1.40	48.64	74.00	25.36	Horizontal	PASS
7	15083.50	40.99	9.00	49.99	74.00	24.01	Horizontal	PASS
8	17359.00	40.02	12.51	52.53	74.00	21.47	Horizontal	PASS

Project Information			
Mode:	802.11ax20 52RU37	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2406.20	45.06	2.22	47.28	-	-	Vertical	NA
2	7215.00	42.15	-1.40	40.75	54.00	13.25	Vertical	PASS
3	15069.50	34.32	8.96	43.28	54.00	10.72	Vertical	PASS
4	17360.00	34.05	12.47	46.52	54.00	7.48	Vertical	PASS
5	2405.60	52.74	2.22	54.96	-	-	Vertical	NA
6	7216.00	49.92	-1.41	48.51	74.00	25.49	Vertical	PASS
7	15069.00	41.44	8.95	50.39	74.00	23.61	Vertical	PASS
8	17350.00	39.93	12.86	52.79	74.00	21.21	Vertical	PASS

Project Information			
Mode:	802.11ax20 106RU54	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2408.60	42.15	2.23	44.38	-	-	Horizontal	NA
2	7221.00	41.23	-1.43	39.80	54.00	14.20	Horizontal	PASS
3	15067.00	35.24	8.95	44.19	54.00	9.81	Horizontal	PASS
4	17366.50	33.55	12.22	45.77	54.00	8.23	Horizontal	PASS
5	2407.40	51.01	2.23	53.24	-	-	Horizontal	NA
6	7221.00	47.48	-1.43	46.05	74.00	27.95	Horizontal	PASS
7	15073.50	42.41	8.97	51.38	74.00	22.62	Horizontal	PASS
8	17342.00	41.05	12.49	53.54	74.00	20.46	Horizontal	PASS

Project Information			
Mode:	802.11ax20 106RU54	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2406.60	42.60	2.23	44.83	-	-	Vertical	NA
2	7225.00	40.73	-1.45	39.28	54.00	14.72	Vertical	PASS
3	14636.50	33.76	9.60	43.36	54.00	10.64	Vertical	PASS
4	17370.00	34.19	12.08	46.27	54.00	7.73	Vertical	PASS
5	2407.40	50.23	2.23	52.46	-	-	Vertical	NA
6	7218.50	48.49	-1.41	47.08	74.00	26.92	Vertical	PASS
7	14609.00	41.73	8.95	50.68	74.00	23.32	Vertical	PASS
8	17350.50	39.76	12.84	52.60	74.00	21.40	Vertical	PASS


Test for spot check:

FCC ID: PY7-29686W (This Model)

Test Result

Project Information			
Mode:	802.11ax20 52RU37	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ652G0040	Engineer:	Ou Shuyan
Remark:	Z ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2406.20	45.32	2.22	47.54	-	-	Horizontal	NA
2	3600.50	43.50	-11.72	31.78	54.00	22.22	Horizontal	PASS
3	7213.00	39.65	-1.39	38.26	54.00	15.74	Horizontal	PASS
4	17348.00	33.04	12.77	45.81	54.00	8.19	Horizontal	PASS
5	2406.00	51.42	2.22	53.64	-	-	Horizontal	NA
6	3600.00	51.48	-11.72	39.76	74.00	34.24	Horizontal	PASS
7	7212.00	47.50	-1.39	46.11	74.00	27.89	Horizontal	PASS
8	17990.00	40.23	12.70	52.93	74.00	21.07	Horizontal	PASS

Project Information			
Mode:	802.11ax20 52RU37	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ652G0040	Engineer:	Ou Shuyan
Remark:	Z ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2406.00	44.50	2.22	46.72	-	-	Vertical	NA
2	7215.00	38.65	-1.40	37.25	54.00	16.75	Vertical	PASS
3	15069.50	35.15	8.96	44.11	54.00	9.89	Vertical	PASS
4	17368.50	34.06	12.14	46.20	54.00	7.80	Vertical	PASS
5	2406.00	52.35	2.22	54.57	-	-	Vertical	NA
6	7211.00	46.33	-1.39	44.94	74.00	29.06	Vertical	PASS
7	15071.00	41.18	8.96	50.14	74.00	23.86	Vertical	PASS
8	17367.00	40.57	12.20	52.77	74.00	21.23	Vertical	PASS


Radiated Band Edge

FCC ID: PY7-63277Y (Lead Model)

Test Result

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	-	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2364.26	37.03	1.44	38.47	54.00	15.53	Horizontal	PASS
2	2383.68	38.39	1.43	39.82	54.00	14.18	Horizontal	PASS
3	2389.17	38.02	1.43	39.45	54.00	14.55	Horizontal	PASS
4	2365.27	47.34	1.44	48.78	74.00	25.22	Horizontal	PASS
5	2383.83	47.83	1.43	49.26	74.00	24.74	Horizontal	PASS
6	2389.62	48.36	1.43	49.79	74.00	24.21	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	-	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2378.04	37.30	1.44	38.74	54.00	15.26	Vertical	PASS
2	2383.87	40.46	1.43	41.89	54.00	12.11	Vertical	PASS
3	2389.10	39.72	1.43	41.15	54.00	12.85	Vertical	PASS
4	2378.19	47.59	1.44	49.03	74.00	24.97	Vertical	PASS
5	2384.06	48.57	1.43	50.00	74.00	24.00	Vertical	PASS
6	2388.99	48.67	1.43	50.10	74.00	23.90	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	-	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2484.32	37.60	1.87	39.47	54.00	14.53	Horizontal	PASS
2	2487.15	37.99	1.90	39.89	54.00	14.11	Horizontal	PASS
3	2493.49	37.49	1.96	39.45	54.00	14.55	Horizontal	PASS
4	2484.70	48.19	1.87	50.06	74.00	23.94	Horizontal	PASS
5	2487.32	48.30	1.90	50.20	74.00	23.80	Horizontal	PASS
6	2494.07	48.67	1.97	50.64	74.00	23.36	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	-	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.18	37.60	1.87	39.47	54.00	14.53	Vertical	PASS
2	2489.07	37.52	1.92	39.44	54.00	14.56	Vertical	PASS
3	2495.15	37.38	1.98	39.36	54.00	14.64	Vertical	PASS
4	2484.08	48.30	1.87	50.17	74.00	23.83	Vertical	PASS
5	2487.87	48.88	1.90	50.78	74.00	23.22	Vertical	PASS
6	2494.79	48.47	1.98	50.45	74.00	23.55	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	-	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2356.16	37.10	1.44	38.54	54.00	15.46	Horizontal	PASS
2	2368.45	37.05	1.44	38.49	54.00	15.51	Horizontal	PASS
3	2387.75	37.57	1.43	39.00	54.00	15.00	Horizontal	PASS
4	2355.38	47.75	1.45	49.20	74.00	24.80	Horizontal	PASS
5	2368.56	47.81	1.44	49.25	74.00	24.75	Horizontal	PASS
6	2387.38	48.30	1.42	49.72	74.00	24.28	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	-	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2367.03	37.04	1.44	38.48	54.00	15.52	Vertical	PASS
2	2382.19	37.86	1.43	39.29	54.00	14.71	Vertical	PASS
3	2389.92	37.88	1.43	39.31	54.00	14.69	Vertical	PASS
4	2368.04	48.03	1.44	49.47	74.00	24.53	Vertical	PASS
5	2381.89	48.86	1.43	50.29	74.00	23.71	Vertical	PASS
6	2389.77	48.52	1.43	49.95	74.00	24.05	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	-	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2484.25	37.76	1.87	39.63	54.00	14.37	Horizontal	PASS
2	2489.36	37.52	1.92	39.44	54.00	14.56	Horizontal	PASS
3	2496.33	37.34	2.00	39.34	54.00	14.66	Horizontal	PASS
4	2483.62	48.20	1.86	50.06	74.00	23.94	Horizontal	PASS
5	2490.16	48.45	1.93	50.38	74.00	23.62	Horizontal	PASS
6	2496.25	48.08	2.00	50.08	74.00	23.92	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	-	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2484.01	38.50	1.87	40.37	54.00	13.63	Vertical	PASS
2	2487.99	37.64	1.90	39.54	54.00	14.46	Vertical	PASS
3	2491.04	37.67	1.93	39.60	54.00	14.40	Vertical	PASS
4	2483.55	48.55	1.85	50.40	74.00	23.60	Vertical	PASS
5	2488.16	48.46	1.90	50.36	74.00	23.64	Vertical	PASS
6	2490.90	48.04	1.93	49.97	74.00	24.03	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2347.50	36.91	1.43	38.34	54.00	15.66	Horizontal	PASS
2	2374.68	36.93	1.44	38.37	54.00	15.63	Horizontal	PASS
3	2386.75	37.43	1.42	38.85	54.00	15.15	Horizontal	PASS
4	2350.07	47.58	1.45	49.03	74.00	24.97	Horizontal	PASS
5	2373.82	47.96	1.44	49.40	74.00	24.60	Horizontal	PASS
6	2387.87	47.86	1.43	49.29	74.00	24.71	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2360.57	37.45	1.44	38.89	54.00	15.11	Vertical	PASS
2	2374.65	37.16	1.44	38.60	54.00	15.40	Vertical	PASS
3	2389.73	38.36	1.43	39.79	54.00	14.21	Vertical	PASS
4	2361.35	47.82	1.44	49.26	74.00	24.74	Vertical	PASS
5	2376.62	48.16	1.43	49.59	74.00	24.41	Vertical	PASS
6	2389.10	48.64	1.43	50.07	74.00	23.93	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.94	37.32	1.87	39.19	54.00	14.81	Horizontal	PASS
2	2492.58	36.90	1.95	38.85	54.00	15.15	Horizontal	PASS
3	2496.81	36.92	2.00	38.92	54.00	15.08	Horizontal	PASS
4	2484.92	47.68	1.87	49.55	74.00	24.45	Horizontal	PASS
5	2492.29	47.65	1.95	49.60	74.00	24.40	Horizontal	PASS
6	2496.47	47.61	2.00	49.61	74.00	24.39	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.91	37.30	1.87	39.17	54.00	14.83	Vertical	PASS
2	2491.81	37.03	1.95	38.98	54.00	15.02	Vertical	PASS
3	2495.29	36.87	1.98	38.85	54.00	15.15	Vertical	PASS
4	2484.13	47.89	1.87	49.76	74.00	24.24	Vertical	PASS
5	2491.40	47.76	1.94	49.70	74.00	24.30	Vertical	PASS
6	2495.34	47.65	1.98	49.63	74.00	24.37	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2347.16	36.47	1.43	37.90	54.00	16.10	Horizontal	PASS
2	2370.80	36.57	1.44	38.01	54.00	15.99	Horizontal	PASS
3	2388.99	37.50	1.43	38.93	54.00	15.07	Horizontal	PASS
4	2349.96	47.55	1.45	49.00	74.00	25.00	Horizontal	PASS
5	2372.55	47.42	1.44	48.86	74.00	25.14	Horizontal	PASS
6	2384.24	47.73	1.43	49.16	74.00	24.84	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2346.45	36.73	1.42	38.15	54.00	15.85	Vertical	PASS
2	2381.85	37.15	1.43	38.58	54.00	15.42	Vertical	PASS
3	2389.88	37.61	1.43	39.04	54.00	14.96	Vertical	PASS
4	2346.64	46.94	1.42	48.36	74.00	25.64	Vertical	PASS
5	2379.76	47.48	1.43	48.91	74.00	25.09	Vertical	PASS
6	2389.17	47.88	1.43	49.31	74.00	24.69	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.62	38.20	1.86	40.06	54.00	13.94	Horizontal	PASS
2	2484.61	38.43	1.87	40.30	54.00	13.70	Horizontal	PASS
3	2488.47	37.12	1.91	39.03	54.00	14.97	Horizontal	PASS
4	2483.65	49.24	1.86	51.10	74.00	22.90	Horizontal	PASS
5	2484.27	50.28	1.87	52.15	74.00	21.85	Horizontal	PASS
6	2488.59	47.81	1.91	49.72	74.00	24.28	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.03	37.97	1.87	39.84	54.00	14.16	Vertical	PASS
2	2489.51	37.06	1.92	38.98	54.00	15.02	Vertical	PASS
3	2491.91	36.97	1.95	38.92	54.00	15.08	Vertical	PASS
4	2483.55	48.58	1.85	50.43	74.00	23.57	Vertical	PASS
5	2489.17	47.59	1.92	49.51	74.00	24.49	Vertical	PASS
6	2492.08	47.92	1.95	49.87	74.00	24.13	Vertical	PASS

Project Information			
Mode:	802.11ax20 26RU0	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2341.59	37.12	1.38	38.50	54.00	15.50	Horizontal	PASS
2	2373.97	37.41	1.44	38.85	54.00	15.15	Horizontal	PASS
3	2389.21	37.45	1.43	38.88	54.00	15.12	Horizontal	PASS
4	2344.47	47.32	1.40	48.72	74.00	25.28	Horizontal	PASS
5	2370.76	48.14	1.44	49.58	74.00	24.42	Horizontal	PASS
6	2389.81	47.78	1.43	49.21	74.00	24.79	Horizontal	PASS

Project Information			
Mode:	802.11ax20 26RU0	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2352.54	37.10	1.45	38.55	54.00	15.45	Vertical	PASS
2	2375.32	37.54	1.43	38.97	54.00	15.03	Vertical	PASS
3	2384.13	37.49	1.43	38.92	54.00	15.08	Vertical	PASS
4	2349.85	47.68	1.45	49.13	74.00	24.87	Vertical	PASS
5	2373.15	48.11	1.44	49.55	74.00	24.45	Vertical	PASS
6	2386.26	47.72	1.43	49.15	74.00	24.85	Vertical	PASS

Project Information			
Mode:	802.11ax20 26RU8	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2485.74	37.46	1.88	39.34	54.00	14.66	Horizontal	PASS
2	2490.88	37.44	1.93	39.37	54.00	14.63	Horizontal	PASS
3	2495.10	37.41	1.98	39.39	54.00	14.61	Horizontal	PASS
4	2485.71	48.49	1.88	50.37	74.00	23.63	Horizontal	PASS
5	2492.05	48.78	1.95	50.73	74.00	23.27	Horizontal	PASS
6	2496.76	48.05	2.00	50.05	74.00	23.95	Horizontal	PASS

Project Information			
Mode:	802.11ax20 26RU8	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.20	37.45	1.87	39.32	54.00	14.68	Vertical	PASS
2	2487.68	37.41	1.90	39.31	54.00	14.69	Vertical	PASS
3	2496.42	37.53	2.00	39.53	54.00	14.47	Vertical	PASS
4	2484.27	48.77	1.87	50.64	74.00	23.36	Vertical	PASS
5	2487.95	49.29	1.90	51.19	74.00	22.81	Vertical	PASS
6	2496.78	47.93	2.00	49.93	74.00	24.07	Vertical	PASS

Project Information			
Mode:	802.11ax20 52RU37	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2356.72	36.95	1.44	38.39	54.00	15.61	Horizontal	PASS
2	2377.22	37.24	1.43	38.67	54.00	15.33	Horizontal	PASS
3	2389.17	41.63	1.43	43.06	54.00	10.94	Horizontal	PASS
4	2360.38	47.28	1.44	48.72	74.00	25.28	Horizontal	PASS
5	2377.89	47.63	1.44	49.07	74.00	24.93	Horizontal	PASS
6	2389.14	58.87	1.43	60.30	74.00	13.70	Horizontal	PASS

Project Information			
Mode:	802.11ax20 52RU37	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2363.03	36.99	1.45	38.44	54.00	15.56	Vertical	PASS
2	2376.03	37.19	1.43	38.62	54.00	15.38	Vertical	PASS
3	2389.02	42.50	1.43	43.93	54.00	10.07	Vertical	PASS
4	2361.24	47.54	1.44	48.98	74.00	25.02	Vertical	PASS
5	2375.02	47.95	1.43	49.38	74.00	24.62	Vertical	PASS
6	2388.99	60.27	1.43	61.70	74.00	12.30	Vertical	PASS

Project Information			
Mode:	802.11ax20 52RU40	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.25	43.23	1.87	45.10	54.00	8.90	Horizontal	PASS
2	2486.70	42.65	1.89	44.54	54.00	9.46	Horizontal	PASS
3	2488.21	41.40	1.90	43.30	54.00	10.70	Horizontal	PASS
4	2484.22	62.23	1.87	64.10	74.00	9.90	Horizontal	PASS
5	2485.33	60.98	1.88	62.86	74.00	11.14	Horizontal	PASS
6	2487.68	61.35	1.90	63.25	74.00	10.75	Horizontal	PASS

Project Information			
Mode:	802.11ax20 52RU40	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.65	44.09	1.86	45.95	54.00	8.05	Vertical	PASS
2	2484.46	44.10	1.87	45.97	54.00	8.03	Vertical	PASS
3	2487.95	42.52	1.90	44.42	54.00	9.58	Vertical	PASS
4	2483.62	61.80	1.86	63.66	74.00	10.34	Vertical	PASS
5	2484.44	63.36	1.87	65.23	74.00	8.77	Vertical	PASS
6	2488.52	61.14	1.91	63.05	74.00	10.95	Vertical	PASS

Project Information			
Mode:	802.11ax20 106RU53	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2378.90	40.75	1.43	42.18	54.00	11.82	Horizontal	PASS
2	2383.42	41.99	1.43	43.42	54.00	10.58	Horizontal	PASS
3	2387.23	41.31	1.42	42.73	54.00	11.27	Horizontal	PASS
4	2381.59	58.74	1.43	60.17	74.00	13.83	Horizontal	PASS
5	2383.38	59.81	1.43	61.24	74.00	12.76	Horizontal	PASS
6	2387.19	58.92	1.42	60.34	74.00	13.66	Horizontal	PASS

Project Information			
Mode:	802.11ax20 106RU53	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2380.21	40.78	1.43	42.21	54.00	11.79	Vertical	PASS
2	2384.92	41.93	1.43	43.36	54.00	10.64	Vertical	PASS
3	2389.21	42.94	1.43	44.37	54.00	9.63	Vertical	PASS
4	2379.50	58.87	1.43	60.30	74.00	13.70	Vertical	PASS
5	2384.84	60.65	1.43	62.08	74.00	11.92	Vertical	PASS
6	2388.99	62.14	1.43	63.57	74.00	10.43	Vertical	PASS

Project Information			
Mode:	802.11ax20 106RU54	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.27	43.30	1.87	45.17	54.00	8.83	Horizontal	PASS
2	2486.10	43.23	1.88	45.11	54.00	8.89	Horizontal	PASS
3	2491.93	43.14	1.95	45.09	54.00	8.91	Horizontal	PASS
4	2484.68	62.28	1.87	64.15	74.00	9.85	Horizontal	PASS
5	2486.41	62.53	1.89	64.42	74.00	9.58	Horizontal	PASS
6	2491.91	62.60	1.95	64.55	74.00	9.45	Horizontal	PASS

Project Information			
Mode:	802.11ax20 106RU54	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.60	42.98	1.86	44.84	54.00	9.16	Vertical	PASS
2	2488.69	41.56	1.91	43.47	54.00	10.53	Vertical	PASS
3	2492.84	41.47	1.95	43.42	54.00	10.58	Vertical	PASS
4	2483.58	62.35	1.85	64.20	74.00	9.80	Vertical	PASS
5	2488.67	60.80	1.91	62.71	74.00	11.29	Vertical	PASS
6	2492.82	60.29	1.95	62.24	74.00	11.76	Vertical	PASS


Test for spot check:

FCC ID: PY7-29686W (This Model)

Test Result

Project Information			
Mode:	802.11ax20 52RU40	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ652G0040	Engineer:	Ou shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2484.10	42.30	1.87	44.17	54.00	9.83	Horizontal	PASS
2	2486.55	40.46	1.89	42.35	54.00	11.65	Horizontal	PASS
3	2488.76	39.39	1.92	41.31	54.00	12.69	Horizontal	PASS
4	2484.08	60.00	1.87	61.87	74.00	12.13	Horizontal	PASS
5	2486.53	57.30	1.89	59.19	74.00	14.81	Horizontal	PASS
6	2489.34	54.10	1.92	56.02	74.00	17.98	Horizontal	PASS

Project Information			
Mode:	802.11ax20 52RU40	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ652G0040	Engineer:	Ou shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2484.87	43.29	1.87	45.16	54.00	8.84	Vertical	PASS
2	2487.87	41.28	1.90	43.18	54.00	10.82	Vertical	PASS
3	2489.48	40.90	1.92	42.82	54.00	11.18	Vertical	PASS
4	2485.33	58.94	1.88	60.82	74.00	13.18	Vertical	PASS
5	2487.83	56.42	1.90	58.32	74.00	15.68	Vertical	PASS
6	2489.46	54.76	1.92	56.68	74.00	17.32	Vertical	PASS

~The End~