


Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	7727.09	47.89	-0.79	47.10	54.00	6.90	Horizontal	PASS
2	11375.01	34.99	5.21	40.20	54.00	13.80	Horizontal	PASS
3	17976.23	32.42	13.44	45.86	54.00	8.14	Horizontal	PASS
4	6444.81	34.75	16.78	51.53	68.20	16.67	Horizontal	PASS
5	7726.71	49.47	-0.79	48.68	74.00	25.32	Horizontal	PASS
6	17358.28	40.41	12.21	52.62	68.20	15.58	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	7727.09	47.26	-0.79	46.47	54.00	7.53	Vertical	PASS
2	12673.41	34.60	6.06	40.66	54.00	13.34	Vertical	PASS
3	17855.48	31.74	13.92	45.66	54.00	8.34	Vertical	PASS
4	6339.58	34.26	17.00	51.26	68.20	16.94	Vertical	PASS
5	7726.71	49.39	-0.79	48.60	74.00	25.40	Vertical	PASS
6	17983.13	39.34	13.54	52.88	74.00	21.12	Vertical	PASS

Project Information			
Mode:	802.11ac160	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5259.89	71.84	12.27	84.11	-	-	Horizontal	NA
2	8082.84	37.04	0.48	37.52	54.00	16.48	Horizontal	PASS
3	12098.77	35.51	5.20	40.71	54.00	13.29	Horizontal	PASS
4	17883.46	31.84	13.56	45.40	54.00	8.60	Horizontal	PASS
5	5253.11	77.53	12.28	89.81	-	-	Horizontal	NA
6	7000.27	46.03	-1.70	44.33	68.20	23.87	Horizontal	PASS
7	13464.25	42.72	7.29	50.01	68.20	18.19	Horizontal	PASS
8	17985.82	39.30	13.58	52.88	74.00	21.12	Horizontal	PASS

Project Information			
Mode:	802.11ac160	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5246.14	72.53	12.29	84.82	-	-	Vertical	NA
2	9486.27	36.80	2.57	39.37	54.00	14.63	Vertical	PASS
3	11460.88	35.90	5.01	40.91	54.00	13.09	Vertical	PASS
4	17847.81	31.62	13.90	45.52	54.00	8.48	Vertical	PASS
5	5245.59	78.03	12.29	90.32	-	-	Vertical	NA
6	6999.88	46.82	-1.70	45.12	68.20	23.08	Vertical	PASS
7	15075.07	40.39	9.12	49.51	68.20	18.69	Vertical	PASS
8	17981.60	39.34	13.53	52.87	74.00	21.13	Vertical	PASS

Project Information			
Mode:	802.11ac160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5567.54	69.43	13.16	82.59	-	-	Horizontal	NA
2	7426.93	45.01	-1.01	44.00	54.00	10.00	Horizontal	PASS
3	11470.08	35.28	4.97	40.25	54.00	13.75	Horizontal	PASS
4	17846.66	32.33	13.84	46.17	54.00	7.83	Horizontal	PASS
5	5553.42	75.69	13.12	88.81	-	-	Horizontal	NA
6	7426.55	47.46	-1.00	46.46	74.00	27.54	Horizontal	PASS
7	13690.04	40.62	9.35	49.97	68.20	18.23	Horizontal	PASS
8	17835.93	39.03	13.39	52.42	74.00	21.58	Horizontal	PASS

Project Information			
Mode:	802.11ac160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5555.25	70.96	13.12	84.08	-	-	Vertical	NA
2	7426.93	44.01	-1.01	43.00	54.00	11.00	Vertical	PASS
3	12080.75	35.06	5.28	40.34	54.00	13.66	Vertical	PASS
4	17896.50	32.00	13.38	45.38	54.00	8.62	Vertical	PASS
5	5551.77	75.13	13.11	88.24	-	-	Vertical	NA
6	7426.55	46.54	-1.00	45.54	74.00	28.46	Vertical	PASS
7	12021.33	42.05	5.31	47.36	74.00	26.64	Vertical	PASS
8	17893.81	38.65	13.42	52.07	74.00	21.93	Vertical	PASS

Project Information			
Mode:	802.11ax160	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5259.16	72.41	12.28	84.69	-	-	Horizontal	NA
2	8029.55	36.86	0.27	37.13	54.00	16.87	Horizontal	PASS
3	11415.26	34.89	5.29	40.18	54.00	13.82	Horizontal	PASS
4	17996.17	31.97	13.73	45.70	54.00	8.30	Horizontal	PASS
5	5248.16	79.42	12.30	91.72	-	-	Horizontal	NA
6	6445.00	35.46	14.99	50.45	68.20	17.75	Horizontal	PASS
7	6999.88	47.69	-1.70	45.99	68.20	22.21	Horizontal	PASS
8	17880.01	39.50	13.60	53.10	74.00	20.90	Horizontal	PASS

Project Information			
Mode:	802.11ax160	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5246.14	72.39	12.29	84.68	-	-	Vertical	NA
2	8341.21	36.29	0.98	37.27	54.00	16.73	Vertical	PASS
3	12111.80	35.76	5.08	40.84	54.00	13.16	Vertical	PASS
4	17851.65	31.43	13.97	45.40	54.00	8.60	Vertical	PASS
5	5236.42	80.34	12.30	92.64	-	-	Vertical	NA
6	6290.63	35.19	14.65	49.84	68.20	18.36	Vertical	PASS
7	6999.88	49.03	-1.70	47.33	68.20	20.87	Vertical	PASS
8	17998.47	38.61	13.76	52.37	74.00	21.63	Vertical	PASS

Project Information			
Mode:	802.11ax160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5538.93	69.60	13.18	82.78	-	-	Horizontal	NA
2	7426.93	45.53	-1.01	44.52	54.00	9.48	Horizontal	PASS
3	11464.33	35.29	5.00	40.29	54.00	13.71	Horizontal	PASS
4	17988.88	31.75	13.63	45.38	54.00	8.62	Horizontal	PASS
5	5551.95	77.46	13.11	90.57	-	-	Horizontal	NA
6	6430.70	35.29	14.95	50.24	68.20	17.96	Horizontal	PASS
7	7426.55	47.76	-1.00	46.76	74.00	27.24	Horizontal	PASS
8	17349.08	40.08	12.21	52.29	68.20	15.91	Horizontal	PASS

Project Information			
Mode:	802.11ax160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5566.62	70.38	13.15	83.53	-	-	Vertical	NA
2	7426.93	43.17	-1.01	42.16	54.00	11.84	Vertical	PASS
3	12042.42	35.22	5.40	40.62	54.00	13.38	Vertical	PASS
4	17853.18	31.83	13.95	45.78	54.00	8.22	Vertical	PASS
5	5550.30	77.43	13.11	90.54	-	-	Vertical	NA
6	6123.24	35.09	14.49	49.58	68.20	18.62	Vertical	PASS
7	11484.65	42.89	4.89	47.78	74.00	26.22	Vertical	PASS
8	17868.90	38.76	13.75	52.51	74.00	21.49	Vertical	PASS

Project Information			
Mode:	802.11ax20 26t-0	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5171.52	44.49	13.90	58.39	-	-	Horizontal	NA
2	8069.04	37.26	0.44	37.70	54.00	16.30	Horizontal	PASS
3	11463.57	35.46	5.00	40.46	54.00	13.54	Horizontal	PASS
4	17874.65	32.34	13.67	46.01	54.00	7.99	Horizontal	PASS
5	5171.16	51.16	13.90	65.06	-	-	Horizontal	NA
6	6906.73	47.55	-1.76	45.79	68.20	22.41	Horizontal	PASS
7	15105.35	40.96	8.88	49.84	68.20	18.36	Horizontal	PASS
8	17843.98	38.72	13.74	52.46	74.00	21.54	Horizontal	PASS

Project Information			
Mode:	802.11ax20 26t-0	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5172.26	43.03	13.91	56.94	-	-	Vertical	NA
2	9047.33	36.40	2.31	38.71	54.00	15.29	Vertical	PASS
3	11458.20	35.29	5.03	40.32	54.00	13.68	Vertical	PASS
4	17861.23	31.57	13.84	45.41	54.00	8.59	Vertical	PASS
5	5171.16	50.05	13.90	63.95	-	-	Vertical	NA
6	6376.61	34.61	16.91	51.52	68.20	16.68	Vertical	PASS
7	6906.73	46.93	-1.76	45.17	68.20	23.03	Vertical	PASS
8	17981.98	38.53	13.53	52.06	74.00	21.94	Vertical	PASS

Project Information			
Mode:	802.11ax20 106+t-53	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5173.91	42.04	13.90	55.94	-	-	Horizontal	NA
2	8114.65	36.69	0.61	37.30	54.00	16.70	Horizontal	PASS
3	11488.87	35.90	4.87	40.77	54.00	13.23	Horizontal	PASS
4	17842.83	31.74	13.69	45.43	54.00	8.57	Horizontal	PASS
5	5172.81	48.63	13.90	62.53	-	-	Horizontal	NA
6	6291.73	35.13	16.66	51.79	68.20	16.41	Horizontal	PASS
7	6906.73	46.99	-1.76	45.23	68.20	22.97	Horizontal	PASS
8	17978.92	38.97	13.49	52.46	74.00	21.54	Horizontal	PASS

Project Information			
Mode:	802.11ax20 106+t-53	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5176.11	40.42	13.91	54.33	-	-	Vertical	NA
2	9429.91	36.40	1.98	38.38	54.00	15.62	Vertical	PASS
3	12072.70	34.55	5.32	39.87	54.00	14.13	Vertical	PASS
4	17990.80	32.64	13.65	46.29	54.00	7.71	Vertical	PASS
5	5174.82	46.64	13.90	60.54	-	-	Vertical	NA
6	6350.03	34.16	17.28	51.44	68.20	16.76	Vertical	PASS
7	6906.73	47.40	-1.76	45.64	68.20	22.56	Vertical	PASS
8	17846.28	40.06	13.83	53.89	74.00	20.11	Vertical	PASS

Project Information			
Mode:	802.11ax20 26+t-0	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5252.01	34.04	14.17	48.21	-	-	Horizontal	NA
2	9033.15	36.25	2.39	38.64	54.00	15.36	Horizontal	PASS
3	12063.89	35.08	5.36	40.44	54.00	13.56	Horizontal	PASS
4	17984.28	31.89	13.57	45.46	54.00	8.54	Horizontal	PASS
5	5251.64	40.38	14.17	54.55	-	-	Horizontal	NA
6	6355.16	34.33	17.21	51.54	68.20	16.66	Horizontal	PASS
7	7013.30	49.26	-1.65	47.61	68.20	20.59	Horizontal	PASS
8	17846.66	38.35	13.84	52.19	74.00	21.81	Horizontal	PASS

Project Information			
Mode:	802.11ax20 26+t-0	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5252.19	32.05	14.17	46.22	-	-	Vertical	NA
2	8119.25	36.91	0.64	37.55	54.00	16.45	Vertical	PASS
3	12155.12	35.76	4.80	40.56	54.00	13.44	Vertical	PASS
4	17973.17	31.94	13.40	45.34	54.00	8.66	Vertical	PASS
5	5251.09	38.71	14.16	52.87	-	-	Vertical	NA
6	6469.20	34.37	17.12	51.49	68.20	16.71	Vertical	PASS
7	7013.30	47.68	-1.65	46.03	68.20	22.17	Vertical	PASS

Project Information			
Mode:	802.11ax20 106t-53	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	12057.37	35.07	5.40	40.47	54.00	13.53	Horizontal	PASS
2	17977.77	32.27	13.47	45.74	54.00	8.26	Horizontal	PASS
3	7013.30	49.70	-1.65	48.05	68.20	20.15	Horizontal	PASS
4	13700.77	40.59	9.38	49.97	68.20	18.23	Horizontal	PASS
5	17885.38	38.89	13.53	52.42	74.00	21.58	Horizontal	PASS

Project Information			
Mode:	802.11ax20 106t-53	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	8494.17	35.43	1.59	37.02	54.00	16.98	Vertical	PASS
2	12065.80	35.05	5.36	40.41	54.00	13.59	Vertical	PASS
3	17863.15	31.31	13.82	45.13	54.00	8.87	Vertical	PASS
4	6484.23	33.85	17.31	51.16	68.20	17.04	Vertical	PASS
5	7013.30	47.77	-1.65	46.12	68.20	22.08	Vertical	PASS
6	17985.05	39.46	13.57	53.03	74.00	20.97	Vertical	PASS

Project Information			
Mode:	802.11ax20 26t-8	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5507.95	35.80	14.67	50.47	-	-	Horizontal	NA
2	8250.36	41.39	0.53	41.92	54.00	12.08	Horizontal	PASS
3	12009.83	35.43	5.27	40.70	54.00	13.30	Horizontal	PASS
4	17969.33	33.01	13.35	46.36	54.00	7.64	Horizontal	PASS
5	5507.77	41.11	14.67	55.78	-	-	Horizontal	NA
6	8249.97	45.48	0.53	46.01	74.00	27.99	Horizontal	PASS
7	12735.51	42.71	5.65	48.36	68.20	19.84	Horizontal	PASS
8	17852.03	38.45	13.96	52.41	74.00	21.59	Horizontal	PASS

Project Information			
Mode:	802.11ax20 26t-8	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5507.95	34.36	14.67	49.03	-	-	Vertical	NA
2	8250.36	43.59	0.53	44.12	54.00	9.88	Vertical	PASS
3	11479.67	35.36	4.92	40.28	54.00	13.72	Vertical	PASS
4	17839.76	31.74	13.55	45.29	54.00	8.71	Vertical	PASS
5	5508.13	41.34	14.67	56.01	-	-	Vertical	NA
6	6312.99	35.28	16.84	52.12	68.20	16.08	Vertical	PASS
7	8249.97	46.51	0.53	47.04	74.00	26.96	Vertical	PASS
8	17985.05	39.06	13.57	52.63	74.00	21.37	Vertical	PASS

Project Information			
Mode:	802.11ax20 52t-37	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5728.51	67.58	14.91	82.49	-	-	Horizontal	NA
2	7627.04	47.62	-0.94	46.68	54.00	7.32	Horizontal	PASS
3	12691.04	34.86	5.97	40.83	54.00	13.17	Horizontal	PASS
4	17994.25	31.84	13.71	45.55	54.00	8.45	Horizontal	PASS
5	5728.32	72.62	14.91	87.53	-	-	Horizontal	NA
6	7626.65	49.48	-0.94	48.54	74.00	25.46	Horizontal	PASS
7	13678.92	40.50	9.27	49.77	68.20	18.43	Horizontal	PASS
8	17922.56	39.36	13.22	52.58	74.00	21.42	Horizontal	PASS

Project Information			
Mode:	802.11ax20 52t-37	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5727.59	64.88	14.91	79.79	-	-	Vertical	NA
2	7627.04	47.14	-0.94	46.20	54.00	7.80	Vertical	PASS
3	11372.71	34.80	5.20	40.00	54.00	14.00	Vertical	PASS
4	17866.60	31.38	13.77	45.15	54.00	8.85	Vertical	PASS
5	5727.59	68.65	14.91	83.56	-	-	Vertical	NA
6	7626.65	49.23	-0.94	48.29	74.00	25.71	Vertical	PASS
7	15072.39	40.72	9.14	49.86	68.20	18.34	Vertical	PASS
8	17852.03	38.08	13.96	52.04	74.00	21.96	Vertical	PASS

Project Information			
Mode:	802.11ax20 52t-37	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7660.39	47.05	-0.88	46.17	54.00	7.83	Horizontal	PASS
2	12092.64	35.09	5.22	40.31	54.00	13.69	Horizontal	PASS
3	17847.81	31.59	13.90	45.49	54.00	8.51	Horizontal	PASS
4	7660.01	49.07	-0.88	48.19	74.00	25.81	Horizontal	PASS
5	15079.29	40.65	9.11	49.76	68.20	18.44	Horizontal	PASS
6	17965.88	39.08	13.30	52.38	74.00	21.62	Horizontal	PASS

Project Information			
Mode:	802.11ax20 52t-37	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7660.39	45.42	-0.88	44.54	54.00	9.46	Vertical	PASS
2	11486.57	34.86	4.88	39.74	54.00	14.26	Vertical	PASS
3	17848.19	32.45	13.92	46.37	54.00	7.63	Vertical	PASS
4	7660.01	48.00	-0.88	47.12	74.00	26.88	Vertical	PASS
5	15070.85	41.15	9.14	50.29	68.20	17.91	Vertical	PASS
6	17992.33	39.48	13.68	53.16	74.00	20.84	Vertical	PASS

Project Information			
Mode:	802.11ax40 242t-62	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	8437.43	36.20	1.11	37.31	54.00	16.69	Horizontal	PASS
2	11465.87	35.18	4.98	40.16	54.00	13.84	Horizontal	PASS
3	17847.04	31.95	13.86	45.81	54.00	8.19	Horizontal	PASS
4	6367.08	34.75	17.04	51.79	68.20	16.41	Horizontal	PASS
5	6973.05	49.55	-1.97	47.58	68.20	20.62	Horizontal	PASS
6	17971.25	39.13	13.37	52.50	74.00	21.50	Horizontal	PASS

Project Information			
Mode:	802.11ax40 242t-62	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	9035.83	36.16	2.37	38.53	54.00	15.47	Vertical	PASS
2	12523.52	36.22	5.34	41.56	54.00	12.44	Vertical	PASS
3	17918.35	32.44	13.24	45.68	54.00	8.32	Vertical	PASS
4	6498.90	34.07	17.50	51.57	68.20	16.63	Vertical	PASS
5	6973.05	48.43	-1.97	46.46	68.20	21.74	Vertical	PASS
6	17993.48	39.27	13.69	52.96	74.00	21.04	Vertical	PASS

Project Information			
Mode:	802.11ax40 242t-61	Band:	2A
Bandwidth	40MHz	Channel	54
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	8432.45	42.92	1.08	44.00	54.00	10.00	Horizontal	PASS
2	11417.18	35.59	5.28	40.87	54.00	13.13	Horizontal	PASS
3	17862.38	32.05	13.82	45.87	54.00	8.13	Horizontal	PASS
4	6408.70	34.79	16.62	51.41	68.20	16.79	Horizontal	PASS
5	8432.06	46.02	1.08	47.10	74.00	26.90	Horizontal	PASS
6	17862.38	38.52	13.82	52.34	74.00	21.66	Horizontal	PASS

Project Information			
Mode:	802.11ax40 242t-61	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	8432.45	43.09	1.08	44.17	54.00	9.83	Vertical	PASS
2	12071.94	35.32	5.32	40.64	54.00	13.36	Vertical	PASS
3	17983.52	31.74	13.55	45.29	54.00	8.71	Vertical	PASS
4	6348.01	35.01	17.26	52.27	68.20	15.93	Vertical	PASS
5	8432.06	46.56	1.08	47.64	74.00	26.36	Vertical	PASS
6	17978.53	38.49	13.48	51.97	74.00	22.03	Vertical	PASS

Project Information			
Mode:	802.11ax40 242t-61	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7560.34	47.45	-0.85	46.60	54.00	7.40	Horizontal	PASS
2	12057.37	34.77	5.40	40.17	54.00	13.83	Horizontal	PASS
3	17993.87	32.51	13.71	46.22	54.00	7.78	Horizontal	PASS
4	7559.95	49.84	-0.85	48.99	74.00	25.01	Horizontal	PASS
5	15066.64	40.38	9.16	49.54	68.20	18.66	Horizontal	PASS
6	17987.73	39.43	13.61	53.04	74.00	20.96	Horizontal	PASS

Project Information			
Mode:	802.11ax40 242t-61	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7560.34	46.78	-0.85	45.93	54.00	8.07	Vertical	PASS
2	11382.68	34.85	5.27	40.12	54.00	13.88	Vertical	PASS
3	17876.56	31.78	13.64	45.42	54.00	8.58	Vertical	PASS
4	7559.95	48.84	-0.85	47.99	74.00	26.01	Vertical	PASS
5	13698.47	41.08	9.41	50.49	68.20	17.71	Vertical	PASS
6	17997.32	38.80	13.75	52.55	74.00	21.45	Vertical	PASS

Project Information			
Mode:	802.11ax40 242t-62	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.69	67.72	14.91	82.63	-	-	Horizontal	NA
2	7613.62	48.21	-0.93	47.28	54.00	6.72	Horizontal	PASS
3	11452.45	35.32	5.06	40.38	54.00	13.62	Horizontal	PASS
4	17983.90	32.09	13.56	45.65	54.00	8.35	Horizontal	PASS
5	5728.32	73.78	14.91	88.69	-	-	Horizontal	NA
6	7613.24	50.32	-0.93	49.39	74.00	24.61	Horizontal	PASS
7	15076.60	41.48	9.12	50.60	68.20	17.60	Horizontal	PASS
8	17876.95	39.00	13.64	52.64	74.00	21.36	Horizontal	PASS

Project Information			
Mode:	802.11ax40 242t-62	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.87	70.78	14.91	85.69	-	-	Vertical	NA
2	7613.62	47.75	-0.93	46.82	54.00	7.18	Vertical	PASS
3	12091.49	34.95	5.23	40.18	54.00	13.82	Vertical	PASS
4	17849.73	31.80	13.98	45.78	54.00	8.22	Vertical	PASS
5	5728.69	78.08	14.91	92.99	-	-	Vertical	NA
6	7613.62	49.81	-0.93	48.88	74.00	25.12	Vertical	PASS
7	13694.64	40.36	9.38	49.74	68.20	18.46	Vertical	PASS
8	17983.90	39.38	13.56	52.94	74.00	21.06	Vertical	PASS

Project Information			
Mode:	802.11ax40 242t-61	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5716.96	33.79	15.75	49.54	-	-	Horizontal	NA
2	8131.14	36.76	0.70	37.46	54.00	16.54	Horizontal	PASS
3	11398.78	35.10	5.38	40.48	54.00	13.52	Horizontal	PASS
4	17985.05	32.12	13.57	45.69	54.00	8.31	Horizontal	PASS
5	5716.96	39.29	15.75	55.04	-	-	Horizontal	NA
6	6457.10	34.91	16.90	51.81	68.20	16.39	Horizontal	PASS
7	15237.61	40.17	9.53	49.70	68.20	18.50	Horizontal	PASS
8	17862.38	38.88	13.82	52.70	74.00	21.30	Horizontal	PASS

Project Information			
Mode:	802.11ax40 242t-61	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5716.96	34.41	15.75	50.16	-	-	Vertical	NA
2	12394.33	34.12	6.14	40.26	54.00	13.74	Vertical	PASS
3	17981.60	31.73	13.53	45.26	54.00	8.74	Vertical	PASS
4	5716.96	41.13	15.75	56.88	-	-	Vertical	NA
5	6320.51	34.80	16.76	51.56	68.20	16.64	Vertical	PASS
6	15078.52	40.75	9.11	49.86	68.20	18.34	Vertical	PASS
7	17977.38	39.29	13.46	52.75	74.00	21.25	Vertical	PASS

Project Information			
Mode:	802.11ax80 484t-66	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	8085.14	36.78	0.48	37.26	54.00	16.74	Horizontal	PASS
2	12044.72	35.09	5.40	40.49	54.00	13.51	Horizontal	PASS
3	17998.47	32.21	13.76	45.97	54.00	8.03	Horizontal	PASS
4	6312.99	35.41	16.92	52.33	68.20	15.87	Horizontal	PASS
5	6946.60	48.49	-2.17	46.32	68.20	21.88	Horizontal	PASS
6	17993.48	38.91	13.69	52.60	74.00	21.40	Horizontal	PASS

Project Information			
Mode:	802.11ax80 484t-66	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	8105.45	36.71	0.55	37.26	54.00	16.74	Vertical	PASS
2	12073.47	35.07	5.31	40.38	54.00	13.62	Vertical	PASS
3	17851.65	31.76	13.97	45.73	54.00	8.27	Vertical	PASS
4	6480.20	34.28	17.26	51.54	68.20	16.66	Vertical	PASS
5	6946.60	46.80	-2.17	44.63	68.20	23.57	Vertical	PASS
6	17834.78	38.77	13.34	52.11	74.00	21.89	Vertical	PASS

Project Information			
Mode:	802.11ax80 484t-66	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8131.52	36.64	0.71	37.35	54.00	16.65	Horizontal	PASS
2	12662.67	34.64	6.11	40.75	54.00	13.25	Horizontal	PASS
3	17984.67	32.05	13.57	45.62	54.00	8.38	Horizontal	PASS
4	6499.45	34.57	17.50	52.07	68.20	16.13	Horizontal	PASS
5	7053.17	50.43	-1.54	48.89	68.20	19.31	Horizontal	PASS
6	17889.21	38.86	13.48	52.34	74.00	21.66	Horizontal	PASS

Project Information			
Mode:	802.11ax80 484t-66	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	8351.95	35.89	1.09	36.98	54.00	17.02	Vertical	PASS
2	12047.02	34.62	5.42	40.04	54.00	13.96	Vertical	PASS
3	17863.53	31.83	13.82	45.65	54.00	8.35	Vertical	PASS
4	6489.18	34.20	17.37	51.57	68.20	16.63	Vertical	PASS
5	7053.17	48.42	-1.54	46.88	68.20	21.32	Vertical	PASS
6	17847.04	38.26	13.86	52.12	74.00	21.88	Vertical	PASS

Project Information			
Mode:	802.11ax80 484t-65	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5454.78	31.72	14.39	46.11	54.00	7.89	Horizontal	PASS
2	12010.60	35.15	5.27	40.42	54.00	13.58	Horizontal	PASS
3	17996.93	31.80	13.75	45.55	54.00	8.45	Horizontal	PASS
4	5463.40	40.69	14.44	55.13	68.20	13.07	Horizontal	PASS
5	14044.63	41.45	8.02	49.47	68.20	18.73	Horizontal	PASS
6	17865.83	39.19	13.78	52.97	74.00	21.03	Horizontal	PASS