


| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac80 | Band:     | U-NII-2C  |
| Bandwidth           | 80MHz      | Channel   | 122       |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5729.83     | 38.51          | 13.29       | 51.80          | 68.20          | 16.40       | Vertical | PASS    |
| 2         | 5741.36     | 38.91          | 13.10       | 52.01          | 68.20          | 16.19       | Vertical | PASS    |
| 3         | 5745.05     | 38.84          | 13.04       | 51.88          | 68.20          | 16.32       | Vertical | PASS    |

| Project Information |            |           |            |
|---------------------|------------|-----------|------------|
| Mode:               | 802.11ac80 | Band:     | U-NII-2C&3 |
| Bandwidth           | 80MHz      | Channel   | 138        |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan  |
| Remark:             | Z; ANT6&7  |           |            |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBµV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5870.61     | 38.76          | 13.44       | 52.20          | 68.20          | 16.00       | Horizontal | PASS    |
| 2         | 5940.03     | 38.31          | 14.02       | 52.33          | 68.20          | 15.87       | Horizontal | PASS    |
| 3         | 5951.11     | 38.22          | 14.08       | 52.30          | 68.20          | 15.90       | Horizontal | PASS    |

| Project Information |            |           |            |
|---------------------|------------|-----------|------------|
| Mode:               | 802.11ac80 | Band:     | U-NII-2C&3 |
| Bandwidth           | 80MHz      | Channel   | 138        |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan  |
| Remark:             | Z; ANT6&7  |           |            |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5861.96     | 39.49          | 13.36       | 52.85          | 68.20          | 15.35       | Vertical | PASS    |
| 2         | 5914.10     | 38.98          | 13.83       | 52.81          | 68.20          | 15.39       | Vertical | PASS    |
| 3         | 5951.92     | 38.47          | 14.07       | 52.54          | 68.20          | 15.66       | Vertical | PASS    |


| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac80 | Band:     | U-NII-3   |
| Bandwidth           | 80MHz      | Channel   | 155       |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |

### Test Graph




| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac80 | Band:     | U-NII-3   |
| Bandwidth           | 80MHz      | Channel   | 155       |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |

### Test Graph



| Project Information |             |           |            |
|---------------------|-------------|-----------|------------|
| Mode:               | 802.11ac160 | Band:     | U-NII-1&2A |
| Bandwidth           | 160MHz      | Channel   | 50         |
| SN:                 | HQ654900A7  | Engineer: | Ou Shuyan  |
| Remark:             | Z; ANT6&7   |           |            |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5093.82     | 28.81          | 12.12       | 40.93          | 54.00          | 13.07       | Horizontal | PASS    |
| 2         | 5127.44     | 31.33          | 12.32       | 43.65          | 54.00          | 10.35       | Horizontal | PASS    |
| 3         | 5147.45     | 33.11          | 12.46       | 45.57          | 54.00          | 8.43        | Horizontal | PASS    |
| 4         | 5355.15     | 31.29          | 12.71       | 44.00          | 54.00          | 10.00       | Horizontal | PASS    |
| 5         | 5386.37     | 31.08          | 12.89       | 43.97          | 54.00          | 10.03       | Horizontal | PASS    |
| 6         | 5403.98     | 30.60          | 12.95       | 43.55          | 54.00          | 10.45       | Horizontal | PASS    |
| 7         | 5090.22     | 38.72          | 12.12       | 50.84          | 74.00          | 23.16       | Horizontal | PASS    |
| 8         | 5132.64     | 41.09          | 12.36       | 53.45          | 74.00          | 20.55       | Horizontal | PASS    |
| 9         | 5144.05     | 43.84          | 12.44       | 56.28          | 74.00          | 17.72       | Horizontal | PASS    |
| 10        | 5356.75     | 41.60          | 12.72       | 54.32          | 74.00          | 19.68       | Horizontal | PASS    |
| 11        | 5389.37     | 42.83          | 12.91       | 55.74          | 74.00          | 18.26       | Horizontal | PASS    |
| 12        | 5402.18     | 41.31          | 12.95       | 54.26          | 74.00          | 19.74       | Horizontal | PASS    |

| Project Information |             |           |            |
|---------------------|-------------|-----------|------------|
| Mode:               | 802.11ac160 | Band:     | U-NII-1&2A |
| Bandwidth           | 160MHz      | Channel   | 50         |
| SN:                 | HQ654900A7  | Engineer: | Ou Shuyan  |
| Remark:             | Z; ANT6&7   |           |            |


### Test Graph



| Data List |             |                |             |                      |                      |             |          |         |
|-----------|-------------|----------------|-------------|----------------------|----------------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dB $\mu$ V/m] | Limit [dB $\mu$ V/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5110.03     | 29.19          | 12.20       | 41.39                | 54.00                | 12.61       | Vertical | PASS    |
| 2         | 5136.24     | 30.89          | 12.38       | 43.27                | 54.00                | 10.73       | Vertical | PASS    |
| 3         | 5143.05     | 30.71          | 12.43       | 43.14                | 54.00                | 10.86       | Vertical | PASS    |
| 4         | 5386.57     | 34.30          | 12.90       | 47.20                | 54.00                | 6.80        | Vertical | PASS    |
| 5         | 5393.77     | 33.74          | 12.93       | 46.67                | 54.00                | 7.33        | Vertical | PASS    |
| 6         | 5407.58     | 32.96          | 12.92       | 45.88                | 54.00                | 8.12        | Vertical | PASS    |
| 7         | 5106.43     | 40.01          | 12.18       | 52.19                | 74.00                | 21.81       | Vertical | PASS    |
| 8         | 5133.84     | 40.57          | 12.37       | 52.94                | 74.00                | 21.06       | Vertical | PASS    |
| 9         | 5145.45     | 41.62          | 12.45       | 54.07                | 74.00                | 19.93       | Vertical | PASS    |
| 10        | 5386.37     | 44.85          | 12.89       | 57.74                | 74.00                | 16.26       | Vertical | PASS    |
| 11        | 5394.17     | 43.90          | 12.93       | 56.83                | 74.00                | 17.17       | Vertical | PASS    |
| 12        | 5402.78     | 44.98          | 12.96       | 57.94                | 74.00                | 16.06       | Vertical | PASS    |

| Project Information |             |           |           |
|---------------------|-------------|-----------|-----------|
| Mode:               | 802.11ac160 | Band:     | U-NII-2C  |
| Bandwidth           | 160MHz      | Channel   | 114       |
| SN:                 | HQ652D0088  | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7   |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBµV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5432.74     | 34.37          | 12.76       | 47.13          | 54.00          | 6.87        | Horizontal | PASS    |
| 2         | 5447.45     | 34.10          | 12.65       | 46.75          | 54.00          | 7.25        | Horizontal | PASS    |
| 3         | 5459.88     | 34.58          | 12.80       | 47.38          | 54.00          | 6.62        | Horizontal | PASS    |
| 4         | 5429.76     | 43.48          | 12.77       | 56.25          | 74.00          | 17.75       | Horizontal | PASS    |
| 5         | 5457.95     | 45.19          | 12.77       | 57.96          | 74.00          | 16.04       | Horizontal | PASS    |
| 6         | 5466.88     | 45.91          | 12.91       | 58.82          | 68.20          | 9.38        | Horizontal | PASS    |
| 7         | 5726.19     | 40.37          | 13.35       | 53.72          | 68.20          | 14.48       | Horizontal | PASS    |
| 8         | 5731.97     | 40.26          | 13.26       | 53.52          | 68.20          | 14.68       | Horizontal | PASS    |
| 9         | 5742.82     | 39.58          | 13.08       | 52.66          | 68.20          | 15.54       | Horizontal | PASS    |

| Project Information |             |           |           |
|---------------------|-------------|-----------|-----------|
| Mode:               | 802.11ac160 | Band:     | U-NII-2C  |
| Bandwidth           | 160MHz      | Channel   | 114       |
| SN:                 | HQ652D0088  | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7   |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5428.54     | 31.87          | 12.78       | 44.65          | 54.00          | 9.35        | Vertical | PASS    |
| 2         | 5437.99     | 32.67          | 12.72       | 45.39          | 54.00          | 8.61        | Vertical | PASS    |
| 3         | 5457.95     | 33.62          | 12.77       | 46.39          | 54.00          | 7.61        | Vertical | PASS    |
| 4         | 5424.34     | 43.20          | 12.81       | 56.01          | 74.00          | 17.99       | Vertical | PASS    |
| 5         | 5438.17     | 43.14          | 12.72       | 55.86          | 74.00          | 18.14       | Vertical | PASS    |
| 6         | 5457.78     | 44.86          | 12.77       | 57.63          | 74.00          | 16.37       | Vertical | PASS    |
| 7         | 5729.51     | 41.50          | 13.30       | 54.80          | 68.20          | 13.40       | Vertical | PASS    |
| 8         | 5738.79     | 40.15          | 13.14       | 53.29          | 68.20          | 14.91       | Vertical | PASS    |
| 9         | 5747.72     | 39.70          | 13.00       | 52.70          | 68.20          | 15.50       | Vertical | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax20 | Band:     | U-NII-1   |
| Bandwidth           | 20MHz      | Channel   | 36        |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBµV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5132.71     | 32.51          | 12.36       | 44.87          | 54.00          | 9.13        | Horizontal | PASS    |
| 2         | 5141.52     | 32.51          | 12.42       | 44.93          | 54.00          | 9.07        | Horizontal | PASS    |
| 3         | 5149.06     | 32.52          | 12.48       | 45.00          | 54.00          | 9.00        | Horizontal | PASS    |
| 4         | 5132.74     | 43.35          | 12.36       | 55.71          | 74.00          | 18.29       | Horizontal | PASS    |
| 5         | 5141.13     | 43.41          | 12.41       | 55.82          | 74.00          | 18.18       | Horizontal | PASS    |
| 6         | 5149.65     | 43.05          | 12.48       | 55.53          | 74.00          | 18.47       | Horizontal | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax20 | Band:     | U-NII-1   |
| Bandwidth           | 20MHz      | Channel   | 36        |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5132.35     | 32.42          | 12.36       | 44.78          | 54.00          | 9.22        | Vertical | PASS    |
| 2         | 5141.03     | 32.55          | 12.41       | 44.96          | 54.00          | 9.04        | Vertical | PASS    |
| 3         | 5149.42     | 32.55          | 12.48       | 45.03          | 54.00          | 8.97        | Vertical | PASS    |
| 4         | 5131.99     | 43.12          | 12.36       | 55.48          | 74.00          | 18.52       | Vertical | PASS    |
| 5         | 5140.41     | 43.36          | 12.41       | 55.77          | 74.00          | 18.23       | Vertical | PASS    |
| 6         | 5149.84     | 43.06          | 12.48       | 55.54          | 74.00          | 18.46       | Vertical | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax20 | Band:     | U-NII-2A  |
| Bandwidth           | 20MHz      | Channel   | 64        |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |

### Test Graph




### Data List

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5351.07     | 29.27          | 12.69       | 41.96          | 54.00          | 12.04       | Horizontal | PASS    |
| 2   | 5358.87     | 29.02          | 12.73       | 41.75          | 54.00          | 12.25       | Horizontal | PASS    |
| 3   | 5365.02     | 29.18          | 12.77       | 41.95          | 54.00          | 12.05       | Horizontal | PASS    |
| 4   | 5350.48     | 40.30          | 12.68       | 52.98          | 74.00          | 21.02       | Horizontal | PASS    |
| 5   | 5360.04     | 40.03          | 12.74       | 52.77          | 74.00          | 21.23       | Horizontal | PASS    |
| 6   | 5365.64     | 40.45          | 12.77       | 53.22          | 74.00          | 20.78       | Horizontal | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax20 | Band:     | U-NII-2A  |
| Bandwidth           | 20MHz      | Channel   | 64        |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |

### Test Graph




### Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5351.13     | 29.26          | 12.69       | 41.95          | 54.00          | 12.05       | Vertical | PASS    |
| 2   | 5354.71     | 29.14          | 12.71       | 41.85          | 54.00          | 12.15       | Vertical | PASS    |
| 3   | 5367.33     | 29.10          | 12.79       | 41.89          | 54.00          | 12.11       | Vertical | PASS    |
| 4   | 5351.95     | 40.03          | 12.70       | 52.73          | 74.00          | 21.27       | Vertical | PASS    |
| 5   | 5355.33     | 40.20          | 12.71       | 52.91          | 74.00          | 21.09       | Vertical | PASS    |
| 6   | 5367.00     | 40.95          | 12.78       | 53.73          | 74.00          | 20.27       | Vertical | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax20 | Band:     | U-NII-2C  |
| Bandwidth           | 20MHz      | Channel   | 100       |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |

### Test Graph




### Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5452.34     | 28.82          | 12.67       | 41.49          | 54.00          | 12.51       | Horizontal | PASS    |
| 2   | 5454.32     | 28.70          | 12.71       | 41.41          | 54.00          | 12.59       | Horizontal | PASS    |
| 3   | 5457.95     | 28.68          | 12.77       | 41.45          | 54.00          | 12.55       | Horizontal | PASS    |
| 4   | 5456.81     | 39.80          | 12.75       | 52.55          | 74.00          | 21.45       | Horizontal | PASS    |
| 5   | 5461.56     | 39.56          | 12.83       | 52.39          | 68.20          | 15.81       | Horizontal | PASS    |
| 6   | 5469.21     | 39.51          | 12.96       | 52.47          | 68.20          | 15.73       | Horizontal | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax20 | Band:     | U-NII-2C  |
| Bandwidth           | 20MHz      | Channel   | 100       |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5453.54     | 28.65          | 12.70       | 41.35          | 54.00          | 12.65       | Vertical | PASS    |
| 2         | 5454.56     | 28.65          | 12.72       | 41.37          | 54.00          | 12.63       | Vertical | PASS    |
| 3         | 5459.09     | 28.72          | 12.78       | 41.50          | 54.00          | 12.50       | Vertical | PASS    |
| 4         | 5451.62     | 39.13          | 12.67       | 51.80          | 74.00          | 22.20       | Vertical | PASS    |
| 5         | 5456.57     | 40.20          | 12.75       | 52.95          | 74.00          | 21.05       | Vertical | PASS    |
| 6         | 5469.63     | 39.35          | 12.96       | 52.31          | 68.20          | 15.89       | Vertical | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax20 | Band:     | U-NII-2C  |
| Bandwidth           | 20MHz      | Channel   | 140       |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBµV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5726.17     | 40.19          | 13.35       | 53.54          | 68.20          | 14.66       | Horizontal | PASS    |
| 2         | 5732.20     | 39.68          | 13.25       | 52.93          | 68.20          | 15.27       | Horizontal | PASS    |
| 3         | 5741.06     | 39.25          | 13.11       | 52.36          | 68.20          | 15.84       | Horizontal | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax20 | Band:     | U-NII-2C  |
| Bandwidth           | 20MHz      | Channel   | 140       |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBµV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5726.14     | 39.62          | 13.35       | 52.97          | 68.20          | 15.23       | Vertical | PASS    |
| 2         | 5733.40     | 39.56          | 13.23       | 52.79          | 68.20          | 15.41       | Vertical | PASS    |
| 3         | 5742.44     | 39.83          | 13.08       | 52.91          | 68.20          | 15.29       | Vertical | PASS    |

| Project Information |            |           |            |
|---------------------|------------|-----------|------------|
| Mode:               | 802.11ax20 | Band:     | U-NII-2C&3 |
| Bandwidth           | 20MHz      | Channel   | 144        |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan  |
| Remark:             | Z; ANT6&7  |           |            |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5854.13     | 39.72          | 13.28       | 53.00          | 68.20          | 15.20       | Horizontal | PASS    |
| 2         | 5904.37     | 39.43          | 13.76       | 53.19          | 68.20          | 15.01       | Horizontal | PASS    |
| 3         | 5946.24     | 39.12          | 14.06       | 53.18          | 68.20          | 15.02       | Horizontal | PASS    |

| Project Information |            |           |            |
|---------------------|------------|-----------|------------|
| Mode:               | 802.11ax20 | Band:     | U-NII-2C&3 |
| Bandwidth           | 20MHz      | Channel   | 144        |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan  |
| Remark:             | Z; ANT6&7  |           |            |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBµV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5859.80     | 39.70          | 13.34       | 53.04          | 68.20          | 15.16       | Vertical | PASS    |
| 2         | 5925.71     | 40.07          | 13.91       | 53.98          | 68.20          | 14.22       | Vertical | PASS    |
| 3         | 5954.35     | 39.50          | 14.04       | 53.54          | 68.20          | 14.66       | Vertical | PASS    |


| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax20 | Band:     | U-NII-3   |
| Bandwidth           | 20MHz      | Channel   | 149       |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |

### Test Graph




| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax20 | Band:     | U-NII-3   |
| Bandwidth           | 20MHz      | Channel   | 149       |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |

### Test Graph




| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax20 | Band:     | U-NII-3   |
| Bandwidth           | 20MHz      | Channel   | 165       |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |

### Test Graph




| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax20 | Band:     | U-NII-3   |
| Bandwidth           | 20MHz      | Channel   | 165       |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |

### Test Graph



| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax40 | Band:     | U-NII-1   |
| Bandwidth           | 40MHz      | Channel   | 38        |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5135.38     | 27.68          | 12.38       | 40.06          | 54.00          | 13.94       | Horizontal | PASS    |
| 2         | 5138.52     | 27.96          | 12.40       | 40.36          | 54.00          | 13.64       | Horizontal | PASS    |
| 3         | 5147.83     | 28.31          | 12.46       | 40.77          | 54.00          | 13.23       | Horizontal | PASS    |
| 4         | 5133.63     | 38.50          | 12.36       | 50.86          | 74.00          | 23.14       | Horizontal | PASS    |
| 5         | 5138.86     | 38.65          | 12.41       | 51.06          | 74.00          | 22.94       | Horizontal | PASS    |
| 6         | 5146.47     | 38.55          | 12.46       | 51.01          | 74.00          | 22.99       | Horizontal | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax40 | Band:     | U-NII-1   |
| Bandwidth           | 40MHz      | Channel   | 38        |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5134.57     | 27.64          | 12.37       | 40.01          | 54.00          | 13.99       | Vertical | PASS    |
| 2         | 5141.54     | 27.77          | 12.42       | 40.19          | 54.00          | 13.81       | Vertical | PASS    |
| 3         | 5148.73     | 27.95          | 12.47       | 40.42          | 54.00          | 13.58       | Vertical | PASS    |
| 4         | 5134.01     | 38.97          | 12.37       | 51.34          | 74.00          | 22.66       | Vertical | PASS    |
| 5         | 5140.01     | 39.35          | 12.41       | 51.76          | 74.00          | 22.24       | Vertical | PASS    |
| 6         | 5149.45     | 38.31          | 12.48       | 50.79          | 74.00          | 23.21       | Vertical | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax40 | Band:     | U-NII-2A  |
| Bandwidth           | 40MHz      | Channel   | 62        |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |

### Test Graph




### Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5350.64     | 30.41          | 12.68       | 43.09          | 54.00          | 10.91       | Horizontal | PASS    |
| 2   | 5354.84     | 29.46          | 12.71       | 42.17          | 54.00          | 11.83       | Horizontal | PASS    |
| 3   | 5368.75     | 28.68          | 12.79       | 41.47          | 54.00          | 12.53       | Horizontal | PASS    |
| 4   | 5350.64     | 39.98          | 12.68       | 52.66          | 74.00          | 21.34       | Horizontal | PASS    |
| 5   | 5355.61     | 39.81          | 12.71       | 52.52          | 74.00          | 21.48       | Horizontal | PASS    |
| 6   | 5368.75     | 40.04          | 12.79       | 52.83          | 74.00          | 21.17       | Horizontal | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax40 | Band:     | U-NII-2A  |
| Bandwidth           | 40MHz      | Channel   | 62        |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5350.17     | 29.61          | 12.68       | 42.29          | 54.00          | 11.71       | Vertical | PASS    |
| 2         | 5357.91     | 28.73          | 12.72       | 41.45          | 54.00          | 12.55       | Vertical | PASS    |
| 3         | 5370.41     | 28.45          | 12.80       | 41.25          | 54.00          | 12.75       | Vertical | PASS    |
| 4         | 5350.98     | 40.50          | 12.69       | 53.19          | 74.00          | 20.81       | Vertical | PASS    |
| 5         | 5359.73     | 39.28          | 12.74       | 52.02          | 74.00          | 21.98       | Vertical | PASS    |
| 6         | 5371.47     | 39.95          | 12.81       | 52.76          | 74.00          | 21.24       | Vertical | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax40 | Band:     | U-NII-2C  |
| Bandwidth           | 40MHz      | Channel   | 102       |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5452.32     | 28.00          | 12.67       | 40.67          | 54.00          | 13.33       | Horizontal | PASS    |
| 2         | 5455.92     | 28.07          | 12.74       | 40.81          | 54.00          | 13.19       | Horizontal | PASS    |
| 3         | 5458.88     | 28.18          | 12.78       | 40.96          | 54.00          | 13.04       | Horizontal | PASS    |
| 4         | 5452.68     | 38.96          | 12.69       | 51.65          | 74.00          | 22.35       | Horizontal | PASS    |
| 5         | 5461.93     | 38.81          | 12.83       | 51.64          | 68.20          | 16.56       | Horizontal | PASS    |
| 6         | 5468.37     | 39.38          | 12.94       | 52.32          | 68.20          | 15.88       | Horizontal | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax40 | Band:     | U-NII-2C  |
| Bandwidth           | 40MHz      | Channel   | 102       |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |

### Test Graph




### Data List

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5452.32     | 28.22          | 12.67       | 40.89          | 54.00          | 13.11       | Vertical | PASS    |
| 2   | 5454.16     | 28.03          | 12.70       | 40.73          | 54.00          | 13.27       | Vertical | PASS    |
| 3   | 5459.56     | 28.13          | 12.80       | 40.93          | 54.00          | 13.07       | Vertical | PASS    |
| 4   | 5453.84     | 39.02          | 12.70       | 51.72          | 74.00          | 22.28       | Vertical | PASS    |
| 5   | 5457.72     | 39.37          | 12.77       | 52.14          | 74.00          | 21.86       | Vertical | PASS    |
| 6   | 5468.65     | 39.99          | 12.94       | 52.93          | 68.20          | 15.27       | Vertical | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax40 | Band:     | U-NII-2C  |
| Bandwidth           | 40MHz      | Channel   | 134       |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5728.49     | 38.83          | 13.31       | 52.14          | 68.20          | 16.06       | Horizontal | PASS    |
| 2         | 5737.49     | 39.06          | 13.17       | 52.23          | 68.20          | 15.97       | Horizontal | PASS    |
| 3         | 5745.45     | 39.02          | 13.03       | 52.05          | 68.20          | 16.15       | Horizontal | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax40 | Band:     | U-NII-2C  |
| Bandwidth           | 40MHz      | Channel   | 134       |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBµV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5725.64     | 39.69          | 13.36       | 53.05          | 68.20          | 15.15       | Vertical | PASS    |
| 2         | 5736.74     | 38.72          | 13.18       | 51.90          | 68.20          | 16.30       | Vertical | PASS    |
| 3         | 5743.25     | 39.69          | 13.07       | 52.76          | 68.20          | 15.44       | Vertical | PASS    |

| Project Information |            |           |            |
|---------------------|------------|-----------|------------|
| Mode:               | 802.11ax40 | Band:     | U-NII-2C&3 |
| Bandwidth           | 40MHz      | Channel   | 142        |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan  |
| Remark:             | Z; ANT6&7  |           |            |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5861.96     | 39.89          | 13.36       | 53.25          | 68.20          | 14.95       | Horizontal | PASS    |
| 2         | 5935.98     | 38.36          | 13.99       | 52.35          | 68.20          | 15.85       | Horizontal | PASS    |
| 3         | 5983.52     | 38.58          | 13.74       | 52.32          | 68.20          | 15.88       | Horizontal | PASS    |

| Project Information |            |           |            |
|---------------------|------------|-----------|------------|
| Mode:               | 802.11ax40 | Band:     | U-NII-2C&3 |
| Bandwidth           | 40MHz      | Channel   | 142        |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan  |
| Remark:             | Z; ANT6&7  |           |            |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5864.66     | 39.46          | 13.38       | 52.84          | 68.20          | 15.36       | Vertical | PASS    |
| 2         | 5909.23     | 38.95          | 13.80       | 52.75          | 68.20          | 15.45       | Vertical | PASS    |
| 3         | 5939.22     | 38.24          | 14.01       | 52.25          | 68.20          | 15.95       | Vertical | PASS    |


| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax40 | Band:     | U-NII-3   |
| Bandwidth           | 40MHz      | Channel   | 151       |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |

### Test Graph




| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax40 | Band:     | U-NII-3   |
| Bandwidth           | 40MHz      | Channel   | 151       |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |

### Test Graph




| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax40 | Band:     | U-NII-3   |
| Bandwidth           | 40MHz      | Channel   | 151       |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |

### Test Graph




| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax40 | Band:     | U-NII-3   |
| Bandwidth           | 40MHz      | Channel   | 159       |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |

### Test Graph



| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax80 | Band:     | U-NII-1   |
| Bandwidth           | 80MHz      | Channel   | 42        |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5129.38     | 27.76          | 12.34       | 40.10          | 54.00          | 13.90       | Horizontal | PASS    |
| 2         | 5139.26     | 28.42          | 12.41       | 40.83          | 54.00          | 13.17       | Horizontal | PASS    |
| 3         | 5146.57     | 28.59          | 12.46       | 41.05          | 54.00          | 12.95       | Horizontal | PASS    |
| 4         | 5126.69     | 39.40          | 12.32       | 51.72          | 74.00          | 22.28       | Horizontal | PASS    |
| 5         | 5139.44     | 38.69          | 12.41       | 51.10          | 74.00          | 22.90       | Horizontal | PASS    |
| 6         | 5145.76     | 38.60          | 12.45       | 51.05          | 74.00          | 22.95       | Horizontal | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax80 | Band:     | U-NII-1   |
| Bandwidth           | 80MHz      | Channel   | 42        |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5130.69     | 27.62          | 12.34       | 39.96          | 54.00          | 14.04       | Vertical | PASS    |
| 2         | 5140.32     | 28.28          | 12.41       | 40.69          | 54.00          | 13.31       | Vertical | PASS    |
| 3         | 5148.70     | 28.47          | 12.47       | 40.94          | 54.00          | 13.06       | Vertical | PASS    |
| 4         | 5129.06     | 38.46          | 12.34       | 50.80          | 74.00          | 23.20       | Vertical | PASS    |
| 5         | 5142.51     | 39.04          | 12.43       | 51.47          | 74.00          | 22.53       | Vertical | PASS    |
| 6         | 5147.89     | 38.72          | 12.46       | 51.18          | 74.00          | 22.82       | Vertical | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax80 | Band:     | U-NII-2A  |
| Bandwidth           | 80MHz      | Channel   | 58        |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |

### Test Graph




### Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5350.55     | 32.02          | 12.68       | 44.70          | 54.00          | 9.30        | Horizontal | PASS    |
| 2   | 5361.31     | 30.75          | 12.75       | 43.50          | 54.00          | 10.50       | Horizontal | PASS    |
| 3   | 5367.93     | 30.83          | 12.78       | 43.61          | 54.00          | 10.39       | Horizontal | PASS    |
| 4   | 5351.99     | 42.14          | 12.70       | 54.84          | 74.00          | 19.16       | Horizontal | PASS    |
| 5   | 5359.74     | 40.92          | 12.74       | 53.66          | 74.00          | 20.34       | Horizontal | PASS    |
| 6   | 5367.62     | 41.73          | 12.78       | 54.51          | 74.00          | 19.49       | Horizontal | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax80 | Band:     | U-NII-2A  |
| Bandwidth           | 80MHz      | Channel   | 58        |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5351.05     | 31.02          | 12.69       | 43.71          | 54.00          | 10.29       | Vertical | PASS    |
| 2         | 5363.93     | 30.25          | 12.76       | 43.01          | 54.00          | 10.99       | Vertical | PASS    |
| 3         | 5367.12     | 29.66          | 12.78       | 42.44          | 54.00          | 11.56       | Vertical | PASS    |
| 4         | 5352.24     | 42.21          | 12.70       | 54.91          | 74.00          | 19.09       | Vertical | PASS    |
| 5         | 5362.12     | 40.46          | 12.75       | 53.21          | 74.00          | 20.79       | Vertical | PASS    |
| 6         | 5367.31     | 39.93          | 12.79       | 52.72          | 74.00          | 21.28       | Vertical | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax80 | Band:     | U-NII-2C  |
| Bandwidth           | 80MHz      | Channel   | 106       |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5453.06     | 32.49          | 12.69       | 45.18          | 54.00          | 8.82        | Horizontal | PASS    |
| 2         | 5454.80     | 32.88          | 12.72       | 45.60          | 54.00          | 8.40        | Horizontal | PASS    |
| 3         | 5459.90     | 34.45          | 12.80       | 47.25          | 54.00          | 6.75        | Horizontal | PASS    |
| 4         | 5452.94     | 43.93          | 12.69       | 56.62          | 74.00          | 17.38       | Horizontal | PASS    |
| 5         | 5458.28     | 44.62          | 12.77       | 57.39          | 74.00          | 16.61       | Horizontal | PASS    |
| 6         | 5468.79     | 45.73          | 12.94       | 58.67          | 68.20          | 9.53        | Horizontal | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax80 | Band:     | U-NII-2C  |
| Bandwidth           | 80MHz      | Channel   | 106       |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5454.38     | 31.11          | 12.71       | 43.82          | 54.00          | 10.18       | Vertical | PASS    |
| 2         | 5456.30     | 31.64          | 12.74       | 44.38          | 54.00          | 9.62        | Vertical | PASS    |
| 3         | 5459.78     | 31.93          | 12.80       | 44.73          | 54.00          | 9.27        | Vertical | PASS    |
| 4         | 5456.12     | 42.42          | 12.74       | 55.16          | 74.00          | 18.84       | Vertical | PASS    |
| 5         | 5462.13     | 44.54          | 12.83       | 57.37          | 68.20          | 10.83       | Vertical | PASS    |
| 6         | 5469.75     | 43.93          | 12.96       | 56.89          | 68.20          | 11.31       | Vertical | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax80 | Band:     | U-NII-2C  |
| Bandwidth           | 80MHz      | Channel   | 122       |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5726.59     | 38.33          | 13.34       | 51.67          | 68.20          | 16.53       | Horizontal | PASS    |
| 2         | 5737.39     | 38.97          | 13.17       | 52.14          | 68.20          | 16.06       | Horizontal | PASS    |
| 3         | 5743.43     | 38.28          | 13.07       | 51.35          | 68.20          | 16.85       | Horizontal | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax80 | Band:     | U-NII-2C  |
| Bandwidth           | 80MHz      | Channel   | 122       |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5726.14     | 38.97          | 13.35       | 52.32          | 68.20          | 15.88       | Vertical | PASS    |
| 2         | 5729.47     | 38.11          | 13.30       | 51.41          | 68.20          | 16.79       | Vertical | PASS    |
| 3         | 5744.78     | 39.13          | 13.05       | 52.18          | 68.20          | 16.02       | Vertical | PASS    |

| Project Information |            |           |            |
|---------------------|------------|-----------|------------|
| Mode:               | 802.11ax80 | Band:     | U-NII-2C&3 |
| Bandwidth           | 80MHz      | Channel   | 138        |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan  |
| Remark:             | Z; ANT6&7  |           |            |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5881.68     | 39.64          | 13.55       | 53.19          | 68.20          | 15.01       | Horizontal | PASS    |
| 2         | 5917.88     | 39.13          | 13.86       | 52.99          | 68.20          | 15.21       | Horizontal | PASS    |
| 3         | 5968.66     | 38.71          | 13.90       | 52.61          | 68.20          | 15.59       | Horizontal | PASS    |

| Project Information |            |           |            |
|---------------------|------------|-----------|------------|
| Mode:               | 802.11ax80 | Band:     | U-NII-2C&3 |
| Bandwidth           | 80MHz      | Channel   | 138        |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan  |
| Remark:             | Z; ANT6&7  |           |            |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBµV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5860.07     | 38.75          | 13.34       | 52.09          | 68.20          | 16.11       | Vertical | PASS    |
| 2         | 5893.57     | 38.97          | 13.67       | 52.64          | 68.20          | 15.56       | Vertical | PASS    |
| 3         | 5923.28     | 39.08          | 13.90       | 52.98          | 68.20          | 15.22       | Vertical | PASS    |


| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax80 | Band:     | U-NII-3   |
| Bandwidth           | 80MHz      | Channel   | 155       |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |

### Test Graph




| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax80 | Band:     | U-NII-3   |
| Bandwidth           | 80MHz      | Channel   | 155       |
| SN:                 | HQ652D0088 | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7  |           |           |

### Test Graph



| Project Information |                |           |            |
|---------------------|----------------|-----------|------------|
| Mode:               | 802.11ax160    | Band:     | U-NII-1&2A |
| Bandwidth           | 160MHz         | Channel   | 50         |
| SN:                 | HQ654900A7     | Engineer: | Ou Shuyan  |
| Remark:             | Z; ANT6&7;P9/9 |           |            |

### Test Graph




### Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5094.42     | 28.65          | 12.12       | 40.77          | 54.00          | 13.23       | Horizontal | PASS    |
| 2   | 5109.63     | 28.79          | 12.20       | 40.99          | 54.00          | 13.01       | Horizontal | PASS    |
| 3   | 5146.65     | 28.74          | 12.46       | 41.20          | 54.00          | 12.80       | Horizontal | PASS    |
| 4   | 5376.36     | 32.22          | 12.84       | 45.06          | 54.00          | 8.94        | Horizontal | PASS    |
| 5   | 5386.37     | 32.44          | 12.89       | 45.33          | 54.00          | 8.67        | Horizontal | PASS    |
| 6   | 5406.58     | 31.56          | 12.92       | 44.48          | 54.00          | 9.52        | Horizontal | PASS    |
| 7   | 5101.03     | 39.32          | 12.13       | 51.45          | 74.00          | 22.55       | Horizontal | PASS    |
| 8   | 5109.83     | 39.76          | 12.20       | 51.96          | 74.00          | 22.04       | Horizontal | PASS    |
| 9   | 5143.25     | 39.46          | 12.43       | 51.89          | 74.00          | 22.11       | Horizontal | PASS    |
| 10  | 5373.76     | 43.30          | 12.82       | 56.12          | 74.00          | 17.88       | Horizontal | PASS    |
| 11  | 5384.77     | 42.62          | 12.88       | 55.50          | 74.00          | 18.50       | Horizontal | PASS    |
| 12  | 5400.78     | 41.79          | 12.96       | 54.75          | 74.00          | 19.25       | Horizontal | PASS    |

| Project Information |             |           |            |
|---------------------|-------------|-----------|------------|
| Mode:               | 802.11ax160 | Band:     | U-NII-1&2A |
| Bandwidth           | 160MHz      | Channel   | 50         |
| SN:                 | HQ654900A7  | Engineer: | Ou Shuyan  |
| Remark:             | Z; ANT6&7   |           |            |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5098.42     | 28.90          | 12.13       | 41.03          | 54.00          | 12.97       | Vertical | PASS    |
| 2         | 5128.84     | 28.62          | 12.34       | 40.96          | 54.00          | 13.04       | Vertical | PASS    |
| 3         | 5146.25     | 29.16          | 12.45       | 41.61          | 54.00          | 12.39       | Vertical | PASS    |
| 4         | 5372.36     | 33.75          | 12.81       | 46.56          | 54.00          | 7.44        | Vertical | PASS    |
| 5         | 5387.37     | 33.82          | 12.90       | 46.72          | 54.00          | 7.28        | Vertical | PASS    |
| 6         | 5407.58     | 33.97          | 12.92       | 46.89          | 54.00          | 7.11        | Vertical | PASS    |
| 7         | 5101.43     | 39.34          | 12.14       | 51.48          | 74.00          | 22.52       | Vertical | PASS    |
| 8         | 5122.64     | 39.67          | 12.29       | 51.96          | 74.00          | 22.04       | Vertical | PASS    |
| 9         | 5140.25     | 39.50          | 12.41       | 51.91          | 74.00          | 22.09       | Vertical | PASS    |
| 10        | 5373.56     | 44.55          | 12.81       | 57.36          | 74.00          | 16.64       | Vertical | PASS    |
| 11        | 5387.37     | 44.26          | 12.90       | 57.16          | 74.00          | 16.84       | Vertical | PASS    |
| 12        | 5402.18     | 45.59          | 12.95       | 58.54          | 74.00          | 15.46       | Vertical | PASS    |

| Project Information |             |           |           |
|---------------------|-------------|-----------|-----------|
| Mode:               | 802.11ax160 | Band:     | U-NII-2C  |
| Bandwidth           | 160MHz      | Channel   | 114       |
| SN:                 | HQ652D0088  | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7   |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5420.14     | 31.55          | 12.84       | 44.39          | 54.00          | 9.61        | Horizontal | PASS    |
| 2         | 5434.84     | 32.67          | 12.74       | 45.41          | 54.00          | 8.59        | Horizontal | PASS    |
| 3         | 5458.48     | 32.94          | 12.78       | 45.72          | 54.00          | 8.28        | Horizontal | PASS    |
| 4         | 5413.31     | 42.15          | 12.89       | 55.04          | 74.00          | 18.96       | Horizontal | PASS    |
| 5         | 5437.82     | 42.66          | 12.72       | 55.38          | 74.00          | 18.62       | Horizontal | PASS    |
| 6         | 5458.30     | 43.08          | 12.77       | 55.85          | 74.00          | 18.15       | Horizontal | PASS    |
| 7         | 5726.54     | 40.41          | 13.34       | 53.75          | 68.20          | 14.45       | Horizontal | PASS    |
| 8         | 5739.49     | 39.88          | 13.13       | 53.01          | 68.20          | 15.19       | Horizontal | PASS    |
| 9         | 5743.87     | 39.60          | 13.06       | 52.66          | 68.20          | 15.54       | Horizontal | PASS    |

| Project Information |             |           |           |
|---------------------|-------------|-----------|-----------|
| Mode:               | 802.11ax160 | Band:     | U-NII-2C  |
| Bandwidth           | 160MHz      | Channel   | 114       |
| SN:                 | HQ652D0088  | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7   |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5419.96     | 30.86          | 12.84       | 43.70          | 54.00          | 10.30       | Vertical | PASS    |
| 2         | 5432.74     | 31.62          | 12.76       | 44.38          | 54.00          | 9.62        | Vertical | PASS    |
| 3         | 5459.00     | 31.93          | 12.78       | 44.71          | 54.00          | 9.29        | Vertical | PASS    |
| 4         | 5416.81     | 40.69          | 12.86       | 53.55          | 74.00          | 20.45       | Vertical | PASS    |
| 5         | 5433.09     | 41.94          | 12.76       | 54.70          | 74.00          | 19.30       | Vertical | PASS    |
| 6         | 5455.50     | 42.44          | 12.73       | 55.17          | 74.00          | 18.83       | Vertical | PASS    |
| 7         | 5727.76     | 40.64          | 13.32       | 53.96          | 68.20          | 14.24       | Vertical | PASS    |
| 8         | 5737.74     | 40.63          | 13.16       | 53.79          | 68.20          | 14.41       | Vertical | PASS    |
| 9         | 5745.10     | 39.46          | 13.04       | 52.50          | 68.20          | 15.70       | Vertical | PASS    |

| Project Information |                  |           |           |
|---------------------|------------------|-----------|-----------|
| Mode:               | 802.11ax20 26t-0 | Band:     | U-NII-1   |
| Bandwidth           | 20MHz            | Channel   | 36        |
| SN:                 | HQ652D0088       | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7        |           |           |

### Test Graph




### Data List

| NO. | Freq. [MHz] | Reading [dBµV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5135.93     | 32.03          | 12.38       | 44.41          | 54.00          | 9.59        | Horizontal | PASS    |
| 2   | 5144.41     | 32.15          | 12.44       | 44.59          | 54.00          | 9.41        | Horizontal | PASS    |
| 3   | 5149.19     | 31.94          | 12.48       | 44.42          | 54.00          | 9.58        | Horizontal | PASS    |
| 4   | 5135.93     | 43.05          | 12.38       | 55.43          | 74.00          | 18.57       | Horizontal | PASS    |
| 5   | 5142.98     | 43.62          | 12.43       | 56.05          | 74.00          | 17.95       | Horizontal | PASS    |
| 6   | 5146.79     | 43.02          | 12.46       | 55.48          | 74.00          | 18.52       | Horizontal | PASS    |

| Project Information |                  |           |           |
|---------------------|------------------|-----------|-----------|
| Mode:               | 802.11ax20 26t-0 | Band:     | U-NII-1   |
| Bandwidth           | 20MHz            | Channel   | 36        |
| SN:                 | HQ652D0088       | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7        |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5134.49     | 32.08          | 12.37       | 44.45          | 54.00          | 9.55        | Vertical | PASS    |
| 2         | 5141.39     | 32.11          | 12.42       | 44.53          | 54.00          | 9.47        | Vertical | PASS    |
| 3         | 5149.29     | 32.11          | 12.48       | 44.59          | 54.00          | 9.41        | Vertical | PASS    |
| 4         | 5134.92     | 42.53          | 12.37       | 54.90          | 74.00          | 19.10       | Vertical | PASS    |
| 5         | 5140.74     | 42.12          | 12.41       | 54.53          | 74.00          | 19.47       | Vertical | PASS    |
| 6         | 5148.57     | 43.46          | 12.47       | 55.93          | 74.00          | 18.07       | Vertical | PASS    |

| Project Information |                   |           |           |
|---------------------|-------------------|-----------|-----------|
| Mode:               | 802.11ax20 52t-37 | Band:     | U-NII-1   |
| Bandwidth           | 20MHz             | Channel   | 36        |
| SN:                 | HQ652D0088        | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7         |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5135.31     | 31.91          | 12.38       | 44.29          | 54.00          | 9.71        | Horizontal | PASS    |
| 2         | 5142.40     | 31.99          | 12.43       | 44.42          | 54.00          | 9.58        | Horizontal | PASS    |
| 3         | 5149.22     | 31.96          | 12.48       | 44.44          | 54.00          | 9.56        | Horizontal | PASS    |
| 4         | 5134.56     | 42.98          | 12.37       | 55.35          | 74.00          | 18.65       | Horizontal | PASS    |
| 5         | 5140.35     | 43.05          | 12.41       | 55.46          | 74.00          | 18.54       | Horizontal | PASS    |
| 6         | 5148.96     | 42.50          | 12.48       | 54.98          | 74.00          | 19.02       | Horizontal | PASS    |

| Project Information |                   |           |           |
|---------------------|-------------------|-----------|-----------|
| Mode:               | 802.11ax20 52t-37 | Band:     | U-NII-1   |
| Bandwidth           | 20MHz             | Channel   | 36        |
| SN:                 | HQ652D0088        | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7         |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBµV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5136.71     | 32.24          | 12.39       | 44.63          | 54.00          | 9.37        | Vertical | PASS    |
| 2         | 5142.07     | 31.90          | 12.43       | 44.33          | 54.00          | 9.67        | Vertical | PASS    |
| 3         | 5145.75     | 31.97          | 12.45       | 44.42          | 54.00          | 9.58        | Vertical | PASS    |
| 4         | 5136.48     | 43.22          | 12.39       | 55.61          | 74.00          | 18.39       | Vertical | PASS    |
| 5         | 5139.79     | 43.00          | 12.41       | 55.41          | 74.00          | 18.59       | Vertical | PASS    |
| 6         | 5147.47     | 43.13          | 12.46       | 55.59          | 74.00          | 18.41       | Vertical | PASS    |

| Project Information |                     |           |           |
|---------------------|---------------------|-----------|-----------|
| Mode:               | 802.11ax20 106+t-53 | Band:     | U-NII-1   |
| Bandwidth           | 20MHz               | Channel   | 36        |
| SN:                 | HQ652D0088          | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7           |           |           |

### Test Graph




### Data List

| NO. | Freq. [MHz] | Reading [dBµV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5138.23     | 32.08          | 12.39       | 44.47          | 54.00          | 9.53        | Horizontal | PASS    |
| 2   | 5144.87     | 33.46          | 12.44       | 45.90          | 54.00          | 8.10        | Horizontal | PASS    |
| 3   | 5149.58     | 34.76          | 12.48       | 47.24          | 54.00          | 6.76        | Horizontal | PASS    |
| 4   | 5138.46     | 47.67          | 12.40       | 60.07          | 74.00          | 13.93       | Horizontal | PASS    |
| 5   | 5144.61     | 50.23          | 12.44       | 62.67          | 74.00          | 11.33       | Horizontal | PASS    |
| 6   | 5149.55     | 53.10          | 12.48       | 65.58          | 74.00          | 8.42        | Horizontal | PASS    |

| Project Information |                     |           |           |
|---------------------|---------------------|-----------|-----------|
| Mode:               | 802.11ax20 106+t-53 | Band:     | U-NII-1   |
| Bandwidth           | 20MHz               | Channel   | 36        |
| SN:                 | HQ652D0088          | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7           |           |           |

### Test Graph




### Data List

| NO. | Freq. [MHz] | Reading [dBµV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5141.91     | 32.05          | 12.43       | 44.48          | 54.00          | 9.52        | Vertical | PASS    |
| 2   | 5145.94     | 32.26          | 12.45       | 44.71          | 54.00          | 9.29        | Vertical | PASS    |
| 3   | 5149.78     | 32.82          | 12.48       | 45.30          | 54.00          | 8.70        | Vertical | PASS    |
| 4   | 5142.10     | 47.88          | 12.43       | 60.31          | 74.00          | 13.69       | Vertical | PASS    |
| 5   | 5145.55     | 47.37          | 12.45       | 59.82          | 74.00          | 14.18       | Vertical | PASS    |
| 6   | 5149.65     | 49.20          | 12.48       | 61.68          | 74.00          | 12.32       | Vertical | PASS    |

| Project Information |                  |           |           |
|---------------------|------------------|-----------|-----------|
| Mode:               | 802.11ax20 26t-8 | Band:     | U-NII-2A  |
| Bandwidth           | 20MHz            | Channel   | 64        |
| SN:                 | HQ652D0088       | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7        |           |           |

### Test Graph




### Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5351.13     | 28.85          | 12.69       | 41.54          | 54.00          | 12.46       | Horizontal | PASS    |
| 2   | 5363.36     | 28.62          | 12.75       | 41.37          | 54.00          | 12.63       | Horizontal | PASS    |
| 3   | 5370.38     | 28.42          | 12.80       | 41.22          | 54.00          | 12.78       | Horizontal | PASS    |
| 4   | 5350.42     | 39.72          | 12.68       | 52.40          | 74.00          | 21.60       | Horizontal | PASS    |
| 5   | 5362.77     | 40.15          | 12.75       | 52.90          | 74.00          | 21.10       | Horizontal | PASS    |
| 6   | 5370.38     | 38.88          | 12.80       | 51.68          | 74.00          | 22.32       | Horizontal | PASS    |

| Project Information |                  |           |           |
|---------------------|------------------|-----------|-----------|
| Mode:               | 802.11ax20 26t-8 | Band:     | U-NII-2A  |
| Bandwidth           | 20MHz            | Channel   | 64        |
| SN:                 | HQ652D0088       | Engineer: | Ou Shuyan |
| Remark:             | Z; ANT6&7        |           |           |

### Test Graph



### Data List

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5350.39     | 28.67          | 12.68       | 41.35          | 54.00          | 12.65       | Vertical | PASS    |
| 2   | 5361.57     | 28.65          | 12.75       | 41.40          | 54.00          | 12.60       | Vertical | PASS    |
| 3   | 5372.98     | 28.67          | 12.81       | 41.48          | 54.00          | 12.52       | Vertical | PASS    |
| 4   | 5350.39     | 39.83          | 12.68       | 52.51          | 74.00          | 21.49       | Vertical | PASS    |
| 5   | 5364.01     | 39.86          | 12.76       | 52.62          | 74.00          | 21.38       | Vertical | PASS    |
| 6   | 5374.09     | 39.89          | 12.82       | 52.71          | 74.00          | 21.29       | Vertical | PASS    |