


Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	48
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	8384.15	39.24	0.98	40.22	54.00	13.78	Horizontal	PASS
2	12102.99	36.16	5.17	41.33	54.00	12.67	Horizontal	PASS
3	17989.27	32.96	13.64	46.60	54.00	7.40	Horizontal	PASS
4	6357.00	35.33	17.18	52.51	68.20	15.69	Horizontal	PASS
5	13697.71	41.19	9.41	50.60	68.20	17.60	Horizontal	PASS
6	17868.90	39.22	13.75	52.97	74.00	21.03	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	48
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	8384.53	41.45	0.98	42.43	54.00	11.57	Vertical	PASS
2	12259.39	35.63	5.29	40.92	54.00	13.08	Vertical	PASS
3	17983.90	33.02	13.56	46.58	54.00	7.42	Vertical	PASS
4	6306.94	36.06	16.87	52.93	68.20	15.27	Vertical	PASS
5	8384.15	45.11	0.98	46.09	74.00	27.91	Vertical	PASS
6	17983.52	39.45	13.55	53.00	74.00	21.00	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	52
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	9029.70	36.55	2.41	38.96	54.00	15.04	Horizontal	PASS
2	12663.06	34.83	6.11	40.94	54.00	13.06	Horizontal	PASS
3	17886.91	32.61	13.51	46.12	54.00	7.88	Horizontal	PASS
4	6482.22	35.35	17.28	52.63	68.20	15.57	Horizontal	PASS
5	14424.15	41.79	8.13	49.92	68.20	18.28	Horizontal	PASS
6	17988.12	38.96	13.62	52.58	74.00	21.42	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	52
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	9032.38	36.72	2.39	39.11	54.00	14.89	Vertical	PASS
2	12383.98	35.24	5.93	41.17	54.00	12.83	Vertical	PASS
3	17985.43	32.84	13.58	46.42	54.00	7.58	Vertical	PASS
4	6279.26	36.44	16.45	52.89	68.20	15.31	Vertical	PASS
5	14655.31	40.53	9.77	50.30	68.20	17.90	Vertical	PASS
6	17986.58	40.19	13.60	53.79	74.00	20.21	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5322.41	38.14	14.55	52.69	-	-	Horizontal	NA
2	8353.10	36.89	1.09	37.98	54.00	16.02	Horizontal	PASS
3	12650.02	35.29	6.18	41.47	54.00	12.53	Horizontal	PASS
4	17880.40	32.84	13.59	46.43	54.00	7.57	Horizontal	PASS
5	5322.23	43.90	14.55	58.45	68.11	9.66	Horizontal	PASS
6	6276.88	35.53	16.40	51.93	68.20	16.27	Horizontal	PASS
7	14329.08	41.30	8.86	50.16	68.20	18.04	Horizontal	PASS
8	17968.95	39.89	13.35	53.24	74.00	20.76	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5322.59	37.31	14.55	51.86	-	-	Vertical	NA
2	9483.58	36.63	2.52	39.15	54.00	14.85	Vertical	PASS
3	12053.92	35.32	5.41	40.73	54.00	13.27	Vertical	PASS
4	17846.28	31.85	13.83	45.68	54.00	8.32	Vertical	PASS
5	5322.59	43.44	14.55	57.99	-	-	Vertical	NA
6	6494.87	34.77	17.44	52.21	68.20	15.99	Vertical	PASS
7	14080.29	42.01	8.15	50.16	68.20	18.04	Vertical	PASS
8	17364.41	40.56	12.19	52.75	68.20	15.45	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	100
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5501.53	34.57	14.68	49.25	-	-	Horizontal	NA
2	8250.36	39.45	0.53	39.98	54.00	14.02	Horizontal	PASS
3	11381.53	35.35	5.26	40.61	54.00	13.39	Horizontal	PASS
4	17993.87	32.42	13.71	46.13	54.00	7.87	Horizontal	PASS
5	5500.80	39.94	14.68	54.62	-	-	Horizontal	NA
6	6488.08	35.01	17.12	52.13	68.20	16.07	Horizontal	PASS
7	13683.91	40.75	9.30	50.05	68.20	18.15	Horizontal	PASS
8	17349.46	40.44	12.22	52.66	68.20	15.54	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	100
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5501.35	32.98	14.68	47.66	-	-	Vertical	NA
2	8250.36	41.44	0.53	41.97	54.00	12.03	Vertical	PASS
3	12687.97	35.15	5.99	41.14	54.00	12.86	Vertical	PASS
4	17981.98	32.26	13.53	45.79	54.00	8.21	Vertical	PASS
5	5500.80	39.53	14.68	54.21	-	-	Vertical	NA
6	8249.97	44.94	0.53	45.47	74.00	28.53	Vertical	PASS
7	15075.45	41.75	9.12	50.87	68.20	17.33	Vertical	PASS
8	17998.85	39.70	13.78	53.48	74.00	20.52	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	120
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5596.69	33.15	14.73	47.88	-	-	Horizontal	NA
2	7467.18	46.70	-1.49	45.21	54.00	8.79	Horizontal	PASS
3	12072.32	36.17	5.32	41.49	54.00	12.51	Horizontal	PASS
4	17832.09	32.92	13.22	46.14	54.00	7.86	Horizontal	PASS
5	5596.50	39.38	14.73	54.11	-	-	Horizontal	NA
6	7466.80	49.49	-1.49	48.00	74.00	26.00	Horizontal	PASS
7	15255.24	41.04	9.77	50.81	68.20	17.39	Horizontal	PASS
8	17372.85	40.85	12.16	53.01	68.20	15.19	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	120
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5595.59	31.15	14.73	45.88	-	-	Vertical	NA
2	7466.80	46.17	-1.49	44.68	54.00	9.32	Vertical	PASS
3	12382.83	35.00	5.91	40.91	54.00	13.09	Vertical	PASS
4	17984.28	32.12	13.57	45.69	54.00	8.31	Vertical	PASS
5	5594.85	37.68	14.72	52.40	-	-	Vertical	NA
6	7466.80	48.99	-1.49	47.50	74.00	26.50	Vertical	PASS
7	15083.50	41.82	9.09	50.91	68.20	17.29	Vertical	PASS
8	17852.80	38.50	13.96	52.46	74.00	21.54	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	140
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5701.56	32.64	14.89	47.53	-	-	Horizontal	NA
2	7600.20	48.50	-0.92	47.58	54.00	6.42	Horizontal	PASS
3	12409.28	34.99	6.07	41.06	54.00	12.94	Horizontal	PASS
4	17982.37	33.02	13.54	46.56	54.00	7.44	Horizontal	PASS
5	5705.77	38.75	14.90	53.65	-	-	Horizontal	NA
6	7599.82	50.83	-0.92	49.91	74.00	24.09	Horizontal	PASS
7	13678.16	41.05	9.26	50.31	68.20	17.89	Horizontal	PASS
8	17850.88	39.88	13.98	53.86	74.00	20.14	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	140
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5701.92	32.42	14.89	47.31	-	-	Vertical	NA
2	7600.20	48.65	-0.92	47.73	54.00	6.27	Vertical	PASS
3	11436.73	35.36	5.15	40.51	54.00	13.49	Vertical	PASS
4	17857.40	32.56	13.89	46.45	54.00	7.55	Vertical	PASS
5	5701.37	38.41	14.89	53.30	-	-	Vertical	NA
6	7599.82	50.59	-0.92	49.67	74.00	24.33	Vertical	PASS
7	13698.09	40.63	9.41	50.04	68.20	18.16	Vertical	PASS
8	17974.70	39.33	13.43	52.76	74.00	21.24	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	-	Channel	144
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.96	65.77	14.91	80.68	-	-	Horizontal	NA
2	7627.04	45.95	-0.94	45.01	54.00	8.99	Horizontal	PASS
3	12086.89	35.28	5.26	40.54	54.00	13.46	Horizontal	PASS
4	17996.93	31.75	13.75	45.50	54.00	8.50	Horizontal	PASS
5	5727.77	70.84	14.91	85.75	-	-	Horizontal	NA
6	7626.27	48.16	-0.94	47.22	74.00	26.78	Horizontal	PASS
7	13703.84	40.35	9.22	49.57	68.20	18.63	Horizontal	PASS
8	17845.51	38.67	13.80	52.47	74.00	21.53	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	-	Channel	144
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.77	67.09	14.91	82.00	-	-	Vertical	NA
2	7627.04	45.68	-0.94	44.74	54.00	9.26	Vertical	PASS
3	11423.31	35.38	5.24	40.62	54.00	13.38	Vertical	PASS
4	17969.33	32.03	13.35	45.38	54.00	8.62	Vertical	PASS
5	5727.59	71.31	14.91	86.22	-	-	Vertical	NA
6	7626.65	48.06	-0.94	47.12	74.00	26.88	Vertical	PASS
7	14346.71	40.79	8.98	49.77	68.20	18.43	Vertical	PASS
8	17962.43	39.63	13.25	52.88	74.00	21.12	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	149
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	7660.39	47.69	-0.88	46.81	54.00	7.19	Horizontal	PASS
2	12050.09	34.94	5.43	40.37	54.00	13.63	Horizontal	PASS
3	17860.85	31.61	13.85	45.46	54.00	8.54	Horizontal	PASS
4	7660.01	49.03	-0.88	48.15	74.00	25.85	Horizontal	PASS
5	13688.12	39.94	9.34	49.28	68.20	18.92	Horizontal	PASS
6	17913.36	39.42	13.26	52.68	74.00	21.32	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	149
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	7660.39	47.09	-0.88	46.21	54.00	7.79	Vertical	PASS
2	12100.69	35.34	5.18	40.52	54.00	13.48	Vertical	PASS
3	17982.37	31.90	13.54	45.44	54.00	8.56	Vertical	PASS
4	7660.01	48.67	-0.88	47.79	74.00	26.21	Vertical	PASS
5	13688.51	40.17	9.34	49.51	68.20	18.69	Vertical	PASS
6	17928.31	39.08	13.18	52.26	74.00	21.74	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	157
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	7713.67	46.55	-0.70	45.85	54.00	8.15	Horizontal	PASS
2	11445.93	35.21	5.09	40.30	54.00	13.70	Horizontal	PASS
3	17858.55	31.72	13.88	45.60	54.00	8.40	Horizontal	PASS
4	7713.29	48.25	-0.69	47.56	74.00	26.44	Horizontal	PASS
5	13680.84	40.12	9.28	49.40	68.20	18.80	Horizontal	PASS
6	17861.23	38.60	13.84	52.44	74.00	21.56	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	157
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	7713.67	46.19	-0.70	45.49	54.00	8.51	Vertical	PASS
2	12063.89	34.76	5.36	40.12	54.00	13.88	Vertical	PASS
3	17850.50	31.25	13.98	45.23	54.00	8.77	Vertical	PASS
4	7713.29	48.50	-0.69	47.81	74.00	26.19	Vertical	PASS
5	13695.41	40.42	9.39	49.81	68.20	18.39	Vertical	PASS
6	17851.65	38.44	13.97	52.41	74.00	21.59	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	165
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	7387.45	36.64	-0.50	36.14	54.00	17.86	Horizontal	PASS
2	11382.68	34.45	5.27	39.72	54.00	14.28	Horizontal	PASS
3	17889.98	32.36	13.47	45.83	54.00	8.17	Horizontal	PASS
4	7766.58	48.05	-0.82	47.23	68.20	20.97	Horizontal	PASS
5	13698.09	40.08	9.41	49.49	68.20	18.71	Horizontal	PASS
6	17884.61	39.09	13.54	52.63	74.00	21.37	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	165
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	7394.35	36.08	-0.38	35.70	54.00	18.30	Vertical	PASS
2	11429.45	34.70	5.20	39.90	54.00	14.10	Vertical	PASS
3	17979.30	32.06	13.49	45.55	54.00	8.45	Vertical	PASS
4	7766.58	47.55	-0.82	46.73	68.20	21.47	Vertical	PASS
5	14082.97	42.34	8.16	50.50	68.20	17.70	Vertical	PASS
6	17980.07	38.95	13.50	52.45	74.00	21.55	Vertical	PASS

Project Information			
Mode:	802.11n	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	8384.15	38.43	0.98	39.41	54.00	14.59	Horizontal	PASS
2	12043.95	35.17	5.40	40.57	54.00	13.43	Horizontal	PASS
3	17978.53	32.32	13.48	45.80	54.00	8.20	Horizontal	PASS
4	6314.64	35.31	16.94	52.25	68.20	15.95	Horizontal	PASS
5	13694.64	40.77	9.38	50.15	68.20	18.05	Horizontal	PASS
6	17971.63	39.26	13.38	52.64	74.00	21.36	Horizontal	PASS

Project Information			
Mode:	802.11n	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	8384.15	38.99	0.98	39.97	54.00	14.03	Vertical	PASS
2	12651.94	34.59	6.17	40.76	54.00	13.24	Vertical	PASS
3	17980.45	32.11	13.51	45.62	54.00	8.38	Vertical	PASS
4	6337.38	34.60	17.16	51.76	68.20	16.44	Vertical	PASS
5	14062.27	41.84	8.12	49.96	68.20	18.24	Vertical	PASS
6	17886.91	38.71	13.51	52.22	74.00	21.78	Vertical	PASS

Project Information			
Mode:	802.11n	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	8070.95	36.23	0.44	36.67	54.00	17.33	Horizontal	PASS
2	11366.96	35.90	5.15	41.05	54.00	12.95	Horizontal	PASS
3	17881.16	31.82	13.58	45.40	54.00	8.60	Horizontal	PASS
4	6305.84	35.20	16.85	52.05	68.20	16.15	Horizontal	PASS
5	7013.30	47.70	-1.65	46.05	68.20	22.15	Horizontal	PASS
6	17845.51	38.66	13.80	52.46	74.00	21.54	Horizontal	PASS

Project Information			
Mode:	802.11n	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	9499.30	35.94	2.74	38.68	54.00	15.32	Vertical	PASS
2	11987.22	34.89	5.17	40.06	54.00	13.94	Vertical	PASS
3	17855.86	31.48	13.91	45.39	54.00	8.61	Vertical	PASS
4	6430.51	34.68	16.75	51.43	68.20	16.77	Vertical	PASS
5	7013.30	46.48	-1.65	44.83	68.20	23.37	Vertical	PASS
6	17991.95	38.68	13.68	52.36	74.00	21.64	Vertical	PASS

Project Information			
Mode:	802.11n	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7467.18	45.68	-1.49	44.19	54.00	9.81	Horizontal	PASS
2	11375.01	34.95	5.21	40.16	54.00	13.84	Horizontal	PASS
3	17985.82	32.25	13.58	45.83	54.00	8.17	Horizontal	PASS
4	7466.80	47.68	-1.49	46.19	74.00	27.81	Horizontal	PASS
5	13676.24	40.14	9.25	49.39	68.20	18.81	Horizontal	PASS
6	17850.88	38.28	13.98	52.26	74.00	21.74	Horizontal	PASS

Project Information			
Mode:	802.11n	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	7467.18	45.37	-1.49	43.88	54.00	10.12	Vertical	PASS
2	11430.60	35.05	5.19	40.24	54.00	13.76	Vertical	PASS
3	17851.26	31.42	13.97	45.39	54.00	8.61	Vertical	PASS
4	7466.80	47.73	-1.49	46.24	74.00	27.76	Vertical	PASS
5	13412.88	42.47	6.84	49.31	68.20	18.89	Vertical	PASS
6	17880.40	40.01	13.59	53.60	74.00	20.40	Vertical	PASS

Project Information			
Mode:	802.11n	Band:	U-NII-2A
Bandwidth	20MHz	Channel	144
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.32	63.79	14.91	78.70	-	-	Horizontal	NA
2	7627.04	46.58	-0.94	45.64	54.00	8.36	Horizontal	PASS
3	12040.88	35.11	5.39	40.50	54.00	13.50	Horizontal	PASS
4	17977.00	32.04	13.46	45.50	54.00	8.50	Horizontal	PASS
5	5728.32	69.57	14.91	84.48	-	-	Horizontal	NA
6	7626.65	48.55	-0.94	47.61	74.00	26.39	Horizontal	PASS
7	13685.06	39.99	9.32	49.31	68.20	18.89	Horizontal	PASS
8	17988.12	38.64	13.62	52.26	74.00	21.74	Horizontal	PASS

Project Information			
Mode:	802.11n	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.51	64.94	14.91	79.85	-	-	Vertical	NA
2	7627.04	45.80	-0.94	44.86	54.00	9.14	Vertical	PASS
3	12114.87	34.84	5.06	39.90	54.00	14.10	Vertical	PASS
4	17965.88	32.01	13.30	45.31	54.00	8.69	Vertical	PASS
5	5728.14	70.55	14.91	85.46	-	-	Vertical	NA
6	7626.65	47.72	-0.94	46.78	74.00	27.22	Vertical	PASS
7	13465.40	42.32	7.27	49.59	68.20	18.61	Vertical	PASS
8	17847.04	38.47	13.86	52.33	74.00	21.67	Vertical	PASS

Project Information			
Mode:	802.11n	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	149
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7660.39	46.40	-0.88	45.52	54.00	8.48	Horizontal	PASS
2	11465.48	34.97	4.98	39.95	54.00	14.05	Horizontal	PASS
3	17987.73	32.03	13.61	45.64	54.00	8.36	Horizontal	PASS
4	7660.01	48.28	-0.88	47.40	74.00	26.60	Horizontal	PASS
5	13680.84	40.72	9.28	50.00	68.20	18.20	Horizontal	PASS
6	17838.23	39.15	13.49	52.64	74.00	21.36	Horizontal	PASS

Project Information			
Mode:	802.11n	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	149
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7660.39	45.07	-0.88	44.19	54.00	9.81	Vertical	PASS
2	12059.29	34.86	5.39	40.25	54.00	13.75	Vertical	PASS
3	17980.83	31.61	13.51	45.12	54.00	8.88	Vertical	PASS
4	7660.01	46.98	-0.88	46.10	74.00	27.90	Vertical	PASS
5	15085.42	40.95	9.08	50.03	68.20	18.17	Vertical	PASS
6	17996.17	38.62	13.73	52.35	74.00	21.65	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5177.39	38.36	13.91	52.27	-	-	Horizontal	NA
2	8342.36	37.50	1.00	38.50	54.00	15.50	Horizontal	PASS
3	12369.41	35.79	5.63	41.42	54.00	12.58	Horizontal	PASS
4	17849.34	32.20	13.96	46.16	54.00	7.84	Horizontal	PASS
5	5178.31	45.16	13.90	59.06	-	-	Horizontal	NA
6	6362.13	35.39	17.11	52.50	68.20	15.70	Horizontal	PASS
7	14348.24	41.48	9.00	50.48	68.20	17.72	Horizontal	PASS
8	17845.89	39.64	13.81	53.45	74.00	20.55	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5178.31	38.47	13.90	52.37	-	-	Vertical	NA
2	9038.90	37.24	2.35	39.59	54.00	14.41	Vertical	PASS
3	12399.31	35.11	6.25	41.36	54.00	12.64	Vertical	PASS
4	17990.03	32.53	13.65	46.18	54.00	7.82	Vertical	PASS
5	5176.66	45.06	13.91	58.97	-	-	Vertical	NA
6	6332.61	35.36	17.11	52.47	68.20	15.73	Vertical	PASS
7	6906.73	47.42	-1.76	45.66	68.20	22.54	Vertical	PASS
8	17977.00	39.44	13.46	52.90	74.00	21.10	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	8324.34	37.51	0.78	38.29	54.00	15.71	Horizontal	PASS
2	11372.33	36.15	5.19	41.34	54.00	12.66	Horizontal	PASS
3	17863.53	32.19	13.82	46.01	54.00	7.99	Horizontal	PASS
4	7013.30	49.89	-1.65	48.24	68.20	19.96	Horizontal	PASS
5	13653.24	41.95	9.08	51.03	68.20	17.17	Horizontal	PASS
6	17337.19	41.40	11.84	53.24	68.20	14.96	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8349.64	37.10	1.10	38.20	54.00	15.80	Vertical	PASS
2	12018.27	35.97	5.30	41.27	54.00	12.73	Vertical	PASS
3	17986.20	32.83	13.59	46.42	54.00	7.58	Vertical	PASS
4	6279.26	36.26	16.45	52.71	68.20	15.49	Vertical	PASS
5	7013.30	49.23	-1.65	47.58	68.20	20.62	Vertical	PASS
6	17851.65	39.27	13.97	53.24	74.00	20.76	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7600.20	48.44	-0.92	47.52	54.00	6.48	Horizontal	PASS
2	11376.16	34.92	5.21	40.13	54.00	13.87	Horizontal	PASS
3	17878.48	31.80	13.62	45.42	54.00	8.58	Horizontal	PASS
4	7599.82	50.67	-0.92	49.75	74.00	24.25	Horizontal	PASS
5	14170.76	41.86	8.17	50.03	68.20	18.17	Horizontal	PASS
6	17840.91	39.30	13.60	52.90	74.00	21.10	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7600.20	48.20	-0.92	47.28	54.00	6.72	Vertical	PASS
2	11425.61	34.59	5.22	39.81	54.00	14.19	Vertical	PASS
3	17861.23	32.46	13.84	46.30	54.00	7.70	Vertical	PASS
4	7599.82	50.31	-0.92	49.39	74.00	24.61	Vertical	PASS
5	13667.42	40.87	9.19	50.06	68.20	18.14	Vertical	PASS
6	17970.10	40.12	13.36	53.48	74.00	20.52	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5729.24	66.05	14.91	80.96	-	-	Horizontal	NA
2	7627.04	48.45	-0.94	47.51	54.00	6.49	Horizontal	PASS
3	12215.31	34.88	5.30	40.18	54.00	13.82	Horizontal	PASS
4	17890.75	32.13	13.46	45.59	54.00	8.41	Horizontal	PASS
5	5729.24	72.32	14.91	87.23	-	-	Horizontal	NA
6	7626.65	50.82	-0.94	49.88	74.00	24.12	Horizontal	PASS
7	14356.30	40.47	8.93	49.40	68.20	18.80	Horizontal	PASS
8	17995.78	38.92	13.73	52.65	74.00	21.35	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.87	67.68	14.91	82.59	-	-	Vertical	NA
2	7627.04	47.61	-0.94	46.67	54.00	7.33	Vertical	PASS
3	12094.94	35.19	5.21	40.40	54.00	13.60	Vertical	PASS
4	17888.83	31.82	13.49	45.31	54.00	8.69	Vertical	PASS
5	5728.51	74.15	14.91	89.06	-	-	Vertical	NA
6	7626.65	49.35	-0.94	48.41	74.00	25.59	Vertical	PASS
7	13698.09	40.56	9.41	49.97	68.20	18.23	Vertical	PASS
8	17855.10	38.54	13.92	52.46	74.00	21.54	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7713.67	44.84	-0.70	44.14	54.00	9.86	Horizontal	PASS
2	12656.16	34.38	6.15	40.53	54.00	13.47	Horizontal	PASS
3	17863.15	31.46	13.82	45.28	54.00	8.72	Horizontal	PASS
4	7713.29	46.79	-0.69	46.10	74.00	27.90	Horizontal	PASS
5	15072.77	41.01	9.13	50.14	68.20	18.06	Horizontal	PASS
6	17894.96	39.05	13.41	52.46	74.00	21.54	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7713.67	45.24	-0.70	44.54	54.00	9.46	Vertical	PASS
2	11432.51	34.92	5.18	40.10	54.00	13.90	Vertical	PASS
3	17983.90	31.69	13.56	45.25	54.00	8.75	Vertical	PASS
4	7713.29	47.72	-0.69	47.03	74.00	26.97	Vertical	PASS
5	14317.58	41.08	8.78	49.86	68.20	18.34	Vertical	PASS
6	17999.62	38.46	13.79	52.25	74.00	21.75	Vertical	PASS