


Project Information			
Mode:	802.11ax40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	11384.21	34.25	5.28	39.53	54.00	14.47	Horizontal	PASS
2	12047.78	34.92	5.42	40.34	54.00	13.66	Horizontal	PASS
3	17984.67	32.05	13.57	45.62	54.00	8.38	Horizontal	PASS
4	6301.99	34.72	16.82	51.54	68.20	16.66	Horizontal	PASS
5	6973.43	48.36	-1.96	46.40	68.20	21.80	Horizontal	PASS
6	17997.70	39.11	13.76	52.87	74.00	21.13	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8090.89	37.02	0.50	37.52	54.00	16.48	Vertical	PASS
2	11342.43	35.28	4.97	40.25	54.00	13.75	Vertical	PASS
3	17973.55	32.79	13.40	46.19	54.00	7.81	Vertical	PASS
4	6973.43	48.77	-1.96	46.81	68.20	21.39	Vertical	PASS
5	13720.32	41.43	8.38	49.81	68.20	18.39	Vertical	PASS
6	17855.86	39.16	13.91	53.07	74.00	20.93	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5321.31	32.87	14.55	47.42	-	-	Horizontal	NA
2	9128.60	35.93	2.81	38.74	54.00	15.26	Horizontal	PASS
3	12077.30	34.96	5.30	40.26	54.00	13.74	Horizontal	PASS
4	17980.45	32.25	13.51	45.76	54.00	8.24	Horizontal	PASS
5	5320.94	39.73	14.55	54.28	-	-	Horizontal	NA
6	7080.00	47.75	-1.53	46.22	68.20	21.98	Horizontal	PASS
7	14510.40	41.68	8.05	49.73	68.20	18.47	Horizontal	PASS
8	17830.18	40.09	13.15	53.24	74.00	20.76	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5321.31	32.08	14.55	46.63	-	-	Vertical	NA
2	8111.20	37.68	0.58	38.26	54.00	15.74	Vertical	PASS
3	11445.93	35.11	5.09	40.20	54.00	13.80	Vertical	PASS
4	17998.47	31.78	13.76	45.54	54.00	8.46	Vertical	PASS
5	5320.58	38.58	14.55	53.13	-	-	Vertical	NA
6	6122.32	36.16	15.92	52.08	68.20	16.12	Vertical	PASS
7	7080.00	47.31	-1.53	45.78	68.20	22.42	Vertical	PASS
8	17888.06	39.20	13.50	52.70	74.00	21.30	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7346.81	47.19	-1.20	45.99	54.00	8.01	Horizontal	PASS
2	11468.55	35.68	4.97	40.65	54.00	13.35	Horizontal	PASS
3	17982.75	32.23	13.54	45.77	54.00	8.23	Horizontal	PASS
4	6136.25	35.64	15.95	51.59	68.20	16.61	Horizontal	PASS
5	7346.43	49.78	-1.20	48.58	74.00	25.42	Horizontal	PASS
6	17871.96	39.36	13.70	53.06	74.00	20.94	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	7347.19	44.21	-1.20	43.01	54.00	10.99	Vertical	PASS
2	12111.42	34.90	5.09	39.99	54.00	14.01	Vertical	PASS
3	17841.29	32.34	13.62	45.96	54.00	8.04	Vertical	PASS
4	6321.79	34.67	16.94	51.61	68.20	16.59	Vertical	PASS
5	7346.81	47.79	-1.20	46.59	74.00	27.41	Vertical	PASS
6	17878.10	38.92	13.63	52.55	74.00	21.45	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.87	61.93	14.91	76.84	-	-	Horizontal	NA
2	7613.62	48.20	-0.93	47.27	54.00	6.73	Horizontal	PASS
3	11375.40	35.27	5.21	40.48	54.00	13.52	Horizontal	PASS
4	17990.80	32.00	13.65	45.65	54.00	8.35	Horizontal	PASS
5	5728.87	69.13	14.91	84.04	-	-	Horizontal	NA
6	7613.24	50.13	-0.93	49.20	74.00	24.80	Horizontal	PASS
7	14371.63	41.22	8.75	49.97	68.20	18.23	Horizontal	PASS
8	17991.18	38.68	13.66	52.34	74.00	21.66	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5728.87	64.82	14.91	79.73	-	-	Vertical	NA
2	7613.62	47.41	-0.93	46.48	54.00	7.52	Vertical	PASS
3	12057.75	34.69	5.40	40.09	54.00	13.91	Vertical	PASS
4	17850.11	31.39	13.99	45.38	54.00	8.62	Vertical	PASS
5	5728.32	70.69	14.91	85.60	-	-	Vertical	NA
6	7613.24	49.70	-0.93	48.77	74.00	25.23	Vertical	PASS
7	13408.66	42.52	6.78	49.30	68.20	18.90	Vertical	PASS
8	17813.31	40.21	12.43	52.64	74.00	21.36	Vertical	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.69	58.96	14.91	73.87	-	-	Horizontal	NA
2	7587.17	47.78	-0.90	46.88	54.00	7.12	Horizontal	PASS
3	12023.63	35.24	5.32	40.56	54.00	13.44	Horizontal	PASS
4	17981.60	32.08	13.53	45.61	54.00	8.39	Horizontal	PASS
5	5728.69	66.81	14.91	81.72	-	-	Horizontal	NA
6	7586.40	49.57	-0.90	48.67	74.00	25.33	Horizontal	PASS
7	15238.37	40.11	9.56	49.67	68.20	18.53	Horizontal	PASS
8	17848.96	39.02	13.95	52.97	74.00	21.03	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5728.51	60.95	14.91	75.86	-	-	Vertical	NA
2	7587.17	47.27	-0.90	46.37	54.00	7.63	Vertical	PASS
3	12066.57	34.91	5.35	40.26	54.00	13.74	Vertical	PASS
4	17993.87	31.65	13.71	45.36	54.00	8.64	Vertical	PASS
5	5728.51	66.84	14.91	81.75	-	-	Vertical	NA
6	7586.79	49.76	-0.90	48.86	74.00	25.14	Vertical	PASS
7	14319.11	41.10	8.79	49.89	68.20	18.31	Vertical	PASS
8	17835.54	39.48	13.37	52.85	74.00	21.15	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9021.27	36.49	2.46	38.95	54.00	15.05	Horizontal	PASS
2	12691.04	35.22	5.97	41.19	54.00	12.81	Horizontal	PASS
3	17840.14	31.82	13.57	45.39	54.00	8.61	Horizontal	PASS
4	6358.65	34.63	17.02	51.65	68.20	16.55	Horizontal	PASS
5	15070.47	40.84	9.14	49.98	68.20	18.22	Horizontal	PASS
6	17990.42	38.66	13.65	52.31	74.00	21.69	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	8069.42	37.25	0.44	37.69	54.00	16.31	Vertical	PASS
2	12032.07	34.73	5.36	40.09	54.00	13.91	Vertical	PASS
3	17965.12	32.02	13.29	45.31	54.00	8.69	Vertical	PASS
4	6466.08	34.91	17.02	51.93	68.20	16.27	Vertical	PASS
5	15069.32	40.65	9.15	49.80	68.20	18.40	Vertical	PASS
6	17840.91	38.84	13.60	52.44	74.00	21.56	Vertical	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	12043.18	35.43	5.40	40.83	54.00	13.17	Horizontal	PASS
2	17986.97	31.92	13.60	45.52	54.00	8.48	Horizontal	PASS
3	6396.23	34.74	16.63	51.37	68.20	16.83	Horizontal	PASS
4	6946.60	47.12	-2.17	44.95	68.20	23.25	Horizontal	PASS
5	14361.28	40.59	8.88	49.47	68.20	18.73	Horizontal	PASS
6	17986.58	38.67	13.60	52.27	74.00	21.73	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	8101.62	36.63	0.53	37.16	54.00	16.84	Vertical	PASS
2	12107.59	35.74	5.13	40.87	54.00	13.13	Vertical	PASS
3	17853.18	32.06	13.95	46.01	54.00	7.99	Vertical	PASS
4	6363.96	34.41	17.08	51.49	68.20	16.71	Vertical	PASS
5	6946.98	47.02	-2.17	44.85	68.20	23.35	Vertical	PASS
6	17352.15	40.80	12.23	53.03	68.20	15.17	Vertical	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8045.27	37.62	0.36	37.98	54.00	16.02	Horizontal	PASS
2	11430.98	35.37	5.19	40.56	54.00	13.44	Horizontal	PASS
3	17993.87	31.84	13.71	45.55	54.00	8.45	Horizontal	PASS
4	6482.95	34.68	17.30	51.98	68.20	16.22	Horizontal	PASS
5	7053.17	47.72	-1.54	46.18	68.20	22.02	Horizontal	PASS
6	17883.08	38.62	13.56	52.18	74.00	21.82	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	9460.20	36.14	2.21	38.35	54.00	15.65	Vertical	PASS
2	12438.41	34.69	5.47	40.16	54.00	13.84	Vertical	PASS
3	17863.53	31.95	13.82	45.77	54.00	8.23	Vertical	PASS
4	6348.19	34.70	17.26	51.96	68.20	16.24	Vertical	PASS
5	7053.17	47.60	-1.54	46.06	68.20	22.14	Vertical	PASS
6	17861.61	38.76	13.84	52.60	74.00	21.40	Vertical	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	7480.22	48.26	-1.37	46.89	54.00	7.11	Horizontal	PASS
2	12035.13	34.99	5.38	40.37	54.00	13.63	Horizontal	PASS
3	17847.43	31.82	13.88	45.70	54.00	8.30	Horizontal	PASS
4	6348.01	34.12	17.21	51.33	68.20	16.87	Horizontal	PASS
5	7479.83	50.86	-1.37	49.49	74.00	24.51	Horizontal	PASS
6	17835.16	40.14	13.36	53.50	74.00	20.50	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	7480.22	48.13	-1.37	46.76	54.00	7.24	Vertical	PASS
2	12074.62	34.80	5.31	40.11	54.00	13.89	Vertical	PASS
3	17985.43	32.23	13.58	45.81	54.00	8.19	Vertical	PASS
4	6358.28	35.08	17.10	52.18	68.20	16.02	Vertical	PASS
5	7479.83	50.31	-1.37	48.94	74.00	25.06	Vertical	PASS
6	17965.12	40.33	13.29	53.62	74.00	20.38	Vertical	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5728.69	58.96	14.91	73.87	-	-	Horizontal	NA
2	7587.17	47.78	-0.90	46.88	54.00	7.12	Horizontal	PASS
3	12023.63	35.24	5.32	40.56	54.00	13.44	Horizontal	PASS
4	17981.60	32.08	13.53	45.61	54.00	8.39	Horizontal	PASS
5	5728.69	66.81	14.91	81.72	-	-	Horizontal	NA
6	7586.40	49.57	-0.90	48.67	74.00	25.33	Horizontal	PASS
7	15238.37	40.11	9.56	49.67	68.20	18.53	Horizontal	PASS
8	17848.96	39.02	13.95	52.97	74.00	21.03	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5728.51	60.95	14.91	75.86	-	-	Vertical	NA
2	7587.17	47.27	-0.90	46.37	54.00	7.63	Vertical	PASS
3	12066.57	34.91	5.35	40.26	54.00	13.74	Vertical	PASS
4	17993.87	31.65	13.71	45.36	54.00	8.64	Vertical	PASS
5	5728.51	66.84	14.91	81.75	-	-	Vertical	NA
6	7586.79	49.76	-0.90	48.86	74.00	25.14	Vertical	PASS
7	14319.11	41.10	8.79	49.89	68.20	18.31	Vertical	PASS
8	17835.54	39.48	13.37	52.85	74.00	21.15	Vertical	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7700.26	44.78	-0.61	44.17	54.00	9.83	Horizontal	PASS
2	11462.03	35.27	5.01	40.28	54.00	13.72	Horizontal	PASS
3	17896.50	32.15	13.38	45.53	54.00	8.47	Horizontal	PASS
4	7699.87	47.12	-0.61	46.51	74.00	27.49	Horizontal	PASS
5	13644.42	41.39	8.86	50.25	68.20	17.95	Horizontal	PASS
6	17842.06	38.76	13.65	52.41	74.00	21.59	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7700.26	45.66	-0.61	45.05	54.00	8.95	Vertical	PASS
2	12046.25	34.71	5.42	40.13	54.00	13.87	Vertical	PASS
3	17851.26	32.01	13.97	45.98	54.00	8.02	Vertical	PASS
4	7699.87	48.22	-0.61	47.61	74.00	26.39	Vertical	PASS
5	14062.27	41.65	8.12	49.77	68.20	18.43	Vertical	PASS
6	17850.88	38.88	13.98	52.86	74.00	21.14	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8093.19	37.67	0.50	38.17	54.00	15.83	Horizontal	PASS
2	12038.58	34.69	5.39	40.08	54.00	13.92	Horizontal	PASS
3	17865.45	31.55	13.79	45.34	54.00	8.66	Horizontal	PASS
4	6321.98	34.31	17.01	51.32	68.20	16.88	Horizontal	PASS
5	12078.07	42.38	5.30	47.68	74.00	26.32	Horizontal	PASS
6	17860.46	38.86	13.85	52.71	74.00	21.29	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	9485.12	36.56	2.55	39.11	54.00	14.89	Vertical	PASS
2	12061.59	34.97	5.37	40.34	54.00	13.66	Vertical	PASS
3	17891.51	32.72	13.45	46.17	54.00	7.83	Vertical	PASS
4	6484.97	34.32	17.32	51.64	68.20	16.56	Vertical	PASS
5	14518.83	42.42	7.82	50.24	68.20	17.96	Vertical	PASS
6	17880.01	39.58	13.60	53.18	74.00	20.82	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8423.25	36.38	1.03	37.41	54.00	16.59	Horizontal	PASS
2	12381.30	34.77	5.87	40.64	54.00	13.36	Horizontal	PASS
3	17986.20	32.14	13.59	45.73	54.00	8.27	Horizontal	PASS
4	6317.76	34.91	16.97	51.88	68.20	16.32	Horizontal	PASS
5	7053.17	47.75	-1.54	46.21	68.20	21.99	Horizontal	PASS
6	17985.82	39.44	13.58	53.02	74.00	20.98	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	9016.67	36.09	2.48	38.57	54.00	15.43	Vertical	PASS
2	12038.58	35.35	5.39	40.74	54.00	13.26	Vertical	PASS
3	17980.07	31.98	13.50	45.48	54.00	8.52	Vertical	PASS
4	6329.68	34.70	17.09	51.79	68.20	16.41	Vertical	PASS
5	7053.17	45.76	-1.54	44.22	68.20	23.98	Vertical	PASS
6	17973.55	38.71	13.40	52.11	74.00	21.89	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	7480.22	46.34	-1.37	44.97	54.00	9.03	Horizontal	PASS
2	10777.76	36.08	4.36	40.44	54.00	13.56	Horizontal	PASS
3	17988.50	32.30	13.62	45.92	54.00	8.08	Horizontal	PASS
4	6320.51	34.72	16.92	51.64	68.20	16.56	Horizontal	PASS
5	7480.22	49.61	-1.37	48.24	74.00	25.76	Horizontal	PASS
6	17957.45	39.61	13.18	52.79	74.00	21.21	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	7480.22	46.58	-1.37	45.21	54.00	8.79	Vertical	PASS
2	12651.17	34.23	6.17	40.40	54.00	13.60	Vertical	PASS
3	17883.85	32.06	13.55	45.61	54.00	8.39	Vertical	PASS
4	6358.83	34.71	17.09	51.80	68.20	16.40	Vertical	PASS
5	7479.83	48.72	-1.37	47.35	74.00	26.65	Vertical	PASS
6	17846.66	39.46	13.84	53.30	74.00	20.70	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5727.59	58.69	14.91	73.60	-	-	Horizontal	NA
2	7587.17	47.03	-0.90	46.13	54.00	7.87	Horizontal	PASS
3	11440.95	35.21	5.13	40.34	54.00	13.66	Horizontal	PASS
4	17974.70	32.87	13.43	46.30	54.00	7.70	Horizontal	PASS
5	5727.41	64.49	14.91	79.40	-	-	Horizontal	NA
6	6349.11	34.39	17.22	51.61	68.20	16.59	Horizontal	PASS
7	7586.40	49.62	-0.90	48.72	74.00	25.28	Horizontal	PASS
8	17994.25	38.85	13.71	52.56	74.00	21.44	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5727.41	59.92	14.91	74.83	-	-	Vertical	NA
2	7586.79	47.49	-0.90	46.59	54.00	7.41	Vertical	PASS
3	17856.63	31.27	13.90	45.17	54.00	8.83	Vertical	PASS
4	5727.77	64.57	14.91	79.48	-	-	Vertical	NA
5	6391.46	34.82	16.59	51.41	68.20	16.79	Vertical	PASS
6	7586.79	50.01	-0.90	49.11	74.00	24.89	Vertical	PASS
7	17965.50	38.89	13.29	52.18	74.00	21.82	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	7700.26	47.53	-0.61	46.92	54.00	7.08	Horizontal	PASS
2	12040.12	34.92	5.39	40.31	54.00	13.69	Horizontal	PASS
3	17994.25	31.63	13.71	45.34	54.00	8.66	Horizontal	PASS
4	6381.38	34.44	16.75	51.19	68.20	17.01	Horizontal	PASS
5	7699.87	48.58	-0.61	47.97	74.00	26.03	Horizontal	PASS
6	17896.11	39.16	13.39	52.55	74.00	21.45	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	7700.26	47.74	-0.61	47.13	54.00	6.87	Vertical	PASS
2	12043.57	35.09	5.40	40.49	54.00	13.51	Vertical	PASS
3	17862.00	31.77	13.83	45.60	54.00	8.40	Vertical	PASS
4	6487.35	34.41	17.30	51.71	68.20	16.49	Vertical	PASS
5	7699.87	49.47	-0.61	48.86	74.00	25.14	Vertical	PASS
6	17981.22	38.80	13.51	52.31	74.00	21.69	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	46
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	8104.69	37.38	0.55	37.93	54.00	16.07	Horizontal	PASS
2	11436.35	35.03	5.15	40.18	54.00	13.82	Horizontal	PASS
3	17963.20	32.41	13.26	45.67	54.00	8.33	Horizontal	PASS
4	6308.59	35.20	16.88	52.08	68.20	16.12	Horizontal	PASS
5	15080.82	41.05	9.10	50.15	68.20	18.05	Horizontal	PASS
6	17986.20	38.99	13.59	52.58	74.00	21.42	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	46
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	9469.40	36.48	2.34	38.82	54.00	15.18	Vertical	PASS
2	12403.91	34.18	6.18	40.36	54.00	13.64	Vertical	PASS
3	17983.52	32.04	13.55	45.59	54.00	8.41	Vertical	PASS
4	6484.05	34.15	17.31	51.46	68.20	16.74	Vertical	PASS
5	15060.89	40.14	9.18	49.32	68.20	18.88	Vertical	PASS
6	17983.13	38.94	13.54	52.48	74.00	21.52	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8432.45	37.87	1.08	38.95	54.00	15.05	Horizontal	PASS
2	12070.40	35.08	5.33	40.41	54.00	13.59	Horizontal	PASS
3	17987.73	32.06	13.61	45.67	54.00	8.33	Horizontal	PASS
4	6365.80	34.55	17.06	51.61	68.20	16.59	Horizontal	PASS
5	13710.36	41.77	8.89	50.66	68.20	17.54	Horizontal	PASS
6	17982.37	38.86	13.54	52.40	74.00	21.60	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8432.45	39.72	1.08	40.80	54.00	13.20	Vertical	PASS
2	11463.18	34.94	5.00	39.94	54.00	14.06	Vertical	PASS
3	17849.73	32.25	13.98	46.23	54.00	7.77	Vertical	PASS
4	6344.71	34.18	17.23	51.41	68.20	16.79	Vertical	PASS
5	12060.44	41.63	5.38	47.01	74.00	26.99	Vertical	PASS
6	17988.12	39.03	13.62	52.65	74.00	21.35	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7346.81	44.35	-1.20	43.15	54.00	10.85	Horizontal	PASS
2	11367.35	34.99	5.15	40.14	54.00	13.86	Horizontal	PASS
3	17981.22	31.89	13.51	45.40	54.00	8.60	Horizontal	PASS
4	6300.34	34.46	16.71	51.17	68.20	17.03	Horizontal	PASS
5	7346.43	47.10	-1.20	45.90	74.00	28.10	Horizontal	PASS
6	17976.23	39.64	13.44	53.08	74.00	20.92	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7346.81	41.58	-1.20	40.38	54.00	13.62	Vertical	PASS
2	12039.35	34.76	5.39	40.15	54.00	13.85	Vertical	PASS
3	17858.16	31.38	13.89	45.27	54.00	8.73	Vertical	PASS
4	6350.03	34.01	17.23	51.24	68.20	16.96	Vertical	PASS
5	15064.34	40.23	9.17	49.40	68.20	18.80	Vertical	PASS
6	17958.22	39.08	13.19	52.27	74.00	21.73	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.96	63.38	14.91	78.29	-	-	Horizontal	NA
2	7613.62	48.74	-0.93	47.81	54.00	6.19	Horizontal	PASS
3	12036.28	34.65	5.38	40.03	54.00	13.97	Horizontal	PASS
4	17890.75	32.29	13.46	45.75	54.00	8.25	Horizontal	PASS
5	5727.41	69.37	14.91	84.28	-	-	Horizontal	NA
6	7613.24	50.52	-0.93	49.59	74.00	24.41	Horizontal	PASS
7	15244.51	40.60	9.77	50.37	68.20	17.83	Horizontal	PASS
8	17978.15	39.13	13.47	52.60	74.00	21.40	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.77	63.42	14.91	78.33	-	-	Vertical	NA
2	7613.62	48.91	-0.93	47.98	54.00	6.02	Vertical	PASS
3	12668.42	34.56	6.09	40.65	54.00	13.35	Vertical	PASS
4	17865.45	32.01	13.79	45.80	54.00	8.20	Vertical	PASS
5	5727.41	69.54	14.91	84.45	-	-	Vertical	NA
6	7613.24	50.67	-0.93	49.74	74.00	24.26	Vertical	PASS
7	13421.31	43.09	6.94	50.03	68.20	18.17	Vertical	PASS
8	17850.88	39.00	13.98	52.98	74.00	21.02	Vertical	PASS