


Appendix-F Field Strength of Spurious Radiation-234G

For GSM:

Project Information			
Mode:	GSM	Band:	GSM850
Bandwidth:	-	Channel:	Low
SN:	HQ652G0038	Engineer:	Ou Shuyan
Remark:	Y ANT0		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1648.40	71.27	-114.09	-42.82	-13.00	29.82	Horizontal	PASS
2	2472.80	68.88	-111.24	-42.36	-13.00	29.36	Horizontal	PASS
3	5770.00	43.91	-100.15	-56.24	-13.00	43.24	Horizontal	PASS

Project Information			
Mode:	GSM	Band:	GSM850
Bandwidth:	-	Channel:	Low
SN:	HQ652G0038	Engineer:	Ou Shuyan
Remark:	Y ANTO		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1648.40	62.91	-114.09	-51.18	-13.00	38.18	Vertical	PASS
2	2472.80	72.26	-111.24	-38.98	-13.00	25.98	Vertical	PASS
3	4121.20	47.01	-105.75	-58.74	-13.00	45.74	Vertical	PASS

Project Information			
Mode:	GSM	Band:	GSM850
Bandwidth:	-	Channel:	M1d
SN:	HQ652G0038	Engineer:	Ou Shuyan
Remark:	Y ANTO		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1673.20	66.67	-114.14	-47.47	-13.00	34.47	Horizontal	PASS
2	2509.60	69.72	-111.36	-41.64	-13.00	28.64	Horizontal	PASS
3	4182.80	51.67	-105.46	-53.79	-13.00	40.79	Horizontal	PASS

Project Information			
Mode:	GSM	Band:	GSM850
Bandwidth:	-	Channel:	M1d
SN:	HQ652G0038	Engineer:	Ou Shuyan
Remark:	Y ANTO		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1673.20	60.53	-114.14	-53.61	-13.00	40.61	Vertical	PASS
2	2509.60	74.05	-111.36	-37.31	-13.00	24.31	Vertical	PASS
3	4183.20	57.87	-105.46	-47.59	-13.00	34.59	Vertical	PASS

Project Information			
Mode:	GSM	Band:	GSM850
Bandwidth:	-	Channel:	High
SN:	HQ652G0038	Engineer:	Ou Shuyan
Remark:	Y ANT0		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1697.60	62.59	-114.21	-51.62	-13.00	38.62	Horizontal	PASS
2	2546.80	62.53	-111.22	-48.69	-13.00	35.69	Horizontal	PASS
3	8068.80	37.15	-95.38	-58.23	-13.00	45.23	Horizontal	PASS

Project Information			
Mode:	GSM	Band:	GSM850
Bandwidth:	-	Channel:	High
SN:	HQ652G0038	Engineer:	Ou Shuyan
Remark:	Y ANTO		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1697.60	59.56	-114.21	-54.65	-13.00	41.65	Vertical	PASS
2	2546.40	65.85	-111.22	-45.37	-13.00	32.37	Vertical	PASS
3	4244.00	41.55	-105.13	-63.58	-13.00	50.58	Vertical	PASS

Project Information			
Mode:	GSM	Band:	GSM1900
Bandwidth:	-	Channel:	Low
SN:	HQ652G0038	Engineer:	Ou Shuyan
Remark:	Y ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1850.20	109.75	-84.97	24.78	-	-	Horizontal	NA
2	3700.50	44.84	-107.51	-62.67	-13.00	49.67	Horizontal	PASS
3	5550.50	59.70	-101.32	-41.62	-13.00	28.62	Horizontal	PASS
4	17350.50	32.44	-82.42	-49.98	-13.00	36.98	Horizontal	PASS

Project Information			
Mode:	GSM	Band:	GSM1900
Bandwidth:	-	Channel:	Low
SN:	HQ652G0038	Engineer:	Ou Shuyan
Remark:	Y ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1850.20	108.78	-84.97	23.81	-	-	Vertical	NA
2	3700.50	46.74	-107.51	-60.77	-13.00	47.77	Vertical	PASS
3	5550.50	52.58	-101.32	-48.74	-13.00	35.74	Vertical	PASS
4	17369.50	32.55	-83.16	-50.61	-13.00	37.61	Vertical	PASS

Project Information			
Mode:	GSM	Band:	GSM1900
Bandwidth:	-	Channel:	Mid
SN:	HQ652G0038	Engineer:	Ou Shuyan
Remark:	Y ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1880.00	108.18	-84.95	23.23	-	-	Horizontal	NA
2	3760.00	45.44	-107.25	-61.81	-13.00	48.81	Horizontal	PASS
3	5640.00	59.05	-100.83	-41.78	-13.00	28.78	Horizontal	PASS
4	17359.00	32.60	-82.75	-50.15	-13.00	37.15	Horizontal	PASS

Project Information			
Mode:	GSM	Band:	GSM1900
Bandwidth:	-	Channel:	Mid
SN:	HQ652G0038	Engineer:	Ou Shuyan
Remark:	Y ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1880.00	105.61	-84.95	20.66	-	-	Vertical	NA
2	3760.00	44.45	-107.25	-62.80	-13.00	49.80	Vertical	PASS
3	5639.50	49.90	-100.84	-50.94	-13.00	37.94	Vertical	PASS
4	17348.50	32.00	-82.47	-50.47	-13.00	37.47	Vertical	PASS

Project Information			
Mode:	GSM	Band:	GSM1900
Bandwidth:	-	Channel:	High
SN:	HQ652G0038	Engineer:	Ou Shuyan
Remark:	Y ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1909.80	108.14	-84.86	23.28	-	-	Horizontal	NA
2	3819.50	48.27	-106.57	-58.30	-13.00	45.30	Horizontal	PASS
3	5729.50	54.33	-100.75	-46.42	-13.00	33.42	Horizontal	PASS
4	17360.50	32.31	-82.81	-50.50	-13.00	37.50	Horizontal	PASS

Project Information			
Mode:	GSM	Band:	GSM1900
Bandwidth:	-	Channel:	High
SN:	HQ652G0038	Engineer:	Ou Shuyan
Remark:	Y ANT1		
Test Standard:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1909.80	104.67	-84.86	19.81	-	-	Vertical	NA
2	3819.50	45.14	-106.57	-61.43	-13.00	48.43	Vertical	PASS
3	5729.50	46.44	-100.75	-54.31	-13.00	41.31	Vertical	PASS
4	17351.50	32.42	-82.46	-50.04	-13.00	37.04	Vertical	PASS

For WCDMA:

Project Information			
Mode:	WCDMA	Band:	IV
Bandwidth:	-	Channel:	Low
SN:	HQ654A0027	Engineer:	Ou Shuyan
Remark:	Y ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1713.60	110.21	-95.09	15.12	-	-	Horizontal	NA
2	2112.40	51.56	-94.73	-43.17	-	-	Horizontal	NA
3	2769.80	46.27	-91.53	-45.26	-13.00	32.26	Horizontal	PASS
4	4788.00	40.02	-102.90	-62.88	-13.00	49.88	Horizontal	PASS
5	17348.50	38.55	-82.47	-43.92	-13.00	30.92	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	IV
Bandwidth:	-	Channel:	Low
SN:	HQ654A0027	Engineer:	Ou Shuyan
Remark:	Y ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1711.40	108.79	-95.11	13.68	-	-	Vertical	NA
2	2911.80	45.10	-90.50	-45.40	-13.00	32.40	Vertical	PASS
3	15088.50	37.26	-86.24	-48.98	-13.00	35.98	Vertical	PASS
4	17832.50	38.48	-82.71	-44.23	-13.00	31.23	Vertical	PASS

Project Information			
Mode:	WCDMA	Band:	IV
Bandwidth:	-	Channel:	Mid
SN:	HQ654A0027	Engineer:	Ou Shuyan
Remark:	Y ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1733.40	110.49	-94.93	15.56	-	-	Horizontal	NA
2	2133.80	52.57	-94.69	-42.12	-	-	Horizontal	NA
3	2874.80	45.29	-90.67	-45.38	-13.00	32.38	Horizontal	PASS
4	14356.50	37.23	-86.05	-48.82	-13.00	35.82	Horizontal	PASS
5	17863.50	38.61	-82.62	-44.01	-13.00	31.01	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	IV
Bandwidth:	-	Channel:	Mid
SN:	HQ654A0027	Engineer:	Ou Shuyan
Remark:	Y ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1733.20	109.64	-94.93	14.71	-	-	Vertical	NA
2	2949.40	45.11	-90.44	-45.33	-13.00	32.33	Vertical	PASS
3	15079.50	37.47	-86.27	-48.80	-13.00	35.80	Vertical	PASS
4	17353.50	38.22	-82.54	-44.32	-13.00	31.32	Vertical	PASS

Project Information			
Mode:	WCDMA	Band:	IV
Bandwidth:	-	Channel:	High
SN:	HQ654A0027	Engineer:	Ou Shuyan
Remark:	Y ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1752.40	109.96	-94.80	15.16	-	-	Horizontal	NA
2	2152.00	52.70	-94.66	-41.96	-	-	Horizontal	NA
3	2941.60	44.95	-90.45	-45.50	-13.00	32.50	Horizontal	PASS
4	15107.00	37.81	-86.30	-48.49	-13.00	35.49	Horizontal	PASS
5	17838.00	39.67	-82.63	-42.96	-13.00	29.96	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	IV
Bandwidth:	-	Channel:	High
SN:	HQ654A0027	Engineer:	Ou Shuyan
Remark:	Y ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1753.40	109.07	-94.80	14.27	-	-	Vertical	NA
2	2960.60	45.63	-90.55	-44.92	-13.00	31.92	Vertical	PASS
3	15066.00	37.41	-86.32	-48.91	-13.00	35.91	Vertical	PASS
4	17856.00	39.42	-82.53	-43.11	-13.00	30.11	Vertical	PASS

Project Information			
Mode:	WCDMA	Band:	V
Bandwidth:	-	Channel:	Low
SN:	HQ652G0038	Engineer:	Ou Shuyan
Remark:	Y ANT0		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1654.40	50.75	-114.09	-63.34	-13.00	50.34	Horizontal	PASS
2	2476.80	43.63	-111.26	-67.63	-13.00	54.63	Horizontal	PASS
3	8908.40	36.42	-93.33	-56.91	-13.00	43.91	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	V
Bandwidth:	-	Channel:	Low
SN:	HQ652G0038	Engineer:	Ou Shuyan
Remark:	Y ANTO		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1650.40	45.75	-114.08	-68.33	-13.00	55.33	Vertical	PASS
2	2481.60	45.66	-111.29	-65.63	-13.00	52.63	Vertical	PASS
3	8854.80	35.57	-92.91	-57.34	-13.00	44.34	Vertical	PASS

Project Information			
Mode:	WCDMA	Band:	V
Bandwidth:	-	Channel:	Mid
SN:	HQ652G0038	Engineer:	Ou Shuyan
Remark:	Y ANTO		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1674.00	51.76	-114.14	-62.38	-13.00	49.38	Horizontal	PASS
2	3410.40	41.07	-107.49	-66.42	-13.00	53.42	Horizontal	PASS
3	8915.60	36.77	-93.46	-56.69	-13.00	43.69	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	V
Bandwidth:	-	Channel:	Mid
SN:	HQ652G0038	Engineer:	Ou Shuyan
Remark:	Y ANTO		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1674.40	46.89	-114.14	-67.25	-13.00	54.25	Vertical	PASS
2	2512.40	45.32	-111.36	-66.04	-13.00	53.04	Vertical	PASS
3	8899.60	36.83	-93.17	-56.34	-13.00	43.34	Vertical	PASS

Project Information			
Mode:	WCDMA	Band:	V
Bandwidth:	-	Channel:	High
SN:	HQ652G0038	Engineer:	Ou Shuyan
Remark:	Y ANTO		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1694.80	52.94	-114.20	-61.26	-13.00	48.26	Horizontal	PASS
2	2034.80	42.81	-113.69	-70.88	-13.00	57.88	Horizontal	PASS
3	2542.80	44.68	-111.22	-66.54	-13.00	53.54	Horizontal	PASS
4	8908.80	35.86	-93.33	-57.47	-13.00	44.47	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	V
Bandwidth:	-	Channel:	High
SN:	HQ652G0038	Engineer:	Ou Shuyan
Remark:	Y ANT0		
Test Standard:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1694.80	46.94	-114.20	-67.26	-13.00	54.26	Vertical	PASS
2	2536.80	45.67	-111.26	-65.59	-13.00	52.59	Vertical	PASS
3	8994.00	36.64	-93.54	-56.90	-13.00	43.90	Vertical	PASS

For LTE:

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	Low
SN:	HQ654A0027	Engineer:	Ou Shuyan
Remark:	Y ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1711.20	115.94	-95.11	20.83	-	-	Horizontal	NA
2	2128.60	46.96	-94.70	-47.74	-	-	Horizontal	NA
3	2916.20	45.42	-90.49	-45.07	-13.00	32.07	Horizontal	PASS
4	15247.50	37.18	-85.97	-48.79	-13.00	35.79	Horizontal	PASS
5	17858.00	39.07	-82.55	-43.48	-13.00	30.48	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	Low
SN:	HQ654A0027	Engineer:	Ou Shuyan
Remark:	Y ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1711.20	112.39	-95.11	17.28	-	-	Vertical	NA
2	2865.80	45.32	-90.73	-45.41	-13.00	32.41	Vertical	PASS
3	15239.00	37.82	-86.17	-48.35	-13.00	35.35	Vertical	PASS
4	17831.50	38.48	-82.73	-44.25	-13.00	31.25	Vertical	PASS

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	Mid
SN:	HQ654A0027	Engineer:	Ou Shuyan
Remark:	Y ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	116.63	-95.01	21.62	-	-	Horizontal	NA
2	2139.40	47.46	-94.68	-47.22	-	-	Horizontal	NA
3	2920.20	45.07	-90.48	-45.41	-13.00	32.41	Horizontal	PASS
4	5170.50	41.46	-102.05	-60.59	-13.00	47.59	Horizontal	PASS
5	17868.50	38.35	-82.68	-44.33	-13.00	31.33	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	Mid
SN:	HQ654A0027	Engineer:	Ou Shuyan
Remark:	Y ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	112.90	-95.01	17.89	-	-	Vertical	NA
2	2994.80	45.82	-90.89	-45.07	-13.00	32.07	Vertical	PASS
3	5170.50	41.97	-102.05	-60.08	-13.00	47.08	Vertical	PASS
4	17842.50	38.11	-82.56	-44.45	-13.00	31.45	Vertical	PASS

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	High
SN:	HQ654A0027	Engineer:	Ou Shuyan
Remark:	Y ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.20	116.46	-94.91	21.55	-	-	Horizontal	NA
2	2145.80	47.51	-94.67	-47.16	-	-	Horizontal	NA
3	2986.80	45.23	-90.81	-45.58	-13.00	32.58	Horizontal	PASS
4	15081.50	37.11	-86.26	-49.15	-13.00	36.15	Horizontal	PASS
5	17348.00	38.97	-82.49	-43.52	-13.00	30.52	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	High
SN:	HQ654A0027	Engineer:	Ou Shuyan
Remark:	Y ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	114.65	-94.91	19.74	-	-	Vertical	NA
2	2942.60	45.17	-90.45	-45.28	-13.00	32.28	Vertical	PASS
3	15255.50	37.70	-86.01	-48.31	-13.00	35.31	Vertical	PASS
4	17862.50	38.57	-82.60	-44.03	-13.00	31.03	Vertical	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	Low
SN:	HQ652G0038	Engineer:	Ou Shuyan
Remark:	Y ANTO		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1649.20	55.41	-114.08	-58.67	-13.00	45.67	Horizontal	PASS
2	2473.60	57.45	-111.25	-53.80	-13.00	40.80	Horizontal	PASS
3	8874.40	36.24	-93.02	-56.78	-13.00	43.78	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	Low
SN:	HQ652G0038	Engineer:	Ou Shuyan
Remark:	Y ANTO		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1649.20	52.03	-114.08	-62.05	-13.00	49.05	Vertical	PASS
2	2473.60	60.89	-111.25	-50.36	-13.00	37.36	Vertical	PASS
3	8131.20	36.73	-95.02	-58.29	-13.00	45.29	Vertical	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	Mid
SN:	HQ652G0038	Engineer:	Ou Shuyan
Remark:	Y ANTO		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.00	54.46	-114.12	-59.66	-13.00	46.66	Horizontal	PASS
2	2496.40	57.12	-111.37	-54.25	-13.00	41.25	Horizontal	PASS
3	4160.40	43.42	-105.41	-61.99	-13.00	48.99	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	Mid
SN:	HQ652G0038	Engineer:	Ou Shuyan
Remark:	Y ANTO		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.00	50.78	-114.12	-63.34	-13.00	50.34	Vertical	PASS
2	2496.40	60.50	-111.37	-50.87	-13.00	37.87	Vertical	PASS
3	5822.40	41.16	-100.10	-58.94	-13.00	45.94	Vertical	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	High
SN:	HQ652G0038	Engineer:	Ou Shuyan
Remark:	Y ANTO		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1679.20	55.88	-114.16	-58.28	-13.00	45.28	Horizontal	PASS
2	2518.80	55.96	-111.32	-55.36	-13.00	42.36	Horizontal	PASS
3	3358.40	42.31	-108.24	-65.93	-13.00	52.93	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	High
SN:	HQ652G0038	Engineer:	Ou Shuyan
Remark:	Y ANT0		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1679.20	54.28	-114.16	-59.88	-13.00	46.88	Vertical	PASS
2	2518.80	57.56	-111.32	-53.76	-13.00	40.76	Vertical	PASS
3	4198.00	41.09	-105.50	-64.41	-13.00	51.41	Vertical	PASS

Project Information			
Mode:	LTE	Band:	12
Bandwidth:	10MHz	Channel:	Low
SN:	HQ652G0038	Engineer:	Ou Shuyan
Remark:	Y ANTO		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1399.00	51.65	-114.31	-62.66	-13.00	49.66	Horizontal	PASS
2	2098.65	59.50	-113.24	-53.74	-13.00	40.74	Horizontal	PASS
3	3497.60	43.69	-107.38	-63.69	-13.00	50.69	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	12
Bandwidth:	10MHz	Channel:	Low
SN:	HQ652G0038	Engineer:	Ou Shuyan
Remark:	Y ANTO		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1399.00	51.70	-114.31	-62.61	-13.00	49.61	Vertical	PASS
2	2099.00	59.55	-113.23	-53.68	-13.00	40.68	Vertical	PASS
3	3497.95	46.01	-107.38	-61.37	-13.00	48.37	Vertical	PASS

Project Information			
Mode:	LTE	Band:	12
Bandwidth:	10MHz	Channel:	Mid
SN:	HQ652G0038	Engineer:	Ou Shuyan
Remark:	Y ANTO		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.00	52.67	-114.33	-61.66	-13.00	48.66	Horizontal	PASS
2	2109.15	59.96	-113.21	-53.25	-13.00	40.25	Horizontal	PASS
3	7284.25	39.20	-96.21	-57.01	-13.00	44.01	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	12
Bandwidth:	10MHz	Channel:	Mid
SN:	HQ652G0038	Engineer:	Ou Shuyan
Remark:	Y ANTO		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.35	50.88	-114.33	-63.45	-13.00	50.45	Vertical	PASS
2	2109.15	59.50	-113.21	-53.71	-13.00	40.71	Vertical	PASS
3	3515.80	44.71	-107.51	-62.80	-13.00	49.80	Vertical	PASS

Project Information			
Mode:	LTE	Band:	12
Bandwidth:	10MHz	Channel:	High
SN:	HQ652G0038	Engineer:	Ou Shuyan
Remark:	Y ANTO		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1413.00	50.23	-114.35	-64.12	-13.00	51.12	Horizontal	PASS
2	2119.65	60.36	-113.21	-52.85	-13.00	39.85	Horizontal	PASS
3	3532.95	43.13	-107.64	-64.51	-13.00	51.51	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	12
Bandwidth:	10MHz	Channel:	High
SN:	HQ652G0038	Engineer:	Ou Shuyan
Remark:	Y ANTO		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1413.00	48.53	-114.35	-65.82	-13.00	52.82	Vertical	PASS
2	2120.00	59.81	-113.21	-53.40	-13.00	40.40	Vertical	PASS
3	3532.95	46.68	-107.64	-60.96	-13.00	47.96	Vertical	PASS

Project Information			
Mode:	LTE	Band:	41
Bandwidth:	20MHz	Channel:	Low
SN:	HQ654A0027	Engineer:	Ou Shuyan
Remark:	Y ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2497.00	113.24	-93.26	19.98	-	-	Horizontal	NA
2	2995.40	41.05	-90.89	-49.84	-25.00	24.84	Horizontal	PASS
3	15288.00	37.89	-86.54	-48.65	-25.00	23.65	Horizontal	PASS
4	17847.50	38.98	-82.49	-43.51	-25.00	18.51	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	41
Bandwidth:	20MHz	Channel:	Low
SN:	HQ654A0027	Engineer:	Ou Shuyan
Remark:	Y ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2496.90	109.89	-93.26	16.63	-	-	Vertical	NA
2	2923.10	40.33	-90.47	-50.14	-25.00	25.14	Vertical	PASS
3	14351.50	37.32	-85.94	-48.62	-25.00	23.62	Vertical	PASS
4	17871.00	38.51	-82.71	-44.20	-25.00	19.20	Vertical	PASS

Project Information			
Mode:	LTE	Band:	41
Bandwidth:	20MHz	Channel:	Mid
SN:	HQ654A0027	Engineer:	Ou Shuyan
Remark:	Y ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.00	111.55	-93.31	18.24	-	-	Horizontal	NA
2	2942.80	40.24	-90.45	-50.21	-25.00	25.21	Horizontal	PASS
3	5168.00	45.39	-102.04	-56.65	-25.00	31.65	Horizontal	PASS
4	17971.50	38.71	-82.81	-44.10	-25.00	19.10	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	41
Bandwidth:	20MHz	Channel:	Mid
SN:	HQ654A0027	Engineer:	Ou Shuyan
Remark:	Y ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.00	110.74	-93.31	17.43	-	-	Vertical	NA
2	2995.80	40.95	-90.90	-49.95	-25.00	24.95	Vertical	PASS
3	5297.50	39.56	-101.49	-61.93	-25.00	36.93	Vertical	PASS
4	17854.00	38.60	-82.51	-43.91	-25.00	18.91	Vertical	PASS

Project Information			
Mode:	LTE	Band:	41
Bandwidth:	20MHz	Channel:	High
SN:	HQ654A0027	Engineer:	Ou Shuyan
Remark:	Y ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2671.00	110.58	-92.27	18.31	-	-	Horizontal	NA
2	5342.00	41.54	-101.95	-60.41	-25.00	35.41	Horizontal	PASS
3	8013.00	41.71	-95.39	-53.68	-25.00	28.68	Horizontal	PASS
4	17983.00	38.43	-82.66	-44.23	-25.00	19.23	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	41
Bandwidth:	20MHz	Channel:	High
SN:	HQ654A0027	Engineer:	Ou Shuyan
Remark:	Y ANT1		
Test Standard:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2671.10	110.21	-92.27	17.94	-	-	Vertical	NA
2	2928.70	40.34	-90.47	-50.13	-25.00	25.13	Vertical	PASS
3	15060.00	37.74	-86.34	-48.60	-25.00	23.60	Vertical	PASS
4	17876.50	38.98	-82.78	-43.80	-25.00	18.80	Vertical	PASS

~The End~