


Appendix-F Field Strength of Spurious Radiation-NR

For NR:

| Project Information | | | |
|---------------------|------------|-----------|-----------|
| Mode: | SA | Band: | n79 |
| Bandwidth: | 40MHz | Channel: | Low |
| SN: | HQ654A0034 | Engineer: | Ou Shuyan |
| Remark: | | | |
| Test Standard: | | | |


Test Graph



| Data List | | | | | | | | |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|------------|---------|
| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity | Verdict |
| 1 | 4941.03 | 94.55 | -83.95 | 10.60 | - | - | Horizontal | NA |
| 2 | 9882.15 | 38.27 | -91.97 | -53.70 | -39.40 | 14.30 | Horizontal | PASS |
| 3 | 13682.90 | 34.09 | -85.97 | -51.88 | -39.40 | 12.48 | Horizontal | PASS |
| 4 | 17873.50 | 32.02 | -81.57 | -49.55 | -39.40 | 10.15 | Horizontal | PASS |

| Project Information | | | |
|---------------------|------------|-----------|-----------|
| Mode: | SA | Band: | n79 |
| Bandwidth: | 40MHz | Channel: | Low |
| SN: | HQ654A0034 | Engineer: | Ou Shuyan |
| Remark: | | | |
| Test Standard: | | | |


Test Graph



| Data List | | | | | | | | |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|----------|---------|
| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity | Verdict |
| 1 | 4941.03 | 92.67 | -83.95 | 8.72 | - | - | Vertical | NA |
| 2 | 6408.15 | 27.65 | -80.38 | -52.73 | -39.40 | 13.33 | Vertical | PASS |
| 3 | 15251.50 | 33.13 | -85.36 | -52.23 | -39.40 | 12.83 | Vertical | PASS |
| 4 | 17988.12 | 32.43 | -81.64 | -49.21 | -39.40 | 9.81 | Vertical | PASS |

| Project Information | | | |
|---------------------|------------|-----------|-----------|
| Mode: | SA | Band: | n79 |
| Bandwidth: | 40MHz | Channel: | Mid |
| SN: | HQ654A0034 | Engineer: | Ou Shuyan |
| Remark: | | | |
| Test Standard: | | | |


Test Graph



| Data List | | | | | | | | |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|------------|---------|
| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity | Verdict |
| 1 | 4946.25 | 94.41 | -83.92 | 10.49 | - | - | Horizontal | NA |
| 2 | 6367.45 | 27.09 | -80.05 | -52.96 | -39.51 | 13.45 | Horizontal | PASS |
| 3 | 14663.85 | 33.21 | -85.70 | -52.49 | -39.51 | 12.98 | Horizontal | PASS |
| 4 | 17881.93 | 32.59 | -81.69 | -49.10 | -39.51 | 9.59 | Horizontal | PASS |

| Project Information | | | |
|---------------------|------------|-----------|-----------|
| Mode: | SA | Band: | n79 |
| Bandwidth: | 40MHz | Channel: | Mid |
| SN: | HQ654A0034 | Engineer: | Ou Shuyan |
| Remark: | | | |
| Test Standard: | | | |


Test Graph



| Data List | | | | | | | | |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|----------|---------|
| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity | Verdict |
| 1 | 4946.25 | 92.96 | -83.92 | 9.04 | - | - | Vertical | NA |
| 2 | 6361.40 | 27.18 | -79.99 | -52.81 | -39.51 | 13.30 | Vertical | PASS |
| 3 | 12796.63 | 36.07 | -89.26 | -53.19 | -39.51 | 13.68 | Vertical | PASS |
| 4 | 17985.05 | 32.29 | -81.69 | -49.40 | -39.51 | 9.89 | Vertical | PASS |

| Project Information | | | |
|---------------------|------------|-----------|-----------|
| Mode: | SA | Band: | n79 |
| Bandwidth: | 40MHz | Channel: | High |
| SN: | HQ654A0034 | Engineer: | Ou Shuyan |
| Remark: | | | |
| Test Standard: | | | |


Test Graph



| Data List | | | | | | | | |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|------------|---------|
| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity | Verdict |
| 1 | 4951.20 | 94.80 | -83.90 | 10.90 | - | - | Horizontal | NA |
| 2 | 6350.40 | 26.48 | -79.87 | -53.39 | -39.10 | 14.29 | Horizontal | PASS |
| 3 | 9902.47 | 38.42 | -92.05 | -53.63 | -39.10 | 14.53 | Horizontal | PASS |
| 4 | 17345.27 | 32.76 | -83.17 | -50.41 | -39.10 | 11.31 | Horizontal | PASS |

| Project Information | | | |
|---------------------|------------|-----------|-----------|
| Mode: | SA | Band: | n79 |
| Bandwidth: | 40MHz | Channel: | High |
| SN: | HQ654A0034 | Engineer: | Ou Shuyan |
| Remark: | | | |
| Test Standard: | | | |

Test Graph



| Data List | | | | | | | | |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|----------|---------|
| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity | Verdict |
| 1 | 4950.93 | 90.12 | -83.89 | 6.23 | - | - | Vertical | NA |
| 2 | 6482.40 | 27.02 | -79.90 | -52.88 | -39.10 | 13.78 | Vertical | PASS |
| 3 | 13683.67 | 33.41 | -85.96 | -52.55 | -39.10 | 13.45 | Vertical | PASS |
| 4 | 17830.95 | 32.14 | -82.08 | -49.94 | -39.10 | 10.84 | Vertical | PASS |

~The End~