


Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5729.83	38.51	13.29	51.80	68.20	16.40	Vertical	PASS
2	5741.36	38.91	13.10	52.01	68.20	16.19	Vertical	PASS
3	5745.05	38.84	13.04	51.88	68.20	16.32	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5870.61	38.76	13.44	52.20	68.20	16.00	Horizontal	PASS
2	5940.03	38.31	14.02	52.33	68.20	15.87	Horizontal	PASS
3	5951.11	38.22	14.08	52.30	68.20	15.90	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5861.96	39.49	13.36	52.85	68.20	15.35	Vertical	PASS
2	5914.10	38.98	13.83	52.81	68.20	15.39	Vertical	PASS
3	5951.92	38.47	14.07	52.54	68.20	15.66	Vertical	PASS


Project Information

Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Project Information			
Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph

Project Information

Mode:	802.11ac160	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5093.82	28.81	12.12	40.93	54.00	13.07	Horizontal	PASS
2	5127.44	31.33	12.32	43.65	54.00	10.35	Horizontal	PASS
3	5147.45	33.11	12.46	45.57	54.00	8.43	Horizontal	PASS
4	5355.15	31.29	12.71	44.00	54.00	10.00	Horizontal	PASS
5	5386.37	31.08	12.89	43.97	54.00	10.03	Horizontal	PASS
6	5403.98	30.60	12.95	43.55	54.00	10.45	Horizontal	PASS
7	5090.22	38.72	12.12	50.84	74.00	23.16	Horizontal	PASS
8	5132.64	41.09	12.36	53.45	74.00	20.55	Horizontal	PASS
9	5144.05	43.84	12.44	56.28	74.00	17.72	Horizontal	PASS
10	5356.75	41.60	12.72	54.32	74.00	19.68	Horizontal	PASS
11	5389.37	42.83	12.91	55.74	74.00	18.26	Horizontal	PASS
12	5402.18	41.31	12.95	54.26	74.00	19.74	Horizontal	PASS

Project Information

Mode:	802.11ac160	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5110.03	29.19	12.20	41.39	54.00	12.61	Vertical	PASS
2	5136.24	30.89	12.38	43.27	54.00	10.73	Vertical	PASS
3	5143.05	30.71	12.43	43.14	54.00	10.86	Vertical	PASS
4	5386.57	34.30	12.90	47.20	54.00	6.80	Vertical	PASS
5	5393.77	33.74	12.93	46.67	54.00	7.33	Vertical	PASS
6	5407.58	32.96	12.92	45.88	54.00	8.12	Vertical	PASS
7	5106.43	40.01	12.18	52.19	74.00	21.81	Vertical	PASS
8	5133.84	40.57	12.37	52.94	74.00	21.06	Vertical	PASS
9	5145.45	41.62	12.45	54.07	74.00	19.93	Vertical	PASS
10	5386.37	44.85	12.89	57.74	74.00	16.26	Vertical	PASS
11	5394.17	43.90	12.93	56.83	74.00	17.17	Vertical	PASS
12	5402.78	44.98	12.96	57.94	74.00	16.06	Vertical	PASS

Project Information

Mode:	802.11ac160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5432.74	34.37	12.76	47.13	54.00	6.87	Horizontal	PASS
2	5447.45	34.10	12.65	46.75	54.00	7.25	Horizontal	PASS
3	5459.88	34.58	12.80	47.38	54.00	6.62	Horizontal	PASS
4	5429.76	43.48	12.77	56.25	74.00	17.75	Horizontal	PASS
5	5457.95	45.19	12.77	57.96	74.00	16.04	Horizontal	PASS
6	5466.88	45.91	12.91	58.82	68.20	9.38	Horizontal	PASS
7	5726.19	40.37	13.35	53.72	68.20	14.48	Horizontal	PASS
8	5731.97	40.26	13.26	53.52	68.20	14.68	Horizontal	PASS
9	5742.82	39.58	13.08	52.66	68.20	15.54	Horizontal	PASS

Project Information

Mode:	802.11ac160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5428.54	31.87	12.78	44.65	54.00	9.35	Vertical	PASS
2	5437.99	32.67	12.72	45.39	54.00	8.61	Vertical	PASS
3	5457.95	33.62	12.77	46.39	54.00	7.61	Vertical	PASS
4	5424.34	43.20	12.81	56.01	74.00	17.99	Vertical	PASS
5	5438.17	43.14	12.72	55.86	74.00	18.14	Vertical	PASS
6	5457.78	44.86	12.77	57.63	74.00	16.37	Vertical	PASS
7	5729.51	41.50	13.30	54.80	68.20	13.40	Vertical	PASS
8	5738.79	40.15	13.14	53.29	68.20	14.91	Vertical	PASS
9	5747.72	39.70	13.00	52.70	68.20	15.50	Vertical	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5132.71	32.51	12.36	44.87	54.00	9.13	Horizontal	PASS
2	5141.52	32.51	12.42	44.93	54.00	9.07	Horizontal	PASS
3	5149.06	32.52	12.48	45.00	54.00	9.00	Horizontal	PASS
4	5132.74	43.35	12.36	55.71	74.00	18.29	Horizontal	PASS
5	5141.13	43.41	12.41	55.82	74.00	18.18	Horizontal	PASS
6	5149.65	43.05	12.48	55.53	74.00	18.47	Horizontal	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5132.35	32.42	12.36	44.78	54.00	9.22	Vertical	PASS
2	5141.03	32.55	12.41	44.96	54.00	9.04	Vertical	PASS
3	5149.42	32.55	12.48	45.03	54.00	8.97	Vertical	PASS
4	5131.99	43.12	12.36	55.48	74.00	18.52	Vertical	PASS
5	5140.41	43.36	12.41	55.77	74.00	18.23	Vertical	PASS
6	5149.84	43.06	12.48	55.54	74.00	18.46	Vertical	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.07	29.27	12.69	41.96	54.00	12.04	Horizontal	PASS
2	5358.87	29.02	12.73	41.75	54.00	12.25	Horizontal	PASS
3	5365.02	29.18	12.77	41.95	54.00	12.05	Horizontal	PASS
4	5350.48	40.30	12.68	52.98	74.00	21.02	Horizontal	PASS
5	5360.04	40.03	12.74	52.77	74.00	21.23	Horizontal	PASS
6	5365.64	40.45	12.77	53.22	74.00	20.78	Horizontal	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.13	29.26	12.69	41.95	54.00	12.05	Vertical	PASS
2	5354.71	29.14	12.71	41.85	54.00	12.15	Vertical	PASS
3	5367.33	29.10	12.79	41.89	54.00	12.11	Vertical	PASS
4	5351.95	40.03	12.70	52.73	74.00	21.27	Vertical	PASS
5	5355.33	40.20	12.71	52.91	74.00	21.09	Vertical	PASS
6	5367.00	40.95	12.78	53.73	74.00	20.27	Vertical	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.34	28.82	12.67	41.49	54.00	12.51	Horizontal	PASS
2	5454.32	28.70	12.71	41.41	54.00	12.59	Horizontal	PASS
3	5457.95	28.68	12.77	41.45	54.00	12.55	Horizontal	PASS
4	5456.81	39.80	12.75	52.55	74.00	21.45	Horizontal	PASS
5	5461.56	39.56	12.83	52.39	68.20	15.81	Horizontal	PASS
6	5469.21	39.51	12.96	52.47	68.20	15.73	Horizontal	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.54	28.65	12.70	41.35	54.00	12.65	Vertical	PASS
2	5454.56	28.65	12.72	41.37	54.00	12.63	Vertical	PASS
3	5459.09	28.72	12.78	41.50	54.00	12.50	Vertical	PASS
4	5451.62	39.13	12.67	51.80	74.00	22.20	Vertical	PASS
5	5456.57	40.20	12.75	52.95	74.00	21.05	Vertical	PASS
6	5469.63	39.35	12.96	52.31	68.20	15.89	Vertical	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.17	40.19	13.35	53.54	68.20	14.66	Horizontal	PASS
2	5732.20	39.68	13.25	52.93	68.20	15.27	Horizontal	PASS
3	5741.06	39.25	13.11	52.36	68.20	15.84	Horizontal	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.14	39.62	13.35	52.97	68.20	15.23	Vertical	PASS
2	5733.40	39.56	13.23	52.79	68.20	15.41	Vertical	PASS
3	5742.44	39.83	13.08	52.91	68.20	15.29	Vertical	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5854.13	39.72	13.28	53.00	68.20	15.20	Horizontal	PASS
2	5904.37	39.43	13.76	53.19	68.20	15.01	Horizontal	PASS
3	5946.24	39.12	14.06	53.18	68.20	15.02	Horizontal	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5859.80	39.70	13.34	53.04	68.20	15.16	Vertical	PASS
2	5925.71	40.07	13.91	53.98	68.20	14.22	Vertical	PASS
3	5954.35	39.50	14.04	53.54	68.20	14.66	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph


Project Information			
Mode:	802.11ax20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph


Project Information

Mode:	802.11ax20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Project Information			
Mode:	802.11ax20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph

Project Information

Mode:	802.11ax40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5135.38	27.68	12.38	40.06	54.00	13.94	Horizontal	PASS
2	5138.52	27.96	12.40	40.36	54.00	13.64	Horizontal	PASS
3	5147.83	28.31	12.46	40.77	54.00	13.23	Horizontal	PASS
4	5133.63	38.50	12.36	50.86	74.00	23.14	Horizontal	PASS
5	5138.86	38.65	12.41	51.06	74.00	22.94	Horizontal	PASS
6	5146.47	38.55	12.46	51.01	74.00	22.99	Horizontal	PASS

Project Information

Mode:	802.11ax40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5134.57	27.64	12.37	40.01	54.00	13.99	Vertical	PASS
2	5141.54	27.77	12.42	40.19	54.00	13.81	Vertical	PASS
3	5148.73	27.95	12.47	40.42	54.00	13.58	Vertical	PASS
4	5134.01	38.97	12.37	51.34	74.00	22.66	Vertical	PASS
5	5140.01	39.35	12.41	51.76	74.00	22.24	Vertical	PASS
6	5149.45	38.31	12.48	50.79	74.00	23.21	Vertical	PASS

Project Information

Mode:	802.11ax40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.64	30.41	12.68	43.09	54.00	10.91	Horizontal	PASS
2	5354.84	29.46	12.71	42.17	54.00	11.83	Horizontal	PASS
3	5368.75	28.68	12.79	41.47	54.00	12.53	Horizontal	PASS
4	5350.64	39.98	12.68	52.66	74.00	21.34	Horizontal	PASS
5	5355.61	39.81	12.71	52.52	74.00	21.48	Horizontal	PASS
6	5368.75	40.04	12.79	52.83	74.00	21.17	Horizontal	PASS

Project Information

Mode:	802.11ax40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.17	29.61	12.68	42.29	54.00	11.71	Vertical	PASS
2	5357.91	28.73	12.72	41.45	54.00	12.55	Vertical	PASS
3	5370.41	28.45	12.80	41.25	54.00	12.75	Vertical	PASS
4	5350.98	40.50	12.69	53.19	74.00	20.81	Vertical	PASS
5	5359.73	39.28	12.74	52.02	74.00	21.98	Vertical	PASS
6	5371.47	39.95	12.81	52.76	74.00	21.24	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.32	28.00	12.67	40.67	54.00	13.33	Horizontal	PASS
2	5455.92	28.07	12.74	40.81	54.00	13.19	Horizontal	PASS
3	5458.88	28.18	12.78	40.96	54.00	13.04	Horizontal	PASS
4	5452.68	38.96	12.69	51.65	74.00	22.35	Horizontal	PASS
5	5461.93	38.81	12.83	51.64	68.20	16.56	Horizontal	PASS
6	5468.37	39.38	12.94	52.32	68.20	15.88	Horizontal	PASS

Project Information

Mode:	802.11ax40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.32	28.22	12.67	40.89	54.00	13.11	Vertical	PASS
2	5454.16	28.03	12.70	40.73	54.00	13.27	Vertical	PASS
3	5459.56	28.13	12.80	40.93	54.00	13.07	Vertical	PASS
4	5453.84	39.02	12.70	51.72	74.00	22.28	Vertical	PASS
5	5457.72	39.37	12.77	52.14	74.00	21.86	Vertical	PASS
6	5468.65	39.99	12.94	52.93	68.20	15.27	Vertical	PASS

Project Information

Mode:	802.11ax40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.49	38.83	13.31	52.14	68.20	16.06	Horizontal	PASS
2	5737.49	39.06	13.17	52.23	68.20	15.97	Horizontal	PASS
3	5745.45	39.02	13.03	52.05	68.20	16.15	Horizontal	PASS

Project Information

Mode:	802.11ax40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.64	39.69	13.36	53.05	68.20	15.15	Vertical	PASS
2	5736.74	38.72	13.18	51.90	68.20	16.30	Vertical	PASS
3	5743.25	39.69	13.07	52.76	68.20	15.44	Vertical	PASS

Project Information

Mode:	802.11ax40	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5861.96	39.89	13.36	53.25	68.20	14.95	Horizontal	PASS
2	5935.98	38.36	13.99	52.35	68.20	15.85	Horizontal	PASS
3	5983.52	38.58	13.74	52.32	68.20	15.88	Horizontal	PASS

Project Information

Mode:	802.11ax40	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5864.66	39.46	13.38	52.84	68.20	15.36	Vertical	PASS
2	5909.23	38.95	13.80	52.75	68.20	15.45	Vertical	PASS
3	5939.22	38.24	14.01	52.25	68.20	15.95	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph

Project Information			
Mode:	802.11ax40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph



Project Information			
Mode:	802.11ax40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph


Project Information			
Mode:	802.11ax40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph

Project Information

Mode:	802.11ax80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5129.38	27.76	12.34	40.10	54.00	13.90	Horizontal	PASS
2	5139.26	28.42	12.41	40.83	54.00	13.17	Horizontal	PASS
3	5146.57	28.59	12.46	41.05	54.00	12.95	Horizontal	PASS
4	5126.69	39.40	12.32	51.72	74.00	22.28	Horizontal	PASS
5	5139.44	38.69	12.41	51.10	74.00	22.90	Horizontal	PASS
6	5145.76	38.60	12.45	51.05	74.00	22.95	Horizontal	PASS

Project Information

Mode:	802.11ax80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5130.69	27.62	12.34	39.96	54.00	14.04	Vertical	PASS
2	5140.32	28.28	12.41	40.69	54.00	13.31	Vertical	PASS
3	5148.70	28.47	12.47	40.94	54.00	13.06	Vertical	PASS
4	5129.06	38.46	12.34	50.80	74.00	23.20	Vertical	PASS
5	5142.51	39.04	12.43	51.47	74.00	22.53	Vertical	PASS
6	5147.89	38.72	12.46	51.18	74.00	22.82	Vertical	PASS

Project Information

Mode:	802.11ax80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.55	32.02	12.68	44.70	54.00	9.30	Horizontal	PASS
2	5361.31	30.75	12.75	43.50	54.00	10.50	Horizontal	PASS
3	5367.93	30.83	12.78	43.61	54.00	10.39	Horizontal	PASS
4	5351.99	42.14	12.70	54.84	74.00	19.16	Horizontal	PASS
5	5359.74	40.92	12.74	53.66	74.00	20.34	Horizontal	PASS
6	5367.62	41.73	12.78	54.51	74.00	19.49	Horizontal	PASS

Project Information

Mode:	802.11ax80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.05	31.02	12.69	43.71	54.00	10.29	Vertical	PASS
2	5363.93	30.25	12.76	43.01	54.00	10.99	Vertical	PASS
3	5367.12	29.66	12.78	42.44	54.00	11.56	Vertical	PASS
4	5352.24	42.21	12.70	54.91	74.00	19.09	Vertical	PASS
5	5362.12	40.46	12.75	53.21	74.00	20.79	Vertical	PASS
6	5367.31	39.93	12.79	52.72	74.00	21.28	Vertical	PASS

Project Information

Mode:	802.11ax80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.06	32.49	12.69	45.18	54.00	8.82	Horizontal	PASS
2	5454.80	32.88	12.72	45.60	54.00	8.40	Horizontal	PASS
3	5459.90	34.45	12.80	47.25	54.00	6.75	Horizontal	PASS
4	5452.94	43.93	12.69	56.62	74.00	17.38	Horizontal	PASS
5	5458.28	44.62	12.77	57.39	74.00	16.61	Horizontal	PASS
6	5468.79	45.73	12.94	58.67	68.20	9.53	Horizontal	PASS

Project Information

Mode:	802.11ax80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5454.38	31.11	12.71	43.82	54.00	10.18	Vertical	PASS
2	5456.30	31.64	12.74	44.38	54.00	9.62	Vertical	PASS
3	5459.78	31.93	12.80	44.73	54.00	9.27	Vertical	PASS
4	5456.12	42.42	12.74	55.16	74.00	18.84	Vertical	PASS
5	5462.13	44.54	12.83	57.37	68.20	10.83	Vertical	PASS
6	5469.75	43.93	12.96	56.89	68.20	11.31	Vertical	PASS

Project Information

Mode:	802.11ax80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.59	38.33	13.34	51.67	68.20	16.53	Horizontal	PASS
2	5737.39	38.97	13.17	52.14	68.20	16.06	Horizontal	PASS
3	5743.43	38.28	13.07	51.35	68.20	16.85	Horizontal	PASS

Project Information

Mode:	802.11ax80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.14	38.97	13.35	52.32	68.20	15.88	Vertical	PASS
2	5729.47	38.11	13.30	51.41	68.20	16.79	Vertical	PASS
3	5744.78	39.13	13.05	52.18	68.20	16.02	Vertical	PASS

Project Information

Mode:	802.11ax80	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5881.68	39.64	13.55	53.19	68.20	15.01	Horizontal	PASS
2	5917.88	39.13	13.86	52.99	68.20	15.21	Horizontal	PASS
3	5968.66	38.71	13.90	52.61	68.20	15.59	Horizontal	PASS

Project Information

Mode:	802.11ax80	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5860.07	38.75	13.34	52.09	68.20	16.11	Vertical	PASS
2	5893.57	38.97	13.67	52.64	68.20	15.56	Vertical	PASS
3	5923.28	39.08	13.90	52.98	68.20	15.22	Vertical	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Project Information			
Mode:	802.11ax80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph

Project Information

Mode:	802.11ax160	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7;P9/9		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5094.42	28.65	12.12	40.77	54.00	13.23	Horizontal	PASS
2	5109.63	28.79	12.20	40.99	54.00	13.01	Horizontal	PASS
3	5146.65	28.74	12.46	41.20	54.00	12.80	Horizontal	PASS
4	5376.36	32.22	12.84	45.06	54.00	8.94	Horizontal	PASS
5	5386.37	32.44	12.89	45.33	54.00	8.67	Horizontal	PASS
6	5406.58	31.56	12.92	44.48	54.00	9.52	Horizontal	PASS
7	5101.03	39.32	12.13	51.45	74.00	22.55	Horizontal	PASS
8	5109.83	39.76	12.20	51.96	74.00	22.04	Horizontal	PASS
9	5143.25	39.46	12.43	51.89	74.00	22.11	Horizontal	PASS
10	5373.76	43.30	12.82	56.12	74.00	17.88	Horizontal	PASS
11	5384.77	42.62	12.88	55.50	74.00	18.50	Horizontal	PASS
12	5400.78	41.79	12.96	54.75	74.00	19.25	Horizontal	PASS

Project Information

Mode:	802.11ax160	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5098.42	28.90	12.13	41.03	54.00	12.97	Vertical	PASS
2	5128.84	28.62	12.34	40.96	54.00	13.04	Vertical	PASS
3	5146.25	29.16	12.45	41.61	54.00	12.39	Vertical	PASS
4	5372.36	33.75	12.81	46.56	54.00	7.44	Vertical	PASS
5	5387.37	33.82	12.90	46.72	54.00	7.28	Vertical	PASS
6	5407.58	33.97	12.92	46.89	54.00	7.11	Vertical	PASS
7	5101.43	39.34	12.14	51.48	74.00	22.52	Vertical	PASS
8	5122.64	39.67	12.29	51.96	74.00	22.04	Vertical	PASS
9	5140.25	39.50	12.41	51.91	74.00	22.09	Vertical	PASS
10	5373.56	44.55	12.81	57.36	74.00	16.64	Vertical	PASS
11	5387.37	44.26	12.90	57.16	74.00	16.84	Vertical	PASS
12	5402.18	45.59	12.95	58.54	74.00	15.46	Vertical	PASS

Project Information

Mode:	802.11ax160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5420.14	31.55	12.84	44.39	54.00	9.61	Horizontal	PASS
2	5434.84	32.67	12.74	45.41	54.00	8.59	Horizontal	PASS
3	5458.48	32.94	12.78	45.72	54.00	8.28	Horizontal	PASS
4	5413.31	42.15	12.89	55.04	74.00	18.96	Horizontal	PASS
5	5437.82	42.66	12.72	55.38	74.00	18.62	Horizontal	PASS
6	5458.30	43.08	12.77	55.85	74.00	18.15	Horizontal	PASS
7	5726.54	40.41	13.34	53.75	68.20	14.45	Horizontal	PASS
8	5739.49	39.88	13.13	53.01	68.20	15.19	Horizontal	PASS
9	5743.87	39.60	13.06	52.66	68.20	15.54	Horizontal	PASS

Project Information

Mode:	802.11ax160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5419.96	30.86	12.84	43.70	54.00	10.30	Vertical	PASS
2	5432.74	31.62	12.76	44.38	54.00	9.62	Vertical	PASS
3	5459.00	31.93	12.78	44.71	54.00	9.29	Vertical	PASS
4	5416.81	40.69	12.86	53.55	74.00	20.45	Vertical	PASS
5	5433.09	41.94	12.76	54.70	74.00	19.30	Vertical	PASS
6	5455.50	42.44	12.73	55.17	74.00	18.83	Vertical	PASS
7	5727.76	40.64	13.32	53.96	68.20	14.24	Vertical	PASS
8	5737.74	40.63	13.16	53.79	68.20	14.41	Vertical	PASS
9	5745.10	39.46	13.04	52.50	68.20	15.70	Vertical	PASS

Project Information

Mode:	802.11ax20 26t-0	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5135.93	32.03	12.38	44.41	54.00	9.59	Horizontal	PASS
2	5144.41	32.15	12.44	44.59	54.00	9.41	Horizontal	PASS
3	5149.19	31.94	12.48	44.42	54.00	9.58	Horizontal	PASS
4	5135.93	43.05	12.38	55.43	74.00	18.57	Horizontal	PASS
5	5142.98	43.62	12.43	56.05	74.00	17.95	Horizontal	PASS
6	5146.79	43.02	12.46	55.48	74.00	18.52	Horizontal	PASS

Project Information

Mode:	802.11ax20 26t-0	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5134.49	32.08	12.37	44.45	54.00	9.55	Vertical	PASS
2	5141.39	32.11	12.42	44.53	54.00	9.47	Vertical	PASS
3	5149.29	32.11	12.48	44.59	54.00	9.41	Vertical	PASS
4	5134.92	42.53	12.37	54.90	74.00	19.10	Vertical	PASS
5	5140.74	42.12	12.41	54.53	74.00	19.47	Vertical	PASS
6	5148.57	43.46	12.47	55.93	74.00	18.07	Vertical	PASS

Project Information

Mode:	802.11ax20 52t-37	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5135.31	31.91	12.38	44.29	54.00	9.71	Horizontal	PASS
2	5142.40	31.99	12.43	44.42	54.00	9.58	Horizontal	PASS
3	5149.22	31.96	12.48	44.44	54.00	9.56	Horizontal	PASS
4	5134.56	42.98	12.37	55.35	74.00	18.65	Horizontal	PASS
5	5140.35	43.05	12.41	55.46	74.00	18.54	Horizontal	PASS
6	5148.96	42.50	12.48	54.98	74.00	19.02	Horizontal	PASS

Project Information

Mode:	802.11ax20 52t-37	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5136.71	32.24	12.39	44.63	54.00	9.37	Vertical	PASS
2	5142.07	31.90	12.43	44.33	54.00	9.67	Vertical	PASS
3	5145.75	31.97	12.45	44.42	54.00	9.58	Vertical	PASS
4	5136.48	43.22	12.39	55.61	74.00	18.39	Vertical	PASS
5	5139.79	43.00	12.41	55.41	74.00	18.59	Vertical	PASS
6	5147.47	43.13	12.46	55.59	74.00	18.41	Vertical	PASS

Project Information

Mode:	802.11ax20 106+t-53	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5138.23	32.08	12.39	44.47	54.00	9.53	Horizontal	PASS
2	5144.87	33.46	12.44	45.90	54.00	8.10	Horizontal	PASS
3	5149.58	34.76	12.48	47.24	54.00	6.76	Horizontal	PASS
4	5138.46	47.67	12.40	60.07	74.00	13.93	Horizontal	PASS
5	5144.61	50.23	12.44	62.67	74.00	11.33	Horizontal	PASS
6	5149.55	53.10	12.48	65.58	74.00	8.42	Horizontal	PASS

Project Information

Mode:	802.11ax20 106+t-53	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5141.91	32.05	12.43	44.48	54.00	9.52	Vertical	PASS
2	5145.94	32.26	12.45	44.71	54.00	9.29	Vertical	PASS
3	5149.78	32.82	12.48	45.30	54.00	8.70	Vertical	PASS
4	5142.10	47.88	12.43	60.31	74.00	13.69	Vertical	PASS
5	5145.55	47.37	12.45	59.82	74.00	14.18	Vertical	PASS
6	5149.65	49.20	12.48	61.68	74.00	12.32	Vertical	PASS

Project Information

Mode:	802.11ax20 26t-8	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.13	28.85	12.69	41.54	54.00	12.46	Horizontal	PASS
2	5363.36	28.62	12.75	41.37	54.00	12.63	Horizontal	PASS
3	5370.38	28.42	12.80	41.22	54.00	12.78	Horizontal	PASS
4	5350.42	39.72	12.68	52.40	74.00	21.60	Horizontal	PASS
5	5362.77	40.15	12.75	52.90	74.00	21.10	Horizontal	PASS
6	5370.38	38.88	12.80	51.68	74.00	22.32	Horizontal	PASS

Project Information

Mode:	802.11ax20 26t-8	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.39	28.67	12.68	41.35	54.00	12.65	Vertical	PASS
2	5361.57	28.65	12.75	41.40	54.00	12.60	Vertical	PASS
3	5372.98	28.67	12.81	41.48	54.00	12.52	Vertical	PASS
4	5350.39	39.83	12.68	52.51	74.00	21.49	Vertical	PASS
5	5364.01	39.86	12.76	52.62	74.00	21.38	Vertical	PASS
6	5374.09	39.89	12.82	52.71	74.00	21.29	Vertical	PASS