



FCC CERTIFICATION REPORT

Test Report No. : E1/2016/C0049
Applicant : Sony Mobile Communications Inc.
Address : 4-12-3, Higashi-Shinagawa, Shinagawa-ku, Tokyo, 140-0002
 Japan
Manufacturer : Sony Mobile Communications Inc.
Address : 4-12-3, Higashi-Shinagawa, Shinagawa-ku, Tokyo, 140-0002
 Japan

Equipment Under Test (EUT) :

Brand Name : Sony
FCC ID : PY7-47130J

Standards : FCC Part 15:2017 Subpart B, Class B
FCC Registration Numbers : 916890

Date of Receipt : Dec. 09, 2016
Date of Test : Dec. 09, 2016 ~ Jan. 06, 2017
Date of Issue : Mar. 27, 2017

Test Result :	PASS
----------------------	-------------

In the configuration tested, the EUT complied with the standards specified above.

Remarks :

This report details the results of the testing carried out on one sample, the results contained in this test report do not relate to other samples of the same product. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report shall not be reproduced except in full, without the written approval of the laboratory. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards.

Tested By:

Eddy Cheng

Date

Mar. 27, 2017

Eddy Cheng (Engineer)

Approved By

Wisely Huang

Date

Mar. 27, 2017

**Wisely Huang
(Assistant Supervisor)**



Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Revision History

Report Number	Revision	Description	Issue Date
E1/2016/C0049	Rev.00	Initial creation of document	Mar. 27, 2017

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Contents

1. GENERAL INFORMATION.....	4
1.1 APPLICANT & MANUFACTURER INFORMATION	4
1.2 GENERAL DESCRIPTION OF EUT	4
1.3 DETAILS OF EUT	4
1.4 OPERATION PROCEDURE	6
1.5 DESCRIPTION OF SUPPORT UNITS	7
1.6 MODIFICATION LIST	7
1.7 ACCESSORIES CABLE LIST	7
1.8 TEST SET-UP CONFIGURATION.....	7
1.9 MEASUREMENT PROCEDURE	8
1.10 STANDARDS APPLICABLE FOR TESTING.....	8
1.11 SUMMARY OF RESULTS	8
2. EMISSION	9
2.1 TEST RESULTS	9
2.2 FREQUENCY RANGE.....	9
2.3 LIMITS OF CONDUCTED AND RADIATED EMISSION	10
2.3.1 LIMITS OF CONDUCTED EMISSION	10
2.3.2 LIMITS OF RADIATED EMISSIONS	10
2.4. TEST OF CONDUCTED EMISSION.....	12
2.4.1 TEST EQUIPMENTS	12
2.4.2 OPERATING ENVIRONMENT	12
2.4.3 MEASUREMENT LEVEL CALCULATION	12
2.4.4 MEASUREMENT DATA:.....	13
2.5 TEST OF RADIATED EMISSION.....	20
2.5.1 TEST EQUIPMENTS	20
2.5.2 OPERATING ENVIRONMENT	22
2.5.3 MEASUREMENT LEVEL CALCULATION	22
2.5.4 MEASUREMENT DATA.....	23

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



1. General Information

1.1 Applicant & Manufacturer Information

Applicant : Sony Mobile Communications Inc.
 Address of Applicant : 4-12-3, Higashi-Shinagawa, Shinagawa-ku, Tokyo,
 140-0002 Japan
 Manufacturer : Sony Mobile Communications Inc.
 Address of Manufacturer : 4-12-3, Higashi-Shinagawa, Shinagawa-ku, Tokyo,
 140-0002 Japan

1.2 General Description of EUT

Brand Name : Sony
 FCC ID : PY7-47130J

1.3 Details of EUT

Power Supply : 11.1Vdc
 Worst case : CE _Worst_ case : Config 3 (MP3 Play)
 RE_Worst _case : Config 3 (MP3 Play)
 Highest operate description : 1.782 GHz
 Adapter : Model No.: UCH30C
 Supplier:PHIHONG
 I/P:100-240V, 50/60Hz, 1A
 O/P:5V, 3A
 9V, 3A
 15V,3A
 Ferrite core : Type number: ZCAT-2035-0930A-BK
 Supplier: TDK

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FCC 15B	Config 1	Config 2	Config 3
Applicable standard (FCC 15B)			
Accessories	EUT +AC charger +HDMI Cable	EUT +HDMI Cable +USB Cable	EUT +AC charger +HDMI Cable
	HDMI Data Transfer	USB Data Transfer	AC charger
	DATA Link(USB) + Idle(WWAN.WIFI.BT.GPS & NFC ON)	DATA Link(HDMI) + Idle(WWAN.WIFI.BT.GP S & NFC ON)	Recording + Play recording + MP3 Play Idle(WWAN.WIFI.BT.GPS & NFC ON)
Standard § 15.107 & 15.109			
Rdiated emission	HDMI Data Transfer	USB Data Transfer	Recording + Play recording + MP3 Play
Cnducted emission (DC Power)	NA	N/A	N/A
Cnducted emission (AC Power)	HDMI Data Transfer	USB Data Transfer	Recording + Play recording + MP3 Play

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.4 Operation Procedure

Config 1:

1. Connect the EUT to the SIM Card & Adapter & HDMI Cable and place it in the center of the desk edge.
2. After the EUT is turned on, the WIFI.BT.GPS.NFC function (Idle) and the WWAN is not connected to the analog base station.
3. EUT through the HDMI Cable computer image screen projection.
4. Start the test.

Config 2:

1. Connect the EUT to the SIM Card & USB Cable & HDMI Cable.
2. After the EUT is turned on, the WIFI.BT.GPS.NFC function (Idle) and the WWAN is not connected to the analog base station.
3. The EUT transmits data via a USB cable to a computer.
4. Start the test.

Config 3: MP3 Play

1. Connect the EUT to the SIM Card & USB Cable & HDMI Cable.
2. After the EUT is turned on, the WIFI.BT.GPS.NFC function (Idle) and the WWAN is not connected to the analog base station.
3. After the EUT plays the music, start the test.

Config 3: Recording

1. Connect the EUT to the SIM Card & USB Cable & HDMI Cable.
2. After the EUT is turned on, the WIFI.BT.GPS.NFC function (Idle) and the WWAN is not connected to the analog base station.
3. After the EUT performs the recording function, start the test.

Config 3: Play recording

1. Connect the EUT to the SIM Card & USB Cable & HDMI Cable.
2. After the EUT is turned on, the WIFI.BT.GPS.NFC function (Idle) and the WWAN is not connected to the analog base station.
3. After the EUT executes the playback function, start the test.

1.5 Description of Support Units

PRODUCT	MANUFACTURER	MODEL NO.	SERIAL NO.
Notebook	DELL	Latitude E6440	3VGS162
Mouse	DELL	MS111-T	CN-OKW2YH-71616-345-OL7T
Printer	HP	VCVRA-1004	CN33K19J3F
SIM Card	R&S	CMW-Z05	8952530076180138474
GPS Signal Generator	Spectracom	GSG53 GNSS4	200218

Support Equipment Used in Tested Cable

Cable Type	Core	Length	Shielding/Non-shielding
Mouse Cable	N/A	1.6m	Non-Shielding
Printer USB Cable	N/A	2.0m	Shielding

1.6 Modification List


No modification was made by SGS Taiwan Electronics & Communication Laboratory.

1.7 Accessories Cable List

Cable Type	Core	Length	Shielding/Non-shielding
Power Cable	N/A	1m	N/A
HDMI Cable	N/A	1m	Shielding
USB - Type C Cable	N/A	1m	Shielding

1.8 Test Set-Up Configuration

Config 1 & 2 & 3



1.9 Measurement Procedure

Conducted Emission Testing was performed according to ANSI C63.4:2014 in a shielded room with peripherals placed on a table, 0.8m high over a metal floor. It was located more than required distance away from the shielded room wall.

Radiated Emission Testing was performed according to ANSI C63.4:2014 at the 3/10m semi-anechoic chamber. The EUT was placed on a 0.8m high table along with the peripherals. The turn table was placed 10m distance from the antenna. Cables were placed in a position to produce maximum emissions as determined by experimentation, and operation mode was selected for production of maximum emission.

The frequencies and amplitudes of maximum emission were measured at varying azimuths, antenna heights and antenna polarities. Maximum emission levels are then reported.

1.10 Standards Applicable for Testing

Tests to be carried out under FCC Part 15, Subpart B/CISPR 22

Test Standards	Status
FCC Part 15, Subpart B/ CISPR 22	Applicable
Deviation from Standard	No deviation

1.11 Summary of Results

Standard	Test Type	Highest Emission			
		Result	Phase/Pol.	Frequency(MHz)	Margin(dB)
FCC Part 15 Subpart B Class B	Conducted Emission	PASS	Line	0.5900	-10.35 (AVG)
			Neutral	0.5900	-10.60 (AVG)
	Radiated Emission	PASS	Ver.	35.8200	-2.70 (QP)



2. EMISSION

2.1 Test Results

	Results
Conducted Emission	Pass
Radiated Emission	Pass

2.2 Frequency Range

FCC Part 15, Subpart B:

Conducted Emission : 150 kHz - 30 MHz

Radiated Emission : See below table

Highest frequency generated or used in the device or on which the device operates or tunes (MHz) Upper frequency of measurement range (MHz)

Below 1.705	30
1.705 - 108	1000
108 - 500	2000
500 - 1000	5000
Above 1000	5th harmonic of the highest frequency or 40 GHz, whichever is lower

2.3 Limits of Conducted and Radiated Emission

2.3.1 Limits of Conducted Emission

FCC Part 15, Subpart B/CISPR 22:

FREQUENCY (MHz)	Class A (dBuV)		Class B (dBuV)	
	Quasi - peak	Average	Quasi - peak	Average
0.15 - 0.5	79	66	66 - 56	56 - 46
0.50 - 5.0	73	60	56	46
5.0 - 30.0	73	60	60	50

Note : (1) The lower limit shall apply at the transition frequencies.

(2) The limit decreases linearly with the logarithm of the frequency in the range 0.15 to 0.50 MHz.

(3) All emanation from a class A/B digital device or system, including any network of conductors and apparatus connected there to, shall not exceed the level of field strengths specified above.

2.3.2 Limits of Radiated Emissions

FCC Part 15, Subpart B Limit:

- Detector Function : Quasi – Peak

FREQUENCY (MHz)	Class A (at 10m)	Class B (at 3m)
	dBuV/m	dBuV/m
30~88	39	40
88~216	43.5	43.5
216~960	46.44	46
Above 960	49.54	54

- Detector Function : Peak , Average

FREQUENCY (MHz)	Class A (dBuV/m) (at 3m)		Class B (dBuV/m) (at 3m)	
	Peak	Average	Peak	Average
Above 1000-40000	79.3	59.3	73.9	53.9

CISPR 22 Limit:

- Detector Function : Quasi – Peak

FREQUENCY (MHz)	Class A (at 10m)		Class B (at 10m)	
	dBuV/m		dBuV/m	
30-230	40		30	
230-1000	47		37	

NOTE 1 The lower limit shall apply at the transition frequency.

NOTE 2 Additional provisions may be required for cases where interference occurs.

FREQUENCY (GHz)	Class A (dBuV/m) (at 3m)		Class B (dBuV/m) (at 3m)	
	Average	Peak	Average	Peak
1~3	56	76	50	70
3~6	60	80	54	74

NOTE The lower limit applies at the transition frequency.

2.4. Test of Conducted Emission

2.4.1 Test Equipments

SGS Conducted_Emission HWAYA Conducted Room No.A EMC					
EQUIPMENT TYPE	Manufacturer	Model Number	Serial Number	Calibration Date	Calibration Due
EMI Test Receiver	R&S	ESCI 3	101311	2016/6/23	2017/6/22
Coaxial Cables	EMC Instruments Corp	EMCRG58-BM-BM-3000	160812	2016/8/30	2017/8/29
LISN	SCHWARZBECK	NSLK 8127	8127-648	2016/6/13	2017/6/12
Pulse Limiter	Narda S.T.S.	PMM PL01	1110X30602	2016/8/12	2017/8/11
LISN	Schwarzbeck	NSLK 8128	NSLK8127-300	2016/6/22	2017/6/21
Universal Digital Radio Communication Tester	R&S	CMU 200	122498	2016/11/9	2017/11/8
Wideband Radio Communication Tester	R&S	CMW 500	152303	2016/2/18	2017/2/17
Test S/W	Farad	EZ-EMC	Ver. SGS-03A2	N.C.R.	N.C.R.
SGS Taiwan LTD. Electronics & Communication Laboratory No.2, Keji 1st Rd., Guishan Dist., Taoyuan City 333, Taiwan (R.O.C.) Measurement Uncertainty of Conducted Emission Expanded uncertainty (K=2) of conducted emission is 2.20 dB					

2.4.2 Operating Environment

Temperature : 22 degree C Humidity : 63 %RH
 Atmospheric Pressure : 992 mBar

2.4.3 Measurement Level Calculation

Factor = LISN insertion loss + Cable loss+ Pulse Limiter Insertion Loss
 Measurement Level = Reading Level + Factor
 Over (Margin) = Measurement Level – Limit

2.4.4 Measurement Data:

Config_1_L



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		0.1641	43.38	0.38	43.76	65.25	-21.49	QP	
2		0.1641	30.45	0.38	30.83	55.25	-24.42	AVG	
3		0.1780	41.51	0.39	41.90	64.58	-22.68	QP	
4		0.1780	24.19	0.39	24.58	54.58	-30.00	AVG	
5		0.4340	35.10	0.39	35.49	57.18	-21.69	QP	
6		0.4340	31.51	0.39	31.90	47.18	-15.28	AVG	
7		0.5980	24.20	0.40	24.60	56.00	-31.40	QP	
8		0.5980	19.05	0.40	19.45	46.00	-26.55	AVG	
9		2.3300	39.55	0.42	39.97	56.00	-16.03	QP	
10		2.3300	34.04	0.42	34.46	46.00	-11.54	AVG	
11		2.6900	39.18	0.43	39.61	56.00	-16.39	QP	
12		2.6900	33.72	0.43	34.15	46.00	-11.85	AVG	
13		4.8820	41.68	0.45	42.13	56.00	-13.87	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
14	*	4.8820	34.76	0.45	35.21	46.00	-10.79	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config_1_N




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		0.1540	43.60	0.38	43.98	65.78	-21.80	QP	
2		0.1540	26.42	0.38	26.80	55.78	-28.98	AVG	
3		0.1900	43.90	0.39	44.29	64.04	-19.75	QP	
4		0.1900	33.40	0.39	33.79	54.04	-20.25	AVG	
5		0.5820	28.05	0.40	28.45	56.00	-27.55	QP	
6		0.5820	21.02	0.40	21.42	46.00	-24.58	AVG	
7		2.3180	39.75	0.42	40.17	56.00	-15.83	QP	
8	*	2.3180	34.20	0.42	34.62	46.00	-11.38	AVG	
9		2.6940	38.94	0.43	39.37	56.00	-16.63	QP	
10		2.6940	33.50	0.43	33.93	46.00	-12.07	AVG	
11		4.9180	41.01	0.46	41.47	56.00	-14.53	QP	
12		4.9180	32.94	0.46	33.40	46.00	-12.60	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config_2_Internal Storage Write_L




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		0.1580	48.50	0.33	48.83	65.57	-16.74	QP	
2		0.1580	31.10	0.33	31.43	55.57	-24.14	AVG	
3	*	0.2060	46.40	0.36	46.76	63.37	-16.61	QP	
4		0.2060	30.80	0.36	31.16	53.37	-22.21	AVG	
5		0.2780	39.60	0.36	39.96	60.88	-20.92	QP	
6		0.2780	29.60	0.36	29.96	50.88	-20.92	AVG	
7		0.4460	35.20	0.37	35.57	56.95	-21.38	QP	
8		0.4460	23.40	0.37	23.77	46.95	-23.18	AVG	
9		1.5940	32.80	0.37	33.17	56.00	-22.83	QP	
10		1.5940	22.70	0.37	23.07	46.00	-22.93	AVG	
11		3.9380	26.00	0.40	26.40	56.00	-29.60	QP	
12		3.9380	19.30	0.40	19.70	46.00	-26.30	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config_2 Internal Storage Write_N



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		0.1660	45.90	0.38	46.28	65.16	-18.88	QP	
2		0.1660	28.70	0.38	29.08	55.16	-26.08	AVG	
3		0.2140	42.70	0.39	43.09	63.05	-19.96	QP	
4 *		0.2140	34.70	0.39	35.09	53.05	-17.96	AVG	
5		0.2420	39.20	0.39	39.59	62.03	-22.44	QP	
6		0.2420	26.80	0.39	27.19	52.03	-24.84	AVG	
7		0.2900	34.40	0.39	34.79	60.52	-25.73	QP	
8		0.2900	23.50	0.39	23.89	50.52	-26.63	AVG	
9		0.4380	36.50	0.39	36.89	57.10	-20.21	QP	
10		0.4380	23.60	0.39	23.99	47.10	-23.11	AVG	
11		24.5260	26.70	0.97	27.67	60.00	-32.33	QP	
12		24.5260	21.50	0.97	22.47	50.00	-27.53	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config_3_L



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		0.1620	41.00	0.38	41.38	65.36	-23.98	QP	
2		0.1620	26.14	0.38	26.52	55.36	-28.84	AVG	
3		0.2220	33.96	0.39	34.35	62.74	-28.39	QP	
4		0.2220	22.26	0.39	22.65	52.74	-30.09	AVG	
5		0.5980	24.05	0.40	24.45	56.00	-31.55	QP	
6		0.5980	19.09	0.40	19.49	46.00	-26.51	AVG	
7		2.2700	39.79	0.42	40.21	56.00	-15.79	QP	
8		2.2700	33.93	0.42	34.35	46.00	-11.65	AVG	
9		2.6660	41.02	0.43	41.45	56.00	-14.55	QP	
10	*	2.6660	35.11	0.43	35.54	46.00	-10.46	AVG	
11		5.1460	41.40	0.46	41.86	60.00	-18.14	QP	
12		5.1460	33.34	0.46	33.80	50.00	-16.20	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config_3_N



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over		
		MHz	dBuV	Factor	ment	dBuV	dB	Detector	Comment
1		0.1700	46.00	0.38	46.38	64.96	-18.58	QP	
2		0.1700	34.47	0.38	34.85	54.96	-20.11	AVG	
3		0.4340	36.64	0.39	37.03	57.18	-20.15	QP	
4		0.4340	32.30	0.39	32.69	47.18	-14.49	AVG	
5		0.5860	28.05	0.40	28.45	56.00	-27.55	QP	
6		0.5860	17.63	0.40	18.03	46.00	-27.97	AVG	
7		2.2980	40.22	0.42	40.64	56.00	-15.36	QP	
8	*	2.2980	33.95	0.42	34.37	46.00	-11.63	AVG	
9		2.6980	38.72	0.43	39.15	56.00	-16.85	QP	
10		2.6980	33.23	0.43	33.66	46.00	-12.34	AVG	
11		4.8820	39.44	0.45	39.89	56.00	-16.11	QP	
12		4.8820	32.02	0.45	32.47	46.00	-13.53	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2.5 Test of Radiated Emission

2.5.1 Test Equipments

Below 1GHz

SGS Radiated_Below_1GHz HWAYA 966A EMC					
EQUIPMENT TYPE	Manufacturer	Model Number	Serial Number	Calibration Date	Calibration Due
EMI Test Receiver	R&S	ESR 7	101459	2016/2/22	2017/2/21
Biconical Antenna	SCHWARZBECK	VULB 9168	9168-297	2016/5/26	2017/5/25
Pre Amplifier	EMC Instruments Corp.	EMC330	980180	2016/5/19	2017/5/18
Coaxial Cable	Huber+Suhner	RG 214/U	539808	2016/4/23	2017/4/22
Coaxial Cable	NA	8D	SAC-A-8M	2016/4/23	2017/4/22
Coaxial Cable	NA	8D	SAC-A-0.5M	2016/4/23	2017/4/22
Communication Tester	SCHWARZBECK	CMW500	152303	2016/2/18	2017/2/17
Communication Tester	R&S	CMU200	122498	2016/11/9	2017/11/8
Coaxial Cable	MF	MF-7802	N/A	N.C.R.	N.C.R.
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.
Turn Table	MF	N/A	N/A	N.C.R.	N.C.R.
Site NSA	SGS	966 Chamber A	SAC-A	2017/1/12	2018/1/11
Test Software	Farad	EZ-EMC	Ver. SGS-03A2	N.C.R.	N.C.R.
SGS Taiwan LTD. Electronics & Communication Laboratory No.2, Keji 1st Rd., Guishan Dist., Taoyuan City 333, Taiwan (R.O.C.) Measurement Uncertainty of Radiated Emission Expanded uncertainty (k=2) of radiated emission measurement is 4.74 dB. (30-1000MHz)					

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Above 1GHz

SGS Radiated_Above_1GHz HWAYA 966A_EMC					
EQUIPMENT TYPE	Manufacturer	Model Number	Serial Number	Calibration Date	Calibration Due
Spectrum Analyzer	R&S	FSV 40	101419	2016/2/25	2017/2/24
EMI Test Receiver	R&S	ESR 7	101459	2016/2/22	2017/2/21
Horn Antenna	SCHWARZBECK	BBHA9120D	BBHA9120D673	2016/10/14	2017/10/13
Horn Antenna	SCHWARZBECK	BBHA9170D	BBHA9170D-185	2016/7/18	2017/7/17
Pre Amplifier	EMC Instruments Corp.	EMC012645B	980216	2016/4/25	2017/4/24
Pre Amplifier	EMC Instruments Corp.	EMC184045B	980135	2016/10/27	2017/10/26
Pre Amplifier	R&S	SCU-18	100203	2016/3/31	2017/3/30
Coaxial Cable	JUNFLOW	MWX221-NMSNMS	J0778929	2016/4/23	2017/4/22
Coaxial Cable	Huber+Suhner	SUCCOFLEX 104PEA	30255/4PEA	N.C.R.	N.C.R.
Coaxial Cable	EMC Instruments	EMC104-SM-SM	140927	2016/4/23	2017/4/22
Coaxial Cable	Huber+Suhner	SUCOFLEX 102	MY 2152/2	2016/6/5	2017/6/4
Coaxial Cable	Huber+Suhner	SUCOFLEX 102	MY 2153/2	2016/6/5	2017/6/4
Universal Digital Radio Communication Tester	R&S	CMU 200	122498	2016/11/9	2017/11/8
Wideband Radio Communication Tester	R&S	CMW 500	152303	2016/2/18	2017/2/17
Controller	MF	MF-7802	N.C.R.	N.C.R.	N.C.R.
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.
Turn Table	MF	N/A	N/A	N.C.R.	N.C.R.
Site VSWR	SGS	966 Chamber A	SAC-A	2016/1/12	2017/1/11
Test S/W	Farad	EZ-EMC	Ver. SGS-03A2	N.C.R.	N.C.R.
SGS Taiwan LTD. Electronics & Communication Laboratory No.2, Keji 1st Rd., Guishan Dist., Taoyuan City 333, Taiwan (R.O.C.) Measurement Uncertainty of Radiated Emission Expanded uncertainty (k=2) of radiated emission measurement is 4.96 dB. (1-6GHz) Expanded uncertainty (k=2) of radiated emission measurement is 5.14 dB. (6-18GHz) Expanded uncertainty (k=2) of radiated emission measurement is 4.86 dB. (18-26GHz) Expanded uncertainty (k=2) of radiated emission measurement is 4.81 dB. (26-40GHz)					

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



2.5.2 Operating Environment

Temperature : 22 degree C

Humidity : 69 %RH

Atmospheric Pressure : 996 mBar

2.5.3 Measurement Level Calculation

Correction Factor = Antenna Factor + Cable loss- Amplifier Gain

Measurement Level = Reading Level + Correction Factor

Over (Margin) = Measurement Level – Limit

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group

2.5.4 Measurement Data

Below 1GHz

Config 1_H




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		144.9800	39.87	-12.21	27.66	43.50	-15.84	QP	
2		145.4300	44.03	-12.20	31.83	43.50	-11.67	peak	
3		159.9800	45.63	-11.88	33.75	43.50	-9.75	peak	
4		159.9800	39.00	-11.88	27.12	43.50	-16.38	QP	
5		206.5400	48.33	-14.66	33.67	43.50	-9.83	peak	
6		206.5400	43.30	-14.66	28.64	43.50	-14.86	QP	
7		408.0043	38.07	-8.22	29.85	46.00	-16.15	QP	
8		408.3000	40.42	-8.21	32.21	46.00	-13.79	peak	
9		428.5731	44.55	-7.76	36.79	46.00	-9.21	QP	
10 *		428.6700	46.34	-7.76	38.58	46.00	-7.42	peak	
11		455.8300	37.95	-7.22	30.73	46.00	-15.27	peak	
12		456.0058	35.64	-7.22	28.42	46.00	-17.58	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 1_V




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	35.8200	54.67	-12.62	42.05	40.00	2.05	peak	
2	!	36.0000	49.80	-12.60	37.20	40.00	-2.80	QP	
3	!	46.4900	50.36	-11.51	38.85	40.00	-1.15	peak	
4	!	47.7490	46.17	-11.47	34.70	40.00	-5.30	QP	
5	!	169.6800	50.19	-12.25	37.94	43.50	-5.56	peak	
6		169.6800	46.15	-12.25	33.90	43.50	-9.60	QP	
7		181.3200	50.57	-13.49	37.08	43.50	-6.42	peak	
8		181.3200	46.69	-13.49	33.20	43.50	-10.30	QP	
9		428.5780	39.02	-7.76	31.26	46.00	-14.74	QP	
10		428.6700	43.07	-7.76	35.31	46.00	-10.69	peak	
11		600.0040	37.11	-5.00	32.11	46.00	-13.89	QP	
12		600.3600	40.21	-5.00	35.21	46.00	-10.79	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 2 (Write)_H



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		71.7100	41.51	-14.77	26.74	40.00	-13.26	peak	
2		71.7100	38.57	-14.77	23.80	40.00	-16.20	QP	
3 *		132.8200	50.00	-13.19	36.81	43.50	-6.69	peak	
4		132.8200	41.39	-13.19	28.20	43.50	-15.30	QP	
5		236.6100	40.51	-13.40	27.11	46.00	-18.89	peak	
6		236.6100	35.80	-13.40	22.40	46.00	-23.60	QP	
7		266.6800	39.59	-12.13	27.46	46.00	-18.54	peak	
8		266.6800	37.83	-12.13	25.70	46.00	-20.30	QP	
9		408.3000	37.99	-8.21	29.78	46.00	-16.22	peak	
10		408.3000	36.51	-8.21	28.30	46.00	-17.70	QP	
11		455.8300	36.21	-7.22	28.99	46.00	-17.01	peak	
12		455.8300	33.62	-7.22	26.40	46.00	-19.60	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 2 (Write)_V




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	34.8500	49.43	-12.75	36.68	40.00	-3.32	peak	
2		34.8500	43.25	-12.75	30.50	40.00	-9.50	QP	
3		71.7100	45.82	-14.77	31.05	40.00	-8.95	peak	
4		71.7100	44.67	-14.77	29.90	40.00	-10.10	QP	
5		127.9700	51.01	-13.74	37.27	43.50	-6.23	peak	
6		127.9700	44.74	-13.74	31.00	43.50	-12.50	QP	
7		135.7300	49.99	-12.84	37.15	43.50	-6.35	peak	
8		135.7300	42.14	-12.84	29.30	43.50	-14.20	QP	
9		167.7400	48.13	-12.17	35.96	43.50	-7.54	peak	
10		167.7400	45.57	-12.17	33.40	43.50	-10.10	QP	
11		720.6400	35.07	-2.59	32.48	46.00	-13.52	peak	
12		720.6400	23.99	-2.59	21.40	46.00	-24.60	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 3 (MP3 Play)_H




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	146.4000	46.90	-12.18	34.72	43.50	-8.78	peak	
2		146.4000	41.71	-12.18	29.53	43.50	-13.97	QP	
3		204.6000	46.39	-14.65	31.74	43.50	-11.76	peak	
4		204.6000	39.54	-14.65	24.89	43.50	-18.61	QP	
5		236.6100	44.15	-13.40	30.75	46.00	-15.25	peak	
6		236.6100	40.18	-13.40	26.78	46.00	-19.22	QP	
7		299.6600	40.68	-11.11	29.57	46.00	-16.43	peak	
8		299.6600	34.60	-11.11	23.49	46.00	-22.51	QP	
9		408.3000	39.16	-8.21	30.95	46.00	-15.05	peak	
10		408.3000	36.02	-8.21	27.81	46.00	-18.19	QP	
11		455.8300	38.61	-7.22	31.39	46.00	-14.61	peak	
12		455.8300	36.87	-7.22	29.65	46.00	-16.35	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 3 (MP3 Play)_V




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	35.8200	54.12	-12.62	41.50	40.00	1.50	peak	
2	!	35.8200	49.92	-12.62	37.30	40.00	-2.70	QP	
3	X	47.4600	51.99	-11.48	40.51	40.00	0.51	peak	
4	!	47.4600	46.88	-11.48	35.40	40.00	-4.60	QP	
5	!	60.0700	49.16	-12.31	36.85	40.00	-3.15	peak	
6		60.0700	46.31	-12.31	34.00	40.00	-6.00	QP	
7		149.3100	49.31	-12.11	37.20	43.50	-6.30	peak	
8		149.3100	43.53	-12.11	31.42	43.50	-12.08	QP	
9	!	185.2000	53.48	-13.90	39.58	43.50	-3.92	peak	
10		185.2000	50.65	-13.90	36.75	43.50	-6.75	QP	
11	!	644.0100	46.19	-4.34	41.85	46.00	-4.15	peak	
12		644.0100	36.74	-4.34	32.40	46.00	-13.60	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Above 1GHz

Config 1_H




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		3533.000	48.28	-11.26	37.02	74.00	-36.98	peak	
2		5335.000	49.20	-8.23	40.97	74.00	-33.03	peak	
3		8004.000	47.27	-0.41	46.86	74.00	-27.14	peak	
4		10758.000	46.32	1.46	47.78	74.00	-26.22	peak	
5		15007.910	31.88	6.35	38.23	54.00	-15.77	AVG	
6		15008.000	45.21	6.35	51.56	74.00	-22.44	peak	
7		17932.000	35.91	15.98	51.89	74.00	-22.11	peak	
8 *		17933.150	31.31	15.99	47.30	54.00	-6.70	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 1_V



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2292.000	48.28	-13.90	34.38	74.00	-39.62	peak	
2		3482.000	48.82	-11.35	37.47	74.00	-36.53	peak	
3		8021.000	47.07	-0.44	46.63	74.00	-27.37	peak	
4		10690.000	46.79	1.39	48.18	74.00	-25.82	peak	
5		14957.000	45.52	6.28	51.80	74.00	-22.20	peak	
6		14972.000	31.49	6.32	37.81	54.00	-16.19	AVG	
7		18000.000	35.12	17.00	52.12	74.00	-21.88	peak	
8 *		18000.000	31.67	17.00	48.67	54.00	-5.33	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 2 (Write)_H




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		3125.000	47.57	-12.20	35.37	74.00	-38.63	peak	
2		5012.000	48.34	-8.30	40.04	74.00	-33.96	peak	
3		7562.000	46.77	-0.75	46.02	74.00	-27.98	peak	
4		10656.000	46.48	1.36	47.84	74.00	-26.16	peak	
5		14668.000	46.35	5.54	51.89	74.00	-22.11	peak	
6		14668.120	31.95	5.54	37.49	54.00	-16.51	AVG	
7		18000.000	35.15	17.00	52.15	74.00	-21.85	peak	
8	*	18000.000	31.72	17.00	48.72	54.00	-5.28	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 2 (Write)_V




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2683.000	47.43	-12.94	34.49	74.00	-39.51	peak	
2		4825.000	48.25	-8.65	39.60	74.00	-34.40	peak	
3		7630.000	47.08	-0.69	46.39	74.00	-27.61	peak	
4		10435.000	46.97	1.02	47.99	74.00	-26.01	peak	
5		15008.000	45.42	6.35	51.77	74.00	-22.23	peak	
6		15009.020	31.78	6.35	38.13	54.00	-15.87	AVG	
7		18000.000	34.50	17.00	51.50	74.00	-22.50	peak	
8 *		18000.000	31.76	17.00	48.76	54.00	-5.24	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 3 (MP3 Play)_H




No.	Mk.	Freq.	Reading	Correct	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	Factor	dBuV/m	dBuV/m	dB		
1		2071.000	48.28	-14.66	33.62	74.00	-40.38	peak	
2		5352.000	48.31	-8.23	40.08	74.00	-33.92	peak	
3		7545.000	47.15	-0.76	46.39	74.00	-27.61	peak	
4		10656.000	46.64	1.36	48.00	74.00	-26.00	peak	
5		14838.000	45.96	5.98	51.94	74.00	-22.06	peak	
6		14838.890	31.20	5.98	37.18	54.00	-16.82	AVG	
7		18000.000	35.23	17.00	52.23	74.00	-21.77	peak	
8 *		18000.000	31.80	17.00	48.80	54.00	-5.20	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 3 (MP3 Play)_V




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2666.000	46.97	-12.97	34.00	74.00	-40.00	peak	
2		5845.000	47.21	-6.82	40.39	74.00	-33.61	peak	
3		8038.000	46.98	-0.47	46.51	74.00	-27.49	peak	
4		11149.000	45.98	1.79	47.77	74.00	-26.23	peak	
5		14685.000	45.79	5.58	51.37	74.00	-22.63	peak	
6		14685.170	31.80	5.58	37.38	54.00	-16.62	AVG	
7		18000.000	34.99	17.00	51.99	74.00	-22.01	peak	
8 *		18000.000	31.71	17.00	48.71	54.00	-5.29	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 1_18~26G_H




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		18904.000	55.27	-3.10	52.17	83.50	-31.33	peak	
2		19872.000	55.23	-3.28	51.95	83.50	-31.55	peak	
3		21424.000	54.25	-1.98	52.27	83.50	-31.23	peak	
4		22536.000	54.74	-0.96	53.78	83.50	-29.72	peak	
5		24360.000	53.32	1.02	54.34	83.50	-29.16	peak	
6 *		25240.000	53.70	1.29	54.99	83.50	-28.51	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 1_18~26G_V




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		18400.000	54.55	-3.14	51.41	83.50	-32.09	peak	
2		20384.000	55.22	-3.43	51.79	83.50	-31.71	peak	
3		22552.000	53.21	-0.94	52.27	83.50	-31.23	peak	
4		23160.000	53.84	-0.31	53.53	83.50	-29.97	peak	
5	*	24376.000	53.51	1.06	54.57	83.50	-28.93	peak	
6		25336.000	53.01	1.34	54.35	83.50	-29.15	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 1_26~40G_H




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		26014.000	43.92	2.12	46.04	83.50	-37.46	peak	
2		27148.000	43.61	2.29	45.90	83.50	-37.60	peak	
3		27792.000	43.79	2.62	46.41	83.50	-37.09	peak	
4	*	27988.000	43.89	2.70	46.59	83.50	-36.91	peak	
5		28926.000	43.44	1.55	44.99	83.50	-38.51	peak	
6		29542.000	43.89	2.09	45.98	83.50	-37.52	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 1_26~40G_V



The frequency band during 18GHz till 26.5 GHz that was not reported was verified with no extra obvious finding except ambient signals.

Config 2 (Write)_18~26G_H




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		19392.000	54.14	-3.41	50.73	83.50	-32.77	peak	
2		20888.000	54.72	-3.49	51.23	83.50	-32.27	peak	
3		22168.000	53.65	-1.54	52.11	83.50	-31.39	peak	
4		23784.000	51.75	0.13	51.88	83.50	-31.62	peak	
5		24200.000	51.62	0.70	52.32	83.50	-31.18	peak	
6 *		25800.000	52.19	1.76	53.95	83.50	-29.55	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 2 (Write)_18~26G_V




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		18408.000	54.44	-3.14	51.30	83.50	-32.20	peak	
2		21632.000	53.96	-1.73	52.23	83.50	-31.27	peak	
3		22552.000	53.22	-0.94	52.28	83.50	-31.22	peak	
4		23224.000	51.77	-0.27	51.50	83.50	-32.00	peak	
5		24368.000	51.79	1.03	52.82	83.50	-30.68	peak	
6 *		25240.000	52.69	1.29	53.98	83.50	-29.52	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 2 (Write)_26~40G_H




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	26700.000	43.89	2.62	46.51	83.50	-36.99	peak	
2		27260.000	44.06	2.35	46.41	83.50	-37.09	peak	
3		27834.000	43.56	2.63	46.19	83.50	-37.31	peak	
4		28240.000	43.40	1.98	45.38	83.50	-38.12	peak	
5		29178.000	43.22	1.75	44.97	83.50	-38.53	peak	
6		29696.000	42.89	2.39	45.28	83.50	-38.22	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Config 2 (Write)_26~40G_V



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		26826.000	42.97	2.44	45.41	83.50	-38.09	peak	
2 *		27946.000	43.94	2.68	46.62	83.50	-36.88	peak	
3		28268.000	43.94	1.89	45.83	83.50	-37.67	peak	
4		29066.000	43.61	1.65	45.26	83.50	-38.24	peak	
5		29276.000	42.80	1.83	44.63	83.50	-38.87	peak	
6		29542.000	43.41	2.09	45.50	83.50	-38.00	peak	

The frequency band during 18GHz till 26.5 GHz that was not reported was verified with no extra obvious finding except ambient signals.

Config 3 (MP3 Play)_18~26G_H




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		18776.000	53.08	-3.10	49.98	83.50	-33.52	peak	
2		20880.000	52.79	-3.50	49.29	83.50	-34.21	peak	
3		22056.000	52.58	-1.72	50.86	83.50	-32.64	peak	
4		23400.000	49.39	-0.16	49.23	83.50	-34.27	peak	
5 *		24648.000	51.84	1.27	53.11	83.50	-30.39	peak	
6		25032.000	50.95	1.22	52.17	83.50	-31.33	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 3 (MP3 Play)_18~26G_V




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1		19384.000	54.11	-3.41	50.70	83.50	-32.80	peak	
2		20848.000	53.22	-3.50	49.72	83.50	-33.78	peak	
3 *		22008.000	52.95	-1.79	51.16	83.50	-32.34	peak	
4		23360.000	50.86	-0.19	50.67	83.50	-32.83	peak	
5		23800.000	50.59	0.14	50.73	83.50	-32.77	peak	
6		25640.000	49.38	1.57	50.95	83.50	-32.55	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 3 (MP3 Play)_26~40G_H



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		27022.000	42.79	2.22	45.01	83.50	-38.49	peak	
2		27540.000	42.77	2.52	45.29	83.50	-38.21	peak	
3		28156.000	43.38	2.23	45.61	83.50	-37.89	peak	
4		28716.000	43.62	1.37	44.99	83.50	-38.51	peak	
5		29080.000	43.41	1.67	45.08	83.50	-38.42	peak	
6 *		29892.000	43.48	2.79	46.27	83.50	-37.23	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 3 (MP3 Play) 26~40G_V



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		26154.000	42.99	2.34	45.33	83.50	-38.17	peak	
2	*	27330.000	43.44	2.39	45.83	83.50	-37.67	peak	
3		28072.000	42.99	2.49	45.48	83.50	-38.02	peak	
4		28408.000	43.54	1.47	45.01	83.50	-38.49	peak	
5		28786.000	44.00	1.44	45.44	83.50	-38.06	peak	
6		29542.000	43.41	2.09	45.50	83.50	-38.00	peak	

The frequency band during 18GHz till 26.5 GHz that was not reported was verified with no extra obvious finding except ambient signals.

**** End of Report ****

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.