

Page 1 of 399

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 22 SUBPART H, PART 24 SUBPART E and PART 27 SUBPART B, C & SUBPART L and PART 90S REQUIREMENT

OF

Brand Name: Sony

FCC ID: PY7-47130J

Report No.: ER/2016/C0032

Issue Date: Jan. 09, 2016

FCC Rule Part: 2, 22H & 24E & 27B, C & L & 90S

Sony Mobile Communications Inc.

4-12-3, Higashi-Shinagawa, Shinagawa-ku, **Prepared for:**

Tokyo, 140-0002 Japan

SGS Taiwan Ltd.

Electronics & Communication Laboratory

No.134, Wu Kung Road, New Taipei Industrial Prepared by:

Park, Wuku District, New Taipei City, Taiwan

24803

Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 www.tw.sqs.com

SGS Taiwan Ltd.



Page 2 of 399

VERIFICATION OF COMPLIANCE

Sony Mobile Communications Inc.

Applicant: 4-12-3, Higashi-Shinagawa, Shinagawa-ku, Tokyo, 140-0002

Japan

Brand Name: Sony

FCC ID: PY7-47130J

File Number: ER/2016/C0032

Date of test: Dec. 15, 2016 ~ Dec. 29, 2016

Date of EUT Received: Dec. 15, 2016

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in TIA/EIA-603-D-2010 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Test By:	lowis Chen	Date:	Jan. 09, 2016	
_	Louis Chen / Engineer			
Prepared By:	Vroletta Tang	Date:	Jan. 09, 2016	
	Violetta Tang / Clerk			
Approved By:	Jim Chang	Date:	Jan. 09, 2016	
_	Jim Chang / Asst. Manager			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 3 of 399

Revision History

Report Number	Revision	Description	Issue Date
ER/2016/C0032	Rev.00	Initial creation of document	Jan. 09, 2016

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page 4 of 399

Contents

1.	GENERAL PRODUCT INFORMATION	5
2.	SYSTEM TEST CONFIGURATION	17
3.	SUMMARY OF TEST RESULTS	25
4.	DESCRIPTION OF TEST MODES	26
5.	MEASUREMENT UNCERTAINTY	37
6.	RF CONDUCTED OUTPUT POWER MEASUREMENT	38
7.	EFFECTIVE RADIATED POWER AND EQUIVALENT ISOTROPIC RADIATED	
	POWER MEASUREMENT	53
8.	OCCUPIED BANDWIDTH MEASUREMENT	101
9.	OUT OF BAND EMISSION AT ANTENNA TERMINALS	158
10.	FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT	264
11.	FREQUENCY STABILITY MEASUREMENT	352
12	PEAK TO AVERAGE RATIO	368

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 5 of 399

1. GENERAL PRODUCT INFORMATION

1.1. Product Description


General:

Brand Name:	Sony		
Hardware Version:	A		
Software Version:	0.20		
Data Cable (USB):	Model No.: UCB20, Supplier: Sony, Length: 100cm		
BT Headset:	Model No.: MW600, Supplier: BALDA		
HDMI Cable:	Model No.: DLC-HEU10A, Supplier: Foster Sony		
11.1Vdc			
Power Supply:	Battery:	Model No.: N/A, Supplier: N/A	
	Adapter :	Model No.: UCH30C, Supplier: Sony	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





GSM / WCDMA / LTE:


GSIM / WCDIMA / LTE	i. <u> </u>		T
	Operating Frequency	Rated Power	
	GSM/GPRS 850	824.2 MHz– 848.8 MHz	33dBm
	EDGE 850	824.2 MHz– 848.8 MHz	27dBm
	GSM/GPRS 1900	1850.2MHz – 1909.8MHz	30dBm
	EDGE 1900 1850.2MHz – 1909.8MH		26dBm
	WCDMA / HSPA+ Band II		24dBm
	WCDMA / HSPA+ Band IV	1712.4MHz – 1752.6MHz	24dBm
	WCDMA / HSPA+ Band V	826.4MHz - 846.6MHz	24dBm
	LTE-Band 2 (1.4MHz)	1850.7MHz- 1909.3MHz	23dBm
	LTE-Band 2 (3MHz)	1851.5MHz – 1908.5MHz	23dBm
	LTE-Band 2 (5MHz)	1852.5MHz – 1907.5MHz	23dBm
	LTE-Band 2 (10MHz)	1855.0MHz – 1905.0MHz	23dBm
Cellular Phone	LTE-Band 2 (15MHz)	1857.5MHz – 1902.5MHz	23dBm
Standards Fre-	LTE-Band 2 (20MHz)	1860.0MHz – 1900.0MHz	23dBm
quency Range and Power	LTE-Band 4 (1.4MHz)	1710.7MHz- 1754.3MHz	23dBm
1 OWO!	LTE-Band 4 (3MHz)	1711.5MHz – 1753.5MHz	23dBm
	LTE-Band 4 (5MHz)	1712.5MHz – 1752.5MHz	23dBm
	LTE-Band 4 (10MHz)	1715MHz – 1750MHz	23dBm
	LTE-Band 4 (15MHz)	1717.5MHz – 1747.5MHz	23dBm
	LTE-Band 4 (20MHz)	1720MHz – 1745MHz	23dBm
	LTE-Band 5 (1.4MHz)	824.7MHz – 848.3MHz	23dBm
	LTE-Band 5 (3MHz)	825.5MHz – 847.5MHz	23dBm
	LTE-Band 5 (5MHz)	826.5MHz – 846.5MHz	23dBm
	LTE-Band 5 (10MHz)	829.0MHz – 844.0MHz	23dBm
	LTE-Band 7 (5MHz)	2502.5MHz – 2567.5MHz	23dBm
	LTE-Band 7 (10MHz)	2505.0MHz – 2565.0MHz	23dBm
	LTE-Band 7 (15MHz)	2507.5MHz – 2562.5MHz	23dBm
	LTE-Band 7 (20MHz)	2510.0MHz – 2560MHz	23dBm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279





	Operating Frequency			
	LTE-Band 12 (1.4MHz)	699.7MHz- 715.3MHz	23dBm	
	LTE-Band 12 (3MHz)	700.5MHz – 714.5MHz	23dBm	
	LTE-Band 12 (5MHz)	701.5MHz – 713.5MHz	23dBm	
	LTE-Band 12 (10MHz)	704.0MHz – 711.0MHz	23dBm	
	LTE-Band 17 (5MHz)	706.5MHz – 713.5MHz	23dBm	
	LTE-Band 17 (10MHz)	709.0MHz –711.0MHz	23dBm	
	LTE-Band 26 (1.4MHz) (for Part 90S)	814.7 MHz- 823.3 MHz	23dBm	
Cellular Phone	LTE-Band 26 (3MHz) (for Part 90S)	815.5 MHz- 822.5 MHz	23dBm	
Standards Frequency Range and	LTE-Band 26 (5MHz) (for Part 90S)	816.5 MHz- 822.5 MHz	23dBm	
Power	LTE-Band 26 (10MHz) (for Part 90S)	819.0 MHz- 819.0 MHz	23dBm	
	LTE-Band 26 (1.4MHz)	824.7 MHz- 848.3 MHz	23dBm	
	LTE-Band 26 (3MHz)	825.5 MHz- 847.5 MHz	23dBm	
	LTE-Band 26 (5MHz)	826.5 MHz- 846.5 MHz	23dBm	
	LTE-Band 26 (10MHz)	829.0 MHz- 844.0 MHz	23dBm	
	LTE-Band 26 (15MHz)	831.5 MHz- 841.5 MHz	23dBm	
	LTE-Band 41 (5MHz)	2498.5MHz – 2687.5MHz	23dBm	
-	LTE-Band 41 (10MHz)	2501.0MHz – 2685.0MHz	23dBm	
	LTE-Band 41 (15MHz)	2503.5MHz – 2682.5MHz	23dBm	
	LTE-Band 41 (20MHz)	2506.0MHz – 2680.0MHz	23dBm	
IMEI:	0044024567035			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.tw.sgs.com



Type of Emission:


Type of Emission:
246KGXW
244KGXW
249KG7W
241KGXW
250KGXW
249KG7W
4M12F9W
4M11F9W
4M12F9W
4M12F9W
4M11F9W
4M11F9W
4M13F9W
4M13F9W
4M12F9W

LTE Band	BW (MHz)	Modulation	Type of Emission
LTE Band 2	1.4MHz	QPSK	1M10G7D
LTE Band 2	1.4MHz	16QAM	1M10D7W
LTE Band 2	3MHz	QPSK	2M70G7D
LTE Band 2	3MHz	16QAM	2M70D7W
LTE Band 2	5MHz	QPSK	4M50G7D
LTE Band 2	5MHz	16QAM	4M51D7W
LTE Band 2	10MHz	QPSK	9M00G7D
LTE Band 2	10MHz	16QAM	8M95D7W
LTE Band 2	15MHz	QPSK	13M5G7D
LTE Band 2	15MHz	16QAM	13M4D7W
LTE Band 2	20MHz	QPSK	17M9G7D
LTE Band 2	20MHz	16QAM	17M9D7W
LTE Band 4	1.4MHz	QPSK	1M10G7D
LTE Band 4	1.4MHz	16QAM	1M10D7W
LTE Band 4	3MHz	QPSK	2M70G7D
LTE Band 4	3MHz	16QAM	2M70D7W
LTE Band 4	5MHz	QPSK	4M50G7D
LTE Band 4	5MHz	16QAM	4M50D7W
LTE Band 4	10MHz	QPSK	8M99G7D
LTE Band 4	10MHz	16QAM	8M95D7W
LTE Band 4	15MHz	QPSK	13M4G7D
LTE Band 4	15MHz	16QAM	13M4D7W
LTE Band 4	20MHz	QPSK	17M9G7D
LTE Band 4	20MHz	16QAM	17M9D7W

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號






LTE Band	BW (MHz)	Modulation	Type of Emission
LTE Band 5	1.4MHz	QPSK	1M10G7D
LTE Band 5	1.4MHz	16QAM	1M10D7W
LTE Band 5	3MHz	QPSK	2M70G7D
LTE Band 5	3MHz	16QAM	2M70D7W
LTE Band 5	5MHz	QPSK	4M50G7D
LTE Band 5	5MHz	16QAM	4M50D7W
LTE Band 5	10MHz	QPSK	9M00G7D
LTE Band 5	10MHz	16QAM	8M95D7W
LTE Band 7	5MHz	QPSK	4M50G7D
LTE Band 7	5MHz	16QAM	4M49D7W
LTE Band 7	10MHz	QPSK	8M99G7D
LTE Band 7	10MHz	16QAM	8M95D7W
LTE Band 7	15MHz	QPSK	13M5G7D
LTE Band 7	15MHz	16QAM	13M4D7W
LTE Band 7	20MHz	QPSK	17M9G7D
LTE Band 7	20MHz	16QAM	17M9D7W
LTE Band 12	1.4MHz	QPSK	1M10G7D
LTE Band 12	1.4MHz	16QAM	1M10D7W
LTE Band 12	3MHz	QPSK	2M70G7D
LTE Band 12	3MHz	16QAM	2M70D7W
LTE Band 12	5MHz	QPSK	4M49G7D
LTE Band 12	5MHz	16QAM	4M50D7W
LTE Band 12	10MHz	QPSK	8M98G7D
LTE Band 12	10MHz	16QAM	8M97D7W
LTE Band 17	5MHz	QPSK	4M50G7D
LTE Band 17	5MHz	16QAM	4M50D7W
LTE Band 17	10MHz	QPSK	9M00G7D
LTE Band 17	10MHz	16QAM	8M96D7W

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





Page 10 of 399

LTE Band	BW (MHz)	Modulation	Type of Emission
LTE Band 26	1.4MHz	QPSK	1M10G7D
LTE Band 26	1.4MHz	16QAM	1M10D7W
LTE Band 26	3MHz	QPSK	2M70G7D
LTE Band 26	3MHz	16QAM	2M70D7W
LTE Band 26	5MHz	QPSK	4M50G7D
LTE Band 26	5MHz	16QAM	4M50D7W
LTE Band 26	10MHz	QPSK	8M98G7D
LTE Band 26	10MHz	16QAM	8M96D7W
LTE Band 26	15MHz	QPSK	13M5G7W
LTE Band 26	15MHz	16QAM	13M5D7W
LTE Band 41	5MHz	QPSK	4M51G7D
LTE Band 41	5MHz	16QAM	4M51D7W
LTE Band 41	10MHz	QPSK	8M99G7D
LTE Band 41	10MHz	16QAM	8M97D7W
LTE Band 41	15MHz	QPSK	13M5G7D
LTE Band 41	15MHz	16QAM	13M5D7W
LTE Band 41	20MHz	QPSK	17M9G7D
LTE Band 41	20MHz	16QAM	17M9D7W

LTE Band 26 for Part 90S

LTE Band 26	1.4MHz	QPSK	1M10G7D
LTE Band 26	1.4MHz	16QAM	1M10D7W
LTE Band 26	3MHz	QPSK	2M70G7D
LTE Band 26	3MHz	16QAM	2M70D7W
LTE Band 26	5MHz	QPSK	4M50G7D
LTE Band 26	5MHz	16QAM	4M51D7W
LTE Band 26	10MHz	QPSK	8M96G7D
LTE Band 26	10MHz	16QAM	8M95D7W

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 11 of 399

Max ERP/EIRP Power Measurement Result:

	dBm		W
GSM 850	24.79	ERP	0.301
GPRS 850	24.86	ERP	0.306
EDGE 850	22.40	ERP	0.174
GSM 1900	27.22	EIRP	0.527
GPRS 1900	27.05	EIRP	0.507
EDGE 1900	26.40	EIRP	0.437
WCDMA Band II	27.04	EIRP	0.506
HSDPA Band II	27.51	EIRP	0.564
HSUPA Band II	25.25	EIRP	0.335
WCDMA Band IV	21.89	EIRP	0.155
HSDPA Band IV	22.04	EIRP	0.160
HSUPA Band IV	21.07	EIRP	0.128
WCDMA Band V	21.55	ERP	0.143
HSDPA Band V	21.22	ERP	0.132
HSUPA Band V	18.85	ERP	0.077
LTE-Band 2 (Bandwidth 1.4MHz) QPSK	25.16	EIRP	0.328
LTE-Band 2 (Bandwidth 1.4MHz) 16QAM	25.39	EIRP	0.346
LTE-Band 2 (Bandwidth 3MHz) QPSK	25.05	EIRP	0.320
LTE-Band 2 (Bandwidth 3MHz) 16QAM	24.81	EIRP	0.303
LTE-Band 2 (Bandwidth 5MHz) QPSK	25.06	EIRP	0.321
LTE-Band 2 (Bandwidth 5MHz) 16QAM	24.79	EIRP	0.301
LTE-Band 2 (Bandwidth 10MHz) QPSK	25.57	EIRP	0.361
LTE-Band 2 (Bandwidth 10MHz) 16QAM	24.64	EIRP	0.291
LTE-Band 2 (Bandwidth 15MHz) QPSK	24.92	EIRP	0.310
LTE-Band 2 (Bandwidth 15MHz) 16QAM	24.54	EIRP	0.284
LTE-Band 2 (Bandwidth 20MHz) QPSK	24.73	EIRP	0.297
LTE-Band 2 (Bandwidth 20MHz) 16QAM	24.41	EIRP	0.276

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 12 of 399

	dBm		w
LTE Band 4 (Bandwidth 1 4MHz) ODSK		EIDD	0.080
LTE-Band 4 (Bandwidth 1.4MHz) QPSK	19.02	EIRP	
LTE-Band 4 (Bandwidth 1.4MHz) 16QAM	18.82	EIRP	0.076
LTE-Band 4 (Bandwidth 3MHz) QPSK	19.11	EIRP	0.081
LTE-Band 4 (Bandwidth 3MHz) 16QAM	18.77	EIRP	0.075
LTE-Band 4 (Bandwidth 5MHz) QPSK	18.99	EIRP	0.079
LTE-Band 4 (Bandwidth 5MHz) 16QAM	19.02	EIRP	0.080
LTE-Band 4 (Bandwidth 10MHz) QPSK	18.88	EIRP	0.077
LTE-Band 4 (Bandwidth 10MHz) 16QAM	18.80	EIRP	0.076
LTE-Band 4 (Bandwidth 15MHz) QPSK	18.90	EIRP	0.078
LTE-Band 4 (Bandwidth 15MHz) 16QAM	18.51	EIRP	0.071
LTE-Band 4 (Bandwidth 20MHz) QPSK	18.95	EIRP	0.079
LTE-Band 4 (Bandwidth 20MHz) 16QAM	18.70	EIRP	0.074
LTE-Band 5 (Bandwidth 1.4MHz) QPSK	25.59	ERP	0.362
LTE-Band 5 (Bandwidth 1.4MHz) 16QAM	25.30	ERP	0.339
LTE-Band 5 (Bandwidth 3MHz) QPSK	26.17	ERP	0.414
LTE-Band 5 (Bandwidth 3MHz) 16QAM	25.34	ERP	0.342
LTE-Band 5 (Bandwidth 5MHz) QPSK	25.58	ERP	0.361
LTE-Band 5 (Bandwidth 5MHz) 16QAM	25.15	ERP	0.327
LTE-Band 5 (Bandwidth 10MHz) QPSK	25.72	ERP	0.373
LTE-Band 5 (Bandwidth 10MHz) 16QAM	25.05	ERP	0.320
LTE-Band 7 (Bandwidth 5MHz) QPSK	21.19	EIRP	0.132
LTE-Band 7 (Bandwidth 5MHz) 16QAM	20.64	EIRP	0.116
LTE-Band 7 (Bandwidth 10MHz) QPSK	21.16	EIRP	0.131
LTE-Band 7 (Bandwidth 10MHz) 16QAM	20.63	EIRP	0.116
LTE-Band 7 (Bandwidth 15MHz) QPSK	21.66	EIRP	0.147
LTE-Band 7 (Bandwidth 15MHz) 16QAM	20.86	EIRP	0.122
LTE-Band 7 (Bandwidth 20MHz) QPSK	21.50	EIRP	0.141
LTE-Band 7 (Bandwidth 20MHz) 16QAM	21.15	EIRP	0.130

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 13 of 399

	dBm		w
TE Donal 4.2 (Donalwidth 4.4MH) ODOK			
LTE-Band 12 (Bandwidth 1.4MHz) QPSK	24.87	ERP	0.307
LTE-Band 12 (Bandwidth 1.4MHz) 16QAM	24.22	ERP	0.264
LTE-Band 12 (Bandwidth 3MHz) QPSK	25.17	ERP	0.329
LTE-Band 12 (Bandwidth 3MHz) 16QAM	24.59	ERP	0.288
LTE-Band 12 (Bandwidth 5MHz) QPSK	24.75	ERP	0.299
LTE-Band 12 (Bandwidth 5MHz) 16QAM	24.34	ERP	0.272
LTE-Band 12 (Bandwidth 10MHz) QPSK	24.80	ERP	0.302
LTE-Band 12 (Bandwidth 10MHz) 16QAM	24.65	ERP	0.292
LTE-Band 17 (Bandwidth 5MHz) QPSK	23.76	ERP	0.238
LTE-Band 17 (Bandwidth 5MHz) 16QAM	23.53	ERP	0.225
LTE-Band 17 (Bandwidth 10MHz) QPSK	24.40	ERP	0.275
LTE-Band 17 (Bandwidth 10MHz) 16QAM	23.38	ERP	0.218
LTE-Band 26 (Bandwidth 1.4MHz) QPSK	17.55	ERP	0.057
LTE-Band 26 (Bandwidth 1.4MHz) 16QAM	17.58	ERP	0.057
LTE-Band 26 (Bandwidth 3MHz) QPSK	17.61	ERP	0.058
LTE-Band 26 (Bandwidth 3MHz) 16QAM	17.43	ERP	0.055
LTE-Band 26 (Bandwidth 5MHz) QPSK	17.37	ERP	0.055
LTE-Band 26 (Bandwidth 5MHz) 16QAM	17.12	ERP	0.052
LTE-Band 26 (Bandwidth 10MHz) QPSK	17.41	ERP	0.055
LTE-Band 26 (Bandwidth 10MHz) 16QAM	17.04	ERP	0.051
LTE-Band 26 (Bandwidth 15MHz) QPSK	17.40	ERP	0.055
LTE-Band 26 (Bandwidth 15MHz) 16QAM	16.99	ERP	0.050

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 14 of 399

	dBm		W
LTE-Band 41 (Bandwidth 5MHz) QPSK	22.36	EIRP	0.172
LTE-Band 41 (Bandwidth 5MHz) 16QAM	22.04	EIRP	0.160
LTE-Band 41 (Bandwidth 10MHz) QPSK	22.47	EIRP	0.177
LTE-Band 41 (Bandwidth 10MHz) 16QAM	22.15	EIRP	0.164
LTE-Band 41 (Bandwidth 15MHz) QPSK	21.71	EIRP	0.148
LTE-Band 41 (Bandwidth 15MHz) 16QAM	21.31	EIRP	0.135
LTE-Band 41 (Bandwidth 20MHz) QPSK	22.71	EIRP	0.187
LTE-Band 41 (Bandwidth 20MHz) 16QAM	22.26	EIRP	0.168

LTE Band 26 for Part 90S

	dBm		W
LTE-Band 26 (Bandwidth 1.4MHz) QPSK	18.57	ERP	0.072
LTE-Band 26 (Bandwidth 1.4MHz) 16QAM	18.89	ERP	0.077
LTE-Band 26 (Bandwidth 3MHz) QPSK	18.92	ERP	0.078
LTE-Band 26 (Bandwidth 3MHz) 16QAM	18.70	ERP	0.074
LTE-Band 26 (Bandwidth 5MHz) QPSK	18.56	ERP	0.072
LTE-Band 26 (Bandwidth 5MHz) 16QAM	18.33	ERP	0.068
LTE-Band 26 (Bandwidth 10MHz) QPSK	18.49	ERP	0.071
LTE-Band 26 (Bandwidth 10MHz) 16QAM	18.24	ERP	0.067

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com



Page 15 of 399

1.2. Product Feature of Equipment Under Test

The equipment under Test (Hereafter Called: EUT) supports below functions.

Product Feature		
GSM Operating Band(s)	GSM 850/1900MHz	
GPRS / EGPRS Multi Slot Class	GPRS Class 12 / Class 12	
WCDMA Operating Band(s)	FDD Band II / IV / V	
WCDMA Rel. Version	Rel.9	
LTE Operating Band(s)	FCC Band 2 / 4 / 5 / 7 / 12 / 17 / 26 / 41	
LTE Rel. Version	Rel.10	
Bluetooth Version	V4.2 dual mode	
Wi-Fi- Specification	802.11a/b/g/n/ac	
NFC Specification	NFC	

Note: The above EUT information was declared by manufacturer. Please refer to the specifications or user's manual for more detailed description.

S Taiwan Ltd.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indermification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlowfull and offenders may be prosecuted to the fullest extent of the law document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Page 16 of 399

1.3. Test Methodology of Applied Standards

FCC 47 CFR Part 2, 22, 24, 27, Part 90S.

ANSI / TIA / EIA 603-D-2010

KDB971168 D01 Power Meas license Digital System

KDB941225 of the Output power Procedure of (SAR Measurement Procedures for 3G Devices, WCDMA / HSPA) was used for EUT and Base station setting.

TS 151 010-1 is used to set, and measure the output power.

Note: All test items have been performed and record as per the above standards.

1.4. Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan. (TAF code 0513)

FCC Registration Numbers are: 509634

1.5. Special Accessories

No special accessories were used during testing.

1.6. Equipment Modifications

There were no modifications incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page 17 of 399

2. SYSTEM TEST CONFIGURATION

2.1. EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2. EUT Exercise

The EUT (Transmitter) was operated in the continuous transmission mode employed with the simulator of the Base Station that fixates at test default channels to fix the Tx frequency which was for the purpose of the measurements.

2.3. Test Procedure

2.3.1 Conducted Measurement at Antenna Port

According to measurement procured TIA/EIA 603C, the EUT is placed on a turn table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

2.3.2 Radiated Emissions (ERP/EIRP)

According to measurement procured TIA/EIA 603C, The EUT is a placed on as turn table which is 0.8 m above ground plane. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both Horizontal and Vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna according to the requirements in Section 8 and 13.

2.4. Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Following shows an offset computation example with cable loss 0.6dB for low band and 0.4dB for high band with 10 dB attenuator and 3.2 splitter.

Low Band: Offset = RF cable loss (dB)+ attenuation factor(dB) =3.6+10=13.6(dB) High Band: Offset = RF cable loss (dB)+ attenuation factor(dB) =3.8+10=13.8(dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page 18 of 399

2.5. Final Amplifier Voltage and Current Information:

Test Mode	DC voltage (V)	DC current (mA)
GSM 850	11.1Vdc	1140
GSM 1900	11.1Vdc	1141
GPRS 850	11.1Vdc	1149
GPRS 1900	11.1Vdc	1153
EDGE 850	11.1Vdc	1129
EDGE 1900	11.1Vdc	1141
WCDMA B2	11.1Vdc	1140
WCDMA B4	11.1Vdc	1129
WCDMA B5	11.1Vdc	1142
HSUPA B2	11.1Vdc	1132
HSUPA B4	11.1Vdc	1150
HSUPA B5	11.1Vdc	1133
HSDPA B2	11.1Vdc	1153
HSDPA B4	11.1Vdc	1154
HSDPA B5	11.1Vdc	1137

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sqs.com




Page 19 of 399

Test Mode	DC voltage (V)	DC current (mA)
LTE Band 2_1.4M QPSK	11.1Vdc	1114
LTE Band 2_1.4M 16QAM	11.1Vdc	1105
LTE Band 2_3M QPSK	11.1Vdc	1125
LTE Band 2_3M 16QAM	11.1Vdc	1137
LTE Band 2_5M QPSK	11.1Vdc	1099
LTE Band 2_5M 16QAM	11.1Vdc	1105
LTE Band 2_10M QPSK	11.1Vdc	1144
LTE Band 2_10M 16QAM	11.1Vdc	1129
LTE Band 2_15M QPSK	11.1Vdc	1133
LTE Band 2_15M 16QAM	11.1Vdc	1144
LTE Band 2_20M QPSK	11.1Vdc	1129
LTE Band 2_20M 16QAM	11.1Vdc	1128

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Test Mode	DC voltage (V)	DC current (mA)
LTE Band 4_1.4M QPSK	11.1Vdc	1160
LTE Band 4_1.4M 16QAM	11.1Vdc	1167
LTE Band 4_3M QPSK	11.1Vdc	1132
LTE Band 4_3M 16QAM	11.1Vdc	1184
LTE Band 4_5M QPSK	11.1Vdc	1154
LTE Band 4_5M 16QAM	11.1Vdc	1154
LTE Band 4_10M QPSK	11.1Vdc	1140
LTE Band 4_10M 16QAM	11.1Vdc	1175
LTE Band 4_15M QPSK	11.1Vdc	1189
LTE Band 4_15M 16QAM	11.1Vdc	1157
LTE Band 4_20M QPSK	11.1Vdc	1158
LTE Band 4_20M 16QAM	11.1Vdc	1155

Test Mode	DC voltage (V)	DC current (mA)
LTE Band 5_1.4M QPSK	11.1Vdc	1070
LTE Band 5_1.4M 16QAM	11.1Vdc	1059
LTE Band 5_3M QPSK	11.1Vdc	1040
LTE Band 5_3M 16QAM	11.1Vdc	1094
LTE Band 5_5M QPSK	11.1Vdc	1064
LTE Band 5_5M 16QAM	11.1Vdc	1086
LTE Band 5_10M QPSK	11.1Vdc	1084
LTE Band 5_10M 16QAM	11.1Vdc	1096

t (886-2) 2299-3279

www.tw.sgs.com

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 21 of 399

Test Mode	DC voltage (V)	DC current (mA)
LTE Band 7_5M QPSK	11.1Vdc	1060
LTE Band 7_5M 16QAM	11.1Vdc	1064
LTE Band 7_10M QPSK	11.1Vdc	1068
LTE Band 7_10M 16QAM	11.1Vdc	1073
LTE Band 7_15M QPSK	11.1Vdc	1056
LTE Band 7_15M 16QAM	11.1Vdc	1063
LTE Band 7_20M QPSK	11.1Vdc	1080
LTE Band 7_20M 16QAM	11.1Vdc	1055

Test Mode	DC voltage (V)	DC current (mA)
LTE Band 12_1.4M QPSK	11.1Vdc	1130
LTE Band 12_1.4M 16QAM	11.1Vdc	1130
LTE Band 12_3M QPSK	11.1Vdc	1102
LTE Band 12_3M 16QAM	11.1Vdc	1130
LTE Band 12_5M QPSK	11.1Vdc	1122
LTE Band 12_5M 16QAM	11.1Vdc	1129
LTE Band 12_10M QPSK	11.1Vdc	1117
LTE Band 12_10M 16QAM	11.1Vdc	1135

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.tw.sgs.com



Page 22 of 399

Test Mode	DC voltage (V)	DC current (mA)
LTE Band 17_5M QPSK	11.1Vdc	1020
LTE Band 17_5M 16QAM	11.1Vdc	1041
LTE Band 17_10M QPSK	11.1Vdc	1002
LTE Band 17_10M 16QAM	11.1Vdc	1050

Test Mode	DC voltage (V)	DC current (mA)
LTE Band 26_1.4M QPSK	11.1Vdc	1030
LTE Band 26_1.4M 16QAM	11.1Vdc	1053
LTE Band 26_3M QPSK	11.1Vdc	1055
LTE Band 26_3M 16QAM	11.1Vdc	1028
LTE Band 26_5M QPSK	11.1Vdc	1025
LTE Band 26_5M 16QAM	11.1Vdc	1031
LTE Band 26_10M QPSK	11.1Vdc	1027
LTE Band 26_10M 16QAM	11.1Vdc	1043
LTE Band 26_15M QPSK	11.1Vdc	1010
LTE Band 26_15M 16QAM	11.1Vdc	1012

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 23 of 399

Test Mode	DC voltage (V)	DC current (mA)
LTE Band 41_5M QPSK	11.1Vdc	1110
LTE Band 41_5M 16QAM	11.1Vdc	1095
LTE Band 41_10M QPSK	11.1Vdc	1096
LTE Band 41_10M 16QAM	11.1Vdc	1086
LTE Band 41_15M QPSK	11.1Vdc	1127
LTE Band 41_15M 16QAM	11.1Vdc	1105
LTE Band 41_20M QPSK	11.1Vdc	1132
LTE Band 41_20M 16QAM	11.1Vdc	1135


LTE Band 26 for Part 90S

Test Mode	DC voltage (V)	DC current (mA)
LTE Band 26_1.4M QPSK	11.1Vdc	1109
LTE Band 26_1.4M 16QAM	11.1Vdc	1133
LTE Band 26_3M QPSK	11.1Vdc	1085
LTE Band 26_3M 16QAM	11.1Vdc	1083
LTE Band 26_5M QPSK	11.1Vdc	1129
LTE Band 26_5M 16QAM	11.1Vdc	1127
LTE Band 26_10M QPSK	11.1Vdc	1096
LTE Band 26_10M 16QAM	11.1Vdc	1124

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



2.6. Configuration of Tested System

Fig. 2-1 Configuration of Tested System (Fixed Channel-Conducted)




Fig. 2-2 Configuration of Tested System (Fixed Channel-Radiated)




Table 2-1 Equipment Used in

Item	Equipment	Mfr/Brand	Model/ Type No.	Series No.	Data Cable	Power Cord
1.	Universal Radio Communication Tester	R&S	CMU200	102189	shielded	Un-shielded
2.	Universal Radio Communication Tester	Anritsu	MT8820C	6200307563	shielded	Un-shielded
3.	DC Power Supply	HP	E3640A	KR93300208	N/A	Un-shielded

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

www.tw.sqs.com



Page 25 of 399

3. SUMMARY OF TEST RESULTS

FCC Rules	Description Of Test	Result
§2.1046(a)	RF Power Output	Compliant
§2.1046(a) §22.913(a)(2) §24.232(c) §27.50(c)(9) §27.50(d)(4) §27.50(h)(2) §90.635	ERP/ EIRP measure- ment	Compliant
§2.1049(h)	99% & 26dB Occuupied Bandwidth	Compliant
§2.1051 §22.917(a) §24.238(a) §27.53(g) §27.50(c)(5) §27.53(h) §27.53(m)(4)(6) §90.691	Out of Band Emissions at Antenna Terminals and Band Edge / Emission mask requirements	Compliant
§2.1053 §22.917(a) §24.238(a) §27.53(c)(2),(4) §27.50(c)(5) §27.53(g) §27.53(h) §27.53(m)(4) §90.691(a)(1)(2)	Field Strength of Spurious Radiation	Compliant
§24.232(d) §27.53(d) (5) §27.50(i) (B)	Peak to Average Ratio	Compliant
§2.1055(a)(1) §22.355 §24.235 §27.54 §90.213	Frequency Stability	Compliant

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 26 of 399

4. DESCRIPTION OF TEST MODES

4.1. The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Pre-Scan has been conducted to determine the worst-case mode from all possible combinations between available modulations, data rates, X(E1)Y(E2)Z(H) axis and antenna ports. The worst case was found as listed below. Following channel(s) was (were) selected for the final test as listed below:

BAND	ERP/EIRP	RADIATED EMISSION
GSM/GPRS/EDGE 850	E2-plan	E2-plan
GSM/GPRS/EDGE 1900	E2-plan	E2-plan
WCDMA/HSPA Band II	E2-plan	E2-plan
WCDMA/HSPA Band IV	E2-plan	E2-plan
WCDMA/HSPA Band V	E2-plan	E2-plan
LTE Band 2	E2-plan	E2-plan
LTE Band 4	E2-plan	E2-plan
LTE Band 5	E2-plan	E2-plan
LTE Band 7	E2-plan	E2-plan
LTE Band 12	E2-plan	E2-plan
LTE Band 17	E2-plan	E2-plan
LTE Band 26	E2-plan	E2-plan
LTE Band 41	E2-plan	E2-plan
LTE Band 26 for Part 90S	E2-plan	E2-plan

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可都份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction is sue sed fined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unlowful and efforces may be presented to the fullest cutent of the followers. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page 27 of 399

GSM/GPRS/EDGE MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	MODE
ERP	128 to 251	128, 190, 251	GSM/GPRS/EDGE 850
EIRP	512 to 810	512, 661, 810	GSM/GPRS/EDGE 1900
FREQUENCY STABILITY	128 to 251	190	GPRS 850
	512 to 810	661	GPRS 1900
OCCUPIED BANDWIDTH	128 to 251	190	GSM/GPRS/EDGE 850
	512 to 810	661	GSM/GPRS/EDGE 1900
PEAK TO AVERAGE RATIO	128 to 251	128, 190, 251	GSM/GPRS/EDGE 850
	512 to 810	512, 661, 810	GSM/GPRS/EDGE 1900
BAND EDGE	128 to 251	128, 251	GSM/GPRS/EDGE 850
	512 to 810	512, 810	GSM/GPRS/EDGE 1900
CONDCUDETED EMISSION	128 to 251	128, 190, 251	GSM/GPRS/EDGE 850
	512 to 810	512, 661, 810	GSM/GPRS/EDGE 1900
RADIATED EMISSION	128 to 251	128, 190, 251	GPRS 850
	512 to 810	512, 661, 810	GSM 1900

WCDMA/HSPA MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	MODE
ERP	4132 to 4233	4132, 4183, 4233	WCDMA/HSPA Band V
EIRP	9262 to 9538	9262, 9400, 9583	WCDMA/HSPA Band II
	1312 to 1513	1312, 1413, 1513	WCDMA/HSPA Band IV
FREQUENCY	4132 to 4233	4183	WCDMA Band II
STABILITY	1312 to 1513	1413	WCDMA Band IV
STABILITY	9262 to 9538	9400	WCDMA Band V
OCCUPIED	4132 to 4233	4132, 4183, 4233	WCDMA/HSPA Band II
BANDWIDTH	1312 to 1513	1312, 1413, 1513	WCDMA/HSPA Band IV
BANDWIDTH	9262 to 9538	9262, 9400, 9583	WCDMA/HSPA Band V
PEAK TO AVERAGE	4132 to 4233	4132, 4183, 4233	WCDMA/HSPA Band II
RATIO	1312 to 1513	1312, 1413, 1513	WCDMA/HSPA Band IV
KATIO	9262 to 9538	9262, 9400, 9583	WCDMA/HSPA Band V
	4132 to 4233	4132, 4233	WCDMA Band II
BAND EDGE	1312 to 1513	1312, 1513	WCDMA Band IV
	9262 to 9538	9262, 9583	WCDMA Band V
CONDCUDETED	4132 to 4233	4132, 4183, 4233	WCDMA Band II
EMISSION	1312 to 1513	1312, 1413, 1513	WCDMA Band IV
EIVIIOOIOIN	9262 to 9538	9262, 9400, 9583	WCDMA Band V
	4132 to 4233	4132, 4183, 4233	HSDPA Band II
RADIATED EMISSION	1312 to 1513	1312, 1413, 1513	HSDPA Band IV
	9262 to 9538	9262, 9400, 9583	WCDMA Band V

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279 f (886-2) 2298-0488

www.tw.sgs.com



Page 28 of 399

LTE Band 2 MODE

LIE BANG Z WODE							
TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE		
	18607 to 19193	18607, 18900, 19193	1.4MHz	QPSK, 16QAM	1 RB/ 0,5 RB Offest		
	18615 to 19185	18615, 18900, 19185	3MHz	QPSK, 16QAM	1 RB/ 0,14 RB Offest		
	18625 to 19175	18625, 18900, 19175	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest		
EIRP	18650 to 19150	18650, 18900, 19150	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest		
	18675 to 19125	18675, 18900, 19125	15MHz	QPSK, 16QAM	1 RB/ 0,74 RB Offest		
	18700 to 19100	18700, 18900, 19100	20MHz	QPSK, 16QAM	1 RB/ 0,99 RB Offest		
FREQUENCY STABILITY	18650 to 19150	18900	10MHz	QPSK,	Full RB		
	18607 to 19193	18607, 18900, 19193	1.4MHz	QPSK, 16QAM	Full RB		
	18615 to 19185	18615, 18900, 19185	3MHz	QPSK, 16QAM	Full RB		
OCCUPIED	18625 to 19175	18625, 18900, 19175	5MHz	QPSK, 16QAM	Full RB		
BANDWIDTH	18650 to 19150	18650, 18900, 19150	10MHz	QPSK, 16QAM	Full RB		
	18675 to 19125	18675, 18900, 19125	15MHz	QPSK, 16QAM	Full RB		
	18700 to 19100	18700, 18900, 19100	20MHz	QPSK, 16QAM	Full RB		
	18607 to 19193	18607, 18900, 19193	1.4MHz	16QAM	Full RB		
	18615 to 19185	18615, 18900, 19185	3MHz	16QAM	Full RB		
PEAK TO AV-	18625 to 19175	18625, 18900, 19175	5MHz	16QAM	Full RB		
ERAGE RATIO	18650 to 19150	18650, 18900, 19150	10MHz	16QAM	Full RB		
	18675 to 19125	18675, 18900, 19125	15MHz	16QAM	Full RB		
	18700 to 19100	18700, 18900, 19100	20MHz	16QAM	Full RB		
	18607 to 19193	18607, 19193	1.4MHz	QPSK,	1 RB/ 0,5 RB Offes Full RB		
	18615 to 19185	18615, 19185	3MHz	QPSK,	1 RB/ 0,14 RB Offest Full RB		
BAND EDGE	18625 to 19175	18625, 19175	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB		
<i>B</i> , ((1))	18650 to 19150	18650, 19150	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB		
	18675 to 19125	18675, 19125	15MHz	QPSK,	1 RB/ 0,74 RB Offest Full RB		
	18700 to 19100	18700, 19100	20MHz	QPSK,	1 RB/ 0,99 RB Offest Full RB		
	18607 to 19193	18607, 18900, 19193	1.4MHz	QPSK,	1 RB, 0 RB Offest		
	18615 to 19185	18615, 18900, 19185	3MHz	QPSK,	1 RB, 0 RB Offest		
CONDCUDETED	18625 to 19175	18625, 18900, 19175	5MHz	QPSK,	1 RB, 0 RB Offest		
EMISSION	18650 to 19150	18650, 18900, 19150	10MHz	QPSK,	1 RB, 0 RB Offest		
	18675 to 19125	18675, 18900, 19125	15MHz	QPSK,	1 RB, 0 RB Offest		
	18700 to 19100	18700, 18900, 19100	20MHz	QPSK,	1 RB, 0 RB Offest		
RADIATED EMISSION	18650 to 19150	18650, 18900, 19150	10MHz	QPSK	1 RB, 0 RB Offest		

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 29 of 399

I TF Band 4 MODE

LIL Balla + MO	LIE Band 4 MODE						
TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE		
	19957 to 19393	19957, 20175, 19393	1.4MHz	QPSK, 16QAM	1 RB/ 0,5 RB Offest		
	19965 to 22385	19965, 20175, 22385		QPSK, 16QAM	1 RB/ 0,14 RB Offest		
FIDD	19975 to 20375	19975, 20175, 20375		QPSK, 16QAM	1 RB/ 0,24 RB Offest		
EIRP	20000 to 20350	20000, 20175, 20350	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest		
	20025 to 20325	20025, 20175, 20325	15MHz	QPSK, 16QAM	1 RB/ 0,74 RB Offest		
	20050 to 20300	20050, 20175, 20300	20MHz	QPSK, 16QAM	1 RB/ 0,99 RB Offest		
FREQUENCY STABILITY	20000 to 20350	20175	10MHz	QPSK,	Full RB		
	19957 to 19393	19957, 20175, 19393	1.4MHz	QPSK, 16QAM	Full RB		
	19965 to 22385	19965, 20175, 22385		QPSK, 16QAM	Full RB		
OCCUPIED	19975 to 20375	19975, 20175, 20375	5MHz	QPSK, 16QAM	Full RB		
BANDWIDTH	20000 to 20350	20000, 20175, 20350	10MHz	QPSK, 16QAM	Full RB		
5, (5 (1) 5 (1)	20025 to 20325	20025, 20175, 20325	15MHz	QPSK, 16QAM	Full RB		
	20050 to 20300	20050, 20175, 20300	20MHz	QPSK, 16QAM	Full RB		
	19957 to 19393	19957, 20175, 19393	1.4MHz	16QAM	Full RB		
	19965 to 22385	19965, 20175, 22385	3MHz	16QAM	Full RB		
PEAK TO AV-	19975 to 20375	19975, 20175, 20375	5MHz	16QAM	Full RB		
ERAGE RATIO	20000 to 20350	20000, 20175, 20350	10MHz	16QAM	Full RB		
	20025 to 20325	20025, 20175, 20325	15MHz	16QAM	Full RB		
	20050 to 20300	20050, 20175, 20300	20MHz	16QAM	Full RB		
	19957 to 19393	19957, 19393	1.4MHz	QPSK,	1 RB/ 0,5 RB Offes Full RB		
	19965 to 22385	19965, 22385	3MHz	QPSK,	1 RB/ 0,14 RB Offest Full RB		
BAND EDGE	19975 to 20375	19975, 20375	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB		
B/ (ND EDGE	20000 to 20350	20000, 20350	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB		
	20025 to 20325	20025, 20325	15MHz	QPSK,	1 RB/ 0,74 RB Offest Full RB		
	20050 to 20300	20050, 20300	20MHz	QPSK,	1 RB/ 0,99 RB Offest Full RB		
	19957 to 19393	19957, 20175, 19393		QPSK,	1 RB, 0 RB Offest		
	19965 to 22385	19965, 20175, 22385	3MHz	QPSK,	1 RB, 0 RB Offest		
CONDCUDETED	19975 to 20375	19975, 20175, 20375		QPSK,	1 RB, 0 RB Offest		
EMISSION	20000 to 20350	20000, 20175, 20350	10MHz	QPSK,	1 RB, 0 RB Offest		
	20025 to 20325	20025, 20175, 20325	15MHz	QPSK,	1 RB, 0 RB Offest		
	20050 to 20300	20050, 20175, 20300	20MHz	QPSK,	1 RB, 0 RB Offest		
RADIATED EMISSION	19965 to 22385	19965, 20175, 22385	3MHz	QPSK	1 RB, 14 RB Offest		

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 30 of 399

LTF Band 5 MODE

LIE Band 5 MODE						
TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE	
	20470 to 20643	20470, 20525, 20643	1.4MHz	QPSK, 16QAM	1 RB/ 0,5 RB Offest	
ERP	20415 to 20635	20415, 20525, 20635	3MHz	QPSK, 16QAM	1 RB/ 0,14 RB Offest	
ERF	20425 to 20625	20425, 20525, 20625	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest	
	20450 to 20600	20450, 20525, 20600	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest	
FREQUENCY STABILITY	20450 to 20600	20525	10MHz	QPSK,	Full RB	
	20470 to 20643	20470, 20525, 20643	1.4MHz	QPSK, 16QAM	Full RB	
OCCUPIED	20415 to 20635	20415, 20525, 20635	3MHz	QPSK, 16QAM	Full RB	
BANDWIDTH	20425 to 20625	20425, 20525, 20625	5MHz	QPSK, 16QAM	Full RB	
	20450 to 20600	20450, 20525, 20600	10MHz	QPSK, 16QAM	Full RB	
	20470 to 20643	20470, 20525, 20643	1.4MHz	16QAM	Full RB	
PEAK TO AV-	20415 to 20635	20415, 20525, 20635	3MHz	16QAM	Full RB	
ERAGE RATIO	20425 to 20625	20425, 20525, 20625	5MHz	16QAM	Full RB	
	20450 to 20600	20450, 20525, 20600	10MHz	16QAM	Full RB	
	20470 to 20643	20470, 20643	1.4MHz	QPSK,	1 RB/ 0,5 RB Offes Full RB	
DAND EDGE	20415 to 20635	20415, 20635	3MHz	QPSK,	1 RB/ 0,14 RB Offest Full RB	
BAND EDGE	20425 to 20625	20425, 20625	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB	
	20450 to 20600	20450, 20600	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB	
	20470 to 20643	20470, 20525, 20643	1.4MHz	QPSK,	1 RB, 0 RB Offest	
CONDCUDETED EMISSION	20415 to 20635	20415, 20525, 20635	3MHz	QPSK,	1 RB, 0 RB Offest	
	20425 to 20625	20425, 20525, 20625	5MHz	QPSK,	1 RB, 0 RB Offest	
		20450, 20525, 20600	10MHz	QPSK,	1 RB, 0 RB Offest	
RADIATED EMISSION	20415 to 20635	20415, 20525, 20635	3MHz	QPSK	1 RB, 14 RB Offest	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sqs.com



Page 31 of 399

LTE Band 7 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
	20775 to 21425	20775, 21100, 21425	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
FIDD		20800, 21100, 21400	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
EIRP		20850, 21100, 21375		QPSK, 16QAM	1 RB/ 0,74 RB Offest
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK, 16QAM	1 RB/ 0,99 RB Offest
FREQUENCY STABILITY	20800 to 21400	21100	10MHz	QPSK,	Full RB
	20775 to 21425	20775, 21100, 21425	5MHz	QPSK, 16QAM	Full RB
OCCUPIED	20800 to 21400	20800, 21100, 21400	10MHz	QPSK, 16QAM	Full RB
BANDWIDTH	20850 to 21375	20850, 21100, 21375	15MHz	QPSK, 16QAM	Full RB
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK, 16QAM	Full RB
	20775 to 21425	20775, 21100, 21425	5MHz	16QAM	Full RB
PEAK TO AV-	20800 to 21400	20800, 21100, 21400	10MHz	16QAM	Full RB
ERAGE RATIO	20850 to 21375	20850, 21100, 21375	15MHz	16QAM	Full RB
	20850 to 21350	20850, 21100, 21350	20MHz	16QAM	Full RB
	20775 to 21425	20775, 21100, 21425	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
BAND EDGE	20800 to 21400	20800, 21100, 21400	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
BAND EDGE	20850 to 21375	20850, 21100, 21375	15MHz	QPSK,	1 RB/ 0,74 RB Offest Full RB
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK,	1 RB/ 0,99 RB Offest Full RB
		20775, 21100, 21425	5MHz	QPSK,	1 RB, 0 RB Offest
CONDCUDETED	20800 to 21400	20800, 21100, 21400	10MHz	QPSK,	1 RB, 0 RB Offest
EMISSION	20850 to 21375	20850, 21100, 21375	15MHz	QPSK,	1 RB, 0 RB Offest
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK,	1 RB, 0 RB Offest
RADIATED EMISSION	20850 to 21375	20850, 21100, 21375	15MHz	QPSK	1 RB, 74 RB Offest
	20775 to 21425	20775, 21100, 21425	5MHz	QPSK,	1 RB/ 0,24 RB Offest 25 RB/ 0 Offset
EMISSION	20800 to 21400	20800, 21100, 21400	10MHz	QPSK,	1 RB/ 0,49 RB Offest 50 RB/ 0 Offset
MASK	20850 to 21375	20850, 21100, 21375	15MHz	QPSK,	1 RB/ 0,74 RB Offest 75 RB/ 0 Offset
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK,	1 RB/ 0,99 RB Offest 100 RB/ 0 Offset

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 32 of 399

LTE Band 12 MODE

ETE Band 12 MODE						
TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE	
ERP	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK, 16QAM	1 RB/ 0,5 RB Offest	
	23025 to 23165	23025, 23095, 23165	3MHz	QPSK, 16QAM	1 RB/ 0,14 RB Offest	
	23035 to 23155	23035, 23095, 23155	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest	
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest	
FREQUENCY STABILITY	23060 to 23130		10MHz	QPSK,	Full RB	
	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK, 16QAM	Full RB	
OCCUPIED	23025 to 23165	23025, 23095, 23165	3MHz	QPSK, 16QAM	Full RB	
BANDWIDTH	23035 to 23155	23035, 23095, 23155	5MHz	QPSK, 16QAM	Full RB	
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK, 16QAM	Full RB	
	23017 to 23173	23017, 23095, 23173	1.4MHz	16QAM	Full RB	
PEAK TO AV-	23025 to 23165	23025, 23095, 23165	3MHz	16QAM	Full RB	
ERAGE RATIO	23035 to 23155	23035, 23095, 23155	5MHz	16QAM	Full RB	
	23060 to 23130	23060, 23095, 23130	10MHz	16QAM	Full RB	
BAND EDGE	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK,	1 RB/ 0,5 RB Offes Full RB	
	23025 to 23165	23025, 23095, 23165	3MHz	QPSK,	1 RB/ 0,14 RB Offest Full RB	
	23035 to 23155	23035, 23095, 23155	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB	
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB	
CONDCUDETED EMISSION	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK,	1 RB, 0 RB Offest	
	23025 to 23165	23025, 23095, 23165	3MHz	QPSK,	1 RB, 0 RB Offest	
		23035, 23095, 23155		QPSK,	1 RB, 0 RB Offest	
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK,	1 RB, 0 RB Offest	
RADIATED EMISSION		23025, 23095, 23165		QPSK	1 RB, 14 RB Offest	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page 33 of 399

LTF Band 17 MODE

LIE BAIIU II MODE					
TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
ERP	23755 to 23825	23755, 23790, 23825	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
	23780 to 23800	23780, 23790, 23800	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	23780 to 23800	23790	10MHz	QPSK,	Full RB
OCCUPIED	23755 to 23825	23755, 23790, 23825	5MHz	QPSK, 16QAM	Full RB
BANDWIDTH	23780 to 23800	23780, 23790, 23800	10MHz	QPSK, 16QAM	Full RB
PEAK TO AV-	23755 to 23825	23755, 23790, 23825	5MHz	16QAM	Full RB
ERAGE RATIO	23780 to 23800	23780, 23790, 23800	10MHz	16QAM	Full RB
BAND EDGE	23755 to 23825	23755, 23825	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
	23780 to 23800	23780, 23800	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
CONDCUDETED	23755 to 23825	23755, 23790, 23825	5MHz	QPSK,	1 RB, 0 RB Offest
EMISSION		23780, 23790, 23800		QPSK,	1 RB, 0 RB Offest
RADIATED EMISSION	23780 to 23800	23780, 23790, 23800	10MHz	QPSK	1 RB, 49 RB Offest

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

t (886-2) 2299-3279

www.tw.sqs.com



Page 34 of 399

LTE Band 26 MODE

	AVAILABLE	TESTED	CHANNEL		
TEST ITEM	CHANNEL	CHANNEL	BANDWIDTH	MODULATION	MODE
ERP	26797 to 27033	26797, 26915, 27033	1.4MHz	QPSK, 16QAM	1 RB/ 0,5 RB Offest
	26805 to 27025	26805, 26915, 27025	3MHz	QPSK, 16QAM	1 RB/ 0,14 RB Offest
	26815 to 27015	26815, 26915, 27015	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
	26840 to 26990	26840, 26915, 26990	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
	26865 to 26965	26865, 26915, 26965	15MHz	QPSK, 16QAM	1 RB/ 0,74 RB Offest
FREQUENCY STABILITY	26865 to 26965	26915	15MHz	QPSK,	Full RB
	26797 to 27033	26797, 26915, 27033	1.4MHz	QPSK, 16QAM	Full RB
OCCUPIED	26805 to 27025	26805, 26915, 27025	3MHz	QPSK, 16QAM	Full RB
	26815 to 27015	26815, 26915, 27015	5MHz	QPSK, 16QAM	Full RB
BANDWIDTH	26840 to 26990	26840, 26915, 26990	10MHz	QPSK, 16QAM	Full RB
	26865 to 26965	26865, 26915, 26965	15MHz	QPSK, 16QAM	Full RB
	26797 to 27033	26797, 26915, 27033	1.4MHz	16QAM	Full RB
PEAK TO AV-	26805 to 27025	26805, 26915, 27025	3MHz	16QAM	Full RB
	26815 to 27015	26815, 26915, 27015	5MHz	16QAM	Full RB
ERAGE RATIO	26840 to 26990	26840, 26915, 26990	10MHz	16QAM	Full RB
	26865 to 26965	26865, 26915, 26965	15MHz	16QAM	Full RB
	26797 to 27033	26797, 26915, 27033	1.4MHz	QPSK,	1 RB/ 0,5 RB Offes Full RB
BAND EDGE	26805 to 27025	26805, 26915, 27025	3MHz	QPSK,	1 RB/ 0,14 RB Offest Full RB
	26815 to 27015	26815, 26915, 27015	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
	26840 to 26990	26840, 26915, 26990	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
	26865 to 26965	26865, 26915, 26965	15MHz	QPSK	1 RB/ 0,74 RB Offest
CONDCUDETED EMISSION	26797 to 27033	26797, 26915, 27033	1.4MHz	QPSK,	1 RB, 0 RB Offest
	26805 to 27025	26805, 26915, 27025	3MHz	QPSK,	1 RB, 0 RB Offest
	26815 to 27015	26815, 26915, 27015	5MHz	QPSK,	1 RB, 0 RB Offest
	26840 to 26990	26840, 26915, 26990	10MHz	QPSK,	1 RB, 0 RB Offest
	26865 to 26965	26865, 26915, 26965	15MHz	QPSK	1 RB, 0 RB Offest
RADIATED EMISSION	26805 to 27025	26805, 26915, 27025	3MHz	QPSK,	1 RB, 0 RB Offest

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 35 of 399

LTE Band 41 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
EIRP	39675 to 41565	39675, 40620, 41565	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
	39700 to 41540	39700, 40620, 41540	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
	39725 to 41515	39725, 40620, 41515	15MHz	QPSK, 16QAM	1 RB/ 0,74 RB Offest
	39750 to 41490	39750, 40620, 41490	20MHz	QPSK, 16QAM	1 RB/ 0,99 RB Offest
FREQUENCY STABILITY	39750 to 41490	39750, 40620, 41490	20MHz	QPSK,	Full RB
	39675 to 41565	39675, 40620, 41565	5MHz	QPSK, 16QAM	Full RB
OCCUPIED	39700 to 41540	39700, 40620, 41540	10MHz	QPSK, 16QAM	Full RB
BANDWIDTH	39725 to 41515	39725, 40620, 41515	15MHz	QPSK, 16QAM	Full RB
	39750 to 41490	39750, 40620, 41490	20MHz	QPSK, 16QAM	Full RB
	39675 to 41565	39675, 40620, 41565	5MHz	16QAM	Full RB
PEAK TO AV-	39700 to 41540	39700, 40620, 41540	10MHz	16QAM	Full RB
ERAGE RATIO	39725 to 41515	39725, 40620, 41515	15MHz	16QAM	Full RB
	39750 to 41490	39750, 40620, 41490	20MHz	16QAM	Full RB
	39675 to 41565	39675, 40620, 41565	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
BAND EDGE	39700 to 41540	39700, 40620, 41540	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
BAND EDGE	39725 to 41515	39725, 40620, 41515	15MHz	QPSK,	1 RB/ 0,74 RB Offest Full RB
	39750 to 41490	39750, 40620, 41490	20MHz	QPSK,	1 RB/ 0,99 RB Offest Full RB
	39675 to 41565	39675, 40620, 41565	5MHz	QPSK,	1 RB, 0 RB Offest
CONDCUDETED	39700 to 41540	39700, 40620, 41540	10MHz	QPSK,	1 RB, 0 RB Offest
EMISSION	39725 to 41515	39725, 40620, 41515	15MHz	QPSK,	1 RB, 0 RB Offest
	39750 to 41490	39750, 40620, 41490	20MHz	QPSK,	1 RB, 0 RB Offest
RADIATED EMISSION	39750 to 41490	39750, 40620, 41490	20MHz	QPSK,	1 RB, 0 RB Offest
EMISSION MASK	39675 to 41565	39675, 40620, 41565	5MHz	QPSK,	1 RB/ 0,24 RB Offest 25 RB/ 0 Offset
	39700 to 41540	39700, 40620, 41540	10MHz	QPSK,	1 RB/ 0,49 RB Offest 50 RB/ 0 Offset
	39725 to 41515	39725, 40620, 41515	15MHz	QPSK,	1 RB/ 0,74 RB Offest 75 RB/ 0 Offset
	39750 to 41490	39750, 40620, 41490	20MHz	QPSK,	1 RB/ 0,99 RB Offest 100 RB/ 0 Offset

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 36 of 399

LTE Band 26 for 90S MODE

LTE Balla 20 for 300 mode						
TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE	
ERP	26697 to 26783	26697, 26740, 26783	1.4MHz	QPSK, 16QAM	1 RB/ 0,5 RB Offest	
	26705 to 26775	26705, 26740, 26775	3MHz	QPSK, 16QAM	1 RB/ 0,14 RB Offest	
	26715 to 26765	26715, 26740, 26765	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest	
	26740	26740	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest	
FREQUENCY STABILITY	26697 to 26783	26740	1.4MHz	QPSK,	Full RB	
	26697 to 26783	26697, 26740, 26783	1.4MHz	QPSK, 16QAM	Full RB	
OCCUPIED	26705 to 26775	26705, 26740, 26775	3MHz	QPSK, 16QAM	Full RB	
BANDWIDTH	26715 to 26765	26715, 26740, 26765	5MHz	QPSK, 16QAM	Full RB	
	26740	26740	10MHz	QPSK, 16QAM	Full RB	
	26697 to 26783	26697, 26740, 26783	1.4MHz	16QAM	Full RB	
PEAK TO AV-	26705 to 26775	26705, 26740, 26775	3MHz	16QAM	Full RB	
ERAGE RATIO	26715 to 26765	26715, 26740, 26765	5MHz	16QAM	Full RB	
	26740	26740	10MHz	16QAM	Full RB	
BAND EDGE	26697 to 26783	26697, 26740, 26783	1.4MHz	QPSK,	1 RB/ 0,5 RB Offes Full RB	
	26705 to 26775	26705, 26740, 26775	3MHz	QPSK,	1 RB/ 0,14 RB Offest Full RB	
	26715 to 26765	26715, 26740, 26765	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB	
	26740	26740	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB	
CONDCUDETED EMISSION	26697 to 26783	26697, 26740, 26783	1.4MHz	QPSK,	1 RB, 0 RB Offest	
		26705, 26740, 26775		QPSK,	1 RB, 0 RB Offest	
		26715, 26740, 26765		QPSK,	1 RB, 0 RB Offest	
	26740	26740	10MHz	QPSK,	1 RB, 0 RB Offest	
RADIATED EMISSION	26705 to 26775	26705, 26740, 26775	3MHz	QPSK,	1 RB, 14 RB Offest	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 37 of 399

5. MEASUREMENT UNCERTAINTY

Test Items	Uncertainty		
RF Power Output	+/- 1.10 dB		
ERP/ EIRP measurement	Vertical Polarization = +/- 4.74dB Horizontal Polarization =+/- 4.62dB		
99% Occupied Bandwidth	+/- 5.19 Hz		
Out of Band Emissions at Antenna Terminals and Band Edge	+/- 0.70 dB		
Peak to Average Ratio	+/- 0.70 dB		
Frequency Stability vs. Temperature	+/- 5.19 Hz		
Frequency Stability vs. Voltage	+/- 5.19 Hz		
Temperature	+/- 0.65 °C		
Humidity	+/- 4.6 %		
DC / AC Power Source	DC= +/- 0.13%, AC=+/- 0.2%		

Radiated Spurious Emission:

	9kHz – 30MHz: +/- 2.87 dB
NA	30MHz - 180MHz: +/- 3.37dB
Measurement uncertainty (Polarization : Vertical)	180MHz -417MHz: +/- 3.19dB
(1 Glanzation : Voltical)	0.417GHz-1GHz: +/- 3.19dB
	1GHz - 18GHz: +/- 4.04dB
	18GHz - 40GHz: +/- 4.04dB

	9kHz – 30MHz: +/- 2.87 dB				
	30MHz - 167MHz: +/- 4.22dB				
Measurement uncertainty (Polarization : Horizontal)	167MHz -500MHz: +/- 3.44dB				
(1 Glanzadori : Florizontal)	0.5GHz-1GHz: +/- 3.39dB				
	1GHz - 18GHz: +/- 4.08dB				
	18GHz - 40GHz: +/- 4.08dB				

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 S Taiwan Ltd.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279




Page 38 of 399

6. RF CONDUCTED OUTPUT POWER MEASUREMENT

6.1. Standard Applicable

A base station simulator was used to establish communication with the EUT. Its parameters were set to transmit the maximum power on the EUT. The measured power in the radio frequency on the transmitter output terminals.

6.2. Test Set-up



Note: Measurement setup for testing on Antenna connector

6.3. Measurement Procedure

The transmitter output was connected to a calibrated attenuator, the other end of which was connected to a power meter. Transmitter output was read off the power meter in dBm. The power output at the transmitter antenna port was determined by adding the value of the attenuator to the power meter reading. TS 151 010-1 is reference to conduct the test measurement of output power.

The Procedure of KDB941225 (SAR Measurement Procedures for 3G devices, (WCDMA/HSPA) was used for EUT and Base station setting. RMC 12.2kps is used for this testing, and KDB 971168 D01 Power Meas License Digital System as the supplemental test methodology to adjust the proper setting obtaining the measurement results

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page 39 of 399

6.4. Measurement Equipment Used

Conduc	Conducted Emission (measured at antenna port) Test Site								
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.				
Power Meter	Anritsu	ML2495A	1005007	12/15/2016	12/14/2017				
Power Sensor	Anritsu	MA2411B	917032	12/15/2016	12/14/2017				
EXA Spectrum Analyzer	Agilent	N9030A	MY53120760	02/26/2016	02/25/2017				
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2016	01/01/2017				
Coaxial Cable	HUBER+SUH NER	SUCOFLEX 102	23670/2	01/02/2016	01/01/2017				
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2016	01/01/2017				
Splitter	Agilent	11636B	N/A	01/02/2016	01/01/2017				
DC Power Supply	Agilent	E3640A	MY52410006	11/21/2016	11/20/2017				
Temperature Chamber	TERCHY	MHG-120LF	911009	05/17/2016	05/16/2017				
Radio Communication Analyzer	Anritsu	MT8820C	6200995019	09/24/2016	09/23/2017				
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2016	02/10/2017				

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page 40 of 399

6.5. Measurement Result

RF Conducted Output Power

GSM/GPRS/EDGE (GMSK: 8-PSK) Result:

EUT Mode	Frequency (MHz)	СН	Averager Burst Power (dBm)
	824.2	128	32.65
GSM 850	836.6	190	32.62
	848.8	251	32.82
	1850.2	512	29.6
GSM 1900	1880.0	661	29.57
	1909.8	810	29.36

EUT Mode	Frequency (MHz)	СН	Average Burst Power (1DN 1UP) Class 8 (dBm)	Average Burst Power (1DN 2UP) Class 10 (dBm)	Average Burst Power (1DN 3UP) Class 10 (dBm)	Average Burst Power (1DN 4UP) Class 12 (dBm)
ODDO	824.2	128	32.58	31.65	29.27	28.23
GPRS 850	836.6	190	32.53	31.62	29.31	28.26
	848.8	251	32.84	31.84	29.38	28.32
ODDO	1850.2	512	29.62	27.98	26.04	24.78
GPRS 1900	1880.0	661	29.59	27.84	25.94	24.72
1000	1909.8	810	29.38	27.62	25.78	24.53
FDOF	824.2	128	27.09	25.43	23.3	22.1
EDGE 850	836.6	190	27.19	25.64	23.26	22.15
	848.8	251	27.11	25.81	23.51	22.49
FDOF	1850.2	512	25.42	24.27	22.2	21.14
1900	1880.0	661	25.37	24.14	22.02	21.08
1000	1909.8	810	25.32	23.96	21.86	21.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 41 of 399

WCDMA MODE:

The following tests were completed according to the test requirements outlined in section 5.2 of the 3GPP TS34.121-1 V8.4.0 specification. The EUT supports power Class 3, which has a nominal maximum output power of 24 dBm (+1.7/-3.7). RMC 12.2kps is used for this testing.

Results:

EUT Mo	de	WCDMA Band II	HSDPA Band II	HSUPA Band II		
Frequency	Frequency CH		uency CH Power		Avg. Power	Avg. Power
(MHz)		(dBm)	(dBm)	(dBm)		
1852.4	9262	24.21	23.64	22.65		
			-	:••		
1880.0	9400	24.37	23.27	22.83		

EUT Mod	de	WCDMA Band IV	HSDPA Band IV	HSUPA Band IV	
Frequency	Frequency CH		Avg. Power	Avg. Power	
(MHz)		(dBm)	(dBm)	(dBm)	
1712.4	1312	24.37	23.52	22.61	
1732.6	1412	24.26	23.17	22.7	
1752.6	1513	24.19	23.4	22.53	

EUT Mod	de	WCDMA Band V	HSDPA Band V	HSUPA Band V
Frequency	Frequency CH		Avg. Power	Avg. Power
(MHz)		(dBm)	(dBm)	(dBm)
826.4	4132	24.46	23.51	23.02
836.6	4183	24.25	23.93	23.12
846.6	4233	24.19	23.79	23.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indernification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law. S Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 42 of 399

LTE Result:

LTE Band 2

	LTE Band 2_Uplink frequency band : 1850 to 1910 MHz										
	BW RB RB (MHz) Size Offse			Conducted power(dBm)							
D\\/		DD		QPSK			16QAM				
			Channel	Channel	Channel	Channel	Channel	Channel			
(IVIITZ)		Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
				18607	18900	19193	18607	18900	19193		
	1	0	23.2	22.85	23.09	21.99	21.46	21.88			
1.4	1	5	23.37	23.08	23.12	22.04	21.68	21.95			
1.4	3	2	23.31	23.02	23.13	21.83	21.46	21.47			
	6	0	22.32	21.94	22.27	21.07	20.65	20.96			

LTE Band 2_Uplink frequency band : 1850 to 1910 MHz										
				Conducted power(dBm)						
BW	W RB RB	RB		QPSK			16QAM			
(MHz)	Size	Offset	Channe	Channe	Channe	Channe	Channe	Channe		
(1111 12)	3126	Olze Oliset	I (Low)	I (Mid)	I (High)	I (Low)	I (Mid)	I (High)		
			18615	18900	19185	18615	18900	19185		
	1	0	23.06	23.01	23.15	21.75	21.13	21.67		
3	1	14	23.13	23.07	22.98	21.74	21.02	21.65		
3	8	4	22.34	22.01	22.14	20.96	20.82	20.93		
	15	0	22.25	21.93	22.08	21.17	20.76	21.13		

LTE Band 2_Uplink frequency band : 1850 to 1910 MHz										
BW (MHz)				Conducted power(dBm)						
	RB	RB		QPSK			16QAM			
	Size		Channel	Channel	Channel	Channel	Channel	Channel		
	5126		(Low)	(Mid)	(High)	(Low)	(Mid)	(High)		
				18625	18900	19175	18625	18900	19175	
	1	0	23.19	22.4	22.23	21.51	21.44	21.42		
5	1	24	23.35	22.58	23.1	21.57	21.36	21.45		
5	12	6	22.28	22.02	22.22	21.21	20.87	21.16		
	25	0	22.2	21.94	22.05	21.14	20.88	21.07		

	LTE Band 2_Uplink frequency band : 1850 to 1910 MHz											
			Conducted power(dBm)									
BW	RB	RB		QPSK			16QAM					
(MHz)	Size	Offset	Channe	Channe	Channe	Channe	Channe	Channe				
(IVII IZ)		Oliset	I (Low)	I (Mid)	I (High)	I (Low)	I (Mid)	I (High)				
			18650	18900	19150	18650	18900	19150				
	1	0	22.54	22.46	23.12	21.66	21.71	21.55				
10	1	49	23.18	22.27	23.19	21.96	21.78	21.96				
10	25	12	22.26	21.9	22.13	21.41	20.94	21.03				
	50	0	22.1	21.88	22.09	21.16	20.77	20.91				

	LTE Band 2_Uplink frequency band : 1850 to 1910 MHz											
				Co	onducted	power(dB	m)					
BW (MHz)	RB	RB		QPSK			16QAM					
	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel				
(IVII IZ)	0126	Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	M Channel (High)				
			18675	18900	19125	18675	18900	19125				
	1	0	23.14	22.8	22.83	22.19	21.74	21.19				
15	1	74	23.15	22.7	22.91	21.94	21.79	22				
15	36	19	22.17	21.81	22.01	21.2	20.88	20.99				
	75	0	22.16	21.91	22.04	21.11	20.87	21.16				

	LTE Band 2_Uplink frequency band : 1850 to 1910 MHz											
			Conducted power(dBm)									
BW (MHz)	RB	RB	QPSK 16QA					Л				
	Size	Offset	Channe	Channe	Channe	Channe	Channe	Channe				
		Oliset	I (Low)	I (Mid)	I (High)	I (Low)	I (Mid)	I (High)				
			18700	18900	19100	18700	18900	19100				
	1	0	22.05	21.86	23.13	21.8	21.79	22.01				
20	1	99	22.93	22.93	23.03	21.81	21.82	22.08				
20	50	25	22.18	21.9	22.12	21.15	20.97	21.07				
	100	0	22.07	21.87	21.97	21.26	20.88	20.84				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com



Page 43 of 399

LTE Band 4

	LTE Band 4_Uplink frequency band : 1710 to 1755 MHz											
			Conducted power(dBm)									
BW	RB	RB		QPSK			16QAM					
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel				
(IVII IZ)	SIZE	Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			19957	20175	20393	19957	20175	20393				
	1	0	23.01	23.14	23.38	21.87	22.05	22.39				
1.4	1	5	23.04	23.18	23.35	22.16	22.05	22.07				
1.4	3	2	23.06	23.22	23.21	22.12	22.12	22.18				
	6	0	22.62	22.21	22.35	21.33	21.06	21.08				

	LTE Band 4_Uplink frequency band : 1710 to 1755 MHz										
				Conducted power(dBm)							
BW	RB	RB		QPSK			16QAM				
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel			
		Size Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			19965	20175	20385	19965	20175	20385			
	1	0	23.58	23.25	23.19	22.4	21.46	21.96			
3	1	14	22.95	23.19	23.37	22.13	21.74	22.01			
3	8	4	22.56	22.38	22.34	21.38	21.46	21.52			
	15	0	22.58	22.21	22.23	21.22	21.29	21.41			

	LTE Band 4_Uplink frequency band : 1710 to 1755 MHz										
			Conducted power(dBm)								
BW (MHz)	RB	RB		QPSK			16QAM				
	Size	Offset	Channel	Channel	Channel	Channel	nannel Channel Chan	Channel			
(IVII IZ)	SIZE	Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			19975	20175	20375	19975	20175	20375			
	1	0	23.58	23.07	23.16	22.13	21.34	22.13			
5	1	24	23.46	23.03	23.41	22	21.18	21.78			
5	12	6	22.57	22.36	22.25	21.2	20.98	21.26			
	25	0	22.33	22.2	22.22	21.11	21.25	21.19			

	LTE Band 4_Uplink frequency band : 1710 to 1755 MHz										
				C	Conducted	power(dBr	n)				
BW (MHz)	RB	RB		QPSK			16QAM				
	Size		Channel	Channel	Channel	Channel	Channel	Channel			
(IVITZ)			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			20000	20175	20350	20000	20175	20350			
	1	0	22.45	23.48	23.25	22.26	22.14	22			
10	1	49	23.61	23.18	23.25	22.3	21.91	22.01			
10	25	12	22.41	22.33	22.35	21.45	21.3	21.32			
	50	0	22.48	22.19	22.27	21.56	21.17	21.15			

	LTE Band 4_Uplink frequency band : 1710 to 1755 MHz											
			Conducted power(dBm)									
BW (MHz)	RB	RB		QPSK			16QAM					
	Size	Offset	Channel	Channel	Channel	Channel	Channel	M Channel (High) 5 20325 21.91 21.99 0 21.32				
(1011 12)	SIZE	Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	6QAM hannel Channel (Mid) (High) 20175 20325 22.2 21.91 21.94 21.99 21.19 21.32				
			20025	20175	20325	20025	20175	20325				
	1	0	22.98	23.44	23.3	21.46	22.2	21.91				
15	1	74	23.47	23.3	23.1	22.44	21.94	21.99				
10	36	19	22.43	22.32	22.33	21.34	21.19	21.32				
	75	0	22.37	22.17	22.27	21.11	21.13	21.25				

	LTE Band 4_Uplink frequency band : 1710 to 1755 MHz											
			Conducted power(dBm)									
BW (MHz)	RB	RB		QPSK			16QAM					
	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel				
	SIZE	Size Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			20050	20175	20300	20050	20175	20300				
	1	0	22.99	23.2	23.36	22.33	22.27	22.43				
20	1	99	23.44	23.29	22.95	22.47	22.16	22.53				
20	50	25	22.49	22.31	22.33	21.47	21.25	21.2				
	100	0	22.4	22.19	22.19	21.25	21.06	21.25				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com



Page 44 of 399

LTE Band 5

	LTE Band 5_Uplink frequency band : 824 to 849 MHz											
			Conducted power(dBm)									
BW (MHz)	RB	RB		QPSK			16QAM					
	Size	Offset	Channel Channel Channel Channel Cha			Channel	innel Channel lid) (High) 525 20643					
	SIZE	Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			20407	20525	20643	20407	20525	20643				
	1	0	23.85	23.32	23.45	21.85	22.02	21.95				
1.4	1	5	23.13	23.32	23.61	21.95	22.04	22.24				
1.4	3	2	23.23	23.36	23.57	21.87	22.3	22.16				
	6	0	22.28	22.46	22.61	21.04	21.33	21.32				

	Ľ	TE Band	5_Uplink 1	frequency	band : 82	4 to 849 l	ИНz		
			Conducted power(dBm)						
BW	RB	RB		QPSK			16QAM		
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel	
(IVII IZ)	3126	oize Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	
			20415	20525	20635	20415	20525	20635	
	1	0	23.15	23.34	23.51	21.93	22.08	22.24	
3	1	14	23.23	23.49	23.47	21.83	22.05	22.12	
3	8	4	22.36	22.49	22.5	21.29	21.3	21.48	
	15	0	22.17	22.39	22.43	21.19	21.26	21.57	

	LTE Band 5_Uplink frequency band : 824 to 849 MHz											
			Conducted power(dBm)									
BW (MHz)	RB	RB		QPSK			16QAM					
	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel				
(IVII IZ)		Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			20425	20525	20625	20425	20525	20625				
	1	0	23.15	23.28	23.38	22.22	22.17	22.31				
5	1	24	23.23	23.27	23.51	22.15	22.09	22.14				
3	12	6	22.29	22.49	22.6	21.33	21.44	21.42				
	25	0	22.17	22.4	22.44	21.24	21.41	21.5				

	LTE Band 5_Uplink frequency band : 824 to 849 MHz											
				Conducted power(dBm)								
BW	RB	RB		QPSK			16QAM					
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel				
(IVII IZ)	Size	Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			20450	20525	20600	20450	20525	20600				
	1	0	23.13	23.37	23.58	22.13	22.17	22.22				
10	1	49	23.48	23.65	23.64	22.07	22.35	22.35				
10	25	12	22.31	22.43	22.51	21.3	21.42	21.67				
	50	0	22.31	22.38	22.41	21.2	21.48	21.57				

LTE Band 7

	LTE Band 7_Uplink frequency band : 2500 to 2570 MHz											
	RB Size	RB	Conducted power(dBm)									
BW (MHz)			QPSK				16QAM					
		Offset	Channel	Channel	Channel	Channel	Channel	Channel				
(IVII IZ)		Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			20775	21100	21425	20775	21100	21425				
	1	0	23.65	23.35	23.43	22.19	22.01	22.16				
5	1	24	23.2	23.22	23.51	22.1	22	22.14				
3	12	6	22.25	22.96	22.46	21.3	21.86	21.67				
	25	0	22.31	22.95	22.23	21.15	21.8	21.37				

	LTE Band 7_Uplink frequency band : 2500 to 2570 MHz											
				Conducted power(dBm)								
BW	RB	RB		QPSK			16QAM					
(MHz)		Size Offset	Channel	Channel	Channel	Channel	Channel	Channel				
(IVII IZ)	Size		(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			20800	21100	21400	20800	21100	21400				
	1	0	23.61	23.29	23.2	22.47	22.01	21.84				
10	1	49	23.19	23.14	23.58	22.02	22.2	22.12				
10	25	12	22.42	22.97	22.21	21.33	21.57	21.5				
	50	0	22.33	22.85	22.59	21.13	21.81	21.59				

	LTE Band 7_Uplink frequency band : 2500 to 2570 MHz												
	RB	RB Offset		Conducted power(dBm)									
BW				QPSK			16QAM						
(MHz)	Size		Channel	Channel	Channel	Channel	Channel	Channel					
(IVII IZ)	SIZE		(Low)	(Mid)	(High)	(Low)	(Mid)	(High)					
			20825	21100	21375	20825	21100	21375					
	1	0	23.4	23.33	23.35	22.1	22.81	22.16					
15	1	74	23.4	23.09	23.55	22.01	22.71	22.07					
10	36	19	22.41	22.91	22.68	21.3	21.9	21.21					
	75	0	22.47	22.9	22.41	21.12	21.85	21.15					

	LTE Band 7_Uplink frequency band : 2500 to 2570 MHz											
		RB RB		Conducted power(dBm)								
BW	RB		QPSK			16QAM						
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel				
(IVII IZ)	3126	Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			20850	21100	21350	20850	21100	21350				
	1	0	23.6	23.68	23.26	22.25	22.48	21.98				
20	1	99	23.41	23.04	23.72	22.37	21.71	22.2				
20	50	25	22.58	22.91	22.5	21.46	21.97	21.39				
	100	0	22.67	22.8	22.41	21.39	21.22	21.25				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 45 of 399

LTE Band 12

	LTE Band 12_Uplink frequency band : 699 to 716 MHz											
				Conducted power(dBm)								
BW RB	DD	RB	QPSK				16QAM					
	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel				
(IVII IZ)	Size	ize Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			23017	23095	23173	23017	23095	23173				
	1	0	23.38	23.37	23.59	22.14	22.23	22.48				
1.4	1	5	23.57	23.53	23.46	22.1	21.96	22.25				
1.4	3	2	23.62	23.58	23.51	22.48	22.43	22.39				
	6	0	22.51	22.52	22.5	21.21	21.43	21.26				

	LTE Band 12_Uplink frequency band : 699 to 716 MHz											
			Conducted power(dBm)									
BW	RB	RB	QPSK				16QAM					
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel				
(IVII IZ)	Size	Ze Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			23025	23095	23165	23025	23095	23165				
	1	0	23.59	23.45	23.63	22.27	22.02	22.3				
3	1	14	23.2	23.47	23.58	21.69	22.07	22.05				
3	8	4	22.46	22.53	22.61	21.36	21.35	21.33				
	15	0	22.6	22.45	22.52	21.27	21.5	21.45				

	LTE Band 12_Uplink frequency band : 699 to 716 MHz											
				Conducted power(dBm)								
	RB	RB		QPSK			16QAM					
	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel				
(IVII IZ)	SIZE	Ullset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			23035	23095	23155	23035	23095	23155				
	1	0	23.59	23.45	23.61	22.12	22.16	21.83				
5	1	24	23.05	23.5	23.51	22.09	21.84	21.96				
5	12	6	22.43	22.5	22.56	21.33	21.52	21.27				
	25	0	22.25	22.46	22.51	21.41	21.46	21.35				

	LTE Band 12_Uplink frequency band : 699 to 716 MHz											
ſ					Conducted power(dBm)							
ı	BW	RB Size	RB	QPSK			16QAM					
ı				Channel	Channel	Channel	Channel	Channel	Channel			
۱	(MHz)			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
L				23060	23095	23130	23060	23095	23130			
Ī		1	0	23.52	23.18	23.28	21.75	21.9	22.36			
	10	1	49	23.57	23.37	23.67	22.34	22.27	22.29			
	10	25	12	22.43	22.42	22.45	21.5	21.46	21.37			
		50	0	22.29	22.43	22.35	21.39	21.4	21.52			

LTE Band 17

	LT	E Band	17_Uplir	ık frequer	ncy band	: 704 to 7	16 MHz			
			Conducted power(dBm)							
BW	RB	RB		QPSK			16QAM			
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel		
(IVII IZ)	SIZE	Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)		
			23755	23790	23825	23755	23790	23825		
	1	0	23.49	23.63	23.45	22.06	22.16	22.19		
5	1	24	23.34	23.45	23.29	22.11	22.09	22.05		
J	12	6	22.39	22.31	22.49	21.53	21.42	21.42		
	25	0	22.38	22.42	22.31	21.42	21.24	21.56		

	LTE Band 17_Uplink frequency band : 704 to 716 MHz											
			Conducted power(dBm)									
BW	RB	RB	QPSK				16QAM					
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel				
(IVITZ)	3126	Size Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			23780	23790	23800	23780	23790	23800				
	1	0	23.52	23.37	23.4	21.93	21.75	21.85				
10	1	49	23.59	23.21	23.19	22.2	21.87	21.94				
10	25	12	22.45	22.45	22.59	21.48	21.55	21.3				
	50	0	22.52	22.42	22.48	21.43	21.44	21.26				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 46 of 399

LTE Band 26

	LTE Band 26_Uplink frequency band : 824 to 849 MHz											
				Conducted power(dBm)								
BW	RB	RB		QPSK			16QAM					
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel				
(IVITZ)	SIZE	Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			26797	26915	27033	26797	26915	27033				
	1	0	23.36	23.19	23.29	22.45	22.73	22.54				
1.4	1	5	23.6	23.47	23.41	22.44	22.83	22.61				
1.4	3	2	23.13	23.7	23.35	22.38	22.43	22.77				
	6	0	22.46	22.78	22.85	21.6	21.86	21.68				

	LTE Band 26_Uplink frequency band : 824 to 849 MHz									
				Conducted power(dBm)						
BW	RB	RB		QPSK			16QAM			
(MHz)	Size	Offset	Channe	Channe	Channe	Channe	Channe	Channe		
(1011 12)	SIZE	Oliset	I (Low)	I (Mid)	I (High)	I (Low)	I (Mid)	I (High)		
			26805	26915	27025	26805	26915	27025		
	1	0	23.86	23.78	23.82	22.58	22.41	22.31		
3	1	14	23.71	23.96	23.89	22.29	22.61	22.46		
	8	4	22.82	22.97	22.93	21.55	21.61	21.78		
	15	0	22.58	22.79	22.63	21.47	21.48	21.74		

	LTE Band 26_Uplink frequency band : 824 to 849 MHz									
				Conducted power(dBm)						
BW	RB	RB		QPSK			16QAM			
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel		
(1711 12)	3126	Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)		
			26815	26915	27015	26815	26915	27015		
	1	0	23.55	23.75	23.93	22.65	22.66	22.75		
5	1	24	23.61	23.66	23.67	22.48	22.41	22.82		
]	12	6	22.82	22.85	22.65	21.57	21.63	21.71		
	25	0	22.7	22.81	22.79	21.8	21.84	21.86		

	LTE Band 26_Uplink frequency band : 824 to 849 MHz									
				Conducted power(dBm)						
BW	RB	RB		QPSK			16QAM			
(MHz)	Size	Offset	Channe	Channe	Channe	Channe	Channe	Channe		
(1011 12)	SIZE	Oliset	I (Low)	I (Mid)	I (High)	I (Low)	I (Mid)	I (High)		
			26840	26915	26990	26840	26915	26990		
	1	0	23.82	23.62	23.68	22.45	22.41	22.78		
10	1	49	23.45	23.86	23.72	22.57	22.78	22.85		
10	25	12	22.79	22.94	22.93	21.86	21.79	21.73		
	50	0	22.67	22.86	22.85	21.71	21.83	21.84		

	LTE Band 26_Uplink frequency band : 824 to 849 MHz										
				Conducted power(dBm)							
BW	RB	RB		QPSK			16QAM				
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel			
(IVITZ)) Size	Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			26865	26915	26965	26865	26915	26965			
	1	0	23.7	23.76	23.97	22.38	22.46	22.5			
15	1	74	23.82	23.79	23.81	22.7	22.61	22.58			
10	36	19	22.37	22.84	22.93	21.66	21.86	21.78			
	75	0	22.7	22.79	22.54	21.82	21.96	21.69			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 47 of 399

LTE Band 41

	LTE Band 41_Uplink frequency band : 2496 to 2690 MHz									
				Conducted power(dBm)						
BW	RB	RB		QPSK			16QAM			
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel		
(IVITIZ)	SIZE	Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)		
			39675	40620	41565	39675	40620	41565		
	1	0	23.38	22.83	22.93	22.24	22.09	22.12		
5	1	24	23.26	22.95	22.98	22.01	22.01	22.01		
)	12	6	22.25	22.19	22.3	21.22	21.08	21.18		
	25	0	22.16	22.11	22.11	21.14	21.01	21.08		

	LTE Band 41_Uplink frequency band : 2496 to 2690 MHz									
				Conducted power(dBm)						
BW	RB	RB		QPSK			16QAM			
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel		
(IVIITZ)	SIZE	Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)		
			39700	40620	41540	39700	40620	41540		
	1	0	23.24	23.36	23.08	22.42	21.95	22.34		
10	1	49	23.43	23.25	23.25	22.03	21.72	22.12		
'0	25	12	22.3	22.2	22.24	21.53	21.24	21.21		
	50	0	22.16	22.09	22.12	21.21	21.04	21.18		

	LTE Band 41_Uplink frequency band : 2496 to 2690 MHz									
				Conducted power(dBm)						
BW	RB	RB		QPSK			16QAM			
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel		
(IVIITZ)	SIZE	Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)		
			39725	40620	41515	39725	40620	41515		
	1	0	22.94	23.44	22.9	22.19	21.83	22.32		
15	1	74	23.39	23.26	22.95	22.08	21.74	22.13		
15	36	19	22.21	22.19	22.18	21.2	21.11	21.19		
	75	0	22.22	22.12	21.88	21.17	21.17	21.08		

	LTE Band 41_Uplink frequency band : 2496 to 2690 MHz								
				C	Conducted	power(dBr	n)		
BW	RB	RB		QPSK			16QAM		
			Channel	Channel	Channel	Channel	Channel	Channel	
(MHz)	Size	Offset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	
			39750	40620	41490	39750	40620	41490	
	1	0	22.91	23.34	22.95	22.01	21.98	22.43	
20	1	99	23.45	22.75	22.78	21.89	21.88	22.12	
20	50	25	22.27	22.17	22.09	21.31	21.14	21.1	
	100	0	22.21	22.14	21.84	21.23	21.07	21.09	

LTE Band 26 for Part 90S

	LTE Band 26_Uplink frequency band : 8114 to 824 MHz									
				С	onducted	power(dB	m)			
BW	RB	RB		QPSK			16QAM			
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel		
(1711 12)	SIZE	Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)		
			26697	26740	26783	26697	26740	26783		
	1	0	23.46	23.59	23.47	22.59	22.23	22.18		
1.4	1	5	23.42	23.19	23.16	22.48	22.38	22.5		
1.4	3	2	23.39	23.44	23.11	22.66	22.56	22.34		
	6	0	22.43	22.71	22.32	21.43	21.89	21.54		

	LTE Band 26_Uplink frequency band : 8114 to 824 MHz									
				Conducted power(dBm)						
BW	RB	RB		QPSK			16QAM			
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel		
(1011 12)	3126	Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)		
			26705	26740	26775	26705	26740	26775		
	1	0	23.55	23.73	23.96	22.48	22.31	22.39		
3	1	14	23.29	23.46	23.81	22.48	22.47	22.31		
3	8	4	22.68	22.7	22.24	21.43	21.47	21.53		
	15	0	22.64	22.72	22.69	21.43	21.6	21.58		

	LTE Band 26_Uplink frequency band : 8114 to 824 MHz										
				С	onducted	power(dB	m)				
BW	RB	RB		QPSK			16QAM				
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel			
(IVII IZ)	SIZE	Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			26715	26740	26765	26715	26740	26765			
	1	0	23.43	23.6	23.54	22.48	22.46	22.66			
5	1	24	23.46	23.64	23.66	22.05	22.26	22.45			
3	12	6	22.69	22.3	22.62	21.32	21.48	21.87			
	25	0	22.66	22.71	22.58	21.53	21.26	21.71			

	LTE Band 26_Uplink frequency band : 8114 to 824 MHz								
			Conducted	power(dBm)					
BW	RB	RB	QPSK	16QAM					
(MHz)	Size	Offset	Channel	Channel					
(IVII IZ)	/ITZ) SIZE	oize Oliset	(Mid)	(Mid)					
			26740	26740					
	1	0	23.44	22.54					
10	1	49	23.64	22.6					
10	25	12	22.7	21.61					
	50	0	22.19	21.59					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 48 of 399

HSDPA Release 6 MODE:

The following 4 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 V8.4.0 specification. All TX RMS power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C10.1.4 & C11.1.3 in the 3GPP TS34.121-1 V8.4.0. RMC 12.2kps is used for this testing.

HSDPA SUB-TEST Setting

Table C.10.1.4: β values for transmitter characteristics tests with HS-DPCCH(FOR HSDPA)

Sub-test	βς	β_d	β _d (SF)	β_c/β_d	β _{HS} (Note1, Note 2)	CM (dB) (Note 3)	MPR (dB) (Note 3)	RMC (Kbps)
1	2/15	15/15	64	2/15	4/15	0.0	0.0	12.2
2	12/15 (Note 4)	15/15 (Note 4)	64	12/15 (Note 4)	24/15	1.0	0.0	12.2
3	15/15	8/15	64	15/8	30/15	1.5	0.5	12.2
4	15/15	4/15	64	15/4	30/15	1.5	0.5	12.2

Note: The recommended HSDPA MPRs are implemented as per following sub-tests.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

t (886-2) 2299-3279

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page 49 of 399

Results:

Mode	Sub-test	Avg. Power (dBm) Channel			Power Class 3 Lim-	Comments	
		9262	9400	9538	itation (dBm)	L	
	1	24.38	24.26	24.3	20.3dBm - 25.7dBm	Pass	
HSDPA	2	24.09	24.23	24.29	20.3dBm - 25.7dBm	Pass	
(Band II)	3	23.9	23.81	23.77	19.8dBm – 25.7dBm	Pass	
	4	23.97	23.82	23.89	19.8dBm - 25.7dBm	Pass	

Mode	Sub-test	Avg. Power (dBm) Channel			Power Class 3 Lim-	Comments
		1312	1413	1513	itation (dBm)	
	1	24.08	24.36	24.03	20.3dBm - 25.7dBm	Pass
HSDPA	2	24.25	24.12	24.04	20.3dBm – 25.7dBm	Pass
(Band IV)	3	23.6	23.91	23.5	19.8dBm – 25.7dBm	Pass
	4	23.67	23.92	23.62	19.8dBm – 25.7dBm	Pass

Mode	Sub-test	Avg. Power (dBm) Channel			Power Class 3 Lim-	Comments
		4132	4183	4233	itation (dBm)	
	1	24.25	24.11	24.31	20.3dBm - 25.7dBm	Pass
HSDPA	2	24.39	24.14	24.06	20.3dBm – 25.7dBm	Pass
(Band V)	3	23.77	23.63	23.82	19.8dBm – 25.7dBm	Pass
	4	23.84	23.67	23.88	19.8dBm – 25.7dBm	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 50 of 399

HSPA (HSDPA & HSUPA) Release 6 MODE

The following 5 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 V8.4.0 specification. All TX RMS power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C11.1.3 in the 3GPP TS34.121-1 V8.4.0. RMC 12.2kps is used for this testing **HSPA SUB-TEST Setting**

Table C.11.1.3: β values for transmitter characteristics tests with HS-DPCCH and E-DCH(FOR HSUPA)

Sub- test	βε	βa	β _d (SF)	β ₀ /β _d	βнs	eta_{ec}	$eta_{ m ed}$	β _{ed} (SF)	β _{ed} (Code s)	CM (dB)	MPR (dB)	AG Index	E-TFCI	RMC (Kbps
1	11/15 (Note 3)	15/15 (Note 3)	64	11/15 (Note 3)	22/15	209/22 5	1309/225	4	1	1.0	0.0	20	75	12.2
2	6/15	15/15	64	6/15	12/15	12/15	94/75	4	1	3.0	2.0	12	67	12.2
3	15/15	9/15	64	15/9	30/15	30/15	β _{ed} 1: 47/15 β _{ed} 2: 47/15	4 4	2	2.0	1.0	15	92	12.2
4	2/15	15/15	64	2/15	4/15	2/15	56/75	4	1	3.0	2.0	17	71	12.2
5	15/15 (Note 4)	15/15 (Note 4)	64	15/15 (Note 4)	30/15	24/15	134/15	4	1	1.0	0.0	21	81	12.2

Note: The recommended HSUPA MPRs are implemented as per following sub-tests.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 51 of 399

Results:

Mode	Sub-test	_	Power (d Channel	IBm)	Power Class 3 Lim-	Comments
		9262	9400	9538	itation (dBm)	
	1	24.13	24.35	24.38	18.8dBm – 25.7dBm	Pass
ПСПВУ	2	22.18	22.42	22.42	16.8dBm – 25.7dBm	Pass
HSUPA	3	23.19	23.37	23.46	17.8dBm – 25.7dBm	Pass
(Band II)	4	22.31	22.47	22.46	16.8dBm – 25.7dBm	Pass
	5	24.02	24.21	24.29	18.8dBm – 25.7dBm	Pass

Mode	Sub-test	Avg. Power (dBm) Channel			Power Class 3 Lim- itation (dBm)	Comments
		1312	1413	1513	itation (dBin)	
	1	24.29	24.24	24.13	20.3dBm - 25.7dBm	Pass
HEDDA	2	22.34	22.31	22.17	20.3dBm - 25.7dBm	Pass
HSDPA (Band IV)	3	23.35	23.26	23.21	19.8dBm – 25.7dBm	Pass
(Band IV)	4	22.47	22.36	22.21	19.8dBm – 25.7dBm	Pass
	5	24.18	24.1	24.04	19.8dBm – 25.7dBm	Pass

Mode	Sub-test	_	Power (d Channel	IBm)	Power Class 3 Lim-	Comments
		4132	4183	4233	itation (dBm)	
	1	24.42	24.18	24.11	18.8dBm – 25.7dBm	Pass
HSUPA	2	22.48	22.26	22.15	16.8dBm – 25.7dBm	Pass
(Band V)	3	23.46	23.24	23.19	17.8dBm – 25.7dBm	Pass
(Ballu V)	4	22.53	22.32	22.23	16.8dBm - 25.7dBm	Pass
	5	24.28	24.01	24	18.8dBm – 25.7dBm	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 52 of 399

Minimum Communications Power Measurement

PCS 1900 band

PCL	0	1	2	3	4	5	6	7	8
Output power (dBm)	29.62	27.53	25.43	23.45	21.3	19.35	17.4	15.35	13.33

PCL	9	10	11	12	13	14	15
Output power (dBm)	11.43	9.35	7.29	5.36	3.6	1.53	-1.12

Note: The EUT output power was controlled by simulator. Set Communication Tester MT8820C PCL as above, and get the mobile phone output power reading.

WCDMA/HSDPA/HSUPA Band II, IV, V

The EUT output power was controlled by simulator. Set Communication Tester MT8820C function key "UE Power Control" and enter max rated power 24dBm. The EUT is going to be set to max output power to 24dBm. Then record the read (see page 15 for measurement data). The min. power was measures by a function key "minimum power" then record the read. It is -52.3dBm. The power variation can be 0.1dB step by setting.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page 53 of 399

7. EFFECTIVE RADIATED POWER AND EQUIVALENT ISOTROPIC RADIATED POWER MEASUREMENT

7.1. Standard Applicable

According to FCC §2.1046

FCC 22.913(a) Mobile station is limited to 7W ERP.

FCC 24.232(b) Mobile and portable stations are limited to 2 W EIRP.

FCC 27.50(c) (9) Control stations and mobile stations are limited to 30 watts ERP.


FCC 27.50(d)(4) Fixed, mobile, and portable (hand-held) stations are limited to 1W EIRP.

FCC 27, 50(h)(2) Mobile and other user stations. Mobile stations are limited to 2 W EIRP

FCC 90.635(b) Mobile station is limited to 100W ERP

7.2. Test SET-UP

(A) Radiated Power Test Set-Up, Frequency Below1000MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

t (886-2) 2299-3279


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page 54 of 399

Radiated Power Test Set-UP Frequency Over 1 GHz



(C) Substituted Method Test Set-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 55 of 399

7.3. Measurement Procedure

- The testing follows the Measurement Procedure of FCC KDB 971168 D01
- 2. The EUT was placed on a non-conductive turntable using a non-conductive support. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and EMI spectrum analyzer.
- 3. During the measurement, the EUT was communication with the station. The highest emission was recorded with the rotation of the turntable and the lowering of the test antenna from 4m to 1m. The reading was recorded and the field strength (E in dBuV/m) was calculated
- 4. The testing follows the Measurement Procedure of FCC KDB 971168 D01
- 5. The substitution horn antenna is substituted for EUT at the same position and signals generator export the CW signal to the substitution antenna via a tx cable. Rotated the Turn Table and moved receiving antenna to find the maximum radiation power. Adjust output power level of S.G to get a Value of spectrum reading equal to "Read Value" of step b. Record the power level of S.G.
- 6. ERP = S.G. output (dBm) + Antenna Gain (dBd) Cable Loss (dB)
- 7. ERP = S.G. output (dBm) + Antenna Gain (dBd) Cable Loss (dB)
- 8. Spectrum setting:
 - (1) Detector = Peak, marker the highest value of the detector by maximum hold, set RBW wide enough to capture the entire signal of emission, and VBW > =3xRBW.
 - (2) KDB 971168 D01 is adopted, and the procedure as lists under item 4, Measurement of the Average Power over the Fundamental Signal Bandwidth, is followed to set correspondingly for the acquisition of proper measurement data.

Set frequency = nominal signal center frequency;

Set span = 2 X occupied BW;

Set RBW ≈ 1~5% of the span, not to exceed 1 MHz

Set $VBW = 3 \times RBW$;

Select average power (RMS) detector

Set sweep time and number of measurement points to achieve a minimum of 1 millisecond/pt integration time (ex. Point = 601points, then sweet time = $601*10^{-3}$ = 6s.

Activate trace averaging routine over a minimum of 10 sweeps;

Activate marker/span pair and set span = signal or channel bandwidth;

Activate the band/interval power marker function;

Record the band power level:

Record adjusted value as the average signal power level. Then activate the occupied bandwidth measurement function.

The proper adjustment due to limitation of spectrum capability is given compensated to spectrum with conversion factor of 10*log (TBW/RBW), where TBW is the transmission of UE exceeding the maximum BW UE can extends, and RBW is the resolution BW in UE.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 56 of 399

7.4. Measurement Equipment Used

ERP, I	 EIRP MEASUREM	ENT EQUIPME	NT List 966	Chamber	
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
EMI Test Receiver	R&S	ESCI7	100760	05/10/2016	05/09/2017
Spectrum Analyzer	Agilent	E4446A	MY51100003	01/29/2016	01/28/2017
Loop Antenna	ETS-Lindgren	6502	148045	09/20/2016	09/19/2017
Bilog Antenna	SCHWAZBECK	VULB9168	378	12/19/2016	12/18/2017
Horn Antenna	Schwarzbeck	BBHA9120D	1441	08/01/2016	07/31/2017
Pre-Amplifier	Agilent	8447D	2944A07676	01/02/2016	01/01/2017
Pre-Amplifier	EMC Instruments Corp.	EMC0126530	980038	01/02/2016	01/01/2017
Turn Table	HD	DT420	N/A	N.C.R	N.C.R
Antenna Tower	ChamPro	AM-BS-4500-B	060776-ABS	N.C.R	N.C.R
Controller	ChamPro	EM1000	60776	N.C.R	N.C.R
Low Loss Cable	Huber Suhner	966_RX	9	01/02/2016	01/01/2017
3m Site NSA	SGS	966 chamber	N/A	07/01/2016	06/30/2017
Low Loss Cable	Huber Suhner	966 TX	1	01/02/2016	01/01/2017
Horn Antenna	Schwarzbeck	BBHA9170	184	12/12/2016	12/11/2017
Pre-Amplifier	EMC Instruments Corp.	EMC184045	980135	01/02/2016	01/01/2017
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2016	02/10/2017
Radio Communication Analyer	Anritsu	MT8820C	6201465317	12/10/2016	12/09/2017
Signal Generator	Agilent	E4438C	MY45093613	07/07/2016	07/06/2017
Filter 800-1000	Micro-Tronics	EWT	M1	01/02/2016	01/01/2017
Filter 1800-2000	Micro-Tronics	EWT	M1	01/02/2016	01/01/2017
1GHz High Pass Filter	Micro-Tronics	HPM50108	32	01/02/2016	01/01/2017
2GHz High Pass Filter	Micro-Tronics	HPM50110	36	01/02/2016	01/01/2017

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 57 of 399

7.5. Measurement Result: (Peak) –using option of peak measurement

	EUT	,		Measurement							
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit			
	MHz		V/H	dBm	dBd	dB	dBm	dBm			
	824.2	128	V	20.76	3.31	-2.92	21.15	38.45			
		120	Н	24.39	3.31	-2.92	24.78	38.45			
GSM 850	836.6	190	V	21.21	3.29	-2.96	21.53	38.45			
GSIVI 650	030.0	190	Н	24.47	3.29	-2.96	24.79	38.45			
	040.0	251	V	21.79	3.27	-3	22.06	38.45			
	848.8		Н	24.45	3.27	-3	24.71	38.45			

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	004.0	400	V	20.98	3.31	-2.92	21.36	38.45
	824.2	128	Н	24.43	3.31	-2.92	24.81	38.45
CDDC 050	926.6	100	V	21.18	3.29	-2.96	21.5	38.45
GPRS 850	836.6	190	Н	24.32	3.29	-2.96	24.65	38.45
	848.8	251	V	21.72	3.27	-3	21.99	38.45
	040.0	201	Н	24.59	3.27	-3	24.86	38.45


	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	924.2	128	V	17.82	3.31	-2.92	18.20	38.45
	824.2	128	Н	21.38	3.31	-2.92	21.76	38.45
EDCE 950	926.6	100	V	18.11	3.29	-2.96	18.43	38.45
EDGE 850	836.6	190	Н	21.04	3.29	-2.96	21.37	38.45
	040 0	251	V	19.28	3.27	-3	19.54	38.45
	848.8	251	Н	22.13	3.27	-3	22.40	38.45

The RBW, VBW of SPA for frequency RBW=300KHz, VBW=1MHz Remark:

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indernification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1050.0	E40	V	11.06	9.94	-4.46	16.54	33.01
	1850.2	512	Н	18.74	9.94	-4.46	24.22	33.01
CSM 1000	1000.0	661	V	13.51	10.03	-4.51	19.03	33.01
GSM 1900	1880.0	661	Н	18.66	10.03	-4.51	24.19	33.01
	1909.8	810	V	14.13	10.13	-4.55	19.71	33.01
	1909.6	010	Н	21.64	10.13	-4.55	27.22	33.01

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1850.2	512	V	11.77	9.94	-4.46	17.25	33.00
	1000.2	512	Н	17.47	9.94	-4.46	22.95	33.00
CDDC 1000	1000.0	661	V	13.13	10.03	-4.51	18.66	33.00
GPRS 1900	1880.0	001	Н	18.8	10.03	-4.51	24.32	33.00
	1000.9	010	V	12.18	10.13	-4.55	17.76	33.00
	1909.8	810	Н	21.47	10.13	-4.55	27.05	33.00


	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1050.0	E40	V	10.36	9.94	-4.46	15.84	33.00
	1850.2	512	Н	17.33	9.94	-4.46	22.81	33.00
EDCE 1000	1000.0	664	V	12.26	10.03	-4.51	17.78	33.00
EDGE 1900	1880.0	661	Н	18.02	10.03	-4.51	23.55	33.00
	1000.9	010	V	10.57	10.13	-4.55	16.15	33.00
	1909.8	810	Н	20.82	10.13	-4.55	26.40	33.00

The RBW, VBW of SPA for frequency RBW=300KHz, VBW=1MHz Remark:

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 S Taiwan Ltd.





	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1852.4	9262	V	11.44	9.95	-4.46	16.92	33.00
	1002.4	9202	Н	17.53	9.95	-4.46	23.01	33.00
WCDMA	1000.0	0400	V	13.7	10.04	-4.51	19.23	33.00
Band II	1880.0	9400	Н	19.6	10.03	-4.51	25.12	33.00
	1007.6	0520	V	13.35	10.12	-4.55	18.92	33.00
	1907.6	9538	Н	21.47	10.12	-4.55	27.04	33.00

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	4050.4	0000	V	10.4	9.95	-4.46	15.88	33.00
	1852.4	9262	Н	16.41	9.95	-4.46	21.9	33.00
HSDPA	4000.0	0400	V	11.02	10.03	-4.51	16.55	33.00
Band II	1880.0	9400	Н	19.42	10.03	-4.51	24.95	33.00
	1007.6	9538	V	12.51	10.12	-4.55	18.08	33.00
	1907.6	9000	Н	21.94	10.12	-4.55	27.51	33.00


	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1852.4	9262	V	8.1	9.95	-4.46	13.58	33.00
	1002.4	9202	Н	15.83	9.95	-4.46	21.32	33.00
HSUPA	1880.0	9400	V	10.73	10.03	-4.51	16.25	33.00
Band II	1000.0	9400	Н	16.66	10.03	-4.51	22.19	33.00
	1007.6	0520	V	12.17	10.12	-4.55	17.74	33.00
	1907.6	9538	Н	19.68	10.12	-4.55	25.25	33.00

Remark:

(1)The RBW, VBW of SPA for frequency RBW= 5MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 S Taiwan Ltd. t (886-2) 2299-3279





	EUT				Measur	ement		Limit dBm 30.00 30.00				
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit				
	MHz		V/H	dBm	dBi	dB	dBm	dBm				
	1712.4	1312	V	13.74	9.49	-4.31	18.92	30.00				
	1712.4	1312	Н	15.07	9.48	-4.31	20.24	30.00				
WCDMA	1732.6	1413	V	10.69	9.55	-4.31	15.93	30.00				
Band IV	1732.0	1413	Н	15.53	9.55	-4.31	20.77	30.00				
	1750.6	1510	V	11.17	9.62	-4.34	16.45	30.00				
	1752.6	1513	Н	16.6	9.62	-4.33	21.89	30.00				

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	4740.4	1212	V	11.49	9.48	-4.31	16.66	30.00
	1712.4	1312	Н	15.29	9.48	-4.31	20.46	30.00
HSDPA	4700.0	1112	V	12.1	9.55	-4.31	17.34	30.00
Band IV	1732.6	1312	Н	14.36	9.55	-4.31	19.6	30.00
	1750.6	1510	V	10.97	9.62	-4.33	16.25	30.00
	1752.6	1513	Н	16.76	9.62	-4.34	22.04	30.00

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1712.4	1312	V	12.36	9.48	-4.31	17.53	30.00
	1712.4	1312	Н	15.89	9.49	-4.31	21.07	30.00
HSUPA	1732.6	1413	V	10.72	9.55	-4.31	15.96	30.00
Band IV	1732.0	1413	Н	14.55	9.55	-4.31	19.8	30.00
	1750.6	1510	V	10.6	9.62	-4.34	15.88	30.00
	1752.6	1513	Н	15.7	9.62	-4.34	20.98	30.00

Remark:

(1)The RBW, VBW of SPA for frequency RBW= 5MHz, VBW= 8MHz


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279





	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	926.4	4422	V	17.29	3.3	-2.93	17.66	38.45
	826.4	4132	Н	20.18	3.3	-2.93	20.55	38.45
WCDMA	936.6	4402	V	16.42	3.29	-2.96	16.75	38.45
Band V	836.6	4132	Н	19.96	3.29	-2.96	20.28	38.45
	946.6	4233	V	16.35	3.27	-2.99	16.63	38.45
	846.6	4233	Н	21.27	3.27	-3	21.55	38.45

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	906.4	4422	V	16.7	3.3	-2.93	17.07	38.45
	826.4	4132	Н	18.77	3.3	-2.93	19.15	38.45
HSDPA	000.0	4400	V	16.42	3.29	-2.97	16.74	38.45
Band V	836.6	4183	Н	18.28	3.29	-2.96	18.61	38.45
	946.6	4000	V	17.31	3.27	-2.99	17.59	38.45
	846.6	4233	Н	20.94	3.27	-3	21.22	38.45

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	826.4	4132	V	17.11	3.3	-2.93	17.49	38.45
	020.4	4132	Н	18.48	3.3	-2.93	18.85	38.45
HSUPA	936.6	4183	V	15.77	3.29	-2.96	16.1	38.45
Band V	836.6	4103	Н	18.01	3.29	-2.96	18.34	38.45
	946.6	4233	V	15.08	3.27	-3	15.35	38.45
	846.6	4233	Н	18.06	3.27	-2.99	18.34	38.45

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 5MHz, VBW= 8MHz

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 62 of 399

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1850.7	18607	V	10.39	9.95	-4.46	15.88	33.01
BAND 2	1830.7	10007	Н	18.22	9.94	-4.46	23.7	33.01
BW: 1.4M	1880.0	18900	V	11.19	10.03	-4.51	16.72	33.01
QPSK	1880.0	10900	Н	19.55	10.03	-4.51	25.07	33.01
RB: 1,0	1909.3	19193	V	10.54	10.12	-4.55	16.11	33.01
	1909.3	19193	Н	19.12	10.12	-4.55	24.7	33.01
	1850.7	18607	V	10.16	9.94	-4.46	15.64	33.01
BAND 2	1830.7	10007	Н	18.03	9.94	-4.46	23.51	33.01
BW: 1.4M QPSK	1880.0	18000	V	11.17	10.03	-4.51	16.69	33.01
	1880.0	10900	Н	19.63	10.03	-4.51	25.16	33.01
RB: 1,5	1909.3	10103	V	10.23	10.12	-4.55	15.81	33.01
	1909.3	18900 - 19193 - 18607 -	Н	19	10.12	-4.55	24.58	33.01
	1850.7	18607	V	10.12	9.94	-4.46	15.61	33.01
BAND 2	1030.7	10007	Н	17.62	9.95	-4.46	23.1	33.01
BW: 1.4M	1880.0	18900	V	10.81	10.03	-4.51	16.33	33.01
16QAM	1000.0	10300	Н	19.86	10.04	-4.51	25.39	33.01
RB: 1,0	1909.3	19193	V	10.38	10.12	-4.55	15.96	33.01
	1909.9	10100	Н	18.94	10.12	-4.55	24.51	33.01
	1850.7	18607	V	10.02	9.94	-4.46	15.5	33.01
BAND 2 BW: 1.4M 16QAM RB: 1,5	1030.7	10007	Н	17.8	9.94	-4.46	23.28	33.01
	1880.0	18900	V	11.22	10.03	-4.51	16.75	33.01
	1000.0	10300	Н	19.82	10.04	-4.51	25.35	33.01
	1909.3	19193	V	9.99	10.12	-4.55	15.56	33.01
	1000.0	10100	Н	18.89	10.12	-4.55	24.46	dBm 33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 63 of 399

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1051 F	18615	V	10.25	9.94	-4.46	15.74	33.01
BAND 2	1851.5	10013	Н	17.78	9.95	-4.46	23.26	33.01
BW: 3M	1880.0	18900	V	11.36	10.03	-4.5	16.88	33.01
QPSK	1880.0	10900	Н	19.45	10.03	-4.5	24.97	33.01
RB: 1,0	1908.5	19185	V	11.03	10.12	-4.55	16.6	33.01
	1908.5	19100	Н	19.39	10.12	-4.55	24.96	33.01
	1851.5	18615	V	10.32	9.94	-4.46	15.8	33.01
BAND 2	1651.5	10013	Н	18.04	9.94	-4.46	23.52	33.01
BW: 3M QPSK	1880.0	18900	V	11.39	10.03	-4.51	16.91	33.01
	1000.0	10900	Н	19.53	10.03	-4.51	25.05	33.01
RB: 1,14	1908.5	19185	V	10.35	10.12	-4.55	15.92	33.01
	1908.3	19103	Н	19.13	10.12	-4.55	24.7	33.01
	1851.5	18615	V	10.13	9.95	-4.46	15.61	33.01
BAND 2	1031.3	10013	Н	17.63	9.94	-4.46	23.11	33.01
BW: 3M	1880.0	18900	V	10.81	10.03	-4.5	16.33	33.01
16QAM	1000.0	10900	Н	19.29	10.03	-4.51	24.81	33.01
RB: 1,0	1908.5	19185	V	10.52	10.11	-4.55	16.09	33.01
	1900.5	19100	Н	19.09	10.11	-4.55	24.66	33.01
	1851.5	18615	V	9.99	9.94	-4.46	15.47	33.01
BAND 2 BW: 3M 16QAM RB: 1,14	1031.5	10013	Н	17.79	9.94	-4.46	23.27	33.01
	1880.0	18900	V	11.46	10.04	-4.51	16.98	33.01
	1000.0	10300	Н	19.09	10.03	-4.51	24.62	dBm dBm 15.74 33.01 23.26 33.01 16.88 33.01 24.97 33.01 16.6 33.01 24.96 33.01 15.8 33.01 23.52 33.01 16.91 33.01 25.05 33.01 15.92 33.01 24.7 33.01 23.11 33.01 23.11 33.01 24.81 33.01 24.66 33.01 24.66 33.01 23.27 33.01 16.98 33.01
	1908.5	19185	V	10.13	10.12	-4.55	15.71	33.01
	1900.5	19100	Н	18.85	10.12	-4.55	24.43	33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 64 of 399

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1852.5	18625	V	10.1	9.94	-4.46	15.58	33.01
BAND 2	1652.5	10023	Н	17.76	9.95	-4.46	23.24	33.01
BW: 5M	1880.0	18900	V	11.17	10.02	-4.5	16.69	33.01
QPSK	1880.0	10900	Н	19.27	10.02	-4.5	24.79	33.01
RB: 1,0	1907.5	19175	V	10.82	10.11	-4.54	16.39	33.01
	1907.5	19175	Н	19.49	10.11	-4.54	25.06	33.01
	1852.5	18625	V	9.92	9.95	-4.47	15.4	33.01
BAND 2	1632.3	10023	Н	17.92	9.95	-4.47	23.41	33.01
BW: 5M QPSK	1880.0	18900	V	11.18	10.04	-4.51	16.7	33.01
	1880.0	10900	Н	19.33	10.04	-4.51	24.86	33.01
RB: 1,24	1907.5	19175	V	10.28	10.12	-4.55	15.85	33.01
	1907.3	19173	Н	18.99	10.12	-4.55	24.56	33.01
	1852.5	18625	V	9.97	9.94	-4.46	15.45	33.01
BAND 2	1632.3	10023	Н	17.45	9.95	-4.46	22.93	33.01
BW: 5M	1880.0	18900	V	10.69	10.02	-4.5	16.21	33.01
16QAM	1880.0	10900	Н	19.27	10.02	-4.5	24.79	33.01
RB: 1,0	1907.5	19175	V	10.42	10.12	-4.55	15.99	33.01
	1907.3	19173	Н	19.11	10.11	-4.54	24.68	33.01
	1852.5	18625	V	9.8	9.95	-4.47	15.29	33.01
BAND 2 BW: 5M 16QAM RB: 1,24	1002.0	10023	Н	17.65	9.95	-4.47	23.13	33.01
	1880.0	18900	V	10.66	10.04	-4.51	16.18	33.01
	1000.0	10300	Н	18.87	10.04	-4.51	AB CHRP Limit BB dBm dBm BB 15.58 33.01 BB 16.69 33.01 BB 24.79 33.01 BB 24.79 33.01 BB 33.01 33.01	
	1907.5	19175	V	10.04	10.12	-4.55	15.61	33.01
	1007.0	13173	Н	18.89	10.12	-4.55	24.46	dBm 33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 65 of 399

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1855.0	18650	V	10.05	9.95	-4.46	15.54	33.01
BAND 2	1655.0	10000	Н	17.56	9.95	-4.46	23.04	33.01
BW: 10M	1880.0	18900	V	11	10.02	-4.5	16.52	33.01
QPSK	1000.0	10900	Н	19.3	10.02	-4.5	24.82	33.01
RB: 1,0	1905.0	19150	V	11.07	10.09	-4.54	16.63	33.01
	1905.0	19150	Н	20.01	10.09	-4.54	25.57	33.01
	1855.0	18650	V	10.31	9.97	-4.47	15.8	33.01
DANDO	1655.0	10030	Н	18.2	9.97	-4.47	23.69	33.01
BAND 2 BW: 10M QPSK	1880.0	18900	V	11.11	10.04	-4.51	16.64	33.01
	1000.0	10900	Н	19.37	10.04	-4.51	24.9	33.01
RB: 1,49	1905.0	19150	V	10.34	10.12	-4.55	15.91	33.01
11211,10	1903.0	19130	Н	19.07	10.12	-4.55	24.65	33.01
	1855.0	18650	V	9.76	9.95	-4.46	15.24	33.01
BAND 2	1000.0	10030	Н	17.36	9.95	-4.46	22.84	33.01
BW: 10M	1880.0	18900	V	10.57	10.02	-4.5	16.08	33.01
16QAM	1000.0	10300	Н	18.78	10.02	-4.5	24.3	33.01
RB: 1,0	1905.0	19150	V	10.1	10.09	-4.54	15.65	33.01
	1303.0	13130	Н	19.08	10.09	-4.54	24.64	33.01
	1855.0	18650	V	10.19	9.97	-4.47	15.68	33.01
BAND 2 BW: 10M 16QAM RB: 1,49	1000.0	10030	Н	17.7	9.96	-4.47	23.2	33.01
	1880.0	18900	V	10.59	10.04	-4.51	16.12	33.01
	1000.0	10900	Н	18.85	10.04	-4.51	46 23.04 33.01 .5 16.52 33.01 .5 24.82 33.01 .64 16.63 33.01 .64 25.57 33.01 .47 15.8 33.01 .47 23.69 33.01 .51 16.64 33.01 .55 24.9 33.01 .55 24.65 33.01 .55 24.65 33.01 .5 16.08 33.01 .5 24.3 33.01 .5 24.3 33.01 .54 24.64 33.01 .54 24.64 33.01 .54 24.64 33.01 .57 15.68 33.01 .57 24.38 33.01 .57 16.12 33.01 .58 15.43 33.01	
	1905.0	19150	V	9.85	10.12	-4.55	15.43	33.01
	1000.0	10100	Н	18.69	10.12	-4.55	24.26	33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 S Taiwan Ltd.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 66 of 399

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1857.5	18675	V	10.04	9.94	-4.46	15.52	33.01
BAND 2	1657.5	10075	Н	17.57	9.94	-4.46	23.05	33.01
BW: 15M	1880.0	18900	V	10.96	10.01	-4.5	16.48	33.01
QPSK	1880.0	10900	Н	19.13	10.01	-4.5	24.64	33.01
RB: 1,0	1902.5	19125	V	11.04	10.08	-4.53	16.59	33.01
	1902.3	19123	Н	19.37	10.08	-4.53	24.92	33.01
	1857.5	18675	V	10.88	9.98	-4.48	16.38	33.01
BAND 2	1657.5	10073	Н	18.59	9.98	-4.48	24.09	33.01
BW: 15M QPSK	1880.0	18900	V	11.07	10.05	-4.52	16.6	33.01
	1880.0	10900	Н	19.24	10.05	-4.52	24.77	33.01
RB: 1,74	1902.5	19125	V	10.27	10.12	-4.55	15.85	33.01
	1902.3	19123	Н	19.12	10.12	-4.55	24.69	33.01
	1857.5	18675	V	9.73	9.94	-4.46	15.21	33.01
BAND 2	1657.5	10073	Н	17.28	9.95	-4.46	22.76	33.01
BW: 15M	1880.0	18900	V	10.56	10.01	-4.5	16.07	33.01
16QAM	1880.0	10900	Н	18.75	10.01	-4.5	24.26	33.01
RB: 1,0	1902.5	19125	V	10.68	10.08	-4.53	16.23	33.01
	1902.3	19120	Н	18.99	10.08	-4.53	24.54	33.01
	1857.5	18675	V	10.44	9.98	-4.48	15.93	33.01
BAND 2 BW: 15M 16QAM RB: 1,74	1007.0	10073	Н	18.23	9.98	-4.48	23.73	33.01
	1880.0	18900	V	10.46	10.05	-4.52	16	33.01
	1000.0	10900	Н	18.78	10.05	-4.52	24.32	33.01
	1902.5	19125	V	9.96	10.12	-4.55	15.53	33.01 32 33.01 38 33.01 39 33.01 6 33.01 77 33.01 35 33.01 39 33.01 76 33.01 77 33.01 78 33.01 79 33.01 70 33.01 71 33.01 72 33.01 73 33.01
	1302.3	10120	Н	18.85	10.12	-4.55	24.42	33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 67 of 399

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1860.0	18700	V	10.03	9.94	-4.46	15.51	33.01
BAND 2	1660.0	16700	Н	17.54	9.95	-4.46	23.03	33.01
BW: 20M	1880.0	18900	V	10.79	10	-4.49	16.3	33.01
QPSK	1660.0	10900	Н	19.11	10	-4.49	24.62	33.01
RB: 1,0	1900.0	19100	V	11.09	10.07	-4.52	16.64	33.01
	1900.0	19100	Н	19.19	10.07	-4.52	24.73	33.01
	1860.0	18700	V	11.03	10	-4.49	16.53	33.01
BAND 2	1860.0	10700	Н	19	9.99	-4.49	24.51	33.01
BW: 20M QPSK	1880.0	18900	V	11.1	10.06	-4.52	16.64	33.01
	1880.0	10900	Н	19.17	10.06	-4.52	24.7	33.01
RB: 1,99	1900.0	19100	V	10.23	10.12	-4.55	15.8	33.01
	1900.0	19100	Н	19.11	10.12	-4.55	24.68	33.01
	1860.0	18700	V	9.82	9.94	-4.46	15.3	33.01
BAND 2	1800.0	10700	Н	17.36	9.94	in Loss EIRI 3i dB dBn 94 -4.46 15.5 95 -4.46 23.0 9 -4.49 16.3 9 -4.52 16.6 99 -4.49 16.5 99 -4.49 16.6 90 -4.52 16.6 94 -4.55 15.8 12 -4.55 24.6 94 -4.46 15.3 94 -4.46 15.3 94 -4.46 15.3 94 -4.46 15.3 94 -4.49 15.7 95 -4.49 15.7 96 -4.52 16.1 97 -4.52 16.1 99 -4.49 23.8 90 -4.49 23.8 90 -4.52 16.1 90 -4.52 15.5 106 -4.52 15.5	22.84	33.01
BW: 20M	1880.0	18900	V	10.28	10	-4.49	15.79	33.01
16QAM	1000.0	10900	Н	18.57	10.01	-4.5	24.08	33.01
RB: 1,0	1900.0	19100	V	10.65	10.07	-4.52	16.19	33.01
	1900.0	19100	Н	18.79	10.07	-4.52	24.33	33.01
	1860.0	18700	V	10.35	10	-4.49	15.86	33.01
BAND 2 BW: 20M 16QAM RB: 1,99	1000.0	10700	Н	18.35	9.99	-4.49	23.86	33.01
	1880.0	18900	V	10.66	10.06	-4.52	16.19	33.01
	1000.0	10300	Н	18.88	10.06	-4.52	24.41	33.01
	1900.0	19100	V	9.94	10.12	-4.55	15.52	33.01
	1300.0	19100	Н	18.84	10.12	-4.55	24.41	33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

t (886-2) 2299-3279

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 S Taiwan Ltd.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indernification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 68 of 399

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1710.7	19957	V	9.36	9.48	-4.31	14.53	30.00
BAND 4	1710.7	19907	Н	13.76	9.48	-4.31	18.93	30.00
BW: 1.4M/	1732.5	20175	V	8.33	9.54	-4.31	13.56	30.00
QPSK	1732.3	20173	Н	12.26	9.55	-4.31	17.49	30.00
RB: 1,0	1754.3	20393	V	7.34	9.62	-4.34	12.62	30.00
	1754.5	20393	Н	12.76	9.62	-4.34	18.05	30.00
	1710.7	19957	V	9.4	9.47	-4.31	14.57	30.00
BAND 4	1710.7	19937	Н	13.85	9.47	-4.31	19.02	30.00
BW: 1.4M QPSK	1732.5	20175	V	8.38	9.55	-4.31	13.62	30.00
	1732.3	20173	Н	12.26	9.55	-4.31	17.5	30.00
RB: 1,5	1754.3	20303	V	7.38	9.62	-4.34	12.67	30.00
	1734.3	20393	Н	12.71	9.62	-4.34	18	30.00
	1710.7	19957	V	9.19	9.48	-4.31	14.36	30.00
BAND 4	1710.7	19937	Н	13.57	9.48	-4.31	18.74	30.00
BW: 1.4M	1732.5	20175	V	8.05	9.55	-4.31	13.28	30.00
16QAM	1732.3	20173	Н	12.26	9.55	-4.31	17.5	30.00
RB: 1,0	1754.3	20393	V	6.95	9.62	-4.34	12.23	30.00
	1734.3	20393	Н	12.45	9.62	-4.34	17.73	30.00
	1710.7	19957	V	9.18	9.47	-4.31	14.34	30.00
BAND 4 BW: 1.4M 16QAM RB: 1,5	17 10.7	19901	Н	13.66	9.47	-4.31	18.82	30.00
	1732.5	20175	V	8.1	9.55	-4.31	13.34	30.00
	1702.0	20173	Н	12.03	9.55	-4.31	17.26	30.00
	1754.3	20393	V	7.05	9.62	-4.34	12.33	30.00
	1754.5	20090	Н	12.26	9.62	-4.34	17.54	30.00

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page 69 of 399

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1711 E	19965	V	9.59	9.48	-4.31	14.76	30.00
BAND 4	1711.5	19900	Н	13.85	9.48	-4.31	19.02	30.00
BW: 3M	1732.5	20175	V	8.32	9.54	-4.31	13.56	30.00
QPSK	1732.3	20175	Н	12.18	9.54	-4.31	17.41	30.00
RB: 1,0	1753.5	20385	V	7.66	9.61	-4.33	12.94	30.00
	1733.3	20303	Н	13.32	9.61	-4.33	18.6	30.00
	1711.5	19965	V	9.42	9.48	-4.31	14.59	30.00
BAND 4	1711.5	19903	Н	13.94	9.48	-4.31	19.11	30.00
BW: 3M QPSK	1732.5	20175	V	8.47	9.55	-4.31	13.71	30.00
	1732.3	20173	Н	12.45	9.55	-4.31	17.69	30.00
RB: 1,14	1753.5	20175 -	V	7.48	9.62	-4.34	12.76	30.00
	1755.5		Н	12.74	9.62	-4.34	18.02	30.00
	1711.5	19965	V	9.36	9.48	-4.31	14.53	30.00
BAND 4	1711.5	13303	Н	13.6	9.48	-4.31	18.77	30.00
BW: 3M	1732.5	20175	V	8.16	9.54	-4.31	13.39	30.00
16QAM	1702.0	20170	Н	11.92	9.54	-4.31	17.15	30.00
RB: 1,0	1753.5	20385	V	7.21	9.61	-4.33	12.49	30.00
	1700.0	20000	Н	12.77	9.61	-4.33	18.06	30.00
	1711.5	19965	V	9.02	9.48	-4.31	14.19	30.00
BAND 4 BW: 3M 16QAM RB: 1,14	17.11.5	10000	Н	13.44	9.48	-4.31	18.61	30.00
	1732.5	20175	V	8.17	9.55	-4.31	dBm 14.76 19.02 13.56 17.41 12.94 18.6 14.59 19.11 13.71 17.69 12.76 18.02 14.53 18.77 13.39 17.15 12.49 18.06 14.19 18.61 13.41 17.43 12.42	30.00
	1702.0	20170	Н	12.19	9.55	-4.31	B dBm dBm 31 14.76 30.00 31 19.02 30.00 31 13.56 30.00 31 17.41 30.00 33 12.94 30.00 33 18.6 30.00 31 14.59 30.00 31 17.69 30.00 31 17.69 30.00 34 12.76 30.00 34 18.02 30.00 31 14.53 30.00 31 13.39 30.00 31 17.15 30.00 31 17.15 30.00 33 18.06 30.00 31 14.19 30.00 31 13.41 30.00 31 13.41 30.00 31 13.41 30.00 31 13.41 30.00 31 13.41 30.00 31 13.41 30.00	
	1753.5	20385	V	7.13	9.62	-4.34	12.42	30.00
	1700.0	20000	Н	12.32	9.62	-4.34	17.6	30.00

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 S Taiwan Ltd. t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 70 of 399

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1710 F	10075	V	9.54	9.48	-4.31	14.71	30.00
BAND 4	1712.5	19975	Н	13.82	9.48	-4.31	18.99	30.00
BW: 5M	1732.5	20175	V	8.36	9.54	-4.31	13.59	30.00
QPSK	1732.5	20175	Н	12.09	9.54	-4.31	17.32	30.00
RB: 1,0	1750 F	20375	V	7.31	9.61	-4.33	12.59	30.00
	1752.5	20375	Н	13.47	9.61	-4.33	18.75	30.00
	1710 F	10075	V	9.13	9.48	-4.31	14.31	30.00
BAND 4	1712.5	19975	Н	13.51	9.48	-4.31	18.68	30.00
BW: 5M QPSK RB: 1,24	1732.5	20175	V	8.32	9.55	-4.31	13.56	30.00
	1732.5	20175	Н	12.35	9.55	-4.31	17.59	30.00
	1752.5	20375	V	7.54	9.62	-4.34	12.83	30.00
	1752.5	20373	Н	12.63	9.62	-4.34	17.91	30.00
	1712.5	19975	V	9.54	9.48	-4.31	14.71	30.00
BAND 4	1712.5	19975	Н	13.85	9.48	-4.31	19.02	30.00
BW: 5M	1732.5	20175	V	8.19	9.54	-4.31	13.42	30.00
16QAM	1732.5	20175	Н	11.83	9.54	-4.31	17.06	30.00
RB: 1,0	1752.5	20375	V	6.83	9.61	-4.33	12.11	30.00
	1732.3	20373	Н	12.91	9.61	-4.33	18.18	30.00
	1712.5	19975	V	8.92	9.49	-4.31	14.09	30.00
BAND 4 BW: 5M 16QAM RB: 1,24	17.12.0	19913	Н	13.39	9.48	-4.31	18.56	30.00
	1732.5	20175	V	7.87	9.55	-4.31	13.11	30.00
	1732.0	20173	Н	11.93	9.55	-4.31	17.18	30.00
	1752.5	20375	V	6.84	9.62	-4.34	12.13	30.00
	1732.5	20373	Н	12.11	9.62	-4.34	17.4	30.00

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 71 of 399

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1715.0	20000	V	9.36	9.47	-4.31	14.53	30.00
BAND 4	1715.0	20000	Н	13.71	9.48	-4.31	18.88	30.00
BW: 10M	1732.5	20175	V	8.21	9.54	-4.31	13.44	30.00
QPSK	1732.5	20175	Н	11.75	9.54	-4.31	16.98	30.00
RB: 1,0	1750.0	20350	V	7.24	9.6	-4.33	12.52	30.00
	1730.0	20330	Н	13.12	9.6	-4.33	18.4	30.00
	1715.0	20000	V	8.42	9.5	-4.31	13.61	30.00
BAND 4	1715.0	20000	Н	12.53	9.5	-4.31	17.72	30.00
BW: 10M QPSK	1732.5	20175	V	8.21	9.56	-4.31	13.46	30.00
	1732.5	20175	Н	12.63	9.56	-4.31	17.88	30.00
RB: 1,49	1750.0	20350	V	7.32	9.62	-4.34	12.6	30.00
	1730.0	20330	Н	12.56	9.62	-4.34	17.84	30.00
	1715.0	20000	V	9.3	9.48	-4.31	14.47	30.00
BAND 4	1715.0	20000	Н	13.63	9.48	-4.31	18.8	30.00
BW: 10M	1732.5	20175	V	8	9.54	-4.31	13.23	30.00
16QAM	1732.5	20175	Н	11.6	9.54	-4.31	16.83	30.00
RB: 1,0	1750.0	20350	V	6.25	9.6	-4.33	11.52	30.00
	1730.0	20330	Н	12.39	9.6	-4.33	17.66	30.00
	1715.0	20000	V	7.74	9.5	-4.31	12.93	30.00
BAND 4 BW: 10M 16QAM RB: 1,49	17 15.0	20000	Н	12.13	9.5	-4.31	17.32	30.00
	1732.5	20175	V	7.73	9.56	-4.31	12.98	30.00
	1732.0	20173	Н	12.1	9.56	-4.31	17.35	30.00
	1750.0	20350	V	7.03	9.62	-4.34	12.31	30.00
	1730.0	20000	Н	12.29	9.62	-4.34	17.57	30.00

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 S Taiwan Ltd. t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indernification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 72 of 399

EUT			Measurement					
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
BAND 4 BW: 15M QPSK RB: 1,0	1717.5	20025	V	9.47	9.47	-4.31	14.63	30.00
			Н	13.73	9.47	-4.31	18.9	30.00
	1732.5	20175	V	8.35	9.53	-4.31	13.56	30.00
			Н	11.83	9.53	-4.31	17.06	30.00
	1747.5	20325	V	7.53	9.58	-4.31	12.8	30.00
			Н	13.03	9.59	-4.32	18.3	30.00
BAND 4 BW: 15M QPSK RB: 1,74	1717.5	20025	V	8.45	9.52	-4.31	13.65	30.00
			Н	11.9	9.52	-4.31	17.11	30.00
	1732.5	20175	V	8.19	9.57	-4.31	13.45	30.00
			Н	12.68	9.57	-4.31	17.94	30.00
	1747.5	20325	V	7.19	9.62	-4.34	12.47	30.00
			Н	12.71	9.62	-4.34	18	30.00
BAND 4 BW: 15M 16QAM RB: 1,0	1717.5	20025	V	9.08	9.47	-4.31	14.25	30.00
			Н	13.34	9.47	-4.31	18.51	30.00
	1732.5	20175	V	8.06	9.53	-4.31	13.28	30.00
			Н	11.46	9.53	-4.31	16.69	30.00
	1747.5	20325	V	6.81	9.59	-4.32	12.08	30.00
			Н	12.18	9.58	-4.32	17.45	30.00
BAND 4 BW: 15M 16QAM RB: 1,74	1717.5	20025	V	8.14	9.52	-4.31	13.35	30.00
			Н	11.5	9.52	-4.31	16.71	30.00
	1732.5	20175	V	7.51	9.57	-4.31	12.77	30.00
			Н	12.22	9.57	-4.31	17.48	30.00
	1747.5	20325	V	6.81	9.62	-4.34	12.09	30.00
			Н	12.27	9.62	-4.34	17.55	30.00

Remark:

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz (1)

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indernification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 73 of 399

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1720.0	20050	V	9.55	9.48	-4.31	14.72	30.00
BAND 4	1720.0	20030	Н	13.78	9.47	-4.31	18.95	30.00
BW: 20M	1732.5	20175	V	8.45	9.52	-4.31	13.66	30.00
QPSK	1732.3	20173	Н	12.1	9.52	-4.31	17.31	30.00
RB: 1,0	1745.0	20300	V	8.06	9.56	-4.31	13.31	30.00
	1745.0	20300	Н	12.65	9.56	-4.31	17.9	30.00
	1720.0	20050	V	8.45	9.53	-4.31	13.67	30.00
BAND 4	1720.0	20030	Н	11.76	9.53	-4.31	16.98	30.00
BW: 20M QPSK	1732.5	20175	V	8.05	9.58	-4.31	13.32	30.00
	1732.3	20173	Н	13.03	9.58	-4.31	18.3	30.00
RB: 1,99	1745.0	20300	V	7.48	9.62	-4.34	12.76	30.00
	1743.0	20300	Н	12.77	9.62	-4.34	18.06	30.00
	1720.0	20050	V	9.15	9.47	-4.31	14.31	30.00
BAND 4	1720.0	20030	Н	13.53	9.47	-4.31	18.7	30.00
BW: 20M	1732.5	20175	V	8.17	9.52	-4.31	13.38	30.00
16QAM	1732.3	20173	Н	11.75	9.52	-4.31	16.96	30.00
RB: 1,0	1745.0	20300	V	7.41	9.56	-4.31	12.67	30.00
	1743.0	20300	Н	12.01	9.57	-4.31	17.27	30.00
	1720.0	20050	V	7.95	9.53	-4.31	13.18	30.00
BAND 4 BW: 20M 16QAM RB: 1,99	1720.0	20000	Н	11.51	9.53	-4.31	16.73	30.00
	1732.5	20175	V	7.42	9.58	-4.31	12.69	30.00
	1702.0	20173	Н	12.42	9.58	-4.31	17.69	30.00
	1745.0	20300	V	6.85	9.62	-4.34	12.13	30.00
	1740.0	20000	Н	12.35	9.62	-4.34	17.64	30.00

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 S Taiwan Ltd.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 74 of 399

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	924.7	20407	V	22.75	3.3	-2.93	23.13	38.45
BAND 5	824.7	20407	Н	25.22	3.3	-2.93	25.59	38.45
BW: 1.4M	836.5	20525	V	22.53	3.29	-2.96	22.87	38.45
QPSK	630.3	20020	Н	24.9	3.29	-2.96	25.23	38.45
RB: 1,0	848.3	20643	V	20.48	3.27	-3	20.74	38.45
	040.3	20043	Н	24.04	3.27	-3	24.3	38.45
	824.7	20407	V	22.89	3.31	-2.92	23.27	38.45
BAND 5	5	20407	Н	24.89	3.3	-2.93	25.26	38.45
BW: 1.4M QPSK	836.5	20525	V	22.23	3.29	-2.96	22.56	38.45
	630.3	20020	Н	24.51	3.29	-2.96	24.84	38.45
RB: 1,5	848.3	20643	V	20.62	3.27	-3	20.89	38.45
	040.3	20043	Н	23.65	3.27	-3	23.92	38.45
	824.7	20407	V	22.59	3.3	-2.93	22.97	38.45
BAND 5	024.7	20407	Н	24.85	3.3	-2.93	25.23	38.45
BW: 1.4M	836.5	20525	V	22.24	3.29	-2.96	22.58	38.45
16QAM	830.3	20020	Н	24.97	3.29	-2.96	25.3	38.45
RB: 1,0	848.3	20643	V	20.23	3.27	-3	20.5	38.45
	040.3	20043	Н	23.97	3.27	-3	24.24	38.45
	824.7	20407	V	22.76	3.31	-2.92	23.14	38.45
BAND 5 BW: 1.4M 16QAM RB: 1,5	024.7	20407	Н	24.54	3.31	-2.92	24.93	38.45
	836.5	20525	V	22	3.29	-2.96	22.33	38.45
	030.5	20020	Н	24.32	3.29	-2.96	24.65	38.45
	848.3	20643	V	20.04	3.27	-3	20.31	38.45
	040.3	20043	Н	23.51	3.27	-3	23.79	38.45

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 75 of 399

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	925 E	20415	V	23.22	3.3	-2.93	23.59	38.45
BAND 5	825.5	20415	Н	25.2	3.3	-2.93	25.58	38.45
BW: 3M	836.5	20525	V	22.69	3.29	-2.95	23.02	38.45
QPSK	630.3	20020	Н	24.95	3.29	-2.95	25.28	38.45
RB: 1,0	847.5	20635	V	21.36	3.27	-3	21.63	38.45
	047.3	20033	Н	24.97	3.28	-2.99	25.25	38.45
	825.5	20415	V	23.82	3.3	-2.93	24.19	38.45
BAND 5	025.5	20413	Н	25.79	3.3	-2.93	26.17	38.45
BW: 3M QPSK	836.5	20525	V	21.91	3.29	-2.96	22.23	38.45
	030.5	20020	Н	24.18	3.29	-2.96	24.51	38.45
RB: 1,14	847.5	20635	V	20.37	3.27	-3	20.64	38.45
	047.5	20033	Н	23.77	3.27	-3	24.04	38.45
	825.5	20415	V	22.27	3.3	-2.93	22.64	38.45
BAND 5	023.3	20413	Н	24.88	3.3	-2.93	25.26	38.45
BW: 3M	836.5	20525	V	22.27	3.29	-2.96	22.6	38.45
16QAM	030.5	20020	Н	25.01	3.29	-2.96	25.34	38.45
RB: 1,0	847.5	20635	V	20.9	3.27	-3	21.17	38.45
	047.5	20033	Н	24.67	3.28	-2.99	24.95	38.45
	825.5	20415	V	22.83	3.3	-2.93	23.21	38.45
BAND 5 BW: 3M 16QAM RB: 1,14	020.0	20413	Н	24.72	3.3	-2.93	25.09	38.45
	836 5	20525	V	21.77	3.29	-2.96	22.1	38.45
	030.3	20020	Н	24.06	3.29	-2.96	24.39	38.45
	847.5	20635	V	20.13	3.27	-3	20.4	38.45
	047.5	20000	Н	23.52	3.27	-3	23.79	38.45

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page 76 of 399

	EUT			N	leasurem	ent		dBm 4 38.45 3 38.45 9 38.45 1 38.45 7 38.45 4 38.45 4 38.45 6 38.45 9 38.45					
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit					
	MHz		V/H	dBm	dBd	dB	dBm	dBm					
	826.5	20425	V	22.57	3.3	-2.93	22.94	38.45					
BAND 5	020.5	20423	Н	25.11	3.3	-2.93	25.48	38.45					
BW: 5M	836.5	20525	V	22.65	3.29	-2.95	22.99	38.45					
QPSK	030.3	20020	Н	24.9	3.29	-2.95	25.24	38.45					
RB: 1,0	846.5	20625	V	21.52	3.28	-2.98	21.81	38.45					
	040.5	20023	Н	25.08	3.28	-2.98	25.37	38.45					
	826.5	20425	V	23.17	3.3	-2.93	23.54	38.45					
BAND 5	820.5	20423	Н	25.21	3.3	-2.93	25.58	38.45					
BW: 5M QPSK	836.5	20525	V	21.57	3.29	-2.97	21.89	38.45					
	636.5	20020	Н	24.07	3.29	-2.97	24.39	38.45					
RB: 1,24	846.5	20625	V	20.21	3.27	-3	20.48	38.45					
	040.5	20023	Н	23.66	3.27	-3	23.93	38.45					
	826.5	20425	V	22.25	3.3	-2.93	22.62	38.45					
BAND 5	620.5	20423	Н	24.71	3.3	-2.93	25.09	38.45					
BW: 5M	836.5	20525	V	22.38	3.29	-2.95	22.73	38.45					
16QAM	636.5	20020	Н	24.59	3.29	-2.95	24.93	38.45					
RB: 1,0	846.5	20625	V	21.1	3.28	-2.98	21.4	38.45					
	040.5	20023	Н	24.67	3.28	-2.99	24.96	38.45					
	826.5	20425	V	22.89	3.3	-2.93	23.26	38.45					
BAND 5 BW: 5M 16QAM RB: 1,24	020.5	20423	Н	24.78	3.3	-2.93	25.15	38.45					
	836.5	20525	V	21.36	3.29	-2.97	21.68	38.45					
	030.3	20020	Н	23.76	3.29	-2.97	24.08	38.45					
	846.5	20625	V	19.93	3.27	-3	20.2	38.45					
	040.5	20020	Н	23.37	3.27	-3	23.64	38.45					

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 77 of 399

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	829.0	20450	V	22.61	3.3	-2.93	22.98	38.45
BAND 5	829.0	20430	Н	25.19	3.3	-2.93	25.56	38.45
BW: 10M	836.5	20525	V	22.85	3.3	-2.94	23.2	38.45
QPSK	630.5	20020	Н	25.37	3.3	-2.95	25.72	38.45
RB: 1,0	844.0	20600	V	21.46	3.29	-2.97	21.78	38.45
	044.0	20000	Н	24.62	3.28	-2.98	24.92	38.45
	829.0	20450	V	22.63	3.29	-2.95	22.98	38.45
BAND 5	020.0	20430	Н	24.62	3.29	-2.95	24.96	38.45
BW: 10M QPSK	836.5	20525	V	21.51	3.28	-2.98	21.81	38.45
	030.5	20525	Н	24.29	3.28	-2.98	24.59	38.45
RB: 1,49	844.0	20600	V	20.17	3.27	-3	20.44	38.45
	044.0	20000	Н	23.53	3.27	-3	23.81	38.45
	829.0	20450	V	22.21	3.3	-2.93	22.58	38.45
BAND 5	029.0	20450	Н	24.68	3.3	-2.93	25.05	38.45
BW: 10M	836.5	20525	V	22.53	3.3	-2.94	22.88	38.45
16QAM	030.5	20020	Н	24.7	3.3	-2.94	25.05	38.45
RB: 1,0	844.0	20600	V	21.09	3.28	-2.98	21.39	38.45
	044.0	20000	Н	24.23	3.28	-2.98	24.53	38.45
	920.0	20450	V	22.4	3.29	-2.95	22.74	38.45
BAND 5 BW: 10M 16QAM RB: 1,49	829.0	20450	Н	24.37	3.29	-2.95	24.72	38.45
	836.5	20525	V	21.11	3.28	-2.98	21.41	38.45
	030.3	20525	Н	23.97	3.28	-2.98	24.27	38.45
	944.0	20600	V	20.01	3.27	-3	20.28	38.45
	844.0	20000	Н	23.38	3.27	-3	23.65	38.45

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 78 of 399

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2502.5	20775	V	14.16	10.9	-5.25	19.81	33.01
BAND 7	2502.5	20775	Н	10.99	10.9	-5.25	16.64	33.01
BW: 5M	2535.0	21100	V	15.43	10.94	-5.3	21.07	33.01
QPSK	2555.0	21100	Н	10.53	10.94	-5.3	16.17	33.01
RB: 1,0	2567.5	21425	V	14.63	10.98	-5.34	20.27	33.01
	2567.5	21423	Н	8.1	10.98	-5.34	13.74	33.01
	2502.5	20775	V	14.03	10.9	-5.26	19.68	33.01
BAND 7	2502.5	20775	Н	11.08	10.9	-5.26	16.73	33.01
BW: 5M QPSK	2535.0	21100	V	15.55	10.95	-5.31	21.19	33.01
	2555.0	21100	Н	11.14	10.95	-5.31	16.78	33.01
RB: 1,24	2567.5	21425	V	14.11	10.99	-5.34	19.75	33.01
	2567.5	21423	Н	7.9	10.99	-5.34	13.54	33.01
	2502.5	20775	V	13.63	10.9	-5.26	19.28	33.01
BAND 7	2502.5	20773	Н	10.65	10.9	-5.26	16.3	33.01
BW: 5M	2535.0	21100	V	14.93	10.94	-5.3	20.57	33.01
16QAM	2555.0	21100	Н	10.23	10.94	-5.3	15.88	33.01
RB: 1,0	2567.5	21425	V	14.97	10.98	-5.34	20.61	33.01
	2307.3	21423	Н	8.61	10.98	-5.34	14.26	33.01
	2502.5	20775	V	13.96	10.9	-5.26	19.6	33.01
BAND 7 BW: 5M 16QAM RB: 1,24	2302.3	20113	Н	11.2	10.9	-5.26	16.85	33.01
	2535.0	21100	V	15	10.95	-5.31	20.64	33.01
	2000.0	21100	Н	10.6	10.95	-5.31	16.23	33.01
	2567.5	21425	V	14.59	10.99	-5.34	20.24	33.01
	2507.5	Z 17ZJ	Н	8.39	10.99	-5.34	14.04	33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 79 of 399

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2505.0	20800	V	14.06	10.9	-5.26	19.71	33.01
BAND 7	2505.0	20000	Н	10.87	10.9	-5.26	16.52	33.01
BW: 10M	2535.0	21100	V	14.96	10.94	-5.3	20.6	33.01
QPSK	2555.0	21100	Н	10.16	10.94	-5.29	15.8	33.01
RB: 1,0	2565.0	21400	V	13.62	10.98	-5.34	19.26	33.01
	2565.0	21400	Н	8.42	10.98	-5.34	14.05	33.01
	2505.0	20800	V	13.95	10.91	-5.26	19.6	33.01
BAND 7	2303.0	20000	Н	10.93	10.91	-5.26	16.58	33.01
BW: 10M QPSK	2535.0	21100	V	15.52	10.95	-5.31	21.16	33.01
	2333.0	21100	Н	11.04	10.95	-5.31	16.68	33.01
RB: 1,49	2565.0	21400	V	13.91	10.99	-5.34	19.56	33.01
	2303.0	21400	Н	7.75	10.99	-5.34	13.39	33.01
	2505.0	20800	V	13.53	10.9	-5.25	19.18	33.01
BAND 7	2303.0	20000	Н	10.47	10.9	-5.26	16.12	33.01
BW: 10M	2535.0	21100	V	14.52	10.94	-5.29	20.16	33.01
16QAM	2333.0	21100	Н	9.78	10.94	-5.29	15.42	33.01
RB: 1,0	2565.0	21400	V	13.89	10.98	-5.34	19.53	33.01
	2303.0	21400	Н	8.29	10.98	-5.34	13.93	33.01
	2505.0	20800	V	13.37	10.91	-5.26	19.02	33.01
BAND 7	2505.0 BAND 7	20000	Н	10.54	10.91	-5.26	16.19	33.01
BW: 10M 16QAM RB: 1,49	2535.0	21100	V	14.99	10.95	-5.31	20.63	33.01
	2000.0	21100	Н	10.5	10.95	-5.31	16.14	33.01
	2565.0	21400	V	14.55	10.99	-5.34	20.2	33.01
	2303.0	21400	Н	8.25	10.99	-5.34	13.9	33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 S Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 80 of 399

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2507.5	20825	V	14	10.9	-5.25	19.65	33.01
BAND 7	2507.5	20023	Н	10.73	10.9	-5.25	16.37	33.01
BW: 15M	2535.0	21100	V	14.32	10.94	-5.29	19.97	33.01
QPSK	2555.0	21100	Н	9.71	10.94	-5.29	15.35	33.01
RB: 1,0	2562.5	21375	V	14.38	10.97	-5.34	20.01	33.01
	2302.3	21373	Н	9.05	10.97	-5.34	14.68	33.01
	2507.5	20825	V	14	10.92	-5.27	19.65	33.01
BAND 7	2307.3	20023	Н	10.62	10.92	-5.27	16.27	33.01
BW: 15M QPSK	2535.0	21100	V	16.02	10.95	-5.32	21.66	33.01
	2555.0	21100	Н	11.15	10.95	-5.32	16.78	33.01
RB: 1,74	2562.5	21375	V	13.89	10.99	-5.34	19.54	33.01
	2302.3	21373	Н	7.64	10.99	-5.34	13.29	33.01
	2507.5	20825	V	13.49	10.9	-5.26	19.14	33.01
BAND 7	2507.5	20023	Н	10.34	10.9	-5.26	15.99	33.01
BW: 15M	2535.0	21100	V	13.82	10.94	-5.29	19.46	33.01
16QAM	2555.0	21100	Н	9.31	10.93	-5.29	14.96	33.01
RB: 1,0	2562.5	21375	V	14.36	10.97	-5.34	19.99	33.01
	2302.3	21070	Н	9.14	10.97	-5.34	14.77	33.01
	2507.5	20825	V	13.35	10.92	-5.27	19	33.01
BAND 7	2507.5 BAND 7	20023	Н	10.17	10.92	-5.27	15.82	33.01
BW: 15M 16QAM RB: 1,74	2535.0	21100	V	15.22	10.95	-5.32	20.86	33.01
	2000.0	21100	Н	10.54	10.95	-5.32	16.17	33.01
	2562.5	21375	V	14.4	10.99	-5.34	20.04	33.01
	2002.0	21070	Н	8.19	10.99	-5.34	13.83	33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 81 of 399

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2510.0	20850	V	13.8	10.9	-5.25	19.45	33.01
BAND 7	2310.0	20000	Н	10.61	10.9	-5.25	16.26	33.01
BW: 20M	2535.0	21100	V	13.83	10.93	-5.29	19.48	33.01
QPSK	2333.0	21100	Н	9.41	10.93	-5.29	15.06	33.01
RB: 1,0	2560.0	21350	V	15.47	10.97	-5.33	21.1	33.01
	2300.0	21330	Н	9.78	10.96	-5.33	15.41	33.01
	2510.0	20850	V	13.79	10.92	-5.27	19.44	33.01
BAND 7	2010.0	20000	Н	9.89	10.92	-5.27	15.54	33.01
BW: 20M QPSK	2535.0	21100	V	15.87	10.96	-5.32	21.5	33.01
	2333.0	21100	Н	10.65	10.96	-5.32	16.29	33.01
RB: 1,99	2560.0	21350	V	14.25	10.99	-5.34	19.9	33.01
	2300.0	21330	Н	7.94	10.99	-5.34	13.58	33.01
	2510.0	20850	V	13.37	10.9	-5.25	19.01	33.01
BAND 7	2310.0	20000	Н	10.12	10.9	-5.25	15.76	33.01
BW: 20M	2535.0	21100	V	13.2	10.93	-5.29	18.85	33.01
16QAM	2333.0	21100	Н	8.81	10.93	-5.29	14.46	33.01
RB: 1,0	2560.0	21350	V	15.52	10.96	-5.33	21.15	33.01
	2300.0	21330	Н	9.73	10.96	-5.33	15.36	33.01
	2510.0	20850	V	13.38	10.92	-5.27	19.03	33.01
BAND 7	2510.0 BAND 7	20000	Н	9.43	10.92	-5.27	15.08	33.01
BW: 20M 16QAM RB: 1,99	2535.0	21100	V	15.37	10.96	-5.32	21.01	33.01
	2000.0	21100	Н	10.15	10.96	-5.32	15.78	33.01
	2560.0	21350	V	14.34	10.99	-5.34	19.99	33.01
	200.0	21000	Н	8.03	10.99	-5.34	13.68	33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 S Taiwan Ltd.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 82 of 399

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	699.7	23017	V	20	3.08	-2.96	20.12	34.77
BAND 12	099.7	23017	Н	24.34	3.08	-2.96	24.47	34.77
BW: 1.4M	707.5	23095	V	18.77	3.09	-3.04	18.83	34.77
QPSK	707.5	23093	Н	23.66	3.09	-3.04	23.72	34.77
RB: 1,0	715.3	23173	V	18.03	3.11	-3.06	18.08	34.77
	7 15.5	23173	Н	24.25	3.11	-3.06	24.29	34.77
	699.7	23017	V	20.51	3.08	-2.96	20.63	34.77
BAND 12	AND 12	23017	Н	24.74	3.08	-2.96	24.87	34.77
BW: 1.4M QPSK	707.5	23095	V	18.02	3.1	-3.04	18.07	34.77
	707.5	23093	Н	23.14	3.1	-3.04	23.19	34.77
RB: 1,5	715.3	23173	V	17.92	3.11	-3.06	17.97	34.77
	7 15.5	23173	Н	23.96	3.11	-3.06	24.01	34.77
	699.7	23017	V	19.69	3.08	-2.96	19.81	34.77
BAND 12	099.7	23017	Н	24.09	3.08	-2.96	24.21	34.77
BW: 1.4M	707.5	23095	V	18.25	3.09	-3.04	18.31	34.77
16QAM	707.5	23093	Н	23.44	3.09	-3.04	23.49	34.77
RB: 1,0	715.3	23173	V	17.93	3.11	-3.06	17.98	34.77
	7 15.5	23173	Н	23.88	3.11	-3.06	23.93	34.77
	699.7	23017	V	20	3.08	-2.96	20.13	34.77
BAND 12 BW: 1.4M 16QAM RB: 1,5	033.1	23017	Н	24.1	3.08	-2.96	24.22	34.77
	707.5	23095	V	18.21	3.09	-3.04	18.26	34.77
	707.5	20090	Н	22.98	3.1	-3.04	23.04	m dBm 12 34.77 47 34.77 83 34.77 08 34.77 29 34.77 63 34.77 63 34.77 19 34.77 19 34.77 19 34.77 21 34.77 21 34.77 21 34.77 21 34.77 21 34.77 21 34.77 21 34.77 21 34.77 21 34.77 21 34.77 21 34.77 21 34.77 21 34.77 21 34.77 21 34.77 22 34.77 23 34.77 24 34.77 25 34.77 26 34.77 27 34.77
	715.3	23173	V	17.54	3.11	-3.06	17.59	8m dBm .12 34.77 .47 34.77 .83 34.77 .08 34.77 .63 34.77 .67 34.77 .97 34.77 .91 34.77 .92 34.77 .93 34.77 .94 34.77 .98 34.77 .93 34.77 .24 34.77 .93 34.77 .26 34.77 .59 34.77 .59 34.77
	7 10.0	20170	Н	23.69	3.11	-3.06	23.74	34.77

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 S Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488



Page 83 of 399

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	700.5	22025	V	20.01	3.08	-2.96	20.14	34.77
BAND 12	700.5	23025	Н	24.32	3.08	-2.96	24.44	34.77
BW: 3M	707.5	23095	V	19.05	3.09	-3.04	19.11	34.77
QPSK	707.5	23093	Н	24	3.09	-3.04	24.06	34.77
RB: 1,0	714.5	23165	V	18.21	3.11	-3.06	18.26	34.77
	7 14.5	23103	Н	23.97	3.11	-3.07	24.01	34.77
	700.5	23025	V	20.6	3.08	-2.98	20.71	34.77
BAND 12	700.5	23023	Н	25.07	3.08	-2.99	25.17	34.77
BW: 3M QPSK	707.5	23095	V	17.86	3.1	-3.04	17.92	34.77
	707.5	23093	Н	23.14	3.1	-3.04	23.19	34.77
RB: 1,14	714.5	23165	V	17.91	3.11	-3.06	17.96	34.77
	7 14.5	23103	Н	23.96	3.11	-3.06	24.01	34.77
	700.5	23025	V	19.74	3.08	-2.96	19.86	34.77
BAND 12	700.5	20020	Н	24.02	3.08	-2.96	24.15	34.77
BW: 3M	707.5	23095	V	18.98	3.09	-3.04	19.04	34.77
16QAM	707.5	20000	Н	23.99	3.09	-3.04	24.05	34.77
RB: 1,0	714.5	23165	V	17.68	3.11	-3.06	17.73	34.77
	7 1 1.0	20100	Н	23.69	3.11	-3.07	23.73	34.77
	700.5	23025	V	19.77	3.08	-2.98	19.87	34.77
BAND 12 BW: 3M 16QAM RB: 1,14	7 00.0	20020	Н	24.49	3.08	-2.98	24.59	34.77
	707.5	23095	V	17.62	3.1	-3.04	17.68	34.77
	7.07.0	20000	Н	22.87	3.1	-3.04	22.93	34.77
	714.5	23165	V	17.82	3.11	-3.06	17.86	34.77
	7 14.5	20100	Н	23.92	3.11	-3.06	23.97	34.77

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page 84 of 399

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	701.5	23035	V	19.73	3.08	-2.96	19.85	34.77
BAND 12	701.5	23033	Н	24	3.08	-2.96	24.13	34.77
BW: 5M	707.5	23095	V	19.54	3.09	-3.03	19.6	34.77
QPSK	707.5	23093	Н	24.35	3.09	-3.03	24.4	34.77
RB: 1,0	713.5	23155	V	17.97	3.1	-3.05	18.02	34.77
	713.3	23133	Н	23.56	3.11	-3.06	23.61	34.77
	701.5	23035	V	20.27	3.09	-3.02	20.34	34.77
BAND 12	701.5	23033	Н	24.68	3.09	-3.02	24.75	34.77
BW: 5M QPSK	707.5	23095	V	17.76	3.1	-3.05	17.81	34.77
	707.5	20000	Н	23.02	3.1	-3.05	23.07	34.77
RB: 1,24	713.5	23155	V	17.98	3.11	-3.06	18.03	34.77
	7 10.0	20100	Н	23.97	3.11	-3.06	24.02	34.77
	701.5	23035	V	19.69	3.08	-2.96	19.81	34.77
BAND 12	701.5	20000	Н	24	3.08	-2.96	24.12	34.77
BW: 5M	707.5	23095	V	19.18	3.09	-3.03	19.24	34.77
16QAM	707.5	20000	Н	24.05	3.09	-3.03	24.1	34.77
RB: 1,0	713.5	23155	V	17.52	3.1	-3.05	17.57	34.77
	7 13.3	20100	Н	22.83	3.11	-3.06	22.88	34.77
	701.5	23035	V	19.91	3.09	-3.01	19.98	34.77
BAND 12 BW: 5M 16QAM RB: 1,24	701.0	20000	Н	24.27	3.09	-3.02	24.34	34.77
	707.5	23095	V	17.67	3.1	-3.05	17.73	34.77
	7.07.0	20000	Н	22.8	3.1	-3.04	22.85	dBm dBm 19.85 34.77 24.13 34.77 19.6 34.77 24.4 34.77 23.61 34.77 24.75 34.77 24.75 34.77 23.07 34.77 24.02 34.77 24.02 34.77 24.02 34.77 24.12 34.77 24.12 34.77 24.1 34.77 22.88 34.77 22.88 34.77 24.34 34.77 22.88 34.77 24.34 34.77 22.88 34.77 24.34 34.77 24.34 34.77 24.34 34.77 25.85 34.77 26.85 34.77
	713.5	23155	V	17.66	3.11	-3.06	17.71	34.77
	, 10.0	_5100	Н	23.69	3.11	-3.06	23.73	34.77

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 S Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 85 of 399

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	704.0	22060	V	19.78	3.08	-2.96	19.9	34.77
BAND 12	704.0	23060	Н	23.96	3.08	-2.96	24.08	34.77
BW: 10M	707.5	23095	V	20.24	3.09	-3.01	20.32	34.77
QPSK	707.5	23093	Н	24.72	3.09	-3.01	24.8	34.77
RB: 1,0	711.0	23130	V	18.78	3.09	-3.04	18.83	34.77
	711.0	23130	Н	23.69	3.09	-3.04	23.74	34.77
	704.0	23060	V	18.03	3.1	-3.04	18.09	34.77
BAND 12	704.0	23000	Н	23.09	3.1	-3.04	23.14	34.77
BW: 10M QPSK	707.5	23095	V	17.82	3.1	-3.05	17.87	34.77
	707.5	23093	Н	23.94	3.11	-3.06	23.99	34.77
RB: 1,49	711.0	23130	V	18.14	3.11	-3.06	18.19	34.77
	711.0	23130	Н	24.09	3.11	-3.06	24.13	34.77
	704.0	23060	V	19.83	3.08	-2.96	19.95	34.77
BAND 12	704.0	23000	Н	24.05	3.08	-2.96	24.18	34.77
BW: 10M	707.5	23095	V	19.78	3.09	-3	19.86	34.77
16QAM	707.5	23093	Н	24.27	3.09	-3.01	24.35	34.77
RB: 1,0	711.0	23130	V	18.4	3.09	-3.04	18.46	34.77
	711.0	23130	Н	23.39	3.09	-3.04	23.44	34.77
	704.0	23060	V	17.67	3.1	-3.04	17.73	34.77
BAND 12 BW: 10M 16QAM RB: 1,49	7 04.0	23000	Н	22.77	3.1	-3.04	22.83	34.77
	707.5	23095	V	17.54	3.1	-3.05	17.59	34.77
	707.5	20090	Н	22.99	3.1	-3.05	23.04	34.77
	711.0	23130	V	17.68	3.11	-3.06	17.73	34.77
	7 11.0	20100	Н	23.6	3.11	-3.06	23.65	34.77

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 86 of 399

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	706.5	23755	V	19.63	3.09	-3.03	19.69	34.77
BAND 17	700.5	23733	Н	23.7	3.09	-3.04	23.76	34.77
BW: 5M	710.0	23790	V	18.64	3.09	-3.04	18.7	34.77
QPSK	710.0	23790	Н	22.52	3.09	-3.04	22.57	34.77
RB: 1,0	713.5	23825	V	18.72	3.1	-3.05	18.77	34.77
	713.5	23023	Н	23.12	3.11	-3.06	23.16	34.77
	706.5	23755	V	18.52	3.1	-3.04	18.58	34.77
BAND 17		23733	Н	22.48	3.1	-3.04	22.53	34.77
BW: 5M QPSK	710.0	23790	V	18.95	3.1	-3.05	19	34.77
	710.0	23790	Н	23.53	3.1	-3.05	23.58	34.77
RB: 1,24	713.5	23825	V	18.51	3.11	-3.06	18.56	34.77
	713.5	23023	Н	23.71	3.11	-3.06	23.76	34.77
	706.5	23755	V	19.31	3.09	-3.03	19.37	34.77
BAND 17	700.5	23733	Н	22.58	3.09	-3.04	22.64	34.77
BW: 5M	710.0	23790	V	18.25	3.09	-3.04	18.3	34.77
16QAM	7 10.0	23790	Н	22.18	3.09	-3.04	22.23	34.77
RB: 1,0	713.5	23825	V	18.1	3.1	-3.05	18.15	34.77
	713.3	23023	Н	22.49	3.11	-3.06	22.54	34.77
	706.5	23755	V	18.22	3.1	-3.04	18.27	34.77
BAND 17 BW: 5M 16QAM RB: 1,24	700.5	23733	Н	22.22	3.1	-3.04	22.28	34.77
	710.0	23790	V	18.37	3.1	-3.05	18.42	34.77
	7 10.0	23190	Н	22.97	3.1	-3.05	23.02	34.77
	713.5	23825	V	18.28	3.11	-3.06	18.32	34.77
	7 13.3	20020	Н	23.49	3.11	-3.06	23.53	34.77

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page 87 of 399

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	709.0	23780	V	19.83	3.09	-3.03	19.89	34.77
BAND 17	709.0	23700	Н	22.92	3.09	-3.03	22.98	34.77
BW: 10M	710.0	23790	V	19.73	3.09	-3.03	19.79	34.77
QPSK	7 10.0	23790	Н	23.01	3.09	-3.03	23.06	34.77
RB: 1,0	711.0	23800	V	19.17	3.09	-3.04	19.23	34.77
	711.0	23600	Н	22.61	3.09	-3.04	22.66	34.77
	709.0	23780	V	19.1	3.11	-3.06	19.14	34.77
BAND 17	709.0	23700	Н	23.75	3.11	-3.06	23.8	34.77
BW: 10M QPSK	710.0	23790	V	18.99	3.11	-3.06	19.03	34.77
	7 10.0	23790	Н	23.97	3.11	-3.07	24.01	34.77
RB: 1,49	711.0	23800	V	19.11	3.11	-3.06	19.16	34.77
	711.0	23000	Н	24.35	3.11	-3.06	24.4	34.77
	709.0	23780	V	19.29	3.09	-3.03	19.35	34.77
BAND 17	709.0	23700	Н	22.38	3.09	-3.03	22.44	34.77
BW: 10M	710.0	23790	V	19.19	3.09	-3.03	19.24	34.77
16QAM	7 10.0	20130	Н	22.55	3.09	-3.03	22.61	34.77
RB: 1,0	711.0	23800	V	18.75	3.09	-3.04	18.81	34.77
	711.0	23000	Н	22.35	3.09	-3.04	22.41	34.77
	709.0	23780	V	18.27	3.11	-3.06	18.32	34.77
BAND 17 BW: 10M 16QAM RB: 1,49	709.0	23700	Н	23.08	3.11	-3.07	23.12	34.77
	710.0	23790	V	18.21	3.11	-3.06	18.25	34.77
	7 10.0	20100	Н	23.21	3.11	-3.07	23.25	34.77
	711.0	23800	V	18.14	3.11	-3.06	18.19	34.77
	7 11.0	20000	Н	23.33	3.11	-3.06	23.38	34.77

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

t (886-2) 2299-3279

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 88 of 399

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	824.7	26797	V	14.96	3.31	-2.92	15.35	38.50
BAND 26	024.7	20/9/	Н	17.16	3.31	-2.92	17.55	38.50
BW: 1.4M	836.5	26915	V	12.15	3.29	-2.96	12.49	38.50
QPSK	830.3	20913	Н	15.4	3.29	-2.96	15.73	38.50
RB: 1,0	848.3	27033	V	9.45	3.27	-3	9.72	38.50
	040.3	27033	Н	13.53	3.27	-3	13.81	38.50
	824.7	26797	V	14.74	3.31	-2.92	15.13	38.50
BAND 26	024.7	20191	Н	17.02	3.31	-2.92	17.4	38.50
BW: 1.4M QPSK	836.5	26915	V	11.57	3.29	-2.96	11.9	38.50
	830.3	20913	Н	15.1	3.29	-2.96	15.43	38.50
RB: 1,5	848.3	27033	V	9	3.27	-3	9.27	38.50
	040.3	21033	Н	13.26	3.27	-3	13.53	38.50
	824.7	26797	V	15.07	3.31	-2.92	15.46	38.50
BAND 26	024.7	20191	Н	17.22	3.31	-2.92	17.58	38.50
BW: 1.4M	836.5	26915	V	11.62	3.29	-2.96	11.95	38.50
16QAM	830.3	20913	Н	15.04	3.29	-2.96	15.37	38.50
RB: 1,0	848.3	27033	V	8.95	3.27	-3	9.22	38.50
	040.5	21000	Н	13.06	3.27	-3	13.33	38.50
	824.7	26797	V	14.88	3.31	-2.92	15.26	38.50
BAND 26 BW: 1.4M 16QAM RB: 1,5	024.7	20131	Н	17.14	3.31	-2.92	17.53	38.50
	836.5	26915	V	11.56	3.29	-2.97	11.88	38.50
	000.0	20313	Н	15.46	3.29	-2.96	15.79	38.50
	848.3	27033	V	8.94	3.27	-3	9.21	38.50
	0-10.0	21000	Н	13.14	3.27	-3	13.41	38.50

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 89 of 399

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	925 E	26805	V	15.07	3.31	-2.92	15.45	38.50
BAND 26	825.5	20005	Н	17.22	3.31	-2.92	17.61	38.50
BW: 3M	836.5	26915	V	12.46	3.29	-2.95	12.79	38.50
QPSK	830.3	20915	Н	15.87	3.29	-2.96	16.21	38.50
RB: 1,0	847.5	27025	V	9.69	3.27	-3	9.96	38.50
	047.3	21023	Н	14.23	3.28	-2.99	14.52	38.50
	825.5	26805	V	14.78	3.3	-2.93	15.16	38.50
BAND 26	023.3	20003	Н	17.04	3.3	-2.93	17.41	38.50
BW: 3M QPSK	836.5	26915	V	11.39	3.29	-2.96	11.72	38.50
	030.3	20913	Н	14.97	3.29	-2.96	15.29	38.50
RB: 1,14	847.5	27025	V	9.1	3.27	-3	9.37	38.50
	047.5	21023	Н	13.68	3.27	-3	13.95	38.50
	825.5	26805	V	14.8	3.3	-2.93	15.17	38.50
BAND 26	023.3	20003	Н	16.95	3.31	-2.92	17.34	38.50
BW: 3M	836.5	26915	V	11.96	3.29	-2.96	12.29	38.50
16QAM	000.0	20010	Н	15.27	3.29	-2.96	15.61	38.50
RB: 1,0	847.5	27025	V	9.78	3.27	-3	10.05	38.50
	017.0	27020	Н	14.31	3.28	-2.99	14.59	38.50
	825.5	26805	V	14.83	3.3	-2.93	15.2	38.50
BAND 26	BAND 26 825.5	20000	Н	17.06	3.3	-2.93	17.43	38.50
BW: 3M 16QAM RB: 1,14	836.5	26915	V	11.16	3.29	-2.96	11.49	38.50
	330.0	20010	Н	14.84	3.29	-2.96	15.16	38.50
	847.5	27025	V	8.8	3.27	-3	9.08	38.50
	047.0	21020	Н	13.31	3.27	-3	13.58	38.50

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 S Taiwan Ltd. t (886-2) 2299-3279



Page 90 of 399

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	826.5	26815	V	15.31	3.31	-2.92	15.69	38.50
BAND 26	626.5	20013	Н	16.98	3.31	-2.92	17.37	38.50
BW: 5M	836.5	26915	V	12.98	3.29	-2.95	13.32	38.50
QPSK	830.3	20913	Н	5.88	3.29	-2.95	6.22	38.50
RB: 1,0	846.5	27015	V	10.11	3.28	-2.98	10.4	38.50
	840.5	27013	Н	14.61	3.28	-2.98	14.9	38.50
	826.5	26815	V	15.26	3.3	-2.93	15.63	38.50
BAND 26	820.5	20013	Н	16.87	3.3	-2.93	17.24	38.50
BW: 5M QPSK	836.5	26915	V	11.38	3.29	-2.97	11.7	38.50
	830.3	20913	Н	14.76	3.29	-2.97	15.08	38.50
RB: 1,24	846.5	27015	V	8.93	3.27	-3	9.21	38.50
	840.5	27013	Н	13.43	3.27	-3	13.7	38.50
	826.5	26815	V	14.74	3.31	-2.92	15.13	38.50
BAND 26	020.3	20013	Н	16.73	3.31	-2.92	17.12	38.50
BW: 5M	836.5	26915	V	12.47	3.29	-2.95	12.81	38.50
16QAM	030.3	20913	Н	15.61	3.29	-2.95	15.95	38.50
RB: 1,0	846.5	27015	V	9.89	3.28	-2.98	10.18	38.50
	040.5	27013	Н	14.29	3.28	-2.98	14.58	38.50
	826.5	26815	V	14.52	3.3	-2.93	14.89	38.50
BAND 26 BW: 5M 16QAM RB: 1,24	020.0	20013	Н	16.58	3.3	-2.93	16.95	38.50
	836.5	26915	V	11.02	3.29	-2.97	11.35	38.50
	030.0	20313	Н	14.48	3.29	-2.97	14.81	38.50
	846.5	27015	V	8.64	3.27	-3	8.91	38.50
	040.5	21013	Н	13.28	3.27	-3	13.55	38.50

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

S Taiwan Ltd.

www.tw.sqs.com

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 91 of 399

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	920.0	26840	V	14.95	3.31	-2.92	15.34	38.50
BAND 26	829.0	20040	Н	17.02	3.31	-2.92	17.41	38.50
BW: 10M	836.5	26915	V	13.32	3.3	-2.94	13.67	38.50
QPSK	830.3	20915	Н	15.9	3.3	-2.94	16.26	38.50
RB: 1,0	844.0	26990	V	10.69	3.29	-2.97	11.01	38.50
	044.0	20990	Н	14.72	3.28	-2.98	15.02	38.50
	829.0	26840	V	12.96	3.29	-2.95	13.3	38.50
BAND 26	029.0	20040	Н	15.96	3.29	-2.95	16.3	38.50
BW: 10M QPSK	836.5	26915	V	10.49	3.28	-2.98	10.78	38.50
	030.3	20913	Н	14.68	3.28	-2.98	14.97	38.50
RB: 1,49	844.0	26990	V	8.8	3.27	-3	9.06	38.50
	044.0	20990	Н	13.29	3.27	-3	13.56	38.50
	829.0	26840	V	14.59	3.31	-2.92	14.97	38.50
BAND 26	029.0	20040	Н	16.67	3.3	-2.93	17.04	38.50
BW: 10M	836.5	26915	V	13.04	3.3	-2.94	13.39	38.50
16QAM	030.5	20010	Н	15.79	3.3	-2.95	16.14	38.50
RB: 1,0	844.0	26990	V	10.32	3.29	-2.97	10.64	38.50
	044.0	20000	Н	14.41	3.28	-2.98	14.71	38.50
	829.0	26840	V	12.64	3.29	-2.95	12.99	38.50
BAND 26		20040	Н	15.51	3.29	-2.95	15.85	38.50
BW: 10M 16QAM RB: 1,49	836.5	26915	V	10.13	3.28	-2.98	10.43	38.50
	000.0	20010	Н	14.37	3.28	-2.98	14.66	38.50
	844.0	26990	V	8.69	3.27	-3	8.96	38.50
	044.0	20990	Н	13.15	3.27	-3	13.43	38.50

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law. S Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 92 of 399

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	831.5	26865	V	14.81	3.31	-2.92	15.2	38.50
BAND 26	651.5	20003	Н	17.01	3.31	-2.92	17.4	38.50
BW: 15M	836.5	26915	V	14.17	3.29	-2.95	14.51	38.50
QPSK	830.3	20913	Н	16.47	3.3	-2.94	16.84	38.50
RB: 1,0	841.5	26965	V	13.02	3.29	-2.95	13.37	38.50
	641.5	20900	Н	15.77	3.29	-2.95	16.11	38.50
	831.5	26865	V	11.34	3.29	-2.96	11.66	38.50
BAND 26	631.3	20003	Н	14.82	3.29	-2.96	15.14	38.50
BW: 15M QPSK	836.5	26915	V	10.29	3.28	-2.98	10.59	38.50
	830.3	20915	Н	14.55	3.28	-2.98	14.85	38.50
RB: 1,74	841.5	26965	V	9.05	3.27	-3	9.32	38.50
	641.5	20900	Н	13.52	3.27	-3	13.79	38.50
	831.5	26865	V	14.5	3.31	-2.92	14.88	38.50
BAND 26	631.3	20003	Н	16.62	3.3	-2.93	16.99	38.50
BW: 15M	836.5	26915	V	13.93	3.3	-2.94	14.29	38.50
16QAM	830.3	20913	Н	16.25	3.3	-2.94	16.61	38.50
RB: 1,0	841.5	26965	V	12.47	3.29	-2.96	12.8	38.50
	041.5	20903	Н	15.52	3.29	-2.95	15.86	38.50
	831.5	26865	V	10.9	3.29	-2.96	11.22	38.50
BAND 26	BAND 26 831.5	20003	Н	14.55	3.29	-2.96	14.87	38.50
BW: 15M 16QAM RB: 1,74	836.5	26915	V	10.03	3.28	-2.98	10.33	38.50
	030.3	20313	Н	14.29	3.28	-2.98	14.59	38.50
	841.5	26965	V	9	3.27	-3	9.26	38.50
	0-1.0	20000	Н	13.47	3.27	-3	13.74	38.50

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 93 of 399

	EUT			N	leasurem	ent		dBm 33.01 33.01 33.01 33.01 33.01 33.01 33.01 33.01 33.01				
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit				
	MHz		V/H	dBm	dBi	dB	dBm	dBm				
	2400 5	20675	V	15.57	10.9	-5.25	21.22	33.01				
BAND 41	2498.5	39675	Н	13.19	10.9	-5.25	18.83	33.01				
BW: 5M	2593.0	40620	V	16.69	11.02	-5.34	22.36	33.01				
QPSK	2595.0	40020	Н	10.81	11.02	-5.34	16.49	33.01				
RB: 1,0	2687.5	41565	V	12.78	11.13	-5.49	18.43	33.01				
	2007.5	41303	Н	5.93	11.13	-5.49	11.58	33.01				
	2498.5	39675	V	15.58	10.9	-5.25	21.22	33.01				
BAND 41	41	39073	Н	13.53	10.9	-5.26	19.18	33.01				
BW: 5M QPSK	2593.0	40620	V	16.57	11.02	-5.34	22.25	33.01				
	2393.0	40020	Н	10.59	11.02	-5.34	16.26	33.01				
RB: 1,24	2687.5	41565	V	12.66	11.14	-5.5	18.3	33.01				
	2007.3	41303	Н	6.51	11.14	-5.5	12.15	33.01				
	2498.5	39675	V	14.94	10.9	-5.25	20.58	33.01				
BAND 41	2490.3	39073	Н	12.09	10.9	-5.25	17.73	33.01				
BW: 5M	2593.0	40620	V	16.36	11.02	-5.34	22.04	33.01				
16QAM	2595.0	40020	Н	10.43	11.02	-5.34	16.11	33.01				
RB: 1,0	2687.5	41565	V	11.59	11.14	-5.49	17.23	33.01				
	2007.5	+1000	Н	4.58	11.14	-5.49	10.23	33.01				
	2498.5	39675	V	15.19	10.9	-5.25	20.83	33.01				
BAND 41	BAND 41	33073	Н	12.23	10.9	-5.25	17.87	33.01				
BW: 5M 16QAM RB: 1,24	2593.0	40620	V	16.32	11.02	-5.34	21.99	33.01				
	2000.0	10020	Н	10.24	11.02	-5.34	15.92	33.01				
	2687.5	41565	V	11.32	11.14	-5.5	16.96	33.01				
	2007.0	+1000	Н	5.19	11.14	-5.5	10.83	33.01				

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page 94 of 399

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2501.0	39700	V	16.49	10.9	-5.25	22.14	33.01
BAND 41	2301.0	39700	Н	13.25	10.9	-5.25	18.9	33.01
BW: 10M	2593.0	40620	V	16.8	11.01	-5.34	22.47	33.01
QPSK	2595.0	40020	Н	9.5	11.01	-5.34	15.18	33.01
RB: 1,0	2685.0	41540	V	12.82	11.13	-5.48	18.47	33.01
	2003.0	41340	Н	5.09	11.13	-5.48	10.74	33.01
	2501.0	39700	V	15.92	10.91	-5.26	21.57	33.01
BAND 41	2301.0	39700	Н	12.83	10.91	-5.26	18.48	33.01
BW: 10M QPSK	2593.0	40620	V	16.14	11.02	-5.35	21.82	33.01
	2000.0	+0020	Н	8.2	11.02	-5.35	13.88	33.01
RB: 1,49	2685.0	41540	V	12.27	11.14	-5.5	17.92	33.01
	2003.0	71070	Н	6.42	11.14	-5.5	12.06	33.01
	2501.0	39700	V	15.25	10.9	-5.25	20.9	33.01
BAND 41	2301.0	33700	Н	11.78	10.9	-5.25	17.43	33.01
BW: 10M	2593.0	40620	V	16.47	11.01	-5.34	22.15	33.01
16QAM	2000.0	40020	Н	9.1	11.01	-5.34	14.77	33.01
RB: 1,0	2685.0	41540	V	11.2	11.13	-5.48	16.85	33.01
	2000.0	41040	Н	3.56	11.13	-5.48	9.21	33.01
	2501.0	39700	V	14.89	10.91	-5.26	20.53	33.01
BAND 41		33700	Н	11.77	10.91	-5.26	17.42	33.01
BW: 10M 16QAM RB: 1,49	2593.0	40620	V	15.78	11.02	-5.35	21.46	33.01
	2000.0	10020	Н	7.83	11.02	-5.35	13.51	33.01
	2685.0	41540	V	10.92	11.14	-5.5	16.56	33.01
	2000.0	11010	Н	5.06	11.14	-5.5	10.7	33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 S Taiwan Ltd.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 95 of 399

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2503.5	39725	V	15.3	10.9	-5.25	20.95	33.01
BAND 41	2503.5	39723	Н	12.06	10.9	-5.25	17.71	33.01
BW: 15M	2593.0	40620	V	16.02	11.01	-5.34	21.69	33.01
QPSK	2393.0	40020	Н	12.69	11.01	-5.34	18.36	33.01
RB: 1,0	2682.5	41515	V	15.43	11.13	-5.48	21.08	33.01
	2002.5	41313	Н	11.72	11.13	-5.48	17.37	33.01
	2503.5	39725	V	15.6	10.9	-5.25	21.25	33.01
BAND 41	2303.5	39723	Н	12.2	10.9	-5.25	17.85	33.01
BW: 15M QPSK	2593.0	40620	V	16.04	11.01	-5.34	21.71	33.01
	2595.0	40020	Н	12.79	11.01	-5.34	18.46	33.01
RB: 1,74	2682.5	41515	V	15.54	11.13	-5.48	21.19	33.01
	2002.5	41313	Н	12.45	11.13	-5.48	18.1	33.01
	2503.5	39725	V	14.81	10.9	-5.25	20.46	33.01
BAND 41	2303.5	39723	Н	11.1	10.9	-5.25	16.75	33.01
BW: 15M	2593.0	40620	V	15.64	11.01	-5.34	21.31	33.01
QPSK	2393.0	40020	Н	12.31	11.01	-5.34	17.98	33.01
RB: 1,0	2682.5	41515	V	14.59	11.13	-5.48	20.24	33.01
	2002.3	41313	Н	11.54	11.13	-5.48	17.19	33.01
	2503.5	39725	V	14.95	10.9	-5.25	20.6	33.01
BAND 41		38123	Н	11.59	10.9	-5.25	17.24	33.01
BW: 15M QPSK RB: 1,74	2593.0	40620	V	15.51	11.01	-5.34	21.18	33.01
	2333.0	+0020	Н	12.37	11.01	-5.34	18.04	33.01
	2682.5	41515	V	14.38	11.13	-5.48	20.03	33.01
	2002.0	71010	Н	11.42	11.13	-5.48	17.07	33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 S Taiwan Ltd.



Page 96 of 399

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2506.0	39750	V	16.68	10.9	-5.25	22.33	33.01
BAND 41	2506.0	39750	Н	10.81	10.9	-5.25	16.46	33.01
BW: 20M	2593.0	40620	V	17.04	11.01	-5.34	22.71	33.01
QPSK	2595.0	40020	Н	11.83	11.01	-5.34	17.5	33.01
RB: 1,0	2680.0	41490	V	15.9	11.13	-5.48	21.55	33.01
	2000.0	41490	Н	10.64	11.13	-5.48	16.29	33.01
	2506.0	39750	V	14.77	10.9	-5.25	20.42	33.01
BAND 41	2500.0	39730	Н	9.31	10.9	-5.25	14.96	33.01
BW: 20M QPSK	2593.0	40620	V	15.58	11.01	-5.34	21.25	33.01
	2393.0	40020	Н	9.73	11.01	-5.34	15.4	33.01
RB: 1,99	2680.0	41490	V	14.29	11.13	-5.48	19.94	33.01
	2000.0	41490	Н	9.31	11.13	-5.48	14.96	33.01
	2506.0	39750	V	15.48	10.9	-5.25	21.13	33.01
BAND 41	2500.0	39730	Н	10.86	10.9	-5.25	16.51	33.01
BW: 20M	2593.0	40620	V	16.59	11.01	-5.34	22.26	33.01
QPSK	2393.0	40020	Н	11.31	11.01	-5.34	16.98	33.01
RB: 1,0	2680.0	41490	V	15.59	11.13	-5.48	21.24	33.01
	2000.0	41430	Н	10.4	11.13	-5.48	16.05	33.01
	2506.0	39750	V	14.42	10.9	-5.25	20.07	33.01
BAND 41		39730	Н	8.53	10.9	-5.25	14.18	33.01
BW: 20M QPSK RB: 1,99	2593.0	40620	V	15.03	11.01	-5.34	20.7	33.01
	2090.0	+0020	Н	9.26	11.01	-5.34	14.93	33.01
	2680.0	41490	V	14.6	11.13	-5.48	20.25	33.01
	2000.0	71730	Н	8.37	11.13	-5.48	14.02	33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 97 of 399

LTE Band 26 for Part 90S

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	0147	26607	V	14.39	3.32	-2.89	14.82	50.00
BAND 26	814.7	26697	Н	18.14	3.32	-2.89	18.57	50.00
BW: 1.4M	819.0	26740	V	13.92	3.32	-2.9	14.34	50.00
QPSK	819.0	20740	Н	18.08	3.32	-2.9	18.5	50.00
RB: 1,0	823.3	26783	V	13.44	3.31	-2.91	13.84	50.00
	023.3	20703	Н	17.22	3.31	-2.91	17.62	50.00
	814.7	26697	V	14.31	3.32	-2.89	14.74	50.00
BAND 26	014.7	20097	Н	18.12	3.32	-2.89	18.55	50.00
BW: 1.4M	819.0	26740	V	13.83	3.31	-2.9	14.24	50.00
QPSK	819.0	20740	Н	17.63	3.32	-2.9	18.05	50.00
RB: 1,5	823.3	26783	V	13.47	3.31	-2.92	13.87	50.00
	023.3	20703	Н	16.97	3.31	-2.92	17.36	50.00
	814.7	26697	V	14.29	3.32	-2.89	14.73	50.00
BAND 26	014.7	20031	Н	18.42	3.32	-2.89	18.85	50.00
BW: 1.4M	819.0	26740	V	13.96	3.32	-2.9	14.37	50.00
16QAM	019.0	20140	Н	17.32	3.32	-2.9	17.73	50.00
RB: 1,0	823.3	26783	V	13.7	3.31	-2.91	14.1	50.00
	023.3	20703	Н	17.38	3.31	-2.91	17.78	50.00
	8147	26697	V	14.05	3.32	-2.89	14.48	50.00
BAND 26 814.7	014.7	20031	Н	18.46	3.32	-2.89	18.89	50.00
BW: 1.4M	819.0	26740	V	13.48	3.31	-2.9	13.89	50.00
16QAM	819.0 2	20140	Н	17.26	3.32	-2.9	17.68	50.00
RB: 1,5	823.3	26783	V	13.77	3.31	-2.92	14.16	50.00
	020.0	20700	Н	17.28	3.31	-2.92	17.67	50.00

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 98 of 399

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	815.5	26705	V	14.21	3.32	-2.89	14.64	50.00
BAND 26	813.3	20703	Н	18.41	3.32	-2.89	18.84	50.00
BW: 3M	819.0	26740	V	13.97	3.32	-2.9	14.39	50.00
QPSK	819.0	20740	Н	18.19	3.32	-2.9	18.61	50.00
RB: 1,0	822.5	26775	V	13.7	3.31	-2.91	14.11	50.00
	022.3	20113	Н	17.52	3.31	-2.91	17.92	50.00
	815.5	26705	V	14.05	3.32	-2.89	14.47	50.00
BAND 26	013.3	20703	Н	18.5	3.32	-2.9	18.92	50.00
BW: 3M	819.0	26740	V	13.71	3.31	-2.91	14.12	50.00
QPSK	019.0	20740	Н	17.66	3.31	-2.91	18.06	50.00
RB: 1,14	822.5	26775	V	13.53	3.31	-2.92	13.92	50.00
	022.3	20113	Н	17.14	3.31	-2.92	17.54	50.00
	815.5	26705	V	14.17	3.32	-2.89	14.6	50.00
BAND 26	013.3	20703	Н	18.27	3.32	-2.89	18.7	50.00
BW: 3M	819.0	26740	V	13.39	3.32	-2.9	13.81	50.00
16QAM	819.0	20740	Н	17.5	3.32	-2.9	17.92	50.00
RB: 1,0	822.5	26775	V	13.42	3.31	-2.91	13.82	50.00
	022.5	20113	Н	17.35	3.31	-2.91	17.75	50.00
	815.5	26705	V	13.56	3.32	-2.89	13.98	50.00
BAND 26	815.5	20703	Н	17.78	3.32	-2.89	18.2	50.00
BW: 3M	N: 3M 819.0 2	26740	V	13.3	3.31	-2.91	13.71	50.00
16QAM		20140	Н	17.33	3.31	-2.91	17.74	50.00
RB: 1,14	822.5	26775	V	13.59	3.31	-2.92	13.98	50.00
	022.0	20113	Н	17.19	3.31	-2.92	17.58	50.00

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 99 of 399

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	816.5	26715	V	13.98	3.32	-2.89	14.42	50.00
BAND 26	010.5	207 13	Н	18.13	3.32	-2.89	18.56	50.00
BW: 5M	819.0	26740	V	13.95	3.32	-2.89	14.37	50.00
QPSK	819.0	20740	Н	17.98	3.32	-2.89	18.41	50.00
RB: 1,0	821.5	26765	V	13.72	3.31	-2.9	14.13	50.00
	621.5	20703	Н	17.54	3.32	-2.9	17.96	50.00
	816.5	26715	V	13.66	3.32	-2.9	14.08	50.00
BAND 26	010.5	20713	Н	17.87	3.32	-2.9	18.28	50.00
BW: 5M	5M SK 819.0	26740	V	13.46	3.31	-2.91	13.87	50.00
QPSK		20740	Н	17.38	3.31	-2.91	17.78	50.00
RB: 1,24	821.5	26765	V	13.44	3.31	-2.92	13.84	50.00
	621.5	20703	Н	17.04	3.31	-2.92	17.43	50.00
	816.5	26715	V	13.8	3.32	-2.89	14.23	50.00
BAND 26	810.5	20713	Н	17.9	3.32	-2.89	18.33	50.00
BW: 5M	819.0	26740	V	13.47	3.32	-2.89	13.89	50.00
16QAM	819.0	20740	Н	17.7	3.32	-2.89	18.12	50.00
RB: 1,0	821.5	26765	V	13.47	3.31	-2.9	13.88	50.00
	021.3	20703	Н	17.47	3.32	-2.9	17.89	50.00
	816.5	26715	V	13.62	3.32	-2.9	14.04	50.00
BAND 26		20/13	Н	17.71	3.32	-2.9	18.13	50.00
BW: 5M	810.0	26740	V	13.32	3.31	-2.91	13.73	50.00
16QAM		20140	Н	17.23	3.31	-2.91	17.64	50.00
RB: 1,24	821.5	26765	V	13.19	3.31	-2.92	13.58	50.00
	021.0	20700	Н	16.79	3.31	-2.92	17.18	50.00

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 100 of 399

	EUT		Measurement						
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit	
	MHz		V/H	dBm	dBd	dB	dBm	dBm	
BAND 26 BW: 10M	819.0	26740	V	13.84	3.32	-2.89	14.27	50.00	
QPSK RB: 1,0	0.10.10	207 10	Н	18.06	3.32	-2.89	18.49	50.00	
BAND 26 BW: 10M	940.0	26740	V	13.67	3.32	-2.9	14.08	50.00	
QPSK RB: 1,49	819.0	20740	Н	17.79	3.32	-2.9	18.2	50.00	
BAND 26 BW: 10M	040.0	00740	V	13.69	3.32	-2.89	14.12	50.00	
16QAM RB: 1,0	819.0	26740	Н	17.81	3.32	-2.89	18.24	50.00	
BAND 26 BW: 10M	040.0	00740	V	13.38	3.32	-2.9	13.79	50.00	
16QAM RB: 1,49	819.0	26740	Н	17.34	3.32	-2.9	17.75	50.00	

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page 101 of 399

8. OCCUPIED BANDWIDTH MEASUREMENT

8.1. Standard Applicable

The occupied bandwidth is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power.

8.2. Test Set-up



8.3. Measurement Procedure

99% &26dB Bandwidth with detector peak

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about 1% of emission BW, VBW= 3 times RBW, -26dBc display line was placed on the screen (or 26dB bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace. Then set RBW to 99% bandwidth, RBW= 1%, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

99% Bandwidth with detector sample

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about 1% ~ 5% of emission BW, VBW= 3 times RBW, -20dBc display line was placed on the screen (or 20dB bandwidth). Set RBW to 99% bandwidth, RBW= 1% ~ 5%, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488



Page 102 of 399

8.4. Measurement Equipment Used

Conduc	ted Emission (m	neasured at a	antenna port)	Test Site	
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.
TYPE		NUMBER	NUMBER	CAL.	
Power Meter	Anritsu	ML2495A	1005007	12/15/2016	12/14/2017
Power Sensor	Anritsu	MA2411B	917032	12/15/2016	12/14/2017
EXA Spectrum Analyzer	Agilent	N9030A	MY53120760	02/26/2016	02/25/2017
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2016	01/01/2017
Coaxial Cable	HUBER+SUHNE R	SUCOFLEX 102	23670/2	01/02/2016	01/01/2017
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2016	01/01/2017
Splitter	Agilent	11636B	N/A	01/02/2016	01/01/2017
DC Power Supply	Agilent	E3640A	MY52410006	11/21/2016	11/20/2017
Temperature Chamber	TERCHY	MHG-120LF	911009	05/17/2016	05/16/2017
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2016	02/10/2017
Radio Communication Analyer	Anritsu	MT8820C	6201465317	12/10/2016	12/09/2017

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 103 of 399

8.5. Measurement Result

		99%	99%	99%	26 dB	26 dB	26 dB
Freq.		BW	BW	BW	BW	BW	BW
(MHz)	СН	(MHz)	(MHz)	(MHz)	(MHz)	(MHz)	(MHz)
(1411 12)		GSM	GPRS	EDGE	GSM	GPRS	EDGE
		850	850	850	850	850	850
824.2	128	0.24633	0.24426	0.2488	0.3172	0.3147	0.3084
836.6	190	0.23781	0.23785	0.24847	0.3013	0.3089	0.3235
848.8	251	0.2415	0.2429	0.24438	0.3039	0.3128	0.3080


Freq. (MHz)	СН	99% BW (MHz) GSM 1900	99% BW (MHz) GPRS 1900	99% BW (MHz) EDGE 1900	26 dB BW (MHz) GSM 1900	26 dB BW (MHz) GPRS 1900	26 dB BW (MHz) EDGE 1900
1850.2	512	0.2405	0.24197	0.24896	0.3050	0.3128	0.3135
1880.0	661	0.24051	0.24972	0.24435	0.3056	0.3222	0.3104
1909.8	810	0.24134	0.24348	0.23924	0.3071	0.3078	0.3149

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488





		99%	99%	99%	26 dB	26 dB	26 dB
Freq.		BW	BW	BW	BW	BW	BW
(MHz)	СН	(MHz)	(MHz)	(MHz)	(MHz)	(MHz)	(MHz)
(1411 12)		WCDMA	HSDPA	HSUPA	WCDMA	HSDPA	HSUPA
		II	II	II	II	II	II
1850.20	9262	4.1233	4.114	4.0998	4.691	4.674	4.683
1850.20 1880.00	9262 9400	4.1233 4.1074	4.114 4.1066	4.0998 4.1044	4.691 4.676	4.674 4.670	4.683 4.670

Freq. (MHz)	СН	99% BW (MHz) WCDMA	99% BW (MHz) HSDPA	99% BW (MHz) HSUPA	26 dB BW (MHz) WCDMA	26 dB BW (MHz) HSDPA	26 dB BW (MHz) HSUPA
		IV	IV	IV	IV	IV	IV
1712.40	1312	4.1046	4.112	4.0964	4.670	4.658	4.673
1732.60	1413	4.1134	4.1067	4.1102	4.673	4.653	4.676
1752.60	1513	4.1156	4.0949	4.1015	4.682	4.656	4.655

Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)
(IVITIZ)		WCDMA	HSDPA	HSUPA	WCDMA	HSDPA	HSUPA
		V	V	V	V	V	V
826.40	4132	4.1185	4.1315	4.0916	4.687	5.255	4.662
836.60	4183	4.1051	4.1075	4.1104	4.678	4.667	4.648
846.60	4233	4.1275	4.1274	4.1203	4.692	4.684	4.652

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488



Page 105 of 399

LTE	BAND	2 Channe	el bandwi	dth: 1.4l	LTE BAND 2 Channel bandwidth: 1.4MHz										
Freq. (MHz)	CH BW BV		99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)										
		QPSK	16QAM	QPSK	16QAM										
1850.7	18607	1.0976	1.0968	1.274	1.297										
1880.0	18900	1.0981	1.0981	1.277	1.299										

LT	LTE BAND 2 Channel bandwidth: 3MHz										
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)						
		QPSK	16QAM	QPSK	16QAM						
1851.5	18615	2.6991	2.7011	2.989	2.984						
1880.0	18900	2.7014	2.6989	2.979	2.977						
1908.5	19185	2.6970	2.7020	2.981	2.968						

LT	LTE BAND 2 Channel bandwidth: 5MHz							
		99%	99%	26 dB	26 dB			
Freq.	СН	BW	BW	BW	BW			
(MHz)	CII	(MHz)	(MHz)	(MHz)	(MHz)			
		QPSK	16QAM	QPSK	16QAM			
1852.5	18625	4.4932	4.5050	5.014	5.008			
1880.0	18900	4.4904	4.5054	4.975	4.966			
1907.5	19175	4.5018	4.4961	4.982	5.028			

LTI	LTE BAND 2 Channel bandwidth: 10MHz								
		99%	99%	26 dB	26 dB				
Freq.	СН	BW	BW	BW	BW				
(MHz)	СП	(MHz)	(MHz)	(MHz)	(MHz)				
		QPSK	16QAM	QPSK	16QAM				
1855.0	18650	8.9697	8.9232	9.819	9.809				
1880.0	18900	9.0022	8.9469	9.853	9.715				
1905.0	19150	8.9641	8.9234	9.802	9.825				

LTE BAND 2 Channel bandwidth: 15MHz								
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)			
		QPSK	16QAM	QPSK	16QAM			
1857.5	18675	13.453	13.419	14.57	14.58			
1880.0	18900	13.416	13.424	14.60	14.61			
1902.5	19125	13.432	13.412	14.71	14.67			

LTI	LTE BAND 2 Channel bandwidth: 20MHz								
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)				
		QPSK	16QAM	QPSK	16QAM				
1860.0	18700	17.869	17.809	19.33	19.22				
1880.0	18900	17.875	17.903	19.35	19.34				
1900.0	19100	17.873	17.913	19.37	19.36				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com



Page 106 of 399

LTE BAND 4 Channel bandwidth: 1.4MHz								
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)			
		QPSK	16QAM	QPSK	16QAM			
1710.7	19957	1.0990	1.0978	1.279	1.277			
1732.5	20175	1.0942	1.0980	1.281	1.296			
1754.3	20393	1.0972	1.0948	1.270	1.276			

LTE BAND 4 Channel bandwidth: 3MHz								
LII	L DAND							
		99%	99%	26 dB	26 dB			
Freq.	Freq. (MHz)	BW	BW	BW	BW			
(MHz)		(MHz)	(MHz)	(MHz)	(MHz)			
		QPSK	16QAM	QPSK	16QAM			
1711.5	19965	2.6984	2.7004	2.969	2.996			
1732.5	20175	2.6970	2.6980	2.962	2.971			
1753.5	20385	2.6951	2.7032	2.966	2.974			

LTE BAND 4 Channel bandwidth: 5MHz							
		99%	99%	26 dB	26 dB		
Freq.	СН	BW	BW	BW	BW		
(MHz)	СП	(MHz)	(MHz)	(MHz)	(MHz)		
		QPSK	16QAM	QPSK	16QAM		
1712.5	19957	4.4998	4.4941	5.014	5.024		
1732.5	20175	4.4967	4.4903	4.982	4.941		
1752.5	20375	4.4990	4.4941	4.983	4.955		

LTE BAND 4 Channel bandwidth: 10MHz								
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)			
		QPSK	16QAM	QPSK	16QAM			
1715.0	20000	8.9844	8.9347	9.779	9.814			
1732.5	20175	8.9637	8.9516	9.898	9.801			
1750.0	20350	8.9900	8.9488	9.850	9.740			

LTE BAND 4 Channel bandwidth: 15MHz								
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)			
		QPSK	16QAM	QPSK	16QAM			
1717.5	20025	13.414	13.412	14.70	14.66			
1732.5	20175	13.437	13.423	14.74	14.62			
1747.5	20325	13.447	13.428	14.70	14.62			

LTE	LTE BAND 4 Channel bandwidth: 20MHz								
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)				
		QPSK	16QAM	QPSK	16QAM				
1720.0	20050	17.886	17.855	19.42	19.31				
1732.5	20175	17.862	17.934	19.43	19.44				
1745.0	20300	17.896	17.890	19.40	19.40				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488



Page 107 of 399

LTE BAND 5 Channel bandwidth: 1.4MHz								
Freq. (MHz)	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)				
		QPSK	16QAM	QPSK	16QAM			
824.7	20407	1.0977	1.0985	1.297	1.284			
836.5	20525	1.0973	1.0994	1.284	1.291			
848.3	20643	1.0988	1.0968	1.304	1.297			

LTE BAND 5 Channel bandwidth: 3MHz								
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)			
		QPSK	16QAM	QPSK	16QAM			
825.5	20415	2.6992	2.6974	2.982	2.991			
836.5	20525	2.6954	2.7040	2.968	3.002			
847.5	20635	2.7005	2.6982	2.978	2.938			

LTE BAND 5 Channel bandwidth: 5MHz						
		99%	99%	26 dB	26 dB	
Freq.	СН	BW	BW	BW	BW	
(MHz)		(MHz)	(MHz)	(MHz)	(MHz)	
		QPSK	16QAM	QPSK	16QAM	
826.5	20425	4.4935	4.4931	4.999	4.969	
836.5	20525	4.5014	4.4872	5.020	4.988	
846.5	20625	4.5011	4.4975	5.032	5.016	

LTE BAND 5 Channel bandwidth: 10MHz								
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)			
		QPSK	16QAM	QPSK	16QAM			
829.0	20450	8.9899	8.9506	9.735	9.812			
836.5	20525	8.9996	8.9513	9.895	9.791			
844.0	20600	8.9799	8.9535	9.830	9.750			

LTE BAND 7 Channel bandwidth: 5MHz							
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)		
		QPSK	16QAM	QPSK	16QAM		
2502.5	20775	4.4946	0.0000	4.987	0.000		
2535.0	21100	4.4956	4.4917	4.953	4.966		
2567.5	21425	4.4956	4.4928	4.978	4.981		

LTE BAND 7 Channel bandwidth: 10MHz								
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)			
		QPSK	16QAM	QPSK	16QAM			
2505.0	20800	8.9859	8.9496	9.880	9.766			
2535.0	21100	8.9823	8.9528	9.888	9.852			
2565.0	21400	8.9511	8.9206	9.759	9.768			

LTE BAND 7 Channel bandwidth: 15MHz							
Freq.	СН	99% BW	99% BW	26 dB BW	26 dB BW		
(1411-12)		(MHz) QPSK	(MHz) 16QAM	(MHz) QPSK	(MHz) 16QAM		
2507.5	20825	13.425	13.439	14.55	14.64		
2535.0	21100	13.474	13.439	14.57	14.24		
2562.5	21375	13.424	13.401	14.60	14.66		

LTE BAND 7 Channel bandwidth: 20MHz								
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)			
		QPSK	16QAM	QPSK	16QAM			
2510.0	20850	17.895	17.898	19.31	19.25			
2535.0	21100	17.877	17.935	19.34	19.29			
2560.0	21350	17.815	17.807	19.31	19.31			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

www.tw.sgs.com



Page 108 of 399

LTE	BAND '	12 Chann	el bandw	idth: 1.4	MHz			
		99%	99%	26 dB	26 dB			
Freq.	СН	BW	BW	BW	BW			
(MHz)	Сп	(MHz)	(MHz)	(MHz)	(MHz)			
		QPSK	16QAM	QPSK	16QAM			
699.7	23017	1.0974	1.0995	1.272	1.302			
707.5	23095	1.0964	1.0985	1.282	1.297			
715.3	23173	1.0974	1.0989	1.291	1.303			

LTE BAND 12 Channel bandwidth: 3MHz							
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)		
		QPSK	16QAM	QPSK	16QAM		
700.5	23025	2.6959	2.6996	2.973	3.001		
707.5	23095	2.6980	2.7016	2.973	2.976		
714.5	23165	2.6940	2.6961	2.979	2.992		

LTE BAND 12 Channel bandwidth: 5MHz						
		99%	99%	26 dB	26 dB	
Freq.	СН	BW	BW	BW	BW	
(MHz)	OI I	(MHz)	(MHz)	(MHz)	(MHz)	
		QPSK	16QAM	QPSK	16QAM	
701.5	23035	4.4910	4.4915	4.985	4.997	
707.5	23095	4.4935	4.5029	5.005	5.006	
713.5	23155	4.4922	4.4971	4.993	4.998	

LTE BAND 12 Channel bandwidth: 10MHz							
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)		
		QPSK	16QAM	QPSK	16QAM		
704.0	23060	8.9776	8.9555	9.881	9.790		
707.5	23095	8.9676	8.9682	9.876	9.823		
711.0	23130	8.9733	8.9509	9.831	9.772		

LTE BAND 17 Channel bandwidth: 5MHz							
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)		
		QPSK	16QAM	QPSK	16QAM		
706.5	23755	4.4944	4.5011	5.042	4.998		
710.0	23790	4.5038	4.5027	4.955	4.963		
713.5	23825	4.4821	4.4914	4.993	4.961		

LTE BAND 17 Channel bandwidth: 10MHz							
Freq. (MHz)		99%	99%	26 dB	26 dB		
	СП	BW	BW	BW	BW		
	СП	(MHz)	(MHz)	(MHz)	(MHz)		
		QPSK	16QAM	QPSK	16QAM		
709.0	23780	9.0020	8.9566	9.914	9.842		
710.0	23790	8.9749	8.9561	9.858	9.747		
711.0	23780	8.9805	8.9472	9.895	9.796		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: ER/2016/C0032

Page 109 of 399

LTE BAND 26 Channel bandwidth: 1.4MHz							
		99%	99%	26 dB	26 dB		
Freq.	СН	BW	BW	BW	BW		
(MHz)	On	(MHz)	(MHz)	(MHz)	(MHz)		
		QPSK	16QAM	QPSK	16QAM		
824.7	26797	1.0971	1.0997	1.288	1.276		
836.5	26915	1.0950	1.1005	1.289	1.292		
848.3	27033	1.0978	1.0992	1.276	1.281		

LTE BAND 26 Channel bandwidth: 3MHz							
		99%	99%	26 dB	26 dB		
Freq. (MHz)	СН	BW (MHz)	BW (MHz)	BW (MHz)	BW (MHz)		
(QPSK	16QAM	QPSK	16QAM		
825.5	26805	2.7013	2.7006	2.994	2.976		
836.5	26915	2.6946	2.6978	2.966	2.976		
847.5	27025	2.7001	2.7047	2.967	2.992		

LTE BAND 26 Channel bandwidth: 5MHz							
		99%	99%	26 dB	26 dB		
Freq.	СН	BW	BW	BW	BW		
(MHz)	CII	(MHz)	(MHz)	(MHz)	(MHz)		
		QPSK	16QAM	QPSK	16QAM		
826.5	26815	4.4951	4.5043	4.993	5.009		
836.5	26915	4.4967	4.4848	5.009	4.984		
846.5	27015	4.4983	4.5014	5.020	4.969		

LTE BAND 26 Channel bandwidth: 10MHz							
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)		
		QPSK	16QAM	QPSK	16QAM		
829.0	26840	8.9818	8.9529	9.825	9.808		
836.5	26915	8.9769	8.9619	9.793	9.807		
844.0	26990	8.9791	8.9458	9.864	9.818		

LTE BAND 26 Channel bandwidth: 15MHz							
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)		
		QPSK	16QAM	QPSK	16QAM		
831.5	26865	13.455	13.459	14.57	14.68		
836.5	26915	13.471	13.437	14.65	14.66		
841.5	26965	13.357	13.402	14.57	14.73		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2016/C0032

Page 110 of 399

LTE BAND 41 Channel bandwidth: 5MHz							
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)		
		QPSK	16QAM	QPSK	16QAM		
2547.5	40165	4.4946	4.5100	5.039	5.330		
2600.0	40690	4.5054	4.4991	5.082	5.355		
2652.5	41215	4.4903	4.4954	5.109	5.275		

LTE BAND 41 Channel bandwidth: 10MHz							
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)		
		QPSK	16QAM	QPSK	16QAM		
2550.0	40190	8.9808	8.9710	9.911	9.844		
2600.0	40690	8.9927	8.9724	12.180	10.280		
2650.0	41190	8.9662	8.9727	9.781	10.140		

LTE BAND 41 Channel bandwidth: 15MHz							
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)		
		QPSK	16QAM	QPSK	16QAM		
2552.5	40215	13.467	13.453	15.72	15.20		
2600.0	40690	13.487	13.438	19.93	21.17		
2647.5	41165	13.441	13.408	15.58	15.26		

LTE BAND 41 Channel bandwidth: 20MHz							
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)		
		QPSK		QPSK	16QAM		
2555.0	40240	17.933	17.908	19.67	23.68		
2600.0	40690	17.915	17.892	26.06	28.89		
2645.0	41140	17.928	17.846	19.49	23.39		

LTE BAND 26 for part 90S Channel bandwidth:							
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)		
		QPSK	16QAM	QPSK	16QAM		
814.7	26697	1.0984	1.0986	1.273	1.301		
819.0	26740	1.0976	1.1006	1.289	1.285		
823.3	26783	1.0977	1.1004	1.294	1.311		

LTE BAND 26 for part 90S Channel bandwidth:							
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)		
		QPSK	16QAM	QPSK	16QAM		
815.5	26705	2.7021	2.6968	2.986	2.983		
819.0	26740	2.6958	2.7029	2.971	2.982		
822.5	26775	2.6958	2.7003	2.987	2.979		

LTE BAND 26 for part 90S Channel bandwidth:							
	99%	99%	26 dB	26 dB			
СН	BW	BW	BW	BW			
	(MHz)	(MHz)	(MHz)	(MHz)			
	QPSK	16QAM	QPSK	16QAM			
26715	4.4969	4.5036	5.010	5.006			
26740	4.4955	4.5074	5.024	5.026			
26765	4.4946	4.4988	5.013	4.966			
	CH 26715 26740	CH 99% BW (MHz) QPSK 26715 4.4969 26740 4.4955	CH	CH 99% BW BW (MHz) (MHz) 26 dB BW BW (MHz) QPSK 16QAM QPSK 26715 4.4969 4.5036 5.010 26740 4.4955 4.5074 5.024			


LTE BAND 26 for part 90S Channel bandwidth:				
	99%	99%	26 dB	26 dB
СП	BW	BW	BW	BW
СП	(MHz)	(MHz)	(MHz)	(MHz)
	QPSK	16QAM	QPSK	16QAM
26740	8.9629	8.9532	9.818	9.785
	СН	CH 99% BW (MHz) QPSK	CH 99% 99% BW BW (MHz) (MHz) QPSK 16QAM	CH 99% 99% 26 dB BW BW BW (MHz) (MHz) (MHz) QPSK 16QAM QPSK

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279







GSM 850MHz LowCH128-824.2

Center Freq 624 200000 MHz Center Freq 624 200000 MHz Comp Free flat Tog Free flat Augitable 60th Radio Qualet 878 Center Freq Example 60th Radio Qualet 878 Radio Qualet 878 Center Freq Example 60th Radio Qualet 878 Radio Qu


GPRS 850MHz LowCH128-824.2




GSM_850MHz_MidCH190-836.6




GPRS_850MHz_MidCH190-836.6



GSM_850MHz_HighCH251-848.8



GPRS_850MHz_HighCH251-848.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


解析力 規則 : 比較電子 (中国) 中野 (大阪) 自動 (大阪)

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488







EDGE 850MHz LowCH128-824.2

Ref 40.00 dBm 242.88 kHz 772 Hz 99.00 %

GSM_1900MHz_LowCH512-1850.2




EDGE_850MHz_MidCH190-836.6




GSM_1900MHz_MidCH661-1880



EDGE_850MHz_HighCH251-848.8



GSM_1900MHz_HighCH810-1909.8




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

t (886-2) 2299-3279

除非分有説明・近報告結果僅對測試之株品負責,同時此株品僅保留則大。本報告未經本公司著血許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488






GPRS 1900MHz LowCH512-1850.2

Ref 40.00 dBm 241.97 kHz 1.679 KHz 99.00 %


EDGE_1900MHz_LowCH512-1850.2




GPRS_1900MHz_MidCH661-1880



EDGE_1900MHz_MidCH661-1880



GPRS_1900MHz_HighCH810-1909.8



EDGE_1900MHz_HighCH810-1909.8




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

際非方角規則・近報管路水運用河域へ体命資具・四可延体命運体制切入。予報音本法本公司資田では、イヤコロの投表。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司







WCDMA B2 LowCH9262-1852.4

Center Fre 4.1233 MHz 7.605 KHZ 99.00 %

HSDPA B2 LowCH9262-1852.4




WCDMA_B2_MidCH9400-1880



HSDPA_B2_MidCH9400-1880



WCDMA_B2_HighCH9538-1907.6



HSDPA_B2_HighCH9538-1907.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

t (886-2) 2299-3279

除非分有説明・近報告結果僅對測試之株品負責,同時此株品僅保留則大。本報告未經本公司著血許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司







HSUPA B2 LowCH9262-1852.4

Center Fre 976 Hz 99.00 %

WCDMA B4 LowCH1312-1712.4




HSUPA_B2_MidCH9400-1880



WCDMA_B4_MidCH1413-1732.6



HSUPA_B2_HighCH9538-1907.6



WCDMA_B4_HighCH1513-1752.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非分有説明・近報告結果僅對測試之株品負責,同時此株品僅保留則大。本報告未經本公司著血許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司







HSDPA B4 LowCH1312-1712.4



HSUPA B4 LowCH1312-1712.4




HSDPA_B4_MidCH1413-1732.6



HSUPA_B4_MidCH1413-1732.6



HSDPA_B4_HighCH1513-1752.6



HSUPA_B4_HighCH1513-1752.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


除非分有説明・近報告結果僅對測試之株品負責,同時此株品僅保留則大。本報告未經本公司著血許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488







WCDMA B5 LowCH4132-826.4

Center Pro 4.1185 MHz -3.859 kHz 99.00 %

HSDPA B5 LowCH4132-826.4




WCDMA_B5_MidCH4183-836.6




HSDPA_B5_MidCH4183-836.6



WCDMA_B5_HighCH4233-846.6



HSDPA_B5_HighCH4233-846.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


除非分有説明・近報告結果僅對測試之株品負責,同時此株品僅保留則大。本報告未經本公司著血許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號







HSUPA_B5_LowCH4132-826.4



HSUPA_B5_MidCH4183-836.6



HSUPA_B5_HighCH4233-846.6




t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlowfull and offenders may be proceduled in the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司






Band2 1.4MHz QPSK 6 0 LowCH18607-1850.7




Band2 1.4MHz_QPSK 6 0_MidCH18900-1880




Band2 1.4MHz_QPSK 6 0_HighCH19193-1909.3




Band2 1.4MHz 16-QAM 6 0 LowCH18607-1850.7



Band2 1.4MHz_16-QAM 6 0_MidCH18900-1880



Band2 1.4MHz_16-QAM 6 0_HighCH19193-1909.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析力 規則 : 比較電子 (中国) 中野 (大阪) 自動 (大阪)


s be proceeded to the falloct extent of the fath.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488







Band2 3MHz QPSK 15 0 LowCH18615-1851.5




Band2 3MHz_QPSK 15 0_MidCH18900-1880



Band2 3MHz_QPSK 15 0_HighCH19185-1908.5




Band2 3MHz 16-QAM 15 0 LowCH18615-1851.5



Band2 3MHz_16-QAM 15 0_MidCH18900-1880



Band2 3MHz_16-QAM 15 0_HighCH19185-1908.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


解析力 規則 : 比較電子 (中国) 中野 (大阪) 自動 (大阪)

s be proceeded to the falloct extent of the fath.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279






Band2 5MHz QPSK 25 0 LowCH18625-1852.5




Band2 5MHz_QPSK 25 0_MidCH18900-1880



Band2 5MHz_QPSK 25 0_HighCH19175-1907.5




Band2 5MHz 16-QAM 25 0 LowCH18625-1852.5



Band2 5MHz_16-QAM 25 0_MidCH18900-1880



Band2 5MHz_16-QAM 25 0_HighCH19175-1907.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


解析力 規則 : 比較電子 (中国) 中野 (大阪) 自動 (大阪)

s be proceeded to the falloct extent of the fath.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279






Band2 10MHz QPSK 50 0 LowCH18650-1855




Band2 10MHz_QPSK 50 0_MidCH18900-1880



Band2 10MHz_QPSK 50 0_HighCH19150-1905




Band2 10MHz 16-QAM 50 0 LowCH18650-1855



Band2 10MHz_16-QAM 50 0_MidCH18900-1880



Band2 10MHz_16-QAM 50 0_HighCH19150-1905




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析力 規則 : 比較電子 (中国) 中野 (大阪) 自動 (大阪)

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279






Band2 15MHz QPSK 75 0 LowCH18675-1857.5




Band2 15MHz_QPSK 75 0_MidCH18900-1880



Band2 15MHz_QPSK 75 0_HighCH19125-1902.5



Band2 15MHz 16-QAM 75 0 LowCH18675-1857.5



Band2 15MHz_16-QAM 75 0_MidCH18900-1880



Band2 15MHz_16-QAM 75 0_HighCH19125-1902.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


解析力 規則 : 比較電子 (中国) 中野 (大阪) 自動 (大阪)

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488







Band2 20MHz QPSK 100 0 LowCH18700-1860



Band2 20MHz_QPSK 100 0_MidCH18900-1880



Band2 20MHz_QPSK 100 0_HighCH19100-1900




Band2 20MHz 16-QAM 100 0 LowCH18700-1860



Band2 20MHz_16-QAM 100 0_MidCH18900-1880



Band2 20MHz_16-QAM 100 0_HighCH19100-1900



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析力 規則 : 比較電子 (中国) 中野 (大阪) 自動 (大阪)


s be proceeded to the falloct extent of the fath.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488







Band4 1.4MHz QPSK 6 0 LowCH19957-1710.7



Band4 1.4MHz_QPSK 6 0_MidCH20175-1732.5



Band4 1.4MHz_QPSK 6 0_HighCH20393-1754.3




Band4 1.4MHz 16-QAM 6 0 LowCH19957-1710.7



Band4 1.4MHz_16-QAM 6 0_MidCH20175-1732.5



Band4 1.4MHz_16-QAM 6 0_HighCH20393-1754.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

際非方角規則・近報管路水運用河域へ体命資具・四可延体命運体制切入。予報音本法本公司資田では、イヤコロの投表。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司






Band4 3MHz QPSK 15 0 LowCH19965-1711.5




Band4 3MHz_QPSK 15 0_MidCH20175-1732.5



Band4 3MHz_QPSK 15 0_HighCH20385-1753.5




Band4 3MHz 16-QAM 15 0 LowCH19965-1711.5



Band4 3MHz_16-QAM 15 0_MidCH20175-1732.5



Band4 3MHz_16-QAM 15 0_HighCH20385-1753.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


解析力 規則 : 比較電子 (中国) 中野 (大阪) 自動 (大阪)

SGS Taiwan Ltd. No.134, WuKungRoad, New TaipeiIndustrial Park, WukuDistrict, New TaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488





Band4 5MHz QPSK 25 0 LowCH19975-1712.5


Band4 5MHz_QPSK 25 0_MidCH20175-1732.5



Band4 5MHz_QPSK 25 0_HighCH20375-1752.5




Band4 5MHz 16-QAM 25 0 LowCH19975-1712.5



Band4 5MHz_16-QAM 25 0_MidCH20175-1732.5



Band4 5MHz_16-QAM 25 0_HighCH20375-1752.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角規則・近報管路水運用河域へ体施可具!回时匹保施運貨幣間切入。各根官本体本の資金可引。イヤ可可及表。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this


document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488






Band4 10MHz QPSK 50 0 LowCH20000-1715



Band4 10MHz_QPSK 50 0_MidCH20175-1732.5



Band4 10MHz_QPSK 50 0_HighCH20350-1750



Band4 10MHz 16-QAM 50 0 LowCH20000-1715



Band4 10MHz_16-QAM 50 0_MidCH20175-1732.5



Band4 10MHz_16-QAM 50 0_HighCH20350-1750




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

際非方角規則・近報管路水運用河域へ体命資具・四可延体命運体制切入。予報音本法本公司資田では、イヤコロの投表。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279






Band4 15MHz QPSK 75 0 LowCH20025-1717.5



Band4 15MHz_QPSK 75 0_MidCH20175-1732.5



Band4 15MHz_QPSK 75 0_HighCH20325-1747.5




Band4 15MHz 16-QAM 75 0 LowCH20025-1717.5



Band4 15MHz_16-QAM 75 0_MidCH20175-1732.5



Band4 15MHz_16-QAM 75 0_HighCH20325-1747.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


解析力 規則 : 比較電子 (中国) 中野 (大阪) 自動 (大阪)

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488






Band4 20MHz QPSK 100 0 LowCH20050-1720



Band4 20MHz_QPSK 100 0_MidCH20175-1732.5



Band4 20MHz_QPSK 100 0_HighCH20300-1745



Band4 20MHz 16-QAM 100 0 LowCH20050-1720



Band4 20MHz_16-QAM 100 0_MidCH20175-1732.5



Band4 20MHz_16-QAM 100 0_HighCH20300-1745



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


解析力 規則 : 比較電子 (中国) 中野 (大阪) 自動 (大阪)

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488







Band5 1.4MHz QPSK 6 0 LowCH20407-824.7




Band5 1.4MHz_QPSK 6 0_MidCH20525-836.5



Band5 1.4MHz_QPSK 6 0_HighCH20643-848.3



Band5 1.4MHz 16-QAM 6 0 LowCH20407-824.7



Band5 1.4MHz_16-QAM 6 0_MidCH20525-836.5



Band5 1.4MHz_16-QAM 6 0_HighCH20643-848.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


解析力 規則 : 比較電子 (中国) 中野 (大阪) 自動 (大阪)

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488





Band5 3MHz QPSK 15 0 LowCH20415-825.5



Band5 3MHz_QPSK 15 0_MidCH20525-836.5



Band5 3MHz_QPSK 15 0_HighCH20635-847.5




Band5 3MHz 16-QAM 15 0 LowCH20415-825.5



Band5 3MHz_16-QAM 15 0_MidCH20525-836.5



Band5 3MHz_16-QAM 15 0_HighCH20635-847.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


解析力 規則 : 比較電子 (中国) 中野 (大阪) 自動 (大阪)

SGS Taiwan Ltd. No.134, WuKungRoad, New TaipeiIndustrial Park, WukuDistrict, New TaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488






Band5 5MHz QPSK 25 0 LowCH20425-826.5




Band5 5MHz_QPSK 25 0_MidCH20525-836.5



Band5 5MHz_QPSK 25 0_HighCH20625-846.5



Band5 5MHz 16-QAM 25 0 LowCH20425-826.5



Band5 5MHz_16-QAM 25 0_MidCH20525-836.5



Band5 5MHz_16-QAM 25 0_HighCH20625-846.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

際非方角規則・近報管路水運用河域へ体命資具・四可延体命運体制切入。予報音本法本公司資田では、イヤコロの投表。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279





Band5 10MHz_QPSK 50 0_LowCH20450-829



Band5 10MHz_QPSK 50 0_MidCH20525-836.5



Band5 10MHz_QPSK 50 0_HighCH20600-844



Band5 10MHz_16-QAM 50 0_LowCH20450-829



Band5 10MHz_16-QAM 50 0_MidCH20525-836.5



Band5 10MHz_16-QAM 50 0_HighCH20600-844



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


解析力 規則 : 比較電子 (中国) 中野 (大阪) 自動 (大阪)

s be proceeded to the falloct extent of the fath.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279






Band7 5MHz QPSK 25 0 LowCH20775-2502.5




Band7 5MHz_QPSK 25 0_MidCH21100-2535



Band7 5MHz_QPSK 25 0_HighCH21425-2567.5



Band7 5MHz 16-QAM 25 0 LowCH20775-2502.5



Band7 5MHz_16-QAM 25 0_MidCH21100-2535



Band7 5MHz_16-QAM 25 0_HighCH21425-2567.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析力 規則 : 比較電子 (中国) 中野 (大阪) 自動 (大阪)


s be proceeded to the falloct extent of the fath.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488






Band7 10MHz QPSK 50 0 LowCH20800-2505




Band7 10MHz_QPSK 50 0_MidCH21100-2535



Band7 10MHz_QPSK 50 0_HighCH21400-2565



Band7 10MHz 16-QAM 50 0 LowCH20800-2505



Band7 10MHz_16-QAM 50 0_MidCH21100-2535



Band7 10MHz_16-QAM 50 0_HighCH21400-2565




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析力 規則 : 比較電子 (中国) 中野 (大阪) 自動 (大阪)

SGS Taiwan Ltd. No.134, WuKungRoad, New TaipeiIndustrial Park, WukuDistrict, New TaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279







Band7 15MHz QPSK 75 0 LowCH20825-2507.5



Band7 15MHz_QPSK 75 0_MidCH21100-2535



Band7 15MHz_QPSK 75 0_HighCH21375-2562.5



Band7 15MHz 16-QAM 75 0 LowCH20825-2507.5



Band7 15MHz_16-QAM 75 0_MidCH21100-2535



Band7 15MHz_16-QAM 75 0_HighCH21375-2562.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


解析力 規則 : 比較電子 (中国) 中野 (大阪) 自動 (大阪)

s be proceeded to the falloct extent of the fath.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279






Band7 20MHz QPSK 100 0 LowCH20850-2510




Band7 20MHz_QPSK 100 0_MidCH21100-2535




Band7 20MHz_QPSK 100 0_HighCH21350-2560



Band7 20MHz 16-QAM 100 0 LowCH20850-2510



Band7 20MHz_16-QAM 100 0_MidCH21100-2535



Band7 20MHz_16-QAM 100 0_HighCH21350-2560



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


際非方角規則・近報管路水運用河域へ体命資具・四可延体命運体制切入。予報音本法本公司資田では、イヤコロの投表。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488






Band12 1.4MHz QPSK 6 0 LowCH23017-699.7




Band12 1.4MHz_QPSK 6 0_MidCH23095-707.5



Band12 1.4MHz_QPSK 6 0_HighCH23173-715.3




Band12 1.4MHz 16-QAM 6 0 LowCH23017-699.7



Band12 1.4MHz_16-QAM 6 0_MidCH23095-707.5



Band12 1.4MHz_16-QAM 6 0_HighCH23173-715.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

際非方角規則・近報管路水運用河域へ体命資具・四可延体命運体制切入。予報音本法本公司資田では、イヤコロの投表。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司






Band12 3MHz QPSK 15 0 LowCH23025-700.5




Band12 3MHz_QPSK 15 0_MidCH23095-707.5




Band12 3MHz_QPSK 15 0_HighCH23165-714.5




Band12 3MHz 16-QAM 15 0 LowCH23025-700.5



Band12 3MHz_16-QAM 15 0_MidCH23095-707.5



Band12 3MHz_16-QAM 15 0_HighCH23165-714.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


解析力 規則 : 比較電子 (中国) 中野 (大阪) 自動 (大阪)

SGS Taiwan Ltd. No.134, WuKungRoad, New TaipeiIndustrial Park, WukuDistrict, New TaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488





Band12 5MHz QPSK 25 0 LowCH23035-701.5



Band12 5MHz_QPSK 25 0_MidCH23095-707.5



Band12 5MHz_QPSK 25 0_HighCH23155-713.5



Band12 5MHz_16-QAM 25 0_LowCH23035-701.5



Band12 5MHz_16-QAM 25 0_MidCH23095-707.5



Band12 5MHz_16-QAM 25 0_HighCH23155-713.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析力 規則 : 比較電子 (中国) 中野 (大阪) 自動 (大阪)


s be proceeded to the falloct extent of the fath.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488






Band12 10MHz QPSK 50 0 LowCH23060-704

Center Freq 704.00000 MHz Red 30.00 dSm Center 704 MHz Red 30.00 dSm Center 704 MHz Span 20 MHz Center Freq This red 200000 MHz Center Freq This red


Band12 10MHz_QPSK 50 0_MidCH23095-707.5



Band12 10MHz_QPSK 50 0_HighCH23130-711



Band12 10MHz 16-QAM 50 0 LowCH23060-704



Band12 10MHz_16-QAM 50 0_MidCH23095-707.5



Band12 10MHz_16-QAM 50 0_HighCH23130-711



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


解析力 規則 : 比較電子 (中国) 中野 (大阪) 自動 (大阪)

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488







Band17 5MHz QPSK 25 0 LowCH23755-706.5



Band17 5MHz_QPSK 25 0_MidCH23790-710



Band17 5MHz_QPSK 25 0_HighCH23825-713.5




Band17 5MHz 16-QAM 25 0 LowCH23755-706.5



Band17 5MHz_16-QAM 25 0_MidCH23790-710



Band17 5MHz_16-QAM 25 0_HighCH23825-713.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

際非方角規則・近報管路水運用河域へ体命資具・四可延体命運体制切入。予報音本法本公司資田では、イヤコロの投表。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279






Band17 10MHz QPSK 50 0 LowCH23780-709



Band17 10MHz_QPSK 50 0_MidCH23790-710



Band17 10MHz_QPSK 50 0_HighCH23800-711



Band17 10MHz 16-QAM 50 0 LowCH23780-709



Band17 10MHz_16-QAM 50 0_MidCH23790-710



Band17 10MHz_16-QAM 50 0_HighCH23800-711



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


s be proceeded to the falloct extent of the fath.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488







Band26 1.4MHz_QPSK 6 0_LowCH26797-824.7



Band26 1.4MHz_QPSK 6 0_MidCH26915-836.5



Band26 1.4MHz_QPSK 6 0_HighCH27033-848.3



Band26 1.4MHz 16-QAM 6 0 LowCH26797-824.7



Band26 1.4MHz_16-QAM 6 0_ MidCH26915-836.5



Band26 1.4MHz_16-QAM 6 0_ HighCH27033-848.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析力 規則 : 比較電子 (中国) 中野 (大阪) 自動 (大阪) 自动 (大阪)

s of proceeding to the falloct extent of the fath.


SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com






Band26 3MHz QPSK 15 0 LowCH26805-825.5




Band26 3MHz_QPSK 15 0_MidCH26915-836.5



Band26 3MHz_QPSK 15 0_HighCH27025-847.5



Band26 3MHz 16-QAM 15 0 Low CH26805-825.5



Band26 3MHz_16-QAM 15 0_Mid CH26915-836.5



Band26 3MHz_16-QAM 15 0_HighCH27025-847.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

際非方角規則・近報管路水運用河域へ体命資具・四可延体命運体制切入。予報音本法本公司資田では、イヤコロの投表。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sqs.com





Band26 5MHz QPSK 25 0 LowCH26815-826.5



Band26 5MHz_QPSK 25 0_MidCH26915-836.5



Band26 5MHz_QPSK 25 0_HighCH27015-846.5



Band26 5MHz 16-QAM 25 0 LowCH26815-826.5



Band26 5MHz_16-QAM 25 0_MidCH26915-836.5



Band26 5MHz_16-QAM 25 0_HighCH27015-846.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析力 規則 : 比較電子 (中国) 中野 (大阪) 自動 (大阪) 自动 (大阪)


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com






Band26 10MHz QPSK 50 0 LowCH26840-829



Band26 10MHz_QPSK 50 0_MidCH26915-831.5



Band26 10MHz_QPSK 50 0_HighCH26990-844



Band26 10MHz 16-QAM 50 0 LowCH26840-829



Band26 10MHz_16-QAM 50 0_MidCH26915-831.5



Band26 10MHz_16-QAM 50 0_HighCH26990-844




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析力 規則 : 比較電子 (中国) 中野 (大阪) 自動 (大阪) 自动 (大阪)

SGS Taiwan Ltd. No.134, WuKungRoad, New TaipeiIndustrial Park, WukuDistrict, New TaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279







Band26 15MHz_QPSK 75 0_Low

Ref 30.00 dBm 13,455 MHz 8.940 KMz 99.00 %

Band26 15MHz 16-QAM 75 0 Low




Band26 15MHz_QPSK 75 0_Mid



Band26 15MHz_16-QAM 75 0_Mid



Band26 15MHz_QPSK 75 0_High



Band26 15MHz_16-QAM 75 0_High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

際非方角規則・近報管路水運用河域へ体命資具・四可延体命運体制切入。予報音本法本公司資田では、イヤコロの投表。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279






Band41 5MHz QPSK 25 0 LowCH40165-2547.5



Band41 5MHz_QPSK 25 0_MidCH40690-2600



Band41 5MHz_QPSK 25 0_HighCH41215-2652.5



Band41 5MHz 16-QAM 25 0 LowCH40165-2547.5



Band41 5MHz_16-QAM 25 0_MidCH40690-2600



Band41 5MHz_16-QAM 25 0_HighCH41215-2652.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


解析力 規則 : 比較電子 (中国) 中野 (大阪) 自動 (大阪) 自动 (大阪)

s be proceeded to the falloct extent of the fath.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279







Band41 10MHz QPSK 50 0 LowCH40190-2550



Band41 10MHz_QPSK 50 0_MidCH40690-2600



Band41 10MHz_QPSK 50 0_HighCH41190-2650



Band41 10MHz 16-QAM 50 0 LowCH40190-2550



Band41 10MHz_16-QAM 50 0_MidCH40690-2600



Band41 10MHz_16-QAM 50 0_HighCH41190-2650




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

際非方角規則・近報管路水運用河域へ体命資具・四可延体命運体制切入。予報音本法本公司資田では、イヤコロの投表。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279







Band41 15MHz QPSK 75 0 LowCH40215-2552.5



Band41 15MHz_QPSK 75 0_MidCH40690-2600



Band41 15MHz_QPSK 75 0_HighCH41165-2647.5



Band41 15MHz 16-QAM 75 0 LowCH40215-2552.5



Band41 15MHz_16-QAM 75 0_MidCH40690-2600



Band41 15MHz_16-QAM 75 0_HighCH41165-2647.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

際非方角規則・近報管路水運用河域へ体命資具・四可延体命運体制切入。予報音本法本公司資田では、イヤコロの投表。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's in-

structions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sqs.com






Band41 20MHz QPSK 100 0 LowCH40240-2555




Band41 20MHz_QPSK 100 0_MidCH40690-2600



Band41 20MHz_QPSK 100 0_HighCH41140-2645




Band41 20MHz 16-QAM 100 0 LowCH40240-2555



Band41 20MHz_16-QAM 100 0_MidCH40690-2600



Band41 20MHz_16-QAM 100 0_HighCH41140-2645



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

t (886-2) 2299-3279


際非方角規則・近報管路水運用河域へ体命資具・四可延体命運体制切入。予報音本法本公司資田では、イヤコロの投表。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


f (886-2) 2298-0488

www.tw.sqs.com







LTE Band 26 for Part 90S 1.4M QPSK LOW




LTE Band 26 for Part 90S_1.4M_QPSK_MID



LTE Band 26 for Part 90S_1.4M_QPSK_HIGH




LTE Band 26 for Part 90S 1.4M 16QAM LOW



LTE Band 26 for Part 90S_1.4M_16QAM_MID



LTE Band 26 for Part 90S_1.4M_16QAM_HIGH



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


t (886-2) 2299-3279

解析力 規則 : 比較電子 (中国) 中野 (大阪) 自動 (大阪) 自动 (大阪)

s of proceeding to the falloct extent of the fath.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司






LTE Band 26 for Part 90S 3M QPSK LOW




LTE Band 26 for Part 90S_3M_QPSK_MID



LTE Band 26 for Part 90S_3M_QPSK_HIGH



LTE Band 26 for Part 90S 3M 16QAM LOW



LTE Band 26 for Part 90S_3M_16QAM_MID



LTE Band 26 for Part 90S_3M_16QAM_HIGH



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析力 規則 : 比較電子 (中国) 中野 (大阪) 自動 (大阪) 自动 (大阪)


SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com






LTE Band 26 for Part 90S 5M QPSK LOW

Center Freq 818 500000 MHz Red 30.00 dSm Red 30.00 dSm Center Freq 818 50000 MHz Red 30.00 dSm Center Freq 818 50000 MHz Center Freq 618 50000 MHz

LTE Band 26 for Part 90S_5M_QPSK_MID



LTE Band 26 for Part 90S_5M_QPSK_HIGH



LTE Band 26 for Part 90S 5M 16QAM LOW



LTE Band 26 for Part 90S_5M_16QAM_MID



LTE Band 26 for Part 90S_5M_16QAM_HIGH



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析力 規則 : 比較電子 (中国) 中野 (大阪) 自動 (大阪) 自动 (大阪)

s of proceeding to the falloct extent of the fath.


SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com






LTE Band 26 for Part 90S_10M_QPSK_MID

Center Fre 8.9629 MHz 33.307 AME **OBW Power** 99.00 %

LTE Band 26 for Part 90S_10M_16QAM_MID



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlowfull and offenders may be proceduled in the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2016/C0032

Page 158 of 399

9. OUT OF BAND EMISSION AT ANTENNA TERMINALS

9.1. Standard Applicable

FCC §22.917(a), §24.238(a), §27.53(g)(h), the magnitude of each spurious and harmonic emission that can be detected when the equipment is operated under the conditions specified in the instruction manual and/ or alignment procedure, shall not be less than 43 + 10 log (mean output power in watts) dBc below the mean power output outside a license's frequency block (-13dBm).

§27.53 (m) (4) shall not be less than 55 +10log(mean output power in watt) dBc below the mean power output outside a license's frequency block (-25dBm).

FCC §27.53(c) (2) (4)

- (c) For operations in the 746–758 MHz band and the 776–788 MHz band, the power of any emission outside the licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, in accordance with the following:
- (2) On any frequency outside the 776–788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least 43 + 10 log (P) dB (-13dBm)
- (4) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than 65 + 10 log (P) dB in a 6.25 kHz band segment, for mobile and portable stations;

FCC §27.53(c) (5) & FCC §27.53(g)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

FCC §27.53(h)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

S Taiwan Ltd.

t (886-2) 2299-3279



Report No.: ER/2016/C0032

Page 159 of 399

FCC §27.53(m) (4) (6)

For mobile digital stations, the attenuation factor shall be not less than 40 + 10 log (P) dB on all frequencies between the channel edge and 5 megahertz from the channel edge, 43 + 10 log (P) dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in § 27.53(m)(6). dition, the attenuation factor shall not be less that 43 + 10 log (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz.

Measurement procedure. Compliance with these rules is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed; for mobile digital stations, in the 1 megahertz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least two percent may be employed, except when the 1 megahertz band is 2495-2496 MHz, in which case a resolution bandwidth of at least one percent may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e. 1 megahertz or 1 percent of emission bandwidth, as specified; or 1 megahertz or 2 percent for mobile digital stations, except in the band 2495-2496 MHz). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency. outside of which all emissions are attenuated at least 26 dB below the transmitter power. With respect to television operations, measurements must be made of the separate visual and aural operating powers at sufficiently frequent intervals to ensure compliance with the rules.


§90.691 Emission mask requirements for EA-based systems.

- (a) Out-of-band emission requirement shall apply only to the "outer" channels included in an EA license and to spectrum adjacent to interior channels used by incumbent licensees. The emission limits are as follows:
- (1) For any frequency removed from the EA licensee's frequency block by up to and including 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least 116 Log10(f/6.1) decibels or 50 + 10 Log10(P) decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 12.5 kHz.
- (2) For any frequency removed from the EA licensee's frequency block greater than 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least 43 + 10Log10(P) decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 37.5 kHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 S Taiwan Ltd.





9.2. Test SET-UP



9.3. Measurement Procedure

Conducted Emission

The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation The resolution bandwidth of the spectrum analyzer was set at 1MHz, sufficient scans were taken to show the out of band Emissions if any up to 10th harmonic.

- 1. To connect Antenna Port of EUT to Spectrum.
- Set RBW = 1MHz & VBW = 1MHz on Spectrum.
- 3. Allow trace to fully stabilize
- 4. Repeat above procedures until all default test channel measured were complete.

Band Edge

- To connect Antenna Port of EUT to Spectrum.
- 2. The band edge of low and high channels for the highest RF powers was measured. Setting RBW ≥ 1% EBW.
- 3. Allow trace to fully stabilize
- 4. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

S Taiwan Ltd.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2016/C0032

Page 161 of 399

9.4. Measurement Equipment Used

Conducted Emission (measured at antenna port) Test Site					
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.
TYPE		NUMBER	NUMBER	CAL.	
Power Meter	Anritsu	ML2495A	1005007	12/15/2016	12/14/2017
Power Sensor	Anritsu	MA2411B	917032	12/15/2016	12/14/2017
EXA Spectrum Ana- lyzer	Agilent	N9030A	MY53120760	02/26/2016	02/25/2017
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2016	01/01/2017
Coaxial Cable	HUBER+SUHNE R	SUCOFLEX 102	23670/2	01/02/2016	01/01/2017
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2016	01/01/2017
Splitter	Agilent	11636B	N/A	01/02/2016	01/01/2017
DC Power Supply	Agilent	E3640A	MY52410006	11/21/2016	11/20/2017
Temperature Chamber	TERCHY	MHG-120LF	911009	05/17/2016	05/16/2017
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2016	02/10/2017
Radio Communication Analyzer	Anritsu	MT8820C	6200995019	09/24/2016	09/23/2017


9.5. Measurement Result:

Refer to next pages.

NOTE: The occurrence of the spike on the conducted emission is the signal of the fundamental emission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號












Band Edge_GSM_850MHz_HighCH251-848.8

Band Edge_EDGE_850MHz_LowCH128-824.2










Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

sibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the

f (886-2) 2298-0488


SGS Taiwan Ltd.






Band Edge_GSM_1900MHz_LowCH512-1850.2

Band Edge_GPRS_1900MHz_HighCH810-1909.8




Band Edge_GSM_1900MHz_HighCH810-1909.8

Band Edge_EDGE_1900MHz_LowCH512-1850.2








Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

sibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the


SGS Taiwan Ltd.





Band Edge_WCDMA_B2_LowCH9262-1852.4

Band Edge_HSDPA_B2_HighCH9538-1907.6




Band Edge_WCDMA_B2_HighCH9538-1907.6

Band Edge_HSUPA_B2_LowCH9262-1852.4



Band Edge_HSDPA_B2_LowCH9262-1852.4

Band Edge_HSUPA_B2_HighCH9538-1907.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

sibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the

f (886-2) 2298-0488


SGS Taiwan Ltd.






Band Edge_WCDMA_B4_LowCH1312-1712.4


Band Edge_HSDPA_B4_HighCH1513-1752.6




Band Edge_WCDMA_B4_HighCH1513-1752.6

Band Edge_HSUPA_B4_LowCH1312-1712.4





Band Edge_HSUPA_B4_HighCH1513-1752.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

sibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the

f (886-2) 2298-0488


SGS Taiwan Ltd.








Band Edge_HSDPA_B5_HighCH4233-846.6




Band Edge_WCDMA_B5_HighCH4233-846.6

Band Edge_HSUPA_B5_LowCH4132-826.4





Band Edge_HSUPA_B5_HighCH4233-846.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

sibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the


SGS Taiwan Ltd.






Band Edge_Band2 1.4MHz_QPSK 1 0_LowCH18607-1850.7


Band Edge_Band2 1.4MHz_QPSK 6 0_HighCH19193-1909.3




Band Edge_Band2 1.4MHz_QPSK 1 5_HighCH19193-1909.3

Band Edge_Band2 3MHz_QPSK 1 0_LowCH18615-1851.5








Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company is the time of its intervention only and within the limits of Client's instructions, if any. sibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the

SGS Taiwan Ltd.






Band Edge_Band2 3MHz_QPSK 15 0_LowCH18615-1851.5

Band Edge_Band2 5MHz_QPSK 1 24_HighCH19175-1907.5




Band Edge_Band2 3MHz_QPSK 15 0_HighCH19185-1908.5

Band Edge_Band2 5MHz_QPSK 25 0_LowCH18625-1852.5








Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company is the time of its intervention only and within the limits of Client's instructions, if any. sibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the

f (886-2) 2298-0488

SGS Taiwan Ltd.






Band Edge_Band2 10MHz_QPSK 1 0_LowCH18650-1855

Band Edge_Band2 10MHz_QPSK 50 0_HighCH19150-1905



Band Edge_Band2 10MHz_QPSK 1 49_HighCH19150-1905

Band Edge_Band2 15MHz_QPSK 1 0_LowCH18675-1857.5





Band Edge_Band2 15MHz_QPSK 1 74_HighCH19125-1902.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company is the time of its intervention only and within the limits of Client's instructions, if any. sibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the


SGS Taiwan Ltd.






Band Edge_Band2 15MHz_QPSK 75 0_LowCH18675-1857.5

Band Edge_Band2 20MHz_QPSK 1 99_HighCH19100-1900




Band Edge_Band2 15MHz_QPSK 75 0_HighCH19125-1902.5

Band Edge_Band2 20MHz_QPSK 100 0_LowCH18700-1860



Band Edge_Band2 20MHz_QPSK 1 0_LowCH18700-1860 Band Edge_Band2 20MHz_QPSK 100 0_HighCH19100-1900




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company is the time of its intervention only and within the limits of Client's instructions, if any. sibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the


SGS Taiwan Ltd.





Band Edge_Band4 1.4MHz_QPSK 1 0_LowCH19957-1710.7

Band Edge_Band4 1.4MHz_QPSK 6 0_HighCH20393-1754.3



Band Edge_Band4 1.4MHz_QPSK 1 5_HighCH20393-1754.3

Band Edge_Band4 3MHz_QPSK 1 0_LowCH19965-1711.5








Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company is the time of its intervention only and within the limits of Client's instructions, if any. sibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the

SGS Taiwan Ltd.






Band Edge_Band4 3MHz_QPSK 15 0_LowCH19965-1711.5

Band Edge_Band4 5MHz_QPSK 1 24_HighCH20375-1752.5




Band Edge_Band4 3MHz_QPSK 15 0_HighCH20385-1753.5

Band Edge_Band4 5MHz_QPSK 25 0_LowCH19975-1712.5



Band Edge_Band4 5MHz_QPSK 1 0_LowCH19975-1712.5 Band Edge_Band4 5MHz_QPSK 25 0_HighCH20375-1752.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company is the time of its intervention only and within the limits of Client's instructions, if any. sibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the

SGS Taiwan Ltd.






Band Edge_Band4 10MHz_QPSK 1 0_LowCH20000-1715

Band Edge_Band4 10MHz_QPSK 50 0_HighCH20350-1750



Band Edge_Band4 10MHz_QPSK 1 49_HighCH20350-1750

Band Edge_Band4 15MHz_QPSK 1 0_LowCH20025-1717.5



Band Edge_Band4 10MHz_QPSK 50 0_LowCH20000-1715

Band Edge_Band4 15MHz_QPSK 1 74_HighCH20325-1747.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company is the time of its intervention only and within the limits of Client's instructions, if any. sibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the

SGS Taiwan Ltd.






Band Edge_Band4 15MHz_QPSK 75 0_LowCH20025-1717.5

Band Edge_Band4 20MHz_QPSK 1 99_HighCH20300-1745




Band Edge_Band4 15MHz_QPSK 75 0_HighCH20325-1747.5

Band Edge_Band4 20MHz_QPSK 100 0_LowCH20050-1720








Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company is the time of its intervention only and within the limits of Client's instructions, if any. sibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the


SGS Taiwan Ltd.






Band Edge_Band5 1.4MHz_QPSK 1 0_LowCH20407-824.7

Band Edge_Band5 1.4MHz_QPSK 6 0_HighCH20643-848.3



Band Edge_Band5 1.4MHz_QPSK 1 5_HighCH20643-848.3

Band Edge_Band5 3MHz_QPSK 1 0_LowCH20415-825.5







Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is the time of its intervention only and within the limits of Client's instructions, if any. The Company is the time of its intervention only and within the limits of Client's instructions, if any. sibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the

SGS Taiwan Ltd.