


Appendix-F Field Strength of Spurious Radiation-234G

For GSM:

Project Information			
Mode:	GSM	Band:	GSM850
Bandwidth:	/	Channel:	Low
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Polarity: Y, ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1648.40	59.94	-114.09	-54.15	-13.00	41.15	Horizontal	PASS
2	2472.40	65.32	-111.24	-45.92	-13.00	32.92	Horizontal	PASS
3	3296.80	55.83	-108.19	-52.36	-13.00	39.36	Horizontal	PASS

Project Information			
Mode:	GSM	Band:	GSM850
Bandwidth:	/	Channel:	Low
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Polarity: Y, ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1648.40	58.37	-114.09	-55.72	-13.00	42.72	Vertical	PASS
2	2472.40	62.79	-111.24	-48.45	-13.00	35.45	Vertical	PASS
3	3296.80	49.54	-108.19	-58.65	-13.00	45.65	Vertical	PASS

Project Information			
Mode:	GSM	Band:	GSM850
Bandwidth:	/	Channel:	Mid
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Polarity: Y, ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1674.00	62.94	-114.14	-51.20	-13.00	38.20	Horizontal	PASS
2	2511.20	65.98	-111.36	-45.38	-13.00	32.38	Horizontal	PASS
3	3348.00	54.16	-108.38	-54.22	-13.00	41.22	Horizontal	PASS

Project Information			
Mode:	GSM	Band:	GSM850
Bandwidth:	/	Channel:	Mid
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Polarity: Y, ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1674.00	62.65	-114.14	-51.49	-13.00	38.49	Vertical	PASS
2	2511.20	62.97	-111.36	-48.39	-13.00	35.39	Vertical	PASS
3	3348.00	54.26	-108.38	-54.12	-13.00	41.12	Vertical	PASS

Project Information			
Mode:	GSM	Band:	GSM850
Bandwidth:	/	Channel:	High
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Polarity: Y, ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1697.60	58.13	-114.21	-56.08	-13.00	43.08	Horizontal	PASS
2	2546.40	71.89	-111.22	-39.33	-13.00	26.33	Horizontal	PASS
3	3395.20	52.54	-107.59	-55.05	-13.00	42.05	Horizontal	PASS

Project Information			
Mode:	GSM	Band:	GSM850
Bandwidth:	/	Channel:	High
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Polarity: Y, ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1697.60	62.17	-114.21	-52.04	-13.00	39.04	Vertical	PASS
2	2546.40	72.52	-111.22	-38.70	-13.00	25.70	Vertical	PASS
3	3395.20	52.58	-107.59	-55.01	-13.00	42.01	Vertical	PASS

Project Information			
Mode:	GSM	Band:	PCS1900
Bandwidth:	/	Channel:	Low
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Polarity: Y, ANT1		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1850.20	112.94	-84.97	27.97	-	-	Horizontal	NA
2	3700.50	57.30	-107.51	-50.21	-13.00	37.21	Horizontal	PASS
3	15077.00	35.42	-86.28	-50.86	-13.00	37.86	Horizontal	PASS
4	17353.00	33.67	-82.52	-48.85	-13.00	35.85	Horizontal	PASS

Project Information			
Mode:	GSM	Band:	PCS1900
Bandwidth:	/	Channel:	Low
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Polarity: Y, ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3700.50	48.37	-107.51	-59.14	-13.00	46.14	Vertical	PASS
2	13831.00	35.40	-86.83	-51.43	-13.00	38.43	Vertical	PASS
3	17358.00	34.13	-82.71	-48.58	-13.00	35.58	Vertical	PASS

Project Information			
Mode:	GSM	Band:	PCS1900
Bandwidth:	/	Channel:	Mid
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Polarity: Y, ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1880.00	114.17	-84.95	29.22	-	-	Horizontal	NA
2	3760.00	52.12	-107.25	-55.13	-13.00	42.13	Horizontal	PASS
3	14624.50	34.38	-85.94	-51.56	-13.00	38.56	Horizontal	PASS
4	17351.50	33.26	-82.46	-49.20	-13.00	36.20	Horizontal	PASS

Project Information			
Mode:	GSM	Band:	PCS1900
Bandwidth:	/	Channel:	Mid
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Polarity: Y, ANT1		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1880.00	107.65	-84.95	22.70	-	-	Vertical	NA
2	3760.00	45.19	-107.25	-62.06	-13.00	49.06	Vertical	PASS
3	14682.50	34.57	-86.24	-51.67	-13.00	38.67	Vertical	PASS
4	17352.00	33.51	-82.48	-48.97	-13.00	35.97	Vertical	PASS

Project Information			
Mode:	GSM	Band:	PCS1900
Bandwidth:	/	Channel:	High
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Polarity: Y, ANT1		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1909.80	112.94	-84.86	28.08	-	-	Horizontal	NA
2	3819.50	46.86	-106.57	-59.71	-13.00	46.71	Horizontal	PASS
3	14662.00	33.84	-85.67	-51.83	-13.00	38.83	Horizontal	PASS
4	17344.00	33.84	-82.68	-48.84	-13.00	35.84	Horizontal	PASS

Project Information			
Mode:	GSM	Band:	PCS1900
Bandwidth:	/	Channel:	High
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Polarity: Y, ANT1		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1909.80	104.34	-84.86	19.48	-	-	Vertical	NA
2	3819.50	43.32	-106.57	-63.25	-13.00	50.25	Vertical	PASS
3	14621.50	34.64	-86.01	-51.37	-13.00	38.37	Vertical	PASS
4	17352.50	33.84	-82.50	-48.66	-13.00	35.66	Vertical	PASS

For WCDMA:

Project Information			
Mode:	WCDMA	Band:	Band II
Bandwidth:	-	Channel:	Low
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y;ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1851.60	98.43	-84.97	13.46	-	-	Horizontal	NA
2	9504.50	36.98	-92.60	-55.62	-13.00	42.62	Horizontal	PASS
3	15085.00	33.91	-86.25	-52.34	-13.00	39.34	Horizontal	PASS
4	17344.00	32.95	-82.68	-49.73	-13.00	36.73	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	Band II
Bandwidth:	-	Channel:	Low
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y;ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1853.40	100.14	-84.97	15.17	-	-	Vertical	NA
2	9508.00	36.74	-92.61	-55.87	-13.00	42.87	Vertical	PASS
3	13430.00	35.44	-88.26	-52.82	-13.00	39.82	Vertical	PASS
4	17356.50	32.97	-82.65	-49.68	-13.00	36.68	Vertical	PASS

Project Information			
Mode:	WCDMA	Band:	Band II
Bandwidth:	-	Channel:	Low
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y;ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1879.00	99.86	-84.95	14.91	-	-	Horizontal	NA
2	11372.50	34.94	-90.16	-55.22	-13.00	42.22	Horizontal	PASS
3	15074.50	34.30	-86.29	-51.99	-13.00	38.99	Horizontal	PASS
4	17348.50	31.97	-82.47	-50.50	-13.00	37.50	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	Band II
Bandwidth:	-	Channel:	Mid
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y;ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1878.80	99.74	-84.95	14.79	-	-	Vertical	NA
2	10051.00	34.99	-91.52	-56.53	-13.00	43.53	Vertical	PASS
3	13527.50	34.88	-88.53	-53.65	-13.00	40.65	Vertical	PASS
4	17348.00	32.59	-82.49	-49.90	-13.00	36.90	Vertical	PASS

Project Information			
Mode:	WCDMA	Band:	Band II
Bandwidth:	-	Channel:	High
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y;ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1907.00	99.53	-84.87	14.66	-	-	Horizontal	NA
2	9505.00	36.54	-92.60	-56.06	-13.00	43.06	Horizontal	PASS
3	15083.00	33.85	-86.26	-52.41	-13.00	39.41	Horizontal	PASS
4	17978.50	32.51	-82.72	-50.21	-13.00	37.21	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	Band II
Bandwidth:	-	Channel:	High
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y;ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1906.80	99.09	-84.87	14.22	-	-	Vertical	NA
2	9530.00	36.72	-92.67	-55.95	-13.00	42.95	Vertical	PASS
3	15084.50	33.44	-86.25	-52.81	-13.00	39.81	Vertical	PASS
4	17847.00	32.59	-82.51	-49.92	-13.00	36.92	Vertical	PASS

Project Information			
Mode:	WCDMA	Band:	Band IV
Bandwidth:	-	Channel:	Low
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y;ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1712.00	101.10	-85.36	15.74	-	-	Horizontal	NA
2	2112.60	45.44	-84.33	-38.89	-	-	Horizontal	NA
3	9489.50	36.37	-92.79	-56.42	-13.00	43.42	Horizontal	PASS
4	13821.00	34.05	-86.99	-52.94	-13.00	39.94	Horizontal	PASS
5	17351.00	32.06	-82.44	-50.38	-13.00	37.38	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	Band IV
Bandwidth:	-	Channel:	Low
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y;ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1711.00	99.59	-85.36	14.23	-	-	Vertical	NA
2	2113.40	37.39	-84.34	-46.95	-	-	Vertical	NA
3	10000.00	36.11	-91.70	-55.59	-13.00	42.59	Vertical	PASS
4	15084.00	33.62	-86.25	-52.63	-13.00	39.63	Vertical	PASS
5	17349.50	32.13	-82.42	-50.29	-13.00	37.29	Vertical	PASS

Project Information			
Mode:	WCDMA	Band:	Band IV
Bandwidth:	-	Channel:	Mid
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y;ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1732.60	99.23	-85.20	14.03	-	-	Horizontal	NA
2	2133.60	45.22	-84.52	-39.30	-	-	Horizontal	NA
3	11432.50	34.72	-90.14	-55.42	-13.00	42.42	Horizontal	PASS
4	14405.00	34.62	-87.05	-52.43	-13.00	39.43	Horizontal	PASS
5	17351.50	32.37	-82.46	-50.09	-13.00	37.09	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	Band IV
Bandwidth:	-	Channel:	Mid
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y;ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1732.40	101.13	-85.22	15.91	-	-	Vertical	NA
2	2132.20	37.03	-84.51	-47.48	-	-	Vertical	NA
3	10781.50	35.21	-90.94	-55.73	-13.00	42.73	Vertical	PASS
4	15073.50	34.53	-86.29	-51.76	-13.00	38.76	Vertical	PASS
5	17364.00	32.68	-82.95	-50.27	-13.00	37.27	Vertical	PASS

Project Information			
Mode:	WCDMA	Band:	Band IV
Bandwidth:	-	Channel:	High
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y;ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1753.20	99.51	-85.04	14.47	-	-	Horizontal	NA
2	2153.00	44.71	-84.63	-39.92	-	-	Horizontal	NA
3	10047.50	35.56	-91.52	-55.96	-13.00	42.96	Horizontal	PASS
4	15071.50	33.69	-86.30	-52.61	-13.00	39.61	Horizontal	PASS
5	17835.50	32.57	-82.67	-50.10	-13.00	37.10	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	Band IV
Bandwidth:	-	Channel:	High
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y;ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1751.20	99.46	-85.06	14.40	-	-	Vertical	NA
2	10087.00	35.76	-91.92	-56.16	-13.00	43.16	Vertical	PASS
3	14355.50	33.20	-86.03	-52.83	-13.00	39.83	Vertical	PASS
4	17347.00	32.26	-82.53	-50.27	-13.00	37.27	Vertical	PASS

Project Information			
Mode:	WCDMA	Band:	Band V
Bandwidth:	-	Channel:	Low
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y;ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1651.20	45.53	-114.08	-68.55	-13.00	55.55	Horizontal	PASS
2	6251.20	37.88	-99.35	-61.47	-13.00	48.47	Horizontal	PASS
3	8996.00	36.62	-93.52	-56.90	-13.00	43.90	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	Band V
Bandwidth:	-	Channel:	Low
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y;ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1651.60	45.21	-114.08	-68.87	-13.00	55.87	Vertical	PASS
2	2476.40	42.93	-111.26	-68.33	-13.00	55.33	Vertical	PASS
3	8853.60	35.39	-92.91	-57.52	-13.00	44.52	Vertical	PASS

Project Information			
Mode:	WCDMA	Band:	Band V
Bandwidth:	-	Channel:	Mid
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y;ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1671.20	45.76	-114.13	-68.37	-13.00	55.37	Horizontal	PASS
2	5548.40	38.01	-100.45	-62.44	-13.00	49.44	Horizontal	PASS
3	8888.80	36.30	-93.10	-56.80	-13.00	43.80	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	Band V
Bandwidth:	-	Channel:	Mid
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y;ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1670.80	45.83	-114.13	-68.30	-13.00	55.30	Vertical	PASS
2	5539.60	38.39	-100.56	-62.17	-13.00	49.17	Vertical	PASS
3	8929.60	36.54	-93.72	-57.18	-13.00	44.18	Vertical	PASS

Project Information			
Mode:	WCDMA	Band:	Band V
Bandwidth:	-	Channel:	High
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y;ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1691.60	45.34	-114.18	-68.84	-13.00	55.84	Horizontal	PASS
2	3043.20	41.62	-108.84	-67.22	-13.00	54.22	Horizontal	PASS
3	8993.60	36.75	-93.55	-56.80	-13.00	43.80	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	Band V
Bandwidth:	-	Channel:	High
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y;ANT0		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1695.20	43.99	-114.20	-70.21	-13.00	57.21	Vertical	PASS
2	2536.80	44.10	-111.26	-67.16	-13.00	54.16	Vertical	PASS
3	8993.60	36.76	-93.55	-56.79	-13.00	43.79	Vertical	PASS

For LTE:

Project Information			
Mode:	LTE	Band:	Band 2
Bandwidth:	20MHz	Channel:	Low
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1851.00	108.72	-84.97	23.75	-	-	Horizontal	NA
2	2992.00	36.27	-80.19	-43.92	-13.00	30.92	Horizontal	PASS
3	12358.50	36.81	-90.27	-53.46	-13.00	40.46	Horizontal	PASS
4	17357.00	33.80	-82.67	-48.87	-13.00	35.87	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 2
Bandwidth:	20MHz	Channel:	Low
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBUV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1851.20	102.78	-84.97	17.81	-	-	Vertical	NA
2	2981.60	36.26	-80.01	-43.75	-13.00	30.75	Vertical	PASS
3	13847.50	35.07	-86.57	-51.50	-13.00	38.50	Vertical	PASS
4	17349.50	33.40	-82.42	-49.02	-13.00	36.02	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 2
Bandwidth:	20MHz	Channel:	Mid
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	107.55	-84.97	22.58	-	-	Horizontal	NA
2	2938.60	36.11	-80.14	-44.03	-13.00	31.03	Horizontal	PASS
3	14662.00	34.48	-85.67	-51.19	-13.00	38.19	Horizontal	PASS
4	17350.50	33.61	-82.42	-48.81	-13.00	35.81	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 2
Bandwidth:	20MHz	Channel:	Mid
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBUV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.20	101.97	-84.97	17.00	-	-	Vertical	NA
2	2975.60	36.17	-79.91	-43.74	-13.00	30.74	Vertical	PASS
3	14348.50	34.50	-85.95	-51.45	-13.00	38.45	Vertical	PASS
4	17357.50	34.10	-82.69	-48.59	-13.00	35.59	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 2
Bandwidth:	20MHz	Channel:	High
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1891.20	107.23	-84.91	22.32	-	-	Horizontal	NA
2	2943.40	36.38	-80.09	-43.71	-13.00	30.71	Horizontal	PASS
3	14664.00	34.14	-85.73	-51.59	-13.00	38.59	Horizontal	PASS
4	17358.00	34.36	-82.71	-48.35	-13.00	35.35	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 2
Bandwidth:	20MHz	Channel:	High
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1891.00	98.82	-84.91	13.91	-	-	Vertical	NA
2	2799.80	37.37	-81.04	-43.67	-13.00	30.67	Vertical	PASS
3	14664.00	34.81	-85.73	-50.92	-13.00	37.92	Vertical	PASS
4	17349.50	33.62	-82.42	-48.80	-13.00	35.80	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 4
Bandwidth:	20MHz	Channel:	Low
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1711.00	108.13	-85.36	22.77	-	-	Horizontal	NA
2	2950.20	37.59	-80.01	-42.42	-13.00	29.42	Horizontal	PASS
3	14663.00	34.40	-85.70	-51.30	-13.00	38.30	Horizontal	PASS
4	17347.00	33.35	-82.53	-49.18	-13.00	36.18	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 4
Bandwidth:	20MHz	Channel:	Low
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1711.10	100.05	-85.36	14.69	-	-	Vertical	NA
2	2967.50	38.18	-79.93	-41.75	-13.00	28.75	Vertical	PASS
3	14621.00	34.23	-86.02	-51.79	-13.00	38.79	Vertical	PASS
4	17345.00	33.58	-82.62	-49.04	-13.00	36.04	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 4
Bandwidth:	20MHz	Channel:	Mid
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	107.14	-85.28	21.86	-	-	Horizontal	NA
2	2979.10	38.19	-79.97	-41.78	-13.00	28.78	Horizontal	PASS
3	14345.50	34.37	-86.03	-51.66	-13.00	38.66	Horizontal	PASS
4	17348.00	33.38	-82.49	-49.11	-13.00	36.11	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 4
Bandwidth:	20MHz	Channel:	Mid
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.70	97.40	-85.28	12.12	-	-	Vertical	NA
2	2961.10	37.50	-79.96	-42.46	-13.00	29.46	Vertical	PASS
3	14664.50	34.60	-85.74	-51.14	-13.00	38.14	Vertical	PASS
4	17359.50	34.67	-82.77	-48.10	-13.00	35.10	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 4
Bandwidth:	20MHz	Channel:	High
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.10	106.40	-85.18	21.22	-	-	Horizontal	NA
2	2979.50	37.70	-79.98	-42.28	-13.00	29.28	Horizontal	PASS
3	14351.00	34.41	-85.93	-51.52	-13.00	38.52	Horizontal	PASS
4	17353.00	33.30	-82.52	-49.22	-13.00	36.22	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 4
Bandwidth:	20MHz	Channel:	High
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.10	98.38	-85.18	13.20	-	-	Vertical	NA
2	2996.10	37.91	-80.25	-42.34	-13.00	29.34	Vertical	PASS
3	15079.50	34.78	-86.27	-51.49	-13.00	38.49	Vertical	PASS
4	17340.00	34.26	-82.86	-48.60	-13.00	35.60	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 5
Bandwidth:	10MHz	Channel:	Low
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1649.20	46.95	-114.08	-67.13	-13.00	54.13	Horizontal	PASS
2	2474.00	44.67	-111.25	-66.58	-13.00	53.58	Horizontal	PASS
3	8820.80	37.30	-93.36	-56.06	-13.00	43.06	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 5
Bandwidth:	10MHz	Channel:	Low
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1649.20	44.71	-114.08	-69.37	-13.00	56.37	Vertical	PASS
2	2474.00	44.25	-111.25	-67.00	-13.00	54.00	Vertical	PASS
3	8966.40	38.04	-93.89	-55.85	-13.00	42.85	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 5
Bandwidth:	10MHz	Channel:	Low
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.00	49.67	-114.12	-64.45	-13.00	51.45	Horizontal	PASS
2	2496.00	47.52	-111.38	-63.86	-13.00	50.86	Horizontal	PASS
3	8830.40	36.88	-93.21	-56.33	-13.00	43.33	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 5
Bandwidth:	10MHz	Channel:	Low
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.00	46.44	-114.12	-67.68	-13.00	54.68	Vertical	PASS
2	2496.00	46.62	-111.38	-64.76	-13.00	51.76	Vertical	PASS
3	8822.00	37.33	-93.34	-56.01	-13.00	43.01	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 5
Bandwidth:	10MHz	Channel:	High
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1679.20	49.24	-114.16	-64.92	-13.00	51.92	Horizontal	PASS
2	2518.80	47.89	-111.32	-63.43	-13.00	50.43	Horizontal	PASS
3	8900.00	37.26	-93.17	-55.91	-13.00	42.91	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 5
Bandwidth:	10MHz	Channel:	High
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1679.20	48.79	-114.16	-65.37	-13.00	52.37	Vertical	PASS
2	2518.40	45.52	-111.32	-65.80	-13.00	52.80	Vertical	PASS
3	8895.60	37.51	-93.15	-55.64	-13.00	42.64	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 12
Bandwidth:	10MHz	Channel:	High
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1399.35	47.11	-114.31	-67.20	-13.00	54.20	Horizontal	PASS
2	2098.65	48.76	-113.24	-64.48	-13.00	51.48	Horizontal	PASS
3	7898.15	37.94	-95.70	-57.76	-13.00	44.76	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 12
Bandwidth:	10MHz	Channel:	High
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1399.00	47.26	-114.31	-67.05	-13.00	54.05	Vertical	PASS
2	2098.65	47.10	-113.24	-66.14	-13.00	53.14	Vertical	PASS
3	7963.95	37.89	-95.49	-57.60	-13.00	44.60	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 12
Bandwidth:	10MHz	Channel:	Mid
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.00	46.14	-114.33	-68.19	-13.00	55.19	Horizontal	PASS
2	2109.15	47.76	-113.21	-65.45	-13.00	52.45	Horizontal	PASS
3	7913.20	37.95	-95.63	-57.68	-13.00	44.68	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 12
Bandwidth:	10MHz	Channel:	Mid
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.00	45.03	-114.33	-69.30	-13.00	56.30	Vertical	PASS
2	2109.15	47.99	-113.21	-65.22	-13.00	52.22	Vertical	PASS
3	7889.40	37.95	-95.71	-57.76	-13.00	44.76	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 12
Bandwidth:	10MHz	Channel:	High
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2119.65	47.79	-113.21	-65.42	-13.00	52.42	Horizontal	PASS
2	5803.05	39.92	-100.03	-60.11	-13.00	47.11	Horizontal	PASS
3	7953.10	37.71	-95.46	-57.75	-13.00	44.75	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 12
Bandwidth:	10MHz	Channel:	High
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2119.65	47.72	-113.21	-65.49	-13.00	52.49	Vertical	PASS
2	6300.75	38.48	-98.86	-60.38	-13.00	47.38	Vertical	PASS
3	7944.35	37.45	-95.48	-58.03	-13.00	45.03	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 13
Bandwidth:	5MHz	Channel:	Low
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1554.63	53.01	-114.06	-61.05	-13.00	48.05	Horizontal	PASS
2	2331.87	50.39	-112.38	-61.99	-13.00	48.99	Horizontal	PASS
3	7913.43	37.53	-95.63	-58.10	-13.00	45.10	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 13
Bandwidth:	5MHz	Channel:	Low
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1554.40	50.45	-114.06	-63.61	-13.00	50.61	Vertical	PASS
2	2332.10	54.72	-112.39	-57.67	-13.00	44.67	Vertical	PASS
3	7947.50	37.27	-95.48	-58.21	-13.00	45.21	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 13
Bandwidth:	5MHz	Channel:	Mid
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1559.77	52.61	-114.09	-61.48	-40.00	21.48	Horizontal	PASS
2	2339.33	50.58	-112.43	-61.85	-13.00	48.85	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 13
Bandwidth:	5MHz	Channel:	Mid
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1559.77	52.30	-114.09	-61.79	-40.00	21.79	Vertical	PASS
2	2339.33	54.24	-112.43	-58.19	-13.00	45.19	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 13
Bandwidth:	5MHz	Channel:	High
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1564.67	53.89	-114.12	-60.23	-40.00	20.23	Horizontal	PASS
2	2347.27	49.80	-112.47	-62.67	-13.00	49.67	Horizontal	PASS
3	7972.23	37.21	-95.52	-58.31	-13.00	45.31	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 13
Bandwidth:	5MHz	Channel:	High
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1564.67	48.87	-114.12	-65.25	-40.00	25.25	Vertical	PASS
2	2347.03	54.08	-112.47	-58.39	-13.00	45.39	Vertical	PASS
3	7920.43	37.36	-95.60	-58.24	-13.00	45.24	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 13
Bandwidth:	10MHz	Channel:	Mid
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1555.33	49.95	-114.07	-64.12	-13.00	51.12	Horizontal	PASS
2	2332.57	49.41	-112.39	-62.98	-13.00	49.98	Horizontal	PASS
3	7893.37	38.31	-95.71	-57.40	-13.00	44.40	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 13
Bandwidth:	10MHz	Channel:	Mid
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1555.33	50.68	-114.07	-63.39	-13.00	50.39	Vertical	PASS
2	2332.80	56.70	-112.39	-55.69	-13.00	42.69	Vertical	PASS
3	7972.23	37.39	-95.52	-58.13	-13.00	45.13	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 17
Bandwidth:	10MHz	Channel:	Low
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1409.15	45.60	-114.34	-68.74	-13.00	55.74	Horizontal	PASS
2	2113.70	47.47	-113.21	-65.74	-13.00	52.74	Horizontal	PASS
3	7906.55	37.87	-95.66	-57.79	-13.00	44.79	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 17
Bandwidth:	10MHz	Channel:	Low
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2113.70	46.83	-113.21	-66.38	-13.00	53.38	Vertical	PASS
2	5770.50	38.96	-100.15	-61.19	-13.00	48.19	Vertical	PASS
3	7407.10	38.10	-96.57	-58.47	-13.00	45.47	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 17
Bandwidth:	10MHz	Channel:	Mid
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1410.90	46.18	-114.35	-68.17	-13.00	55.17	Horizontal	PASS
2	2116.85	47.15	-113.21	-66.06	-13.00	53.06	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 17
Bandwidth:	10MHz	Channel:	Mid
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2116.85	45.98	-113.21	-67.23	-13.00	54.23	Vertical	PASS
2	6821.55	38.28	-97.92	-59.64	-13.00	46.64	Vertical	PASS
3	7922.30	37.80	-95.59	-57.79	-13.00	44.79	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 17
Bandwidth:	10MHz	Channel:	High
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1413.35	45.97	-114.35	-68.38	-13.00	55.38	Horizontal	PASS
2	2120.00	45.99	-113.21	-67.22	-13.00	54.22	Horizontal	PASS
3	7905.15	37.77	-95.67	-57.90	-13.00	44.90	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 17
Bandwidth:	10MHz	Channel:	High
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2120.00	46.06	-113.21	-67.15	-13.00	54.15	Vertical	PASS
2	5764.55	40.65	-100.17	-59.52	-13.00	46.52	Vertical	PASS
3	7915.65	37.83	-95.62	-57.79	-13.00	44.79	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 25
Bandwidth:	20MHz	Channel:	Low
SN:	HQ64CD02FD	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1855.60	115.61	-95.13	20.48	-	-	Horizontal	NA
2	1941.40	57.49	-94.58	-37.09	-	-	Horizontal	NA
3	2971.40	40.51	-90.65	-50.14	-13.00	37.14	Horizontal	PASS
4	15249.50	33.53	-85.92	-52.39	-13.00	39.39	Horizontal	PASS
5	17348.00	32.88	-82.49	-49.61	-13.00	36.61	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 25
Bandwidth:	20MHz	Channel:	Low
SN:	HQ64CD02FD	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1855.50	116.32	-95.13	21.19	-	-	Vertical	NA
2	1938.80	48.90	-94.60	-45.70	-	-	Vertical	NA
3	2941.10	40.81	-90.45	-49.64	-13.00	36.64	Vertical	PASS
4	13836.00	33.87	-86.75	-52.88	-13.00	39.88	Vertical	PASS
5	17341.50	32.38	-82.79	-50.41	-13.00	37.41	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 25
Bandwidth:	20MHz	Channel:	Mid
SN:	HQ64CD02FD	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1878.00	115.47	-95.02	20.45	-	-	Horizontal	NA
2	1960.00	56.81	-94.61	-37.80	-	-	Horizontal	NA
3	2938.30	40.17	-90.45	-50.28	-13.00	37.28	Horizontal	PASS
4	15078.00	33.32	-86.27	-52.95	-13.00	39.95	Horizontal	PASS
5	17349.50	32.19	-82.42	-50.23	-13.00	37.23	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 25
Bandwidth:	20MHz	Channel:	Mid
SN:	HQ64CD02FD	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1878.10	116.01	-95.02	20.99	-	-	Vertical	NA
2	1961.30	49.02	-94.63	-45.61	-	-	Vertical	NA
3	2990.90	40.71	-90.85	-50.14	-13.00	37.14	Vertical	PASS
4	15064.50	33.25	-86.32	-53.07	-13.00	40.07	Vertical	PASS
5	17355.00	33.14	-82.59	-49.45	-13.00	36.45	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 25
Bandwidth:	20MHz	Channel:	High
SN:	HQ64CD02FD	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1896.30	116.38	-94.94	21.44	-	-	Horizontal	NA
2	1986.90	58.59	-94.90	-36.31	-	-	Horizontal	NA
3	2990.10	40.33	-90.84	-50.51	-13.00	37.51	Horizontal	PASS
4	15078.00	33.11	-86.27	-53.16	-13.00	40.16	Horizontal	PASS
5	17347.00	32.23	-82.53	-50.30	-13.00	37.30	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 25
Bandwidth:	20MHz	Channel:	High
SN:	HQ64CD02FD	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1896.10	115.14	-94.94	20.20	-	-	Vertical	NA
2	1993.20	48.94	-94.96	-46.02	-	-	Vertical	NA
3	2950.90	40.22	-90.45	-50.23	-13.00	37.23	Vertical	PASS
4	15065.00	33.48	-86.32	-52.84	-13.00	39.84	Vertical	PASS
5	17335.50	33.28	-83.06	-49.78	-13.00	36.78	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 26(814-824MHz)
Bandwidth:	10MHz	Channel:	Mid
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1629.20	46.57	-114.17	-67.60	-13.00	54.60	Horizontal	PASS
2	2443.60	47.09	-111.26	-64.17	-13.00	51.17	Horizontal	PASS
3	8888.00	37.00	-93.10	-56.10	-13.00	43.10	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 26(814-824MHz)
Bandwidth:	10MHz	Channel:	Mid
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1629.20	45.21	-114.17	-68.96	-13.00	55.96	Vertical	PASS
2	2443.60	45.25	-111.26	-66.01	-13.00	53.01	Vertical	PASS
3	8879.20	36.96	-93.05	-56.09	-13.00	43.09	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 26(824-849MHz)
Bandwidth:	15MHz	Channel:	Low
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1649.60	46.96	-114.08	-67.12	-13.00	54.12	Horizontal	PASS
2	2474.40	45.59	-111.25	-65.66	-13.00	52.66	Horizontal	PASS
3	8896.40	36.94	-93.14	-56.20	-13.00	43.20	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 26(824-849MHz)
Bandwidth:	15MHz	Channel:	Low
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1649.60	46.45	-114.08	-67.63	-13.00	54.63	Vertical	PASS
2	2474.40	44.90	-111.25	-66.35	-13.00	53.35	Vertical	PASS
3	8896.00	37.51	-93.15	-55.64	-13.00	42.64	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 26(824-849MHz)
Bandwidth:	15MHz	Channel:	Mid
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1659.60	48.42	-114.11	-65.69	-13.00	52.69	Horizontal	PASS
2	2489.60	48.10	-111.34	-63.24	-13.00	50.24	Horizontal	PASS
3	8903.20	37.03	-93.23	-56.20	-13.00	43.20	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 26(824-849MHz)
Bandwidth:	15MHz	Channel:	Mid
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1659.60	46.26	-114.11	-67.85	-13.00	54.85	Vertical	PASS
2	2489.60	46.93	-111.34	-64.41	-13.00	51.41	Vertical	PASS
3	8838.00	37.10	-93.08	-55.98	-13.00	42.98	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 26(824-849MHz)
Bandwidth:	15MHz	Channel:	High
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1669.60	49.37	-114.13	-64.76	-13.00	51.76	Horizontal	PASS
2	2504.80	47.73	-111.38	-63.65	-13.00	50.65	Horizontal	PASS
3	8880.00	36.82	-93.05	-56.23	-13.00	43.23	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 26(824-849MHz)
Bandwidth:	15MHz	Channel:	High
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT0		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1669.60	47.45	-114.13	-66.68	-13.00	53.68	Vertical	PASS
2	2504.40	49.62	-111.38	-61.76	-13.00	48.76	Vertical	PASS
3	8880.40	36.73	-93.06	-56.33	-13.00	43.33	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 41
Bandwidth:	20MHz	Channel:	Low
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2497.10	97.16	-78.00	19.16	-	-	Horizontal	NA
2	2978.80	36.48	-74.95	-38.47	-25.00	13.47	Horizontal	PASS
3	15070.50	33.77	-86.30	-52.53	-25.00	27.53	Horizontal	PASS
4	17856.00	32.17	-82.53	-50.36	-25.00	25.36	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 41
Bandwidth:	20MHz	Channel:	Low
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2497.20	97.59	-78.00	19.59	-	-	Vertical	NA
2	2984.40	36.67	-75.07	-38.40	-25.00	13.40	Vertical	PASS
3	14362.00	33.52	-86.16	-52.64	-25.00	27.64	Vertical	PASS
4	17347.50	33.34	-82.51	-49.17	-25.00	24.17	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 41
Bandwidth:	20MHz	Channel:	Mid
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.00	98.61	-77.24	21.37	-	-	Horizontal	NA
2	2969.70	36.54	-74.87	-38.33	-25.00	13.33	Horizontal	PASS
3	14483.50	34.41	-87.22	-52.81	-25.00	27.81	Horizontal	PASS
4	17354.00	32.48	-82.56	-50.08	-25.00	25.08	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 41
Bandwidth:	20MHz	Channel:	Mid
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.10	98.86	-77.24	21.62	-	-	Vertical	NA
2	2990.10	36.74	-75.20	-38.46	-25.00	13.46	Vertical	PASS
3	15080.50	33.57	-86.27	-52.70	-25.00	27.70	Vertical	PASS
4	17357.50	32.66	-82.69	-50.03	-25.00	25.03	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 41
Bandwidth:	20MHz	Channel:	High
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2671.00	97.39	-76.53	20.86	-	-	Horizontal	NA
2	2971.10	36.33	-74.87	-38.54	-25.00	13.54	Horizontal	PASS
3	15069.50	33.53	-86.30	-52.77	-25.00	27.77	Horizontal	PASS
4	17841.50	31.96	-82.59	-50.63	-25.00	25.63	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 41
Bandwidth:	20MHz	Channel:	High
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2671.10	96.86	-76.53	20.33	-	-	Vertical	NA
2	2956.30	36.74	-74.89	-38.15	-25.00	13.15	Vertical	PASS
3	14667.00	32.80	-85.81	-53.01	-25.00	28.01	Vertical	PASS
4	17356.00	32.62	-82.63	-50.01	-25.00	25.01	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 66
Bandwidth:	20MHz	Channel:	Low
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1711.00	106.65	-85.36	21.29	-	-	Horizontal	NA
2	5133.50	43.13	-102.21	-59.08	-13.00	46.08	Horizontal	PASS
3	13817.50	35.73	-87.05	-51.32	-13.00	38.32	Horizontal	PASS
4	17344.50	33.39	-82.66	-49.27	-13.00	36.27	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 66
Bandwidth:	20MHz	Channel:	Low
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1711.00	98.25	-85.36	12.89	-	-	Vertical	NA
2	9436.00	37.98	-93.48	-55.50	-13.00	42.50	Vertical	PASS
3	14409.50	35.13	-87.12	-51.99	-13.00	38.99	Vertical	PASS
4	17346.50	33.51	-82.56	-49.05	-13.00	36.05	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 66
Bandwidth:	20MHz	Channel:	Mid
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	105.78	-85.18	20.60	-	-	Horizontal	NA
2	9595.50	36.98	-92.45	-55.47	-13.00	42.47	Horizontal	PASS
3	14637.00	34.39	-85.65	-51.26	-13.00	38.26	Horizontal	PASS
4	17362.00	33.56	-82.87	-49.31	-13.00	36.31	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 66
Bandwidth:	20MHz	Channel:	Mid
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	97.97	-85.18	12.79	-	-	Vertical	NA
2	9586.50	37.24	-92.50	-55.26	-13.00	42.26	Vertical	PASS
3	14641.50	34.21	-85.54	-51.33	-13.00	38.33	Vertical	PASS
4	17347.00	33.23	-82.53	-49.30	-13.00	36.30	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 66
Bandwidth:	20MHz	Channel:	High
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1761.00	106.21	-84.98	21.23	-	-	Horizontal	NA
2	9643.50	37.17	-92.41	-55.24	-13.00	42.24	Horizontal	PASS
3	14332.00	34.65	-86.35	-51.70	-13.00	38.70	Horizontal	PASS
4	17350.00	33.16	-82.40	-49.24	-13.00	36.24	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 66
Bandwidth:	20MHz	Channel:	High
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1761.20	99.59	-84.98	14.61	-	-	Vertical	NA
2	11366.50	35.50	-90.21	-54.71	-13.00	41.71	Vertical	PASS
3	15073.00	34.68	-86.29	-51.61	-13.00	38.61	Vertical	PASS
4	17356.00	33.60	-82.63	-49.03	-13.00	36.03	Vertical	PASS

For LTE CA:

Project Information			
Mode:	LTE	Band:	Band 41C
Bandwidth:	20MHz+20MHz	Channel:	Low
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2514.90	117.86	-93.31	24.55	-	-	Horizontal	NA
2	2979.50	40.79	-90.74	-49.95	-25.00	24.95	Horizontal	PASS
3	15242.00	34.06	-86.10	-52.04	-25.00	27.04	Horizontal	PASS
4	17351.50	33.05	-82.46	-49.41	-25.00	24.41	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 41C
Bandwidth:	20MHz+20MHz	Channel:	Low
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2515.00	113.12	-93.31	19.81	-	-	Vertical	NA
2	2979.10	40.98	-90.73	-49.75	-25.00	24.75	Vertical	PASS
3	15248.00	35.31	-85.96	-50.65	-25.00	25.65	Vertical	PASS
4	17358.50	32.91	-82.73	-49.82	-25.00	24.82	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 41C
Bandwidth:	20MHz+20MHz	Channel:	Mid
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2592.00	116.62	-93.26	23.36	-	-	Horizontal	NA
2	2950.50	40.83	-90.45	-49.62	-25.00	24.62	Horizontal	PASS
3	15075.50	34.46	-86.28	-51.82	-25.00	26.82	Horizontal	PASS
4	17345.50	33.19	-82.60	-49.41	-25.00	24.41	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 41C
Bandwidth:	20MHz+20MHz	Channel:	Mid
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2591.90	115.36	-93.26	22.10	-	-	Vertical	NA
2	2873.20	40.94	-90.68	-49.74	-25.00	24.74	Vertical	PASS
3	14665.00	34.33	-85.75	-51.42	-25.00	26.42	Vertical	PASS
4	17344.50	33.96	-82.66	-48.70	-25.00	23.70	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 41C
Bandwidth:	20MHz+20MHz	Channel:	High
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2669.10	116.08	-92.28	23.80	-	-	Horizontal	NA
2	2930.20	40.89	-90.47	-49.58	-25.00	24.58	Horizontal	PASS
3	15080.50	34.58	-86.27	-51.69	-25.00	26.69	Horizontal	PASS
4	17349.50	33.01	-82.42	-49.41	-25.00	24.41	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 41C
Bandwidth:	20MHz+20MHz	Channel:	High
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Polarity: Y; ANT1		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2669.20	113.06	-92.28	20.78	-	-	Vertical	NA
2	2943.60	40.55	-90.45	-49.90	-25.00	24.90	Vertical	PASS
3	14662.50	34.16	-85.69	-51.53	-25.00	26.53	Vertical	PASS
4	17350.00	33.17	-82.40	-49.23	-25.00	24.23	Vertical	PASS

~The End~