


## Appendix-F Field Strength of Spurious Radiation-NR

For NSA:

Project Information			
Mode:	NSA	Band:	EN_DC_66A_n5A
Bandwidth:	LTE 20MHz;NR20MHz	Channel:	Low
IMEI:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT1 P0;NR ANT0 P24		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1711.00	94.95	-95.11	-0.16	-	-	Horizontal	NA
2	2117.50	40.73	-94.72	-53.99	-	-	Horizontal	NA
3	2481.10	38.55	-93.43	-54.88	-13.00	41.88	Horizontal	PASS
4	15075.50	33.60	-86.28	-52.68	-13.00	39.68	Horizontal	PASS
5	17348.50	32.19	-82.47	-50.28	-13.00	37.28	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_66A_n5A
Bandwidth:	LTE 20MHz;NR20MHz	Channel:	Low
IMEI:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT1 P0;NR ANT0 P24		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1711.20	94.30	-95.11	-0.81	-	-	Vertical	NA
2	2481.10	37.23	-93.43	-56.20	-13.00	43.20	Vertical	PASS
3	14353.50	32.89	-85.98	-53.09	-13.00	40.09	Vertical	PASS
4	17346.50	33.11	-82.56	-49.45	-13.00	36.45	Vertical	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_66A_n5A
Bandwidth:	LTE 20MHz;NR20MHz	Channel:	Mid
IMEI:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT1 P0;NR ANT0 P24		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.20	92.33	-94.91	-2.58	-	-	Horizontal	NA
2	2141.20	40.72	-94.68	-53.96	-	-	Horizontal	NA
3	2480.90	36.65	-93.43	-56.78	-13.00	43.78	Horizontal	PASS
4	15081.50	33.76	-86.26	-52.50	-13.00	39.50	Horizontal	PASS
5	17332.50	33.33	-83.20	-49.87	-13.00	36.87	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_66A_n5A
Bandwidth:	LTE 20MHz;NR20MHz	Channel:	Mid
IMEI:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT1 P0;NR ANT0 P24		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.10	93.67	-94.91	-1.24	-	-	Vertical	NA
2	2481.10	38.25	-93.43	-55.18	-13.00	42.18	Vertical	PASS
3	5773.00	41.59	-100.36	-58.77	-13.00	45.77	Vertical	PASS
4	17339.50	32.75	-82.88	-50.13	-13.00	37.13	Vertical	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_66A_n5A
Bandwidth:	LTE 20MHz;NR20MHz	Channel:	High
IMEI:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT1 P0;NR ANT0 P24		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1761.00	93.45	-94.79	-1.34	-	-	Horizontal	NA
2	2162.00	37.77	-94.64	-56.87	-	-	Horizontal	NA
3	2488.60	37.45	-93.35	-55.90	-13.00	42.90	Horizontal	PASS
4	15179.50	34.33	-87.01	-52.68	-13.00	39.68	Horizontal	PASS
5	17350.00	32.49	-82.40	-49.91	-13.00	36.91	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_66A_n5A
Bandwidth:	LTE 20MHz;NR20MHz	Channel:	High
IMEI:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT1 P0;NR ANT0 P24		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1761.10	94.05	-94.79	-0.74	-	-	Vertical	NA
2	2488.40	37.77	-93.35	-55.58	-13.00	42.58	Vertical	PASS
3	15072.00	33.52	-86.30	-52.78	-13.00	39.78	Vertical	PASS
4	17353.00	32.60	-82.52	-49.92	-13.00	36.92	Vertical	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_13A_n66A
Bandwidth:	LTE 10MHz;NR 40MHz	Channel:	Low
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT0 P0;NR ANT1 P24		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1710.70	108.91	-95.12	13.79	-	-	Horizontal	NA
2	2137.60	45.05	-94.68	-49.63	-	-	Horizontal	NA
3	11467.00	35.29	-90.30	-55.01	-13.00	42.01	Horizontal	PASS
4	15249.50	33.55	-85.92	-52.37	-13.00	39.37	Horizontal	PASS
5	17357.00	32.47	-82.67	-50.20	-13.00	37.20	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_13A_n66A
Bandwidth:	LTE 10MHz;NR 40MHz	Channel:	Low
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT0 P0;NR ANT1 P24		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1710.60	106.33	-95.12	11.21	-	-	Vertical	NA
2	2147.00	37.25	-94.67	-57.42	-	-	Vertical	NA
3	11466.50	34.92	-90.30	-55.38	-13.00	42.38	Vertical	PASS
4	14369.50	33.60	-86.32	-52.72	-13.00	39.72	Vertical	PASS
5	17362.50	32.42	-82.89	-50.47	-13.00	37.47	Vertical	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_13A_n66A
Bandwidth:	LTE 10MHz;NR 40MHz	Channel:	Mid
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT0 P0;NR ANT1 P24		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.60	110.80	-95.00	15.80	-	-	Horizontal	NA
2	2142.90	44.48	-94.67	-50.19	-	-	Horizontal	NA
3	10530.50	35.48	-91.45	-55.97	-13.00	42.97	Horizontal	PASS
4	14358.50	33.45	-86.09	-52.64	-13.00	39.64	Horizontal	PASS
5	17359.50	32.44	-82.77	-50.33	-13.00	37.33	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_13A_n66A
Bandwidth:	LTE 10MHz;NR 40MHz	Channel:	Mid
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT0 P0;NR ANT1 P24		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.70	107.88	-95.00	12.88	-	-	Vertical	NA
2	2156.70	39.42	-94.65	-55.23	-	-	Vertical	NA
3	11982.00	34.74	-89.82	-55.08	-13.00	42.08	Vertical	PASS
4	15085.00	33.93	-86.25	-52.32	-13.00	39.32	Vertical	PASS
5	17352.00	31.97	-82.48	-50.51	-13.00	37.51	Vertical	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_13A_n66A
Bandwidth:	LTE 10MHz;NR 40MHz	Channel:	High
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT0 P0;NR ANT1 P24		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1740.70	112.26	-94.88	17.38	-	-	Horizontal	NA
2	2177.30	45.42	-94.60	-49.18	-	-	Horizontal	NA
3	11408.00	34.48	-89.98	-55.50	-13.00	42.50	Horizontal	PASS
4	15085.00	33.70	-86.25	-52.55	-13.00	39.55	Horizontal	PASS
5	17362.50	32.39	-82.89	-50.50	-13.00	37.50	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_13A_n66A
Bandwidth:	LTE 10MHz;NR 40MHz	Channel:	High
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT0 P0;NR ANT1 P24		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1740.60	108.04	-94.88	13.16	-	-	Vertical	NA
2	2173.10	38.99	-94.60	-55.61	-	-	Vertical	NA
3	10112.50	35.88	-92.06	-56.18	-13.00	43.18	Vertical	PASS
4	13817.50	34.43	-87.05	-52.62	-13.00	39.62	Vertical	PASS
5	17352.50	32.30	-82.50	-50.20	-13.00	37.20	Vertical	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_66A_n41A
Bandwidth:	LTE 20MHz;NR 100MHz	Channel:	Low
IMEI:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT2 P0;NR ANT1 P24		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1711.10	77.69	-80.00	-2.31	-	-	Horizontal	NA
2	2496.90	96.80	-78.00	18.80	-	-	Horizontal	NA
3	8123.00	38.76	-94.76	-56.00	-25.00	31.00	Horizontal	PASS
4	15064.00	37.65	-86.32	-48.67	-25.00	23.67	Horizontal	PASS
5	17854.00	37.78	-82.51	-44.73	-25.00	19.73	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_66A_n41A
Bandwidth:	LTE 20MHz;NR 100MHz	Channel:	Low
IMEI:	HQ64CD02FD	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT2 P0;NR ANT1 P24		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1711.10	75.88	-80.00	-4.12	-	-	Vertical	NA
2	2497.10	94.74	-78.00	16.74	-	-	Vertical	NA
3	9691.50	37.61	-91.92	-54.31	-25.00	29.31	Vertical	PASS
4	15240.00	37.50	-86.15	-48.65	-25.00	23.65	Vertical	PASS
5	17867.00	38.40	-82.66	-44.26	-25.00	19.26	Vertical	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_66A_n41A
Bandwidth:	LTE 20MHz;NR 100MHz	Channel:	Mid
IMEI:	HQ64CD02FD	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT2 P0;NR ANT1 P24		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	78.21	-79.86	-1.65	-	-	Horizontal	NA
2	2544.00	99.88	-77.52	22.36	-	-	Horizontal	NA
3	8837.00	37.45	-92.68	-55.23	-25.00	30.23	Horizontal	PASS
4	15071.00	36.95	-86.30	-49.35	-25.00	24.35	Horizontal	PASS
5	17830.50	38.00	-82.75	-44.75	-25.00	19.75	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_66A_n41A
Bandwidth:	LTE 20MHz;NR 100MHz	Channel:	Mid
IMEI:	HQ64CD02FD	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT2 P0;NR ANT1 P24		


## Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.30	74.42	-79.86	-5.44	-	-	Vertical	NA
2	2543.90	94.83	-77.52	17.31	-	-	Vertical	NA
3	10592.50	36.78	-91.24	-54.46	-25.00	29.46	Vertical	PASS
4	15102.50	37.36	-86.24	-48.88	-25.00	23.88	Vertical	PASS
5	17349.50	38.55	-82.42	-43.87	-25.00	18.87	Vertical	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_66A_n41A
Bandwidth:	LTE 20MHz;NR 100MHz	Channel:	Low
IMEI:	HQ64CD02FD	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT2 P0;NR ANT1 P24		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1761.00	76.93	-79.57	-2.64	-	-	Horizontal	NA
2	2591.20	99.49	-77.23	22.26	-	-	Horizontal	NA
3	11455.00	37.15	-90.27	-53.12	-25.00	28.12	Horizontal	PASS
4	15079.00	37.04	-86.27	-49.23	-25.00	24.23	Horizontal	PASS
5	17824.00	38.20	-82.84	-44.64	-25.00	19.64	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_66A_n41A
Bandwidth:	LTE 20MHz;NR 100MHz	Channel:	High
IMEI:	HQ64CD02FD	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT2 P0;NR ANT1 P24		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1761.20	73.69	-79.57	-5.88	-	-	Vertical	NA
2	2591.00	94.71	-77.23	17.48	-	-	Vertical	NA
3	9587.50	38.34	-92.50	-54.16	-25.00	29.16	Vertical	PASS
4	15244.00	37.19	-86.05	-48.86	-25.00	23.86	Vertical	PASS
5	17994.50	37.88	-82.50	-44.62	-25.00	19.62	Vertical	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_66A_n41A
Bandwidth:	LTE 20MHz;NR 100MHz	Channel:	Low
IMEI:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT2 P24;NR ANT1 P0		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1711.20	99.32	-80.00	19.32	-	-	Horizontal	NA
2	2543.90	69.89	-77.52	-7.63	-	-	Horizontal	NA
3	5133.00	43.05	-102.22	-59.17	-25.00	34.17	Horizontal	PASS
4	12752.00	37.59	-89.50	-51.91	-25.00	26.91	Horizontal	PASS
5	17870.00	38.00	-82.70	-44.70	-25.00	19.70	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_66A_n41A
Bandwidth:	LTE 20MHz;NR 100MHz	Channel:	Low
IMEI:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT2 P24;NR ANT1 P0		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1711.10	97.12	-80.00	17.12	-	-	Vertical	NA
2	2543.80	67.57	-77.53	-9.96	-	-	Vertical	NA
3	10804.50	36.37	-90.99	-54.62	-25.00	29.62	Vertical	PASS
4	15091.50	37.58	-86.23	-48.65	-25.00	23.65	Vertical	PASS
5	17847.00	38.17	-82.51	-44.34	-25.00	19.34	Vertical	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_66A_n41A
Bandwidth:	LTE 20MHz;NR 100MHz	Channel:	Mid
IMEI:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT2 P24;NR ANT1 P0		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.10	100.90	-79.78	21.12	-	-	Horizontal	NA
2	2544.10	68.02	-77.52	-9.50	-	-	Horizontal	NA
3	9484.50	37.76	-92.88	-55.12	-25.00	30.12	Horizontal	PASS
4	15082.00	37.38	-86.26	-48.88	-25.00	23.88	Horizontal	PASS
5	17938.50	39.08	-83.09	-44.01	-25.00	19.01	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_66A_n41A
Bandwidth:	LTE 20MHz;NR 100MHz	Channel:	Mid
IMEI:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT2 P24;NR ANT1 P0		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.00	96.93	-79.78	17.15	-	-	Vertical	NA
2	2544.00	66.75	-77.52	-10.77	-	-	Vertical	NA
3	9515.50	37.61	-92.63	-55.02	-25.00	30.02	Vertical	PASS
4	15064.50	37.21	-86.32	-49.11	-25.00	24.11	Vertical	PASS
5	17853.00	37.65	-82.49	-44.84	-25.00	19.84	Vertical	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_66A_n41A
Bandwidth:	LTE 20MHz;NR 100MHz	Channel:	High
IMEI:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT2 P24;NR ANT1 P0		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1761.00	100.27	-79.57	20.70	-	-	Horizontal	NA
2	2591.10	69.28	-77.23	-7.95	-	-	Horizontal	NA
3	5283.50	54.40	-101.69	-47.29	-25.00	22.29	Horizontal	PASS
4	15251.50	36.88	-85.93	-49.05	-25.00	24.05	Horizontal	PASS
5	17997.00	37.88	-82.47	-44.59	-25.00	19.59	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_66A_n41A
Bandwidth:	LTE 20MHz;NR 100MHz	Channel:	High
IMEI:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT2 P24;NR ANT1 P0		

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1761.20	99.13	-79.57	19.56	-	-	Vertical	NA
2	2591.00	67.13	-77.23	-10.10	-	-	Vertical	NA
3	10955.00	36.54	-90.56	-54.02	-25.00	29.02	Vertical	PASS
4	15099.00	36.81	-86.20	-49.39	-25.00	24.39	Vertical	PASS
5	17827.50	38.22	-82.78	-44.56	-25.00	19.56	Vertical	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_41A_n77A (n77 3700-3980MHz)
Bandwidth:	LTE 20MHz;NR 100MHz	Channel:	Low
IMEI:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT2 P0;NR ANT6 P24		


## Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2496.90	78.87	-78.00	0.87	-	-	Horizontal	NA
2	3700.88	98.03	-88.13	9.90	-	-	Horizontal	NA
3	7401.98	44.43	-95.59	-51.16	-25.00	26.16	Horizontal	PASS
4	11103.45	36.96	-91.17	-54.21	-25.00	29.21	Horizontal	PASS
5	17830.18	32.34	-82.11	-49.77	-25.00	24.77	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_41A_n77A (n77 3700-3980MHz)
Bandwidth:	LTE 20MHz;NR 100MHz	Channel:	Low
IMEI:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT2 P0;NR ANT6 P24		


## Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2497.00	76.63	-78.00	-1.37	-	-	Vertical	NA
2	3701.05	101.20	-88.13	13.07	-	-	Vertical	NA
3	7401.98	37.53	-95.59	-58.06	-25.00	33.06	Vertical	PASS
4	11103.07	37.37	-91.17	-53.80	-25.00	28.80	Vertical	PASS
5	17969.72	32.43	-81.90	-49.47	-25.00	24.47	Vertical	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_41A_n77A (n77 3700-3980MHz)
Bandwidth:	LTE 20MHz;NR 100MHz	Channel:	Mid
IMEI:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT2 P0;NR ANT6 P24		


## Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	7582.15	48.06	-96.15	-48.09	-25.00	23.09	Horizontal	PASS
2	14078.50	34.37	-87.12	-52.75	-25.00	27.75	Horizontal	PASS
3	17976.62	31.84	-81.80	-49.96	-25.00	24.96	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_41A_n77A (n77 3700-3980MHz)
Bandwidth:	LTE 20MHz;NR 100MHz	Channel:	Mid
IMEI:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT2 P0;NR ANT6 P24		


## Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.10	77.43	-77.24	0.19	-	-	Vertical	NA
2	3791.00	102.89	-88.11	14.78	-	-	Vertical	NA
3	7582.15	39.69	-96.15	-56.46	-25.00	31.46	Vertical	PASS
4	15074.02	33.99	-86.13	-52.14	-25.00	27.14	Vertical	PASS
5	17996.93	32.09	-81.51	-49.42	-25.00	24.42	Vertical	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_41A_n77A (n77 3700-3980MHz)
Bandwidth:	LTE 20MHz;NR 100MHz	Channel:	High
IMEI:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT2 P0;NR ANT6 P24		


## Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2671.20	82.00	-76.53	5.47	-	-	Horizontal	NA
2	3881.13	101.00	-87.61	13.39	-	-	Horizontal	NA
3	7761.55	46.73	-96.12	-49.39	-25.00	24.39	Horizontal	PASS
4	14360.63	34.27	-86.38	-52.11	-25.00	27.11	Horizontal	PASS
5	17875.42	31.97	-81.60	-49.63	-25.00	24.63	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_41A_n77A (n77 3700-3980MHz)
Bandwidth:	LTE 20MHz;NR 100MHz	Channel:	High
IMEI:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT2 P0;NR ANT6 P24		


## Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2671.20	77.55	-76.53	1.02	-	-	Vertical	NA
2	3880.95	102.21	-87.61	14.60	-	-	Vertical	NA
3	6262.53	32.12	-81.09	-48.97	-25.00	23.97	Vertical	PASS
4	7761.93	40.44	-96.11	-55.67	-25.00	30.67	Vertical	PASS
5	17357.53	33.18	-83.04	-49.86	-25.00	24.86	Vertical	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_41A_n77A (n77 3450-3550MHz)
Bandwidth:	LTE 20MHz;NR 100MHz	Channel:	Mid
IMEI:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT2 P0;NR ANT6 P24		


## Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.20	78.14	-77.25	0.89	-	-	Horizontal	NA
2	3451.15	99.15	-88.75	10.40	-	-	Horizontal	NA
3	10352.88	46.77	-91.48	-44.71	-25.00	19.71	Horizontal	PASS
4	15249.20	32.57	-85.34	-52.77	-25.00	27.77	Horizontal	PASS
5	17996.55	31.57	-81.52	-49.95	-25.00	24.95	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_41A_n77A (n77 3450-3550MHz)
Bandwidth:	LTE 20MHz;NR 100MHz	Channel:	Mid
IMEI:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT2 P0;NR ANT6 P24		


## Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.00	75.02	-77.24	-2.22	-	-	Vertical	NA
2	3450.98	96.91	-88.75	8.16	-	-	Vertical	NA
3	10352.88	38.42	-91.48	-53.06	-25.00	28.06	Vertical	PASS
4	13700.15	33.11	-85.85	-52.74	-25.00	27.74	Vertical	PASS
5	17857.40	31.73	-81.37	-49.64	-25.00	24.64	Vertical	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_2A_n66A
Bandwidth:	LTE 20MHz;NR 40MHz	Channel:	Low
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT2 P0;NR ANT1 P24		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1710.60	100.28	-80.00	20.28	-	-	Horizontal	NA
2	1851.20	88.89	-79.61	9.28	-	-	Horizontal	NA
3	9510.00	37.86	-92.62	-54.76	-13.00	41.76	Horizontal	PASS
4	15069.50	37.71	-86.30	-48.59	-13.00	35.59	Horizontal	PASS
5	17813.00	38.08	-83.00	-44.92	-13.00	31.92	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_2A_n66A
Bandwidth:	LTE 20MHz;NR 40MHz	Channel:	Low
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT2 P0;NR ANT1 P24		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1710.60	98.59	-80.00	18.59	-	-	Vertical	NA
2	1851.00	84.43	-79.61	4.82	-	-	Vertical	NA
3	12798.50	37.06	-89.33	-52.27	-13.00	39.27	Vertical	PASS
4	15069.00	37.23	-86.31	-49.08	-13.00	36.08	Vertical	PASS
5	17810.00	38.55	-83.04	-44.49	-13.00	31.49	Vertical	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_2A_n66A
Bandwidth:	LTE 20MHz;NR 40MHz	Channel:	Mid
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT2 P0;NR ANT1 P24		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.60	100.37	-79.95	20.42	-	-	Horizontal	NA
2	1871.00	89.79	-79.70	10.09	-	-	Horizontal	NA
3	11374.00	36.41	-90.14	-53.73	-13.00	40.73	Horizontal	PASS
4	15094.50	37.11	-86.22	-49.11	-13.00	36.11	Horizontal	PASS
5	17827.00	38.45	-82.80	-44.35	-13.00	31.35	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_2A_n66A
Bandwidth:	LTE 20MHz;NR 40MHz	Channel:	Mid
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT2 P0;NR ANT1 P24		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.60	98.94	-79.95	18.99	-	-	Vertical	NA
2	1871.00	83.43	-79.70	3.73	-	-	Vertical	NA
3	12789.50	37.13	-89.37	-52.24	-13.00	39.24	Vertical	PASS
4	15094.50	37.53	-86.22	-48.69	-13.00	35.69	Vertical	PASS
5	17862.50	38.17	-82.60	-44.43	-13.00	31.43	Vertical	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_2A_n66A
Bandwidth:	LTE 20MHz;NR 40MHz	Channel:	Mid
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT2 P0;NR ANT1 P24		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1740.60	100.24	-79.83	20.41	-	-	Horizontal	NA
2	1891.20	91.13	-79.66	11.47	-	-	Horizontal	NA
3	9505.50	37.95	-92.61	-54.66	-13.00	41.66	Horizontal	PASS
4	15091.00	37.12	-86.23	-49.11	-13.00	36.11	Horizontal	PASS
5	17824.50	38.51	-82.83	-44.32	-13.00	31.32	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_2A_n66A
Bandwidth:	LTE 20MHz;NR 40MHz	Channel:	High
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT2 P0;NR ANT1 P24		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1740.60	98.82	-79.83	18.99	-	-	Vertical	NA
2	1891.00	83.53	-79.66	3.87	-	-	Vertical	NA
3	10028.50	37.39	-91.59	-54.20	-13.00	41.20	Vertical	PASS
4	15253.50	36.51	-85.96	-49.45	-13.00	36.45	Vertical	PASS
5	17967.00	38.22	-82.87	-44.65	-13.00	31.65	Vertical	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_2A_n66A
Bandwidth:	LTE 20MHz;NR 40MHz	Channel:	Low
IMEI:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT2 P24;NR ANT1 P0		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1710.60	84.74	-80.00	4.74	-	-	Horizontal	NA
2	1851.00	100.24	-79.61	20.63	-	-	Horizontal	NA
3	5553.00	56.64	-101.32	-44.68	-13.00	31.68	Horizontal	PASS
4	15253.00	36.51	-85.96	-49.45	-13.00	36.45	Horizontal	PASS
5	17826.00	38.29	-82.81	-44.52	-13.00	31.52	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_2A_n66A
Bandwidth:	LTE 20MHz;NR 40MHz	Channel:	Mid
IMEI:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT2 P24;NR ANT1 P0		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.60	88.74	-79.95	8.79	-	-	Horizontal	NA
2	1871.00	99.60	-79.70	19.90	-	-	Horizontal	NA
3	5613.00	55.32	-101.20	-45.88	-13.00	32.88	Horizontal	PASS
4	15101.00	37.28	-86.21	-48.93	-13.00	35.93	Horizontal	PASS
5	17344.00	38.33	-82.68	-44.35	-13.00	31.35	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_2A_n66A
Bandwidth:	LTE 20MHz;NR 40MHz	Channel:	Mid
IMEI:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT2 P24;NR ANT1 P0		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.60	89.56	-79.95	9.61	-	-	Vertical	NA
2	1871.20	93.98	-79.70	14.28	-	-	Vertical	NA
3	5613.00	56.13	-101.20	-45.07	-13.00	32.07	Vertical	PASS
4	15048.00	37.27	-86.46	-49.19	-13.00	36.19	Vertical	PASS
5	17848.50	38.39	-82.48	-44.09	-13.00	31.09	Vertical	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_2A_n66A
Bandwidth:	LTE 20MHz;NR 40MHz	Channel:	High
IMEI:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT2 P24;NR ANT1 P0		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1740.80	81.14	-79.83	1.31	-	-	Horizontal	NA
2	1891.20	99.18	-79.66	19.52	-	-	Horizontal	NA
3	5673.00	53.42	-100.78	-47.36	-13.00	34.36	Horizontal	PASS
4	17351.50	37.42	-82.46	-45.04	-13.00	32.04	Horizontal	PASS
5	17873.00	38.44	-82.73	-44.29	-13.00	31.29	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_2A_n66A
Bandwidth:	LTE 20MHz;NR 40MHz	Channel:	High
IMEI:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT2 P24;NR ANT1 P0		

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1740.60	79.94	-79.83	0.11	-	-	Vertical	NA
2	1891.20	93.66	-79.66	14.00	-	-	Vertical	NA
3	5673.50	54.30	-100.78	-46.48	-13.00	33.48	Vertical	PASS
4	17365.50	38.20	-83.00	-44.80	-13.00	31.80	Vertical	PASS
5	17962.50	38.78	-82.93	-44.15	-13.00	31.15	Vertical	PASS

Project Information			
Mode:	NSA	Band:	EN_DC_2A_n66A
Bandwidth:	LTE 20MHz;NR 40MHz	Channel:	Low
IMEI:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; LTE ANT2 P24;NR ANT1 P0		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1710.60	86.33	-80.00	6.33	-	-	Vertical	NA
2	1851.00	95.40	-79.61	15.79	-	-	Vertical	NA
3	5553.50	56.73	-101.32	-44.59	-13.00	31.59	Vertical	PASS
4	15108.50	37.46	-86.32	-48.86	-13.00	35.86	Vertical	PASS
5	17899.50	38.13	-83.04	-44.91	-13.00	31.91	Vertical	PASS

## For SRS 2TX

Project Information			
Mode:	NR 2TX	Band:	n41
Bandwidth:	100MHz	Channel:	Low
IMEI:	HQ64CC08F7	Engineer:	Ou shuyan
Remark:	Y; Ant1+2 Power:17.3		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2497.10	96.67	-78.00	18.67	-	-	Horizontal	NA
2	2948.60	37.09	-74.91	-37.82	-25.00	12.82	Horizontal	PASS
3	4994.50	45.42	-102.85	-57.43	-25.00	32.43	Horizontal	PASS
4	17340.00	39.04	-82.86	-43.82	-25.00	18.82	Horizontal	PASS

Project Information			
Mode:	NR 2TX	Band:	n41
Bandwidth:	100MHz	Channel:	Low
IMEI:	HQ64CC08F7	Engineer:	Ou shuyan
Remark:	Y; Ant1+2 Power:17.3		


## Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2496.90	92.35	-78.00	14.35	-	-	Vertical	NA
2	2975.50	37.89	-74.87	-36.98	-25.00	11.98	Vertical	PASS
3	9140.50	37.41	-92.27	-54.86	-25.00	29.86	Vertical	PASS
4	17865.50	39.22	-82.64	-43.42	-25.00	18.42	Vertical	PASS

Project Information			
Mode:	NR 2TX	Band:	n41
Bandwidth:	100MHz	Channel:	Mid
IMEI:	HQ64CC08F7	Engineer:	Ou shuyan
Remark:	Y; Ant1+2 Power:17.3		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2544.00	97.45	-77.52	19.93	-	-	Horizontal	NA
2	2967.50	37.23	-74.87	-37.64	-25.00	12.64	Horizontal	PASS
3	5088.00	53.43	-102.76	-49.33	-25.00	24.33	Horizontal	PASS
4	17991.50	38.75	-82.54	-43.79	-25.00	18.79	Horizontal	PASS

Project Information			
Mode:	NR 2TX	Band:	n41
Bandwidth:	100MHz	Channel:	Mid
IMEI:	HQ64CC08F7	Engineer:	Ou shuyan
Remark:	Y; Ant1+2 Power:17.3		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2544.10	95.39	-77.52	17.87	-	-	Vertical	NA
2	2955.00	37.84	-74.89	-37.05	-25.00	12.05	Vertical	PASS
3	15049.50	38.09	-86.39	-48.30	-25.00	23.30	Vertical	PASS
4	17343.50	39.03	-82.70	-43.67	-25.00	18.67	Vertical	PASS

Project Information			
Mode:	NR 2TX	Band:	n41
Bandwidth:	100MHz	Channel:	High
IMEI:	HQ64CC08F7	Engineer:	Ou shuyan
Remark:	Y; Ant1+2 Power:17.3		


## Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2590.90	95.86	-77.23	18.63	-	-	Horizontal	NA
2	2913.00	37.86	-75.33	-37.47	-25.00	12.47	Horizontal	PASS
3	5182.00	52.71	-102.11	-49.40	-25.00	24.40	Horizontal	PASS
4	17804.50	39.06	-83.12	-44.06	-25.00	19.06	Horizontal	PASS

Project Information			
Mode:	NR 2TX	Band:	n41
Bandwidth:	100MHz	Channel:	High
IMEI:	HQ64CC08F7	Engineer:	Ou shuyan
Remark:	Y; Ant1+2 Power:17.3		


## Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2590.90	95.01	-77.23	17.78	-	-	Vertical	NA
2	2994.20	37.83	-75.30	-37.47	-25.00	12.47	Vertical	PASS
3	5182.00	42.76	-102.11	-59.35	-25.00	34.35	Vertical	PASS
4	17864.50	38.74	-82.63	-43.89	-25.00	18.89	Vertical	PASS

Project Information			
Mode:	NR 2TX	Band:	n41
Bandwidth:	100MHz	Channel:	Low
IMEI:	HQ64CC08F7	Engineer:	Ou shuyan
Remark:	Y; Ant3+4 Power:17.3		

## Test Graph




## Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2497.10	89.01	-78.00	11.01	-	-	Horizontal	NA
2	4994.00	57.86	-102.85	-44.99	-25.00	19.99	Horizontal	PASS
3	7491.00	45.11	-96.79	-51.68	-25.00	26.68	Horizontal	PASS
4	17892.50	38.87	-82.96	-44.09	-25.00	19.09	Horizontal	PASS

Project Information			
Mode:	NR 2TX	Band:	n41
Bandwidth:	100MHz	Channel:	Low
IMEI:	HQ64CC08F7	Engineer:	Ou shuyan
Remark:	Y; Ant3+4 Power:17.3		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2496.90	87.43	-78.00	9.43	-	-	Vertical	NA
2	2948.70	37.21	-74.91	-37.70	-25.00	12.70	Vertical	PASS
3	7491.00	42.16	-96.79	-54.63	-25.00	29.63	Vertical	PASS
4	17817.50	38.69	-82.93	-44.24	-25.00	19.24	Vertical	PASS

Project Information			
Mode:	NR 2TX	Band:	n41
Bandwidth:	100MHz	Channel:	Mid
IMEI:	HQ64CC08F7	Engineer:	Ou shuyan
Remark:	Y; Ant3+4 Power:17.3		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2544.00	91.17	-77.52	13.65	-	-	Horizontal	NA
2	5088.00	54.84	-102.76	-47.92	-25.00	22.92	Horizontal	PASS
3	7632.00	45.68	-96.30	-50.62	-25.00	25.62	Horizontal	PASS
4	17856.50	38.41	-82.54	-44.13	-25.00	19.13	Horizontal	PASS

Project Information			
Mode:	NR 2TX	Band:	n41
Bandwidth:	100MHz	Channel:	Mid
IMEI:	HQ64CC08F7	Engineer:	Ou shuyan
Remark:	Y; Ant3+4 Power:17.3		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2544.00	87.23	-77.52	9.71	-	-	Vertical	NA
2	2955.90	37.19	-74.89	-37.70	-25.00	12.70	Vertical	PASS
3	7632.00	41.53	-96.30	-54.77	-25.00	29.77	Vertical	PASS
4	17916.00	39.01	-83.07	-44.06	-25.00	19.06	Vertical	PASS

Project Information			
Mode:	NR 2TX	Band:	n41
Bandwidth:	100MHz	Channel:	High
IMEI:	HQ64CC08F7	Engineer:	Ou shuyan
Remark:	Y; Ant3+4 Power:17.3		


## Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2591.10	89.95	-77.23	12.72	-	-	Horizontal	NA
2	2980.90	37.24	-74.99	-37.75	-25.00	12.75	Horizontal	PASS
3	5182.00	54.24	-102.11	-47.87	-25.00	22.87	Horizontal	PASS
4	17353.50	38.86	-82.54	-43.68	-25.00	18.68	Horizontal	PASS

Project Information			
Mode:	NR 2TX	Band:	n41
Bandwidth:	100MHz	Channel:	High
IMEI:	HQ64CC08F7	Engineer:	Ou shuyan
Remark:	Y; Ant3+4 Power:17.3		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2591.10	87.46	-77.23	10.23	-	-	Vertical	NA
2	2905.60	37.81	-75.43	-37.62	-25.00	12.62	Vertical	PASS
3	5182.00	42.44	-102.11	-59.67	-25.00	34.67	Vertical	PASS
4	17871.50	38.63	-82.72	-44.09	-25.00	19.09	Vertical	PASS

Project Information			
Mode:	NR 2TX	Band:	n77 (3450MHz-3550MHz)
Bandwidth:	100MHz	Channel:	Mid
IMEI:	HQ64CC08F7	Engineer:	Ou shuyan
Remark:	Y; Ant4+3 Power:16		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3451.08	93.42	-78.42	15.00	-	-	Horizontal	NA
2	6173.58	37.76	-69.76	-32.00	-13.00	19.00	Horizontal	PASS
3	6902.12	46.61	-96.98	-50.37	-13.00	37.37	Horizontal	PASS
4	10352.88	42.04	-91.48	-49.44	-13.00	36.44	Horizontal	PASS

Project Information			
Mode:	NR 2TX	Band:	n77 (3450MHz-3550MHz)
Bandwidth:	100MHz	Channel:	Mid
IMEI:	HQ64CC08F7	Engineer:	Ou shuyan
Remark:	Y; Ant4+3 Power:16		


## Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3451.08	90.03	-78.42	11.61	-	-	Vertical	NA
2	6162.58	37.36	-70.06	-32.70	-13.00	19.70	Vertical	PASS
3	6902.12	45.58	-96.98	-51.40	-13.00	38.40	Vertical	PASS
4	10352.88	38.66	-91.48	-52.82	-13.00	39.82	Vertical	PASS

Project Information			
Mode:	NR 2TX	Band:	n77 (3700MHz-3980MHz)
Bandwidth:	100MHz	Channel:	Low
IMEI:	HQ64CC08F7	Engineer:	Ou shuyan
Remark:	Y; Ant4+3 Power:16		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3701.05	93.47	-77.81	15.66	-	-	Horizontal	NA
2	6175.78	37.25	-69.75	-32.50	-13.00	19.50	Horizontal	PASS
3	7401.98	54.45	-95.59	-41.14	-13.00	28.14	Horizontal	PASS
4	11103.07	54.29	-91.17	-36.88	-13.00	23.88	Horizontal	PASS

Project Information			
Mode:	NR 2TX	Band:	n77 (3700MHz-3980MHz)
Bandwidth:	100MHz	Channel:	Low
IMEI:	HQ64CC08F7	Engineer:	Ou shuyan
Remark:	Y; Ant4+3 Power:16		


## Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3701.05	92.64	-77.81	14.83	-	-	Vertical	NA
2	6177.15	37.28	-69.79	-32.51	-13.00	19.51	Vertical	PASS
3	7402.37	47.68	-95.60	-47.92	-13.00	34.92	Vertical	PASS
4	11103.45	47.43	-91.17	-43.74	-13.00	30.74	Vertical	PASS

Project Information			
Mode:	NR 2TX	Band:	n77 (3700MHz-3980MHz)
Bandwidth:	100MHz	Channel:	Mid
IMEI:	HQ64CC08F7	Engineer:	Ou shuyan
Remark:	Y; Ant4+3 Power:16		


## Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3790.98	93.94	-77.73	16.21	-	-	Horizontal	NA
2	6220.88	37.61	-70.02	-32.41	-13.00	19.41	Horizontal	PASS
3	7581.77	58.89	-96.15	-37.26	-13.00	24.26	Horizontal	PASS
4	11372.93	57.22	-90.06	-32.84	-13.00	19.84	Horizontal	PASS

Project Information			
Mode:	NR 2TX	Band:	n77 (3700MHz-3980MHz)
Bandwidth:	100MHz	Channel:	Mid
IMEI:	HQ64CC08F7	Engineer:	Ou shuyan
Remark:	Y; Ant4+3 Power:16		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3791.25	89.83	-77.73	12.10	-	-	Vertical	NA
2	6173.30	37.40	-69.76	-32.36	-13.00	19.36	Vertical	PASS
3	7581.77	49.62	-96.15	-46.53	-13.00	33.53	Vertical	PASS
4	11372.93	50.60	-90.06	-39.46	-13.00	26.46	Vertical	PASS

Project Information			
Mode:	NR 2TX	Band:	n77 (3700MHz-3980MHz)
Bandwidth:	100MHz	Channel:	High
IMEI:	HQ64CC08F7	Engineer:	Ou shuyan
Remark:	Y; Ant4+3 Power:16		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3880.90	89.77	-77.18	12.59	-	-	Horizontal	NA
2	6174.95	37.04	-69.72	-32.68	-13.00	19.68	Horizontal	PASS
3	7761.93	50.74	-96.11	-45.37	-13.00	32.37	Horizontal	PASS
4	11642.80	49.64	-90.91	-41.27	-13.00	28.27	Horizontal	PASS

Project Information			
Mode:	NR 2TX	Band:	n77 (3700MHz-3980MHz)
Bandwidth:	100MHz	Channel:	High
IMEI:	HQ64CC08F7	Engineer:	Ou shuyan
Remark:	Y; Ant4+3 Power:16		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3881.18	85.73	-77.19	8.54	-	-	Vertical	NA
2	6149.38	38.24	-70.43	-32.19	-13.00	19.19	Vertical	PASS
3	7761.93	47.84	-96.11	-48.27	-13.00	35.27	Vertical	PASS
4	11643.18	50.52	-90.92	-40.40	-13.00	27.40	Vertical	PASS

Project Information			
Mode:	NR 2TX	Band:	n77 (3450MHz-3550MHz)
Bandwidth:	100MHz	Channel:	Mid
IMEI:	HQ64CC08F7	Engineer:	Ou shuyan
Remark:	Y; Ant6+7 Power:16		


## Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3450.80	95.93	-78.42	17.51	-	-	Horizontal	NA
2	6414.48	37.57	-70.03	-32.46	-13.00	19.46	Horizontal	PASS
3	10352.88	40.35	-91.48	-51.13	-13.00	38.13	Horizontal	PASS
4	17856.63	32.65	-81.36	-48.71	-13.00	35.71	Horizontal	PASS

Project Information			
Mode:	NR 2TX	Band:	n77 (3450MHz-3550MHz)
Bandwidth:	100MHz	Channel:	Mid
IMEI:	HQ64CC08F7	Engineer:	Ou shuyan
Remark:	Y; Ant6+7 Power:16		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3451.08	90.88	-78.42	12.46	-	-	Vertical	NA
2	6341.05	37.69	-70.03	-32.34	-13.00	19.34	Vertical	PASS
3	13697.47	34.57	-85.86	-51.29	-13.00	38.29	Vertical	PASS
4	17848.97	32.54	-81.31	-48.77	-13.00	35.77	Vertical	PASS

Project Information			
Mode:	NR 2TX	Band:	n77 (3700MHz-3980MHz)
Bandwidth:	100MHz	Channel:	Low
IMEI:	HQ64CC08F7	Engineer:	Ou shuyan
Remark:	Y; Ant6+7 Power:16		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3701.05	96.45	-77.81	18.64	-	-	Horizontal	NA
2	6172.75	37.16	-69.78	-32.62	-13.00	19.62	Horizontal	PASS
3	15251.50	33.74	-85.36	-51.62	-13.00	38.62	Horizontal	PASS
4	17996.17	32.43	-81.53	-49.10	-13.00	36.10	Horizontal	PASS

Project Information			
Mode:	NR 2TX	Band:	n77 (3700MHz-3980MHz)
Bandwidth:	100MHz	Channel:	Low
IMEI:	HQ64CC08F7	Engineer:	Ou shuyan
Remark:	Y; Ant6+7 Power:16		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3700.78	90.79	-77.80	12.99	-	-	Vertical	NA
2	6198.60	38.79	-70.48	-31.69	-13.00	18.69	Vertical	PASS
3	15245.37	33.91	-85.47	-51.56	-13.00	38.56	Vertical	PASS
4	17999.23	32.55	-81.48	-48.93	-13.00	35.93	Vertical	PASS

Project Information			
Mode:	NR 2TX	Band:	n77 (3700MHz-3980MHz)
Bandwidth:	100MHz	Channel:	Mid
IMEI:	HQ64CC08F7	Engineer:	Ou shuyan
Remark:	Y; Ant6+7 Power:16		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3790.98	96.77	-77.73	19.04	-	-	Horizontal	NA
2	6225.00	37.37	-69.92	-32.55	-13.00	19.55	Horizontal	PASS
3	15244.22	34.15	-85.50	-51.35	-13.00	38.35	Horizontal	PASS
4	17987.35	32.63	-81.65	-49.02	-13.00	36.02	Horizontal	PASS

Project Information			
Mode:	NR 2TX	Band:	n77 (3700MHz-3980MHz)
Bandwidth:	100MHz	Channel:	Mid
IMEI:	HQ64CC08F7	Engineer:	Ou shuyan
Remark:	Y; Ant6+7 Power:16		


## Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3790.98	92.22	-77.73	14.49	-	-	Vertical	NA
2	6309.43	37.67	-70.14	-32.47	-13.00	19.47	Vertical	PASS
3	13697.08	34.23	-85.86	-51.63	-13.00	38.63	Vertical	PASS
4	17868.52	33.06	-81.51	-48.45	-13.00	35.45	Vertical	PASS

Project Information			
Mode:	NR 2TX	Band:	n77 (3700MHz-3980MHz)
Bandwidth:	100MHz	Channel:	High
IMEI:	HQ64CC08F7	Engineer:	Ou shuyan
Remark:	Y; Ant6+7 Power:16		


## Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3880.90	94.40	-77.18	17.22	-	-	Horizontal	NA
2	6167.25	37.51	-69.94	-32.43	-13.00	19.43	Horizontal	PASS
3	7761.93	44.03	-96.11	-52.08	-13.00	39.08	Horizontal	PASS
4	17844.75	32.38	-81.49	-49.11	-13.00	36.11	Horizontal	PASS

Project Information			
Mode:	NR 2TX	Band:	n77 (3700MHz-3980MHz)
Bandwidth:	100MHz	Channel:	High
IMEI:	HQ64CC08F7	Engineer:	Ou shuyan
Remark:	Y; Ant6+7 Power:16		

### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3881.18	90.02	-77.19	12.83	-	-	Vertical	NA
2	6167.25	37.78	-69.94	-32.16	-13.00	19.16	Vertical	PASS
3	13699.38	35.02	-85.84	-50.82	-13.00	37.82	Vertical	PASS
4	17980.07	32.84	-81.76	-48.92	-13.00	35.92	Vertical	PASS

~The End~