


Duty Cycle Test Result

TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
DH5	Ant5	2402	2.89	3.75	77.07	1.13
DH5	Ant8	2402	2.89	3.75	77.07	1.13
DH5	Ant5	2441	2.89	3.75	77.07	1.13
DH5	Ant8	2441	2.90	3.76	77.13	1.13
DH5	Ant5	2480	2.90	3.76	77.13	1.13
DH5	Ant8	2480	2.89	3.75	77.07	1.13
2DH5	Ant5	2402	2.89	3.75	77.07	1.13
2DH5	Ant8	2402	2.89	3.75	77.07	1.13
2DH5	Ant5	2441	2.89	3.75	77.07	1.13
2DH5	Ant8	2441	2.89	3.75	77.07	1.13
2DH5	Ant5	2480	2.89	3.75	77.07	1.13
2DH5	Ant8	2480	2.89	3.76	76.86	1.14
3DH5	Ant5	2402	2.89	3.75	77.07	1.13
3DH5	Ant8	2402	2.89	3.75	77.07	1.13
3DH5	Ant5	2441	2.89	3.75	77.07	1.13
3DH5	Ant8	2441	2.89	3.75	77.07	1.13
3DH5	Ant5	2480	2.90	3.76	77.13	1.13
3DH5	Ant8	2480	2.89	3.75	77.07	1.13

Test Graphs








Radiated Spurious Emissions

Test Result

Project Information			
Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2402.20	50.05	2.22	52.27	-	-	Horizontal	NA
2	8998.00	36.92	2.00	38.92	54.00	15.08	Horizontal	PASS
3	15087.00	33.97	9.02	42.99	54.00	11.01	Horizontal	PASS
4	17354.50	32.93	12.68	45.61	54.00	8.39	Horizontal	PASS
5	2401.80	52.41	2.22	54.63	-	-	Horizontal	NA
6	9147.50	42.98	3.19	46.17	74.00	27.83	Horizontal	PASS
7	15127.50	41.12	8.68	49.80	74.00	24.20	Horizontal	PASS
8	17339.50	39.61	12.38	51.99	74.00	22.01	Horizontal	PASS

Project Information			
Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2402.00	39.19	2.22	41.41	-	-	Vertical	NA
2	12091.00	35.51	4.88	40.39	54.00	13.61	Vertical	PASS
3	14388.50	33.95	8.53	42.48	54.00	11.52	Vertical	PASS
4	17362.50	33.48	12.37	45.85	54.00	8.15	Vertical	PASS
5	2401.80	43.92	2.22	46.14	-	-	Vertical	NA
6	11447.50	42.01	5.01	47.02	74.00	26.98	Vertical	PASS
7	14333.00	40.73	8.93	49.66	74.00	24.34	Vertical	PASS
8	17344.00	39.37	12.58	51.95	74.00	22.05	Vertical	PASS

Project Information			
Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	39
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2441.00	43.67	2.29	45.96	-	-	Horizontal	NA
2	9580.00	36.57	2.72	39.29	54.00	14.71	Horizontal	PASS
3	14324.00	34.31	8.71	43.02	54.00	10.98	Horizontal	PASS
4	17350.00	32.82	12.86	45.68	54.00	8.32	Horizontal	PASS
5	2441.00	47.44	2.29	49.73	-	-	Horizontal	NA
6	9693.00	42.85	3.37	46.22	74.00	27.78	Horizontal	PASS
7	14634.50	39.73	9.55	49.28	74.00	24.72	Horizontal	PASS
8	17346.00	39.43	12.68	52.11	74.00	21.89	Horizontal	PASS

Project Information			
Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	39
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2440.80	36.33	2.29	38.62	-	-	Vertical	NA
2	10037.00	35.71	3.70	39.41	54.00	14.59	Vertical	PASS
3	15182.00	34.39	8.23	42.62	54.00	11.38	Vertical	PASS
4	17347.00	32.68	12.73	45.41	54.00	8.59	Vertical	PASS
5	2440.60	41.09	2.29	43.38	-	-	Vertical	NA
6	10641.00	42.65	3.85	46.50	74.00	27.50	Vertical	PASS
7	15072.00	40.88	8.96	49.84	74.00	24.16	Vertical	PASS
8	17352.00	39.91	12.78	52.69	74.00	21.31	Vertical	PASS

Project Information			
Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	51.56	2.37	53.93	-	-	Horizontal	NA
2	9586.50	36.58	2.76	39.34	54.00	14.66	Horizontal	PASS
3	15066.00	33.47	8.94	42.41	54.00	11.59	Horizontal	PASS
4	17354.50	32.43	12.68	45.11	54.00	8.89	Horizontal	PASS
5	2479.80	53.29	2.37	55.66	-	-	Horizontal	NA
6	9583.00	43.10	2.73	45.83	74.00	28.17	Horizontal	PASS
7	14369.00	40.93	8.95	49.88	74.00	24.12	Horizontal	PASS
8	17363.50	39.66	12.33	51.99	74.00	22.01	Horizontal	PASS

Project Information			
Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	42.54	2.37	44.91	-	-	Vertical	NA
2	10422.50	35.69	3.80	39.49	54.00	14.51	Vertical	PASS
3	15238.00	33.67	9.06	42.73	54.00	11.27	Vertical	PASS
4	17358.00	33.34	12.55	45.89	54.00	8.11	Vertical	PASS
5	2480.20	46.27	2.37	48.64	-	-	Vertical	NA
6	10820.50	42.83	4.06	46.89	74.00	27.11	Vertical	PASS
7	14616.00	40.25	9.12	49.37	74.00	24.63	Vertical	PASS
8	17353.50	39.93	12.72	52.65	74.00	21.35	Vertical	PASS