Project Information

Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT8		

Test Graph

Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.00	49.71	2.22	51.93	-	-	Horizontal	NA
2	9590.00	36.67	2.78	39.45	54.00	14.55	Horizontal	PASS
3	15084.00	33.82	9.01	42.83	54.00	11.17	Horizontal	PASS
4	17354.00	32.61	12.70	45.31	54.00	8.69	Horizontal	PASS
5	2402.00	53.71	2.22	55.93	-	-	Horizontal	NA
6	9442.50	43.76	1.76	45.52	74.00	28.48	Horizontal	PASS
7	15060.50	40.50	8.93	49.43	74.00	24.57	Horizontal	PASS
8	17346.50	39.80	12.70	52.50	74.00	21.50	Horizontal	PASS

Project Information			
Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT8		

Test Graph

Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.00	39.53	2.22	41.75	-	-	Vertical	NA
2	10142.50	35.93	3.22	39.15	54.00	14.85	Vertical	PASS
3	13821.50	34.24	8.27	42.51	54.00	11.49	Vertical	PASS
4	17345.00	32.27	12.64	44.91	54.00	9.09	Vertical	PASS
5	2401.80	43.52	2.22	45.74	-	-	Vertical	NA
6	10100.00	42.78	3.19	45.97	74.00	28.03	Vertical	PASS
7	13367.50	42.63	6.39	49.02	74.00	24.98	Vertical	PASS
8	17362.50	39.97	12.37	52.34	74.00	21.66	Vertical	PASS

Project Information

Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	39
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT8		

Test Graph

Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2441.00	45.58	2.29	47.87	-	-	Horizontal	NA
2	9536.50	36.70	2.56	39.26	54.00	14.74	Horizontal	PASS
3	14334.50	33.38	8.97	42.35	54.00	11.65	Horizontal	PASS
4	17347.00	32.49	12.73	45.22	54.00	8.78	Horizontal	PASS
5	2440.80	48.62	2.29	50.91	-	-	Horizontal	NA
6	9590.50	43.23	2.78	46.01	74.00	27.99	Horizontal	PASS
7	15086.50	40.55	9.01	49.56	74.00	24.44	Horizontal	PASS
8	17984.00	39.33	12.62	51.95	74.00	22.05	Horizontal	PASS

Project Information

Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	39
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT8		

Test Graph

Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2441.20	34.13	2.29	36.42	-	-	Vertical	NA
2	9608.50	36.11	2.85	38.96	54.00	15.04	Vertical	PASS
3	15063.50	33.12	8.94	42.06	54.00	11.94	Vertical	PASS
4	17345.50	33.00	12.66	45.66	54.00	8.34	Vertical	PASS
5	2440.80	40.38	2.29	42.67	-	-	Vertical	NA
6	9619.00	44.08	2.84	46.92	74.00	27.08	Vertical	PASS
7	14377.50	40.77	8.76	49.53	74.00	24.47	Vertical	PASS
8	17358.00	39.05	12.55	51.60	74.00	22.40	Vertical	PASS

Project Information

Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT8		

Test Graph

Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	49.09	2.37	51.46	-	-	Horizontal	NA
2	9592.50	36.40	2.79	39.19	54.00	14.81	Horizontal	PASS
3	14080.00	34.94	8.06	43.00	54.00	11.00	Horizontal	PASS
4	17353.50	32.58	12.72	45.30	54.00	8.70	Horizontal	PASS
5	2480.00	52.20	2.37	54.57	-	-	Horizontal	NA
6	9674.50	42.92	3.14	46.06	74.00	27.94	Horizontal	PASS
7	13849.50	40.86	8.72	49.58	74.00	24.42	Horizontal	PASS
8	17347.50	39.05	12.75	51.80	74.00	22.20	Horizontal	PASS

Project Information

Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT8		

Test Graph

Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	41.98	2.37	44.35	-	-	Vertical	NA
2	9600.50	36.34	2.84	39.18	54.00	14.82	Vertical	PASS
3	15240.00	32.96	9.11	42.07	54.00	11.93	Vertical	PASS
4	17350.00	32.31	12.86	45.17	54.00	8.83	Vertical	PASS
5	2480.00	45.72	2.37	48.09	-	-	Vertical	NA
6	9629.50	43.77	2.84	46.61	74.00	27.39	Vertical	PASS
7	15074.00	40.31	8.97	49.28	74.00	24.72	Vertical	PASS
8	17865.50	39.84	12.62	52.46	74.00	21.54	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2352.35	32.70	1.44	34.14	54.00	19.86	Horizontal	PASS
2	2368.36	32.90	1.44	34.34	54.00	19.66	Horizontal	PASS
3	2389.46	33.37	1.43	34.80	54.00	19.20	Horizontal	PASS
4	2352.53	43.21	1.45	44.66	74.00	29.34	Horizontal	PASS
5	2367.95	43.42	1.44	44.86	74.00	29.14	Horizontal	PASS
6	2389.11	43.49	1.43	44.92	74.00	29.08	Horizontal	PASS

Project Information

Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5		

Test Graph

Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2359.46	32.96	1.45	34.41	54.00	19.59	Vertical	PASS
2	2367.92	32.76	1.44	34.20	54.00	19.80	Vertical	PASS
3	2389.77	38.68	1.43	40.11	54.00	13.89	Vertical	PASS
4	2359.34	43.85	1.45	45.30	74.00	28.70	Vertical	PASS
5	2367.99	43.24	1.44	44.68	74.00	29.32	Vertical	PASS
6	2389.74	50.29	1.43	51.72	74.00	22.28	Vertical	PASS

Project Information

Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT8		

Test Graph

Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.52	36.37	1.85	38.22	54.00	15.78	Horizontal	PASS
2	2489.95	33.57	1.93	35.50	54.00	18.50	Horizontal	PASS
3	2492.66	33.24	1.95	35.19	54.00	18.81	Horizontal	PASS
4	2483.55	49.27	1.85	51.12	74.00	22.88	Horizontal	PASS
5	2489.75	45.03	1.92	46.95	74.00	27.05	Horizontal	PASS
6	2492.70	44.39	1.95	46.34	74.00	27.66	Horizontal	PASS

Project Information

Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5		

Test Graph

Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.80	33.13	1.87	35.00	54.00	19.00	Vertical	PASS
2	2484.98	32.99	1.87	34.86	54.00	19.14	Vertical	PASS
3	2487.66	33.13	1.90	35.03	54.00	18.97	Vertical	PASS
4	2483.74	43.58	1.86	45.44	74.00	28.56	Vertical	PASS
5	2485.04	44.20	1.87	46.07	74.00	27.93	Vertical	PASS
6	2487.74	43.57	1.90	45.47	74.00	28.53	Vertical	PASS

Project Information

Mode:	BT(2DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5		

Test Graph

Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2347.77	32.82	1.43	34.25	54.00	19.75	Horizontal	PASS
2	2373.41	32.88	1.44	34.32	54.00	19.68	Horizontal	PASS
3	2389.27	33.49	1.43	34.92	54.00	19.08	Horizontal	PASS
4	2347.93	43.85	1.43	45.28	74.00	28.72	Horizontal	PASS
5	2373.47	44.07	1.44	45.51	74.00	28.49	Horizontal	PASS
6	2389.36	44.11	1.43	45.54	74.00	28.46	Horizontal	PASS

Project Information			
Mode:	BT(2DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5		

Test Graph

Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2355.64	33.07	1.45	34.52	54.00	19.48	Vertical	PASS
2	2383.60	33.93	1.43	35.36	54.00	18.64	Vertical	PASS
3	2389.36	39.54	1.43	40.97	54.00	13.03	Vertical	PASS
4	2355.61	43.24	1.45	44.69	74.00	29.31	Vertical	PASS
5	2383.31	44.44	1.43	45.87	74.00	28.13	Vertical	PASS
6	2389.96	50.20	1.43	51.63	74.00	22.37	Vertical	PASS

Project Information			
Mode:	BT(2DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5		

Test Graph

Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.71	35.77	1.86	37.63	54.00	16.37	Horizontal	PASS
2	2485.12	34.30	1.87	36.17	54.00	17.83	Horizontal	PASS
3	2489.27	33.31	1.92	35.23	54.00	18.77	Horizontal	PASS
4	2483.66	45.84	1.86	47.70	74.00	26.30	Horizontal	PASS
5	2485.15	44.85	1.87	46.72	74.00	27.28	Horizontal	PASS
6	2489.21	43.69	1.92	45.61	74.00	28.39	Horizontal	PASS

Project Information			
Mode:	BT(2DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5		

Test Graph

Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.93	33.08	1.87	34.95	54.00	19.05	Vertical	PASS
2	2485.14	33.31	1.87	35.18	54.00	18.82	Vertical	PASS
3	2490.51	33.23	1.93	35.16	54.00	18.84	Vertical	PASS
4	2483.70	43.74	1.86	45.60	74.00	28.40	Vertical	PASS
5	2485.26	46.23	1.88	48.11	74.00	25.89	Vertical	PASS
6	2490.60	46.53	1.93	48.46	74.00	25.54	Vertical	PASS

Project Information

Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5		

Test Graph

Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2347.49	32.79	1.43	34.22	54.00	19.78	Horizontal	PASS
2	2374.22	32.89	1.44	34.33	54.00	19.67	Horizontal	PASS
3	2389.11	33.18	1.43	34.61	54.00	19.39	Horizontal	PASS
4	2347.49	43.25	1.43	44.68	74.00	29.32	Horizontal	PASS
5	2374.41	43.18	1.44	44.62	74.00	29.38	Horizontal	PASS
6	2388.64	43.54	1.43	44.97	74.00	29.03	Horizontal	PASS

Project Information			
Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5		

Test Graph

Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2358.58	33.34	1.45	34.79	54.00	19.21	Vertical	PASS
2	2386.85	34.88	1.42	36.30	54.00	17.70	Vertical	PASS
3	2389.74	39.85	1.43	41.28	54.00	12.72	Vertical	PASS
4	2358.71	43.76	1.45	45.21	74.00	28.79	Vertical	PASS
5	2386.48	45.03	1.43	46.46	74.00	27.54	Vertical	PASS
6	2389.02	50.55	1.43	51.98	74.00	22.02	Vertical	PASS

Project Information

Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5		

Test Graph

Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.56	35.40	1.85	37.25	54.00	16.75	Horizontal	PASS
2	2485.10	34.38	1.87	36.25	54.00	17.75	Horizontal	PASS
3	2488.42	33.32	1.91	35.23	54.00	18.77	Horizontal	PASS
4	2483.51	46.49	1.85	48.34	74.00	25.66	Horizontal	PASS
5	2485.02	44.19	1.87	46.06	74.00	27.94	Horizontal	PASS
6	2488.53	44.21	1.91	46.12	74.00	27.88	Horizontal	PASS

Project Information

Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5		

Test Graph

Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.94	43.66	1.87	45.53	74.00	28.47	Vertical	PASS
2	2487.85	44.02	1.90	45.92	74.00	28.08	Vertical	PASS
3	2492.16	43.98	1.95	45.93	74.00	28.07	Vertical	PASS

Project Information			
Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT8		

Test Graph

Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2350.56	32.80	1.45	34.25	54.00	19.75	Horizontal	PASS
2	2374.60	32.88	1.44	34.32	54.00	19.68	Horizontal	PASS
3	2389.11	33.08	1.43	34.51	54.00	19.49	Horizontal	PASS
4	2351.09	44.22	1.45	45.67	74.00	28.33	Horizontal	PASS
5	2374.69	44.11	1.44	45.55	74.00	28.45	Horizontal	PASS
6	2388.70	43.76	1.43	45.19	74.00	28.81	Horizontal	PASS

Project Information

Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT8		

Test Graph

Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2350.12	33.41	1.45	34.86	54.00	19.14	Vertical	PASS
2	2382.03	34.10	1.43	35.53	54.00	18.47	Vertical	PASS
3	2389.90	39.80	1.43	41.23	54.00	12.77	Vertical	PASS
4	2350.15	44.34	1.45	45.79	74.00	28.21	Vertical	PASS
5	2381.53	45.57	1.43	47.00	74.00	27.00	Vertical	PASS
6	2389.77	50.63	1.43	52.06	74.00	21.94	Vertical	PASS

Project Information

Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT8		

Test Graph

Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.77	35.35	1.87	37.22	54.00	16.78	Horizontal	PASS
2	2486.88	33.74	1.90	35.64	54.00	18.36	Horizontal	PASS
3	2494.44	32.91	1.97	34.88	54.00	19.12	Horizontal	PASS
4	2483.76	45.70	1.87	47.57	74.00	26.43	Horizontal	PASS
5	2486.90	44.93	1.90	46.83	74.00	27.17	Horizontal	PASS
6	2494.34	44.92	1.97	46.89	74.00	27.11	Horizontal	PASS

Project Information

Mode:	BT(DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT8		

Test Graph

Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.99	33.50	1.87	35.37	54.00	18.63	Vertical	PASS
2	2490.79	33.42	1.93	35.35	54.00	18.65	Vertical	PASS
3	2496.85	33.16	2.00	35.16	54.00	18.84	Vertical	PASS
4	2483.98	43.92	1.87	45.79	74.00	28.21	Vertical	PASS
5	2491.16	44.32	1.93	46.25	74.00	27.75	Vertical	PASS
6	2497.07	44.29	2.00	46.29	74.00	27.71	Vertical	PASS

Project Information

Mode:	BT(2DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT8		

Test Graph

Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2360.65	33.14	1.44	34.58	54.00	19.42	Horizontal	PASS
2	2373.53	32.73	1.44	34.17	54.00	19.83	Horizontal	PASS
3	2389.08	33.40	1.43	34.83	54.00	19.17	Horizontal	PASS
4	2361.03	43.27	1.44	44.71	74.00	29.29	Horizontal	PASS
5	2373.41	43.63	1.44	45.07	74.00	28.93	Horizontal	PASS
6	2388.86	43.58	1.43	45.01	74.00	28.99	Horizontal	PASS

Project Information

Mode:	BT(2DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT8		

Test Graph

Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2347.39	32.92	1.43	34.35	54.00	19.65	Vertical	PASS
2	2368.80	32.89	1.44	34.33	54.00	19.67	Vertical	PASS
3	2389.49	39.47	1.43	40.90	54.00	13.10	Vertical	PASS
4	2347.49	43.51	1.43	44.94	74.00	29.06	Vertical	PASS
5	2368.33	44.54	1.44	45.98	74.00	28.02	Vertical	PASS
6	2389.08	51.52	1.43	52.95	74.00	21.05	Vertical	PASS

Project Information

Mode:	BT(2DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT8		

Test Graph

Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.63	35.47	1.86	37.33	54.00	16.67	Horizontal	PASS
2	2493.42	33.11	1.96	35.07	54.00	18.93	Horizontal	PASS
3	2497.94	33.15	2.01	35.16	54.00	18.84	Horizontal	PASS
4	2483.52	47.71	1.85	49.56	74.00	24.44	Horizontal	PASS
5	2493.45	44.07	1.96	46.03	74.00	27.97	Horizontal	PASS
6	2497.79	44.32	2.01	46.33	74.00	27.67	Horizontal	PASS

Project Information

Mode:	BT(2DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT8		

Test Graph

Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.59	33.42	1.85	35.27	54.00	18.73	Vertical	PASS
2	2489.58	33.51	1.92	35.43	54.00	18.57	Vertical	PASS
3	2497.59	33.23	2.00	35.23	54.00	18.77	Vertical	PASS
4	2483.91	43.87	1.87	45.74	74.00	28.26	Vertical	PASS
5	2489.50	44.86	1.92	46.78	74.00	27.22	Vertical	PASS
6	2497.74	44.25	2.01	46.26	74.00	27.74	Vertical	PASS

Project Information

Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT8		

Test Graph

Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2361.15	33.05	1.44	34.49	54.00	19.51	Horizontal	PASS
2	2381.56	32.89	1.43	34.32	54.00	19.68	Horizontal	PASS
3	2389.21	33.39	1.43	34.82	54.00	19.18	Horizontal	PASS
4	2359.87	44.02	1.44	45.46	74.00	28.54	Horizontal	PASS
5	2380.40	43.82	1.43	45.25	74.00	28.75	Horizontal	PASS
6	2388.61	43.75	1.43	45.18	74.00	28.82	Horizontal	PASS

Project Information			
Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT8		

Test Graph

Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2351.34	33.25	1.45	34.70	54.00	19.30	Vertical	PASS
2	2384.79	34.54	1.43	35.97	54.00	18.03	Vertical	PASS
3	2389.55	39.42	1.43	40.85	54.00	13.15	Vertical	PASS
4	2351.72	44.46	1.45	45.91	74.00	28.09	Vertical	PASS
5	2384.19	45.21	1.43	46.64	74.00	27.36	Vertical	PASS
6	2389.02	51.50	1.43	52.93	74.00	21.07	Vertical	PASS

Project Information

Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT8		

Test Graph

Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.74	35.33	1.86	37.19	54.00	16.81	Horizontal	PASS
2	2488.53	33.81	1.91	35.72	54.00	18.28	Horizontal	PASS
3	2492.45	33.16	1.95	35.11	54.00	18.89	Horizontal	PASS
4	2483.61	46.32	1.86	48.18	74.00	25.82	Horizontal	PASS
5	2488.27	44.86	1.90	46.76	74.00	27.24	Horizontal	PASS
6	2492.54	44.57	1.95	46.52	74.00	27.48	Horizontal	PASS

Project Information			
Mode:	BT(3DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT8		

Test Graph

Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.74	33.64	1.86	35.50	54.00	18.50	Vertical	PASS
2	2487.76	33.27	1.90	35.17	54.00	18.83	Vertical	PASS
3	2489.73	33.12	1.92	35.04	54.00	18.96	Vertical	PASS
4	2483.55	44.06	1.85	45.91	74.00	28.09	Vertical	PASS
5	2487.76	44.63	1.90	46.53	74.00	27.47	Vertical	PASS
6	2489.70	44.56	1.92	46.48	74.00	27.52	Vertical	PASS

~The End~