


Test Graphs










Radiated Spurious Emissions

Test Result


Project Information			
Mode:	BLE	Band:	-
Bandwidth	1M	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.00	45.95	2.22	48.17	-	-	Horizontal	NA
2	8912.50	37.15	1.69	38.84	54.00	15.16	Horizontal	PASS
3	15175.00	34.16	8.27	42.43	54.00	11.57	Horizontal	PASS
4	17351.50	32.68	12.80	45.48	54.00	8.52	Horizontal	PASS
5	2401.80	48.39	2.22	50.61	-	-	Horizontal	NA
6	8898.00	43.66	1.85	45.51	74.00	28.49	Horizontal	PASS
7	15066.50	40.76	8.95	49.71	74.00	24.29	Horizontal	PASS
8	17349.50	39.40	12.84	52.24	74.00	21.76	Horizontal	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	1MHz	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.20	37.82	2.22	40.04	-	-	Vertical	NA
2	7183.50	38.90	-1.91	36.99	54.00	17.01	Vertical	PASS
3	14601.00	33.61	8.76	42.37	54.00	11.63	Vertical	PASS
4	17359.00	32.76	12.51	45.27	54.00	8.73	Vertical	PASS
5	2401.60	41.73	2.22	43.95	74.00	30.05	Vertical	PASS
6	7173.00	46.89	-2.28	44.61	74.00	29.39	Vertical	PASS
7	13837.50	40.91	8.53	49.44	74.00	24.56	Vertical	PASS
8	17370.00	40.65	12.08	52.73	74.00	21.27	Vertical	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	1MHz	Channel	20
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2442.20	44.39	2.30	46.69	-	-	Horizontal	NA
2	8985.00	36.91	1.80	38.71	54.00	15.29	Horizontal	PASS
3	13450.50	35.30	6.92	42.22	54.00	11.78	Horizontal	PASS
4	17328.50	33.30	11.88	45.18	54.00	8.82	Horizontal	PASS
5	2442.20	47.33	2.30	49.63	-	-	Horizontal	NA
6	9147.50	42.58	3.19	45.77	74.00	28.23	Horizontal	PASS
7	13800.00	41.55	7.93	49.48	74.00	24.52	Horizontal	PASS
8	17352.00	39.85	12.78	52.63	74.00	21.37	Horizontal	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	1MHz	Channel	20
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2442.20	34.48	2.30	36.78	-	-	Vertical	NA
2	10051.00	36.05	3.74	39.79	54.00	14.21	Vertical	PASS
3	13863.00	33.91	8.51	42.42	54.00	11.58	Vertical	PASS
4	17350.00	32.46	12.86	45.32	54.00	8.68	Vertical	PASS
5	2442.40	39.86	2.30	42.16	-	-	Vertical	NA
6	10116.50	43.06	3.20	46.26	74.00	27.74	Vertical	PASS
7	14409.00	41.25	8.15	49.40	74.00	24.60	Vertical	PASS
8	17350.50	38.94	12.84	51.78	74.00	22.22	Vertical	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	1MHz	Channel	39
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	46.61	2.37	48.98	-	-	Horizontal	NA
2	10784.00	35.19	4.32	39.51	54.00	14.49	Horizontal	PASS
3	15079.50	33.95	8.99	42.94	54.00	11.06	Horizontal	PASS
4	17345.00	32.68	12.64	45.32	54.00	8.68	Horizontal	PASS
5	2480.20	48.12	2.37	50.49	-	-	Horizontal	NA
6	10783.50	43.24	4.32	47.56	74.00	26.44	Horizontal	PASS
7	15079.00	40.61	8.99	49.60	74.00	24.40	Horizontal	PASS
8	17817.50	39.48	12.33	51.81	74.00	22.19	Horizontal	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	1MHz	Channel	39
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	38.70	2.37	41.07	-	-	Vertical	NA
2	9136.50	36.30	2.88	39.18	54.00	14.82	Vertical	PASS
3	13420.00	36.00	7.03	43.03	54.00	10.97	Vertical	PASS
4	17349.00	32.23	12.82	45.05	54.00	8.95	Vertical	PASS
5	2480.40	41.70	2.37	44.07	-	-	Vertical	NA
6	9140.00	42.54	2.98	45.52	74.00	28.48	Vertical	PASS
7	14084.00	41.09	8.08	49.17	74.00	24.83	Vertical	PASS
8	17350.00	39.69	12.86	52.55	74.00	21.45	Vertical	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	1MHz	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT8		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.00	37.62	2.22	39.84	-	-	Horizontal	NA
2	9587.00	36.51	2.76	39.27	54.00	14.73	Horizontal	PASS
3	15067.00	33.90	8.95	42.85	54.00	11.15	Horizontal	PASS
4	17353.00	32.22	12.74	44.96	54.00	9.04	Horizontal	PASS
5	2401.80	41.85	2.22	44.07	-	-	Horizontal	NA
6	9539.00	43.50	2.56	46.06	74.00	27.94	Horizontal	PASS
7	15087.00	40.54	9.02	49.56	74.00	24.44	Horizontal	PASS
8	17890.50	39.16	12.32	51.48	74.00	22.52	Horizontal	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	1MHz	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT8		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.20	36.57	2.22	38.79	-	-	Vertical	NA
2	9501.00	37.08	2.67	39.75	54.00	14.25	Vertical	PASS
3	15076.00	33.52	8.98	42.50	54.00	11.50	Vertical	PASS
4	17343.50	32.50	12.56	45.06	54.00	8.94	Vertical	PASS
5	2401.60	40.86	2.22	43.08	-	-	Vertical	NA
6	9587.00	43.48	2.76	46.24	74.00	27.76	Vertical	PASS
7	15066.00	40.72	8.94	49.66	74.00	24.34	Vertical	PASS
8	17342.50	39.43	12.51	51.94	74.00	22.06	Vertical	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	1MHz	Channel	20
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT8		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2442.20	42.51	2.30	44.81	-	-	Horizontal	NA
2	2951.20	28.29	5.52	33.81	54.00	20.19	Horizontal	PASS
3	13821.50	35.06	8.27	43.33	54.00	10.67	Horizontal	PASS
4	17350.00	32.98	12.86	45.84	54.00	8.16	Horizontal	PASS
5	2442.40	46.17	2.30	48.47	-	-	Horizontal	NA
6	2932.20	37.35	5.44	42.79	74.00	31.21	Horizontal	PASS
7	14079.50	41.39	8.05	49.44	74.00	24.56	Horizontal	PASS
8	17359.00	39.28	12.51	51.79	74.00	22.21	Horizontal	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	1MHz	Channel	20
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT8		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2442.20	35.49	2.30	37.79	-	-	Vertical	NA
2	2700.00	31.54	3.96	35.50	54.00	18.50	Vertical	PASS
3	14395.00	34.07	8.40	42.47	54.00	11.53	Vertical	PASS
4	17862.00	32.87	12.65	45.52	54.00	8.48	Vertical	PASS
5	2442.20	40.13	2.30	42.43	-	-	Vertical	NA
6	2799.40	38.74	4.75	43.49	74.00	30.51	Vertical	PASS
7	14082.50	41.28	8.07	49.35	74.00	24.65	Vertical	PASS
8	17349.00	40.33	12.82	53.15	74.00	20.85	Vertical	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	1MHz	Channel	39
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT8		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2933.60	28.64	5.46	34.10	54.00	19.90	Horizontal	PASS
2	13822.00	33.98	8.28	42.26	54.00	11.74	Horizontal	PASS
3	17348.50	32.46	12.79	45.25	54.00	8.75	Horizontal	PASS
4	2985.40	37.53	5.20	42.73	74.00	31.27	Horizontal	PASS
5	13423.00	42.81	7.03	49.84	74.00	24.16	Horizontal	PASS
6	17355.50	39.66	12.65	52.31	74.00	21.69	Horizontal	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	1MHz	Channel	39
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT8		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	38.92	2.37	41.29	-	-	Vertical	NA
2	2934.80	28.64	5.46	34.10	54.00	19.90	Vertical	PASS
3	15081.50	34.43	9.00	43.43	54.00	10.57	Vertical	PASS
4	17358.00	32.53	12.55	45.08	54.00	8.92	Vertical	PASS
5	2480.20	41.58	2.37	43.95	-	-	Vertical	NA
6	2965.20	37.79	5.39	43.18	74.00	30.82	Vertical	PASS
7	15080.50	42.24	8.99	51.23	74.00	22.77	Vertical	PASS
8	17350.50	40.04	12.84	52.88	74.00	21.12	Vertical	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=2; ANT5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.20	45.15	2.22	47.37	-	-	Horizontal	NA
2	4790.50	38.29	-7.61	30.68	54.00	23.32	Horizontal	PASS
3	15243.00	33.25	9.19	42.44	54.00	11.56	Horizontal	PASS
4	17350.00	32.23	12.86	45.09	54.00	8.91	Horizontal	PASS
5	2401.80	47.72	2.22	49.94	-	-	Horizontal	NA
6	4788.00	45.99	-7.64	38.35	74.00	35.65	Horizontal	PASS
7	14366.50	41.24	9.00	50.24	74.00	23.76	Horizontal	PASS
8	17347.00	39.37	12.73	52.10	74.00	21.90	Horizontal	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=2; ANT5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.20	33.13	2.22	35.35	-	-	Vertical	NA
2	9587.50	37.11	2.76	39.87	54.00	14.13	Vertical	PASS
3	15081.00	33.46	9.00	42.46	54.00	11.54	Vertical	PASS
4	17363.50	32.98	12.33	45.31	54.00	8.69	Vertical	PASS
5	2402.00	40.17	2.22	42.39	-	-	Vertical	NA
6	9587.00	43.84	2.76	46.60	74.00	27.40	Vertical	PASS
7	15081.50	40.53	9.00	49.53	74.00	24.47	Vertical	PASS
8	17995.50	39.31	12.77	52.08	74.00	21.92	Vertical	PASS


Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	20
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=2; ANT5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2442.20	44.96	2.30	47.26	-	-	Horizontal	NA
2	5767.00	42.30	-5.18	37.12	54.00	16.88	Horizontal	PASS
3	14335.00	34.57	8.99	43.56	54.00	10.44	Horizontal	PASS
4	17349.50	33.02	12.84	45.86	54.00	8.14	Horizontal	PASS
5	2442.20	48.48	2.30	50.78	-	-	Horizontal	NA
6	5766.50	48.35	-5.18	43.17	74.00	30.83	Horizontal	PASS
7	15233.50	41.21	8.96	50.17	74.00	23.83	Horizontal	PASS
8	17353.00	39.63	12.74	52.37	74.00	21.63	Horizontal	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	20
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=2; ANT5		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9635.00	37.07	2.85	39.92	54.00	14.08	Vertical	PASS
2	15239.50	34.59	9.10	43.69	54.00	10.31	Vertical	PASS
3	17354.50	33.36	12.68	46.04	54.00	7.96	Vertical	PASS
4	9673.50	43.50	3.13	46.63	74.00	27.37	Vertical	PASS
5	15239.00	41.92	9.09	51.01	74.00	22.99	Vertical	PASS
6	17063.50	41.62	9.73	51.35	74.00	22.65	Vertical	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	39
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=2; ANT5		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	46.07	2.37	48.44	-	-	Horizontal	NA
2	10454.50	36.36	4.18	40.54	54.00	13.46	Horizontal	PASS
3	15064.50	34.86	8.94	43.80	54.00	10.20	Horizontal	PASS
4	17353.50	32.88	12.72	45.60	54.00	8.40	Horizontal	PASS
5	2480.20	48.33	2.37	50.70	-	-	Horizontal	NA
6	9586.00	44.66	2.75	47.41	74.00	26.59	Horizontal	PASS
7	15120.00	42.34	8.78	51.12	74.00	22.88	Horizontal	PASS
8	17366.50	40.66	12.22	52.88	74.00	21.12	Horizontal	PASS


Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	39
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=2; ANT5		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2480.00	37.31	2.37	39.68	-	-	Vertical	NA
2	10076.00	36.56	3.46	40.02	54.00	13.98	Vertical	PASS
3	14671.50	34.33	9.33	43.66	54.00	10.34	Vertical	PASS
4	17366.00	33.71	12.24	45.95	54.00	8.05	Vertical	PASS
5	2480.20	41.67	2.37	44.04	-	-	Vertical	NA
6	9996.50	43.65	3.53	47.18	74.00	26.82	Vertical	PASS
7	14829.50	41.92	8.51	50.43	74.00	23.57	Vertical	PASS
8	17330.50	41.22	11.97	53.19	74.00	20.81	Vertical	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=8; ANT5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.20	44.19	2.22	46.41	-	-	Horizontal	NA
2	8349.00	37.55	1.02	38.57	54.00	15.43	Horizontal	PASS
3	14365.00	34.83	9.04	43.87	54.00	10.13	Horizontal	PASS
4	17336.50	33.74	12.25	45.99	54.00	8.01	Horizontal	PASS
5	2401.60	47.31	2.22	49.53	-	-	Horizontal	NA
6	8574.50	44.20	0.71	44.91	74.00	29.09	Horizontal	PASS
7	13850.00	41.70	8.73	50.43	74.00	23.57	Horizontal	PASS
8	17347.00	40.08	12.73	52.81	74.00	21.19	Horizontal	PASS


Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=8; ANT5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.20	35.56	2.22	37.78	-	-	Vertical	NA
2	10911.00	35.62	4.75	40.37	54.00	13.63	Vertical	PASS
3	2401.80	41.49	2.22	43.71	-	-	Vertical	NA

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	20
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=8; ANT5		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2442.40	44.13	2.30	46.43	-	-	Horizontal	NA
2	8866.00	37.08	2.41	39.49	54.00	14.51	Horizontal	PASS
3	13849.00	34.24	8.71	42.95	54.00	11.05	Horizontal	PASS
4	17359.00	33.51	12.51	46.02	54.00	7.98	Horizontal	PASS
5	2442.20	47.65	2.30	49.95	-	-	Horizontal	NA
6	8865.50	44.44	2.43	46.87	74.00	27.13	Horizontal	PASS
7	14168.00	42.54	7.77	50.31	74.00	23.69	Horizontal	PASS
8	17345.00	40.30	12.64	52.94	74.00	21.06	Horizontal	PASS


Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	20
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=8; ANT5		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8811.00	36.22	2.33	38.55	54.00	15.45	Vertical	PASS
2	15081.00	34.37	9.00	43.37	54.00	10.63	Vertical	PASS
3	17357.00	33.45	12.59	46.04	54.00	7.96	Vertical	PASS
4	8866.50	44.05	2.41	46.46	74.00	27.54	Vertical	PASS
5	14361.00	40.95	9.12	50.07	74.00	23.93	Vertical	PASS
6	17345.50	40.71	12.66	53.37	74.00	20.63	Vertical	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	39
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=8; ANT5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	47.02	2.37	49.39	-	-	Horizontal	NA
2	5761.50	42.31	-5.25	37.06	54.00	16.94	Horizontal	PASS
3	13832.50	35.06	8.45	43.51	54.00	10.49	Horizontal	PASS
4	17345.50	33.48	12.66	46.14	54.00	7.86	Horizontal	PASS
5	2480.20	48.94	2.37	51.31	-	-	Horizontal	NA
6	5760.00	48.37	-5.27	43.10	74.00	30.90	Horizontal	PASS
7	14088.00	42.30	8.10	50.40	74.00	23.60	Horizontal	PASS
8	17349.00	39.60	12.82	52.42	74.00	21.58	Horizontal	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	39
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=8; ANT5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	38.34	2.37	40.71	-	-	Vertical	NA
2	11485.50	36.45	4.91	41.36	54.00	12.64	Vertical	PASS
3	14683.50	34.21	9.00	43.21	54.00	10.79	Vertical	PASS
4	17345.50	33.46	12.66	46.12	54.00	7.88	Vertical	PASS
5	2480.20	42.05	2.37	44.42	-	-	Vertical	NA
6	11438.50	43.92	5.07	48.99	74.00	25.01	Vertical	PASS
7	14667.00	40.76	9.45	50.21	74.00	23.79	Vertical	PASS
8	17888.50	40.55	12.35	52.90	74.00	21.10	Vertical	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=2; ANT8		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.20	38.17	2.22	40.39	-	-	Horizontal	NA
2	5767.00	44.27	-5.18	39.09	54.00	14.91	Horizontal	PASS
3	14659.50	34.12	9.66	43.78	54.00	10.22	Horizontal	PASS
4	17344.50	33.49	12.60	46.09	54.00	7.91	Horizontal	PASS
5	2401.80	43.06	2.22	45.28	-	-	Horizontal	NA
6	5767.00	49.32	-5.18	44.14	74.00	29.86	Horizontal	PASS
7	14659.00	41.42	9.67	51.09	74.00	22.91	Horizontal	PASS
8	17342.50	41.02	12.51	53.53	74.00	20.47	Horizontal	PASS


Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=2; ANT8		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.00	36.26	2.22	38.48	-	-	Vertical	NA
2	5760.50	44.33	-5.27	39.06	54.00	14.94	Vertical	PASS
3	14360.00	34.30	9.14	43.44	54.00	10.56	Vertical	PASS
4	17365.00	33.63	12.28	45.91	54.00	8.09	Vertical	PASS
5	2401.80	42.97	2.22	45.19	-	-	Vertical	NA
6	5757.50	49.35	-5.31	44.04	74.00	29.96	Vertical	PASS
7	14682.00	42.09	9.04	51.13	74.00	22.87	Vertical	PASS
8	17343.00	41.28	12.54	53.82	74.00	20.18	Vertical	PASS


Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	20
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=2; ANT8		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2442.40	44.51	2.30	46.81	-	-	Horizontal	NA
2	9683.50	36.86	3.25	40.11	54.00	13.89	Horizontal	PASS
3	14671.50	34.16	9.33	43.49	54.00	10.51	Horizontal	PASS
4	17348.00	33.27	12.77	46.04	54.00	7.96	Horizontal	PASS
5	2442.20	48.12	2.30	50.42	-	-	Horizontal	NA
6	9642.50	44.46	2.85	47.31	74.00	26.69	Horizontal	PASS
7	14869.50	42.36	8.04	50.40	74.00	23.60	Horizontal	PASS
8	17346.00	40.48	12.68	53.16	74.00	20.84	Horizontal	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	20
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=2; ANT8		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5762.50	43.35	-5.24	38.11	54.00	15.89	Vertical	PASS
2	14661.00	34.17	9.62	43.79	54.00	10.21	Vertical	PASS
3	17353.50	33.17	12.72	45.89	54.00	8.11	Vertical	PASS
4	5762.00	49.93	-5.24	44.69	74.00	29.31	Vertical	PASS
5	14338.50	41.36	9.07	50.43	74.00	23.57	Vertical	PASS
6	17353.00	40.53	12.74	53.27	74.00	20.73	Vertical	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	39
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=2; ANT8		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	47.16	2.37	49.53	-	-	Horizontal	NA
2	8855.50	36.39	2.60	38.99	54.00	15.01	Horizontal	PASS
3	13820.00	35.15	8.25	43.40	54.00	10.60	Horizontal	PASS
4	17360.00	33.34	12.47	45.81	54.00	8.19	Horizontal	PASS
5	2480.20	48.86	2.37	51.23	-	-	Horizontal	NA
6	8838.00	43.71	2.58	46.29	74.00	27.71	Horizontal	PASS
7	14336.00	41.44	9.00	50.44	74.00	23.56	Horizontal	PASS
8	17359.50	40.99	12.49	53.48	74.00	20.52	Horizontal	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	39
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=2; ANT8		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5759.50	42.42	-5.28	37.14	54.00	16.86	Vertical	PASS
2	14334.50	34.06	8.97	43.03	54.00	10.97	Vertical	PASS
3	17332.50	34.14	12.06	46.20	54.00	7.80	Vertical	PASS
4	5758.00	48.34	-5.30	43.04	74.00	30.96	Vertical	PASS
5	14672.00	41.71	9.31	51.02	74.00	22.98	Vertical	PASS
6	17350.00	40.21	12.86	53.07	74.00	20.93	Vertical	PASS