


Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	6
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2438.20	48.18	2.28	50.46	-	-	Horizontal	NA
2	10019.50	36.02	3.63	39.65	54.00	14.35	Horizontal	PASS
3	14127.50	34.15	8.13	42.28	54.00	11.72	Horizontal	PASS
4	17354.00	32.55	12.70	45.25	54.00	8.75	Horizontal	PASS
5	2438.00	50.76	2.29	53.05	-	-	Horizontal	NA
6	10020.00	43.22	3.64	46.86	74.00	27.14	Horizontal	PASS
7	13817.00	41.08	8.20	49.28	74.00	24.72	Horizontal	PASS
8	17995.00	39.42	12.76	52.18	74.00	21.82	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	6
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2438.00	40.80	2.29	43.09	-	-	Vertical	NA
2	9586.50	36.17	2.76	38.93	54.00	15.07	Vertical	PASS
3	14515.00	34.48	7.94	42.42	54.00	11.58	Vertical	PASS
4	17361.00	33.04	12.43	45.47	54.00	8.53	Vertical	PASS
5	2438.00	44.06	2.29	46.35	-	-	Vertical	NA
6	9489.50	43.93	2.47	46.40	74.00	27.60	Vertical	PASS
7	14354.50	40.06	9.26	49.32	74.00	24.68	Vertical	PASS
8	17363.00	39.68	12.35	52.03	74.00	21.97	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2461.40	45.98	2.34	48.32	-	-	Horizontal	NA
2	10044.50	35.57	3.72	39.29	54.00	14.71	Horizontal	PASS
3	13818.50	34.20	8.23	42.43	54.00	11.57	Horizontal	PASS
4	17358.00	32.66	12.55	45.21	54.00	8.79	Horizontal	PASS
5	2461.20	48.90	2.33	51.23	-	-	Horizontal	NA
6	10765.50	42.53	4.32	46.85	74.00	27.15	Horizontal	PASS
7	14503.00	41.13	8.23	49.36	74.00	24.64	Horizontal	PASS
8	17349.50	38.73	12.84	51.57	74.00	22.43	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2461.40	39.39	2.34	41.73	-	-	Vertical	NA
2	9498.50	37.22	2.64	39.86	54.00	14.14	Vertical	PASS
3	14115.00	34.04	8.14	42.18	54.00	11.82	Vertical	PASS
4	17847.00	32.65	12.75	45.40	54.00	8.60	Vertical	PASS
5	2461.00	44.09	2.33	46.42	-	-	Vertical	NA
6	9448.00	44.27	1.74	46.01	74.00	27.99	Vertical	PASS
7	13853.50	40.70	8.67	49.37	74.00	24.63	Vertical	PASS
8	17356.50	39.31	12.61	51.92	74.00	22.08	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	6
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2429.80	50.85	2.27	53.12	-	-	Horizontal	NA
2	10827.00	35.56	3.98	39.54	54.00	14.46	Horizontal	PASS
3	15071.00	34.59	8.96	43.55	54.00	10.45	Horizontal	PASS
4	17993.50	31.53	12.74	44.27	54.00	9.73	Horizontal	PASS
5	2429.40	56.74	2.27	59.01	-	-	Horizontal	NA
6	10965.00	42.44	4.71	47.15	74.00	26.85	Horizontal	PASS
7	15063.50	40.75	8.94	49.69	74.00	24.31	Horizontal	PASS
8	17894.50	39.19	12.28	51.47	74.00	22.53	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	6
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2429.80	46.96	2.27	49.23	-	-	Vertical	NA
2	10805.50	35.28	4.25	39.53	54.00	14.47	Vertical	PASS
3	14082.00	34.64	8.07	42.71	54.00	11.29	Vertical	PASS
4	17352.00	32.64	12.78	45.42	54.00	8.58	Vertical	PASS
5	2429.60	52.77	2.27	55.04	-	-	Vertical	NA
6	10576.50	42.67	3.87	46.54	74.00	27.46	Vertical	PASS
7	13807.00	41.75	8.04	49.79	74.00	24.21	Vertical	PASS
8	17365.50	40.12	12.26	52.38	74.00	21.62	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2461.40	41.76	2.34	44.10	-	-	Horizontal	NA
2	9509.00	36.43	2.65	39.08	54.00	14.92	Horizontal	PASS
3	13405.00	34.82	7.10	41.92	54.00	12.08	Horizontal	PASS
4	17344.50	32.75	12.60	45.35	54.00	8.65	Horizontal	PASS
5	2461.40	48.88	2.34	51.22	-	-	Horizontal	NA
6	9600.50	43.29	2.84	46.13	74.00	27.87	Horizontal	PASS
7	13425.00	42.62	7.02	49.64	74.00	24.36	Horizontal	PASS
8	17342.00	39.28	12.49	51.77	74.00	22.23	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2459.60	36.40	2.33	38.73	-	-	Vertical	NA
2	10504.50	35.37	4.04	39.41	54.00	14.59	Vertical	PASS
3	13823.00	34.31	8.30	42.61	54.00	11.39	Vertical	PASS
4	17358.00	32.76	12.55	45.31	54.00	8.69	Vertical	PASS
5	2459.00	43.37	2.33	45.70	-	-	Vertical	NA
6	9585.00	44.50	2.75	47.25	74.00	26.75	Vertical	PASS
7	15078.00	40.24	8.99	49.23	74.00	24.77	Vertical	PASS
8	17357.50	39.80	12.57	52.37	74.00	21.63	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5/8		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2407.80	37.61	2.23	39.84	-	-	Horizontal	NA
2	9606.50	37.23	2.84	40.07	54.00	13.93	Horizontal	PASS
3	13817.00	34.65	8.20	42.85	54.00	11.15	Horizontal	PASS
4	17343.00	33.66	12.54	46.20	54.00	7.80	Horizontal	PASS
5	2406.80	46.20	2.23	48.43	-	-	Horizontal	NA
6	9606.00	43.41	2.85	46.26	74.00	27.74	Horizontal	PASS
7	14085.50	41.52	8.08	49.60	74.00	24.40	Horizontal	PASS
8	17370.50	40.49	12.06	52.55	74.00	21.45	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5/8		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2409.00	34.11	2.24	36.35	-	-	Vertical	NA
2	8367.50	36.47	0.80	37.27	54.00	16.73	Vertical	PASS
3	14329.00	33.66	8.83	42.49	54.00	11.51	Vertical	PASS
4	17364.50	32.70	12.29	44.99	54.00	9.01	Vertical	PASS
5	2407.80	42.44	2.23	44.67	-	-	Vertical	NA
6	8856.00	42.37	2.59	44.96	74.00	29.04	Vertical	PASS
7	14168.50	42.26	7.76	50.02	74.00	23.98	Vertical	PASS
8	17342.50	39.07	12.51	51.58	74.00	22.42	Vertical	PASS

Project Information			
Mode:	802.11be20 26T-0	Band:	-
Bandwidth	20MHz	Channel	1
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5/8		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2429.40	54.72	2.27	56.99	-	-	Horizontal	NA
2	7397.50	36.77	-1.04	35.73	54.00	18.27	Horizontal	PASS
3	10451.50	35.44	4.19	39.63	54.00	14.37	Horizontal	PASS
4	17349.00	32.52	12.82	45.34	54.00	8.66	Horizontal	PASS
5	2429.20	62.47	2.27	64.74	-	-	Horizontal	NA
6	7405.00	44.79	-1.09	43.70	74.00	30.30	Horizontal	PASS
7	10546.00	44.00	3.67	47.67	74.00	26.33	Horizontal	PASS
8	17360.50	39.71	12.45	52.16	74.00	21.84	Horizontal	PASS

Project Information			
Mode:	802.11be20 26T-0	Band:	-
Bandwidth	20MHz	Channel	6
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5/8		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2429.40	49.51	2.27	51.78	-	-	Vertical	NA
2	10124.00	36.11	3.21	39.32	54.00	14.68	Vertical	PASS
3	13854.00	33.81	8.66	42.47	54.00	11.53	Vertical	PASS
4	17366.00	32.95	12.24	45.19	54.00	8.81	Vertical	PASS
5	2429.00	57.19	2.27	59.46	-	-	Vertical	NA
6	10049.00	42.50	3.75	46.25	74.00	27.75	Vertical	PASS
7	13792.50	41.67	7.77	49.44	74.00	24.56	Vertical	PASS
8	17342.00	39.11	12.49	51.60	74.00	22.40	Vertical	PASS

Project Information			
Mode:	802.11be20 52T-37	Band:	-
Bandwidth	20MHz	Channel	6
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5/8		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2429.60	55.68	2.27	57.95	-	-	Horizontal	NA
2	10910.50	35.56	4.76	40.32	54.00	13.68	Horizontal	PASS
3	15068.50	33.75	8.95	42.70	54.00	11.30	Horizontal	PASS
4	17365.50	32.70	12.26	44.96	54.00	9.04	Horizontal	PASS
5	2429.40	63.46	2.27	65.73	-	-	Horizontal	NA
6	10779.50	42.28	4.32	46.60	74.00	27.40	Horizontal	PASS
7	15252.50	39.96	9.31	49.27	74.00	24.73	Horizontal	PASS
8	17354.50	39.44	12.68	52.12	74.00	21.88	Horizontal	PASS

Project Information			
Mode:	802.11be20 52T-37	Band:	-
Bandwidth	20MHz	Channel	6
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5/8		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2429.60	50.78	2.27	53.05	-	-	Vertical	NA
2	10719.50	35.58	3.78	39.36	54.00	14.64	Vertical	PASS
3	15068.00	34.12	8.95	43.07	54.00	10.93	Vertical	PASS
4	17340.00	32.79	12.40	45.19	54.00	8.81	Vertical	PASS
5	2428.80	57.34	2.27	59.61	-	-	Vertical	NA
6	15067.50	41.44	8.95	50.39	74.00	23.61	Vertical	PASS
7	17980.50	40.34	12.57	52.91	74.00	21.09	Vertical	PASS

Project Information			
Mode:	802.11be20 106T-53	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5/8		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2453.60	45.48	2.31	47.79	-	-	Horizontal	NA
2	9593.00	36.30	2.80	39.10	54.00	14.90	Horizontal	PASS
3	14146.00	34.18	8.10	42.28	54.00	11.72	Horizontal	PASS
4	17355.50	32.71	12.65	45.36	54.00	8.64	Horizontal	PASS
5	2453.80	53.90	2.32	56.22	-	-	Horizontal	NA
6	9613.00	42.84	2.84	45.68	74.00	28.32	Horizontal	PASS
7	14485.50	41.18	8.07	49.25	74.00	24.75	Horizontal	PASS
8	17361.00	39.29	12.43	51.72	74.00	22.28	Horizontal	PASS

Project Information			
Mode:	802.11be20 106T-53	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5/8		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2454.40	40.33	2.32	42.65	-	-	Vertical	NA
2	9590.50	36.77	2.78	39.55	54.00	14.45	Vertical	PASS
3	15135.00	33.73	8.57	42.30	54.00	11.70	Vertical	PASS
4	17348.00	32.59	12.77	45.36	54.00	8.64	Vertical	PASS
5	2453.80	47.97	2.32	50.29	-	-	Vertical	NA
6	9603.00	44.58	2.84	47.42	74.00	26.58	Vertical	PASS
7	14512.00	41.48	8.01	49.49	74.00	24.51	Vertical	PASS
8	17350.00	39.25	12.86	52.11	74.00	21.89	Vertical	PASS

Project Information			
Mode:	802.11be20 52+26_MRU_M	Band:	-
Bandwidth	20MHz	Channel	6
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5/8		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2433.00	43.55	2.28	45.83	-	-	Horizontal	NA
2	9486.00	37.13	2.40	39.53	54.00	14.47	Horizontal	PASS
3	14327.50	33.46	8.79	42.25	54.00	11.75	Horizontal	PASS
4	17347.50	32.61	12.75	45.36	54.00	8.64	Horizontal	PASS
5	2432.80	51.38	2.28	53.66	-	-	Horizontal	NA
6	9589.50	43.61	2.77	46.38	74.00	27.62	Horizontal	PASS
7	13825.00	41.44	8.33	49.77	74.00	24.23	Horizontal	PASS
8	17347.00	39.09	12.73	51.82	74.00	22.18	Horizontal	PASS

Project Information			
Mode:	802.11be20 52+26_MRU_M	Band:	-
Bandwidth	20MHz	Channel	6
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5/8		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2429.40	39.03	2.27	41.30	-	-	Vertical	NA
2	9606.00	36.21	2.85	39.06	54.00	14.94	Vertical	PASS
3	14327.00	33.45	8.78	42.23	54.00	11.77	Vertical	PASS
4	17362.00	33.20	12.39	45.59	54.00	8.41	Vertical	PASS
5	2429.40	47.68	2.27	49.95	-	-	Vertical	NA
6	9612.00	43.73	2.84	46.57	74.00	27.43	Vertical	PASS
7	14326.50	41.08	8.77	49.85	74.00	24.15	Vertical	PASS
8	17361.00	40.28	12.43	52.71	74.00	21.29	Vertical	PASS

Project Information			
Mode:	802.11be20 106+26_MRU_H	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5/8		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2471.00	41.92	2.35	44.27	-	-	Horizontal	NA
2	9562.00	36.45	2.60	39.05	54.00	14.95	Horizontal	PASS
3	15089.00	33.85	9.02	42.87	54.00	11.13	Horizontal	PASS
4	17340.50	33.55	12.42	45.97	54.00	8.03	Horizontal	PASS
5	2471.20	49.87	2.35	52.22	-	-	Horizontal	NA
6	9527.50	43.52	2.60	46.12	74.00	27.88	Horizontal	PASS
7	15242.50	40.55	9.18	49.73	74.00	24.27	Horizontal	PASS
8	17347.00	39.16	12.73	51.89	74.00	22.11	Horizontal	PASS

Project Information			
Mode:	802.11be20 106+26_MRU_H	Band:	-
Bandwidth	20MHz	Channel	11
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5/8		

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2461.40	37.38	2.34	39.72	-	-	Vertical	NA
2	10041.50	35.82	3.72	39.54	54.00	14.46	Vertical	PASS
3	13470.00	34.72	6.89	41.61	54.00	12.39	Vertical	PASS
4	17356.00	33.08	12.63	45.71	54.00	8.29	Vertical	PASS
5	2470.00	45.88	2.35	48.23	-	-	Vertical	NA
6	10213.50	42.74	3.55	46.29	74.00	27.71	Vertical	PASS
7	13819.50	41.27	8.24	49.51	74.00	24.49	Vertical	PASS
8	17877.00	39.30	12.48	51.78	74.00	22.22	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	/	Channel	1
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8 P14		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2320.98	37.01	1.20	38.21	54.00	15.79	Horizontal	PASS
2	2336.59	36.81	1.33	38.14	54.00	15.86	Horizontal	PASS
3	2389.51	40.71	1.43	42.14	54.00	11.86	Horizontal	PASS
4	2320.94	47.51	1.20	48.71	74.00	25.29	Horizontal	PASS
5	2335.43	48.02	1.32	49.34	74.00	24.66	Horizontal	PASS
6	2388.91	50.90	1.43	52.33	74.00	21.67	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	/	Channel	1
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8 P14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2323.22	36.79	1.22	38.01	54.00	15.99	Vertical	PASS
2	2375.84	36.85	1.43	38.28	54.00	15.72	Vertical	PASS
3	2389.88	43.14	1.43	44.57	54.00	9.43	Vertical	PASS
4	2322.59	47.06	1.21	48.27	74.00	25.73	Vertical	PASS
5	2375.80	48.63	1.43	50.06	74.00	23.94	Vertical	PASS
6	2388.95	53.63	1.43	55.06	74.00	18.94	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	/	Channel	11
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8 P14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.43	41.73	1.85	43.58	-	-	Horizontal	NA
2	2485.95	40.21	1.88	42.09	54.00	11.91	Horizontal	PASS
3	2498.68	33.71	2.01	35.72	54.00	18.28	Horizontal	PASS
4	2483.55	51.71	1.85	53.56	74.00	20.44	Horizontal	PASS
5	2485.93	50.09	1.88	51.97	74.00	22.03	Horizontal	PASS
6	2498.51	45.24	2.01	47.25	74.00	26.75	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	/	Channel	11
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8 P14		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.91	36.46	1.87	38.33	54.00	15.67	Vertical	PASS
2	2489.94	34.42	1.93	36.35	54.00	17.65	Vertical	PASS
3	2498.03	33.86	2.01	35.87	54.00	18.13	Vertical	PASS
4	2484.06	46.60	1.87	48.47	74.00	25.53	Vertical	PASS
5	2489.65	45.24	1.92	47.16	74.00	26.84	Vertical	PASS
6	2497.89	44.54	2.01	46.55	74.00	27.45	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	/	Channel	1
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8 P14		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2344.96	37.25	1.41	38.66	54.00	15.34	Horizontal	PASS
2	2366.84	37.05	1.44	38.49	54.00	15.51	Horizontal	PASS
3	2389.99	42.21	1.43	43.64	54.00	10.36	Horizontal	PASS
4	2345.03	48.20	1.41	49.61	74.00	24.39	Horizontal	PASS
5	2365.38	48.09	1.44	49.53	74.00	24.47	Horizontal	PASS
6	2389.92	52.26	1.43	53.69	74.00	20.31	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	/	Channel	1
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8 P14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2338.38	37.22	1.35	38.57	54.00	15.43	Vertical	PASS
2	2354.37	36.55	1.45	38.00	54.00	16.00	Vertical	PASS
3	2389.66	38.00	1.43	39.43	54.00	14.57	Vertical	PASS
4	2337.52	47.83	1.34	49.17	74.00	24.83	Vertical	PASS
5	2354.14	47.91	1.45	49.36	74.00	24.64	Vertical	PASS
6	2389.55	48.04	1.43	49.47	74.00	24.53	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	/	Channel	11
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8 P14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2484.32	40.87	1.87	42.74	54.00	11.26	Horizontal	PASS
2	2491.50	37.17	1.95	39.12	54.00	14.88	Horizontal	PASS
3	2496.18	36.99	1.99	38.98	54.00	15.02	Horizontal	PASS
4	2483.86	52.01	1.87	53.88	74.00	20.12	Horizontal	PASS
5	2491.84	47.42	1.95	49.37	74.00	24.63	Horizontal	PASS
6	2496.37	47.83	2.00	49.83	74.00	24.17	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	/	Channel	11
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8 P14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.65	38.45	1.86	40.31	54.00	13.69	Vertical	PASS
2	2490.20	37.19	1.93	39.12	54.00	14.88	Vertical	PASS
3	2495.25	37.02	1.98	39.00	54.00	15.00	Vertical	PASS
4	2483.60	48.91	1.86	50.77	74.00	23.23	Vertical	PASS
5	2489.63	47.94	1.92	49.86	74.00	24.14	Vertical	PASS
6	2495.10	48.35	1.98	50.33	74.00	23.67	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	/
Bandwidth	/	Channel	1
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8 P14		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2334.87	36.86	1.32	38.18	54.00	15.82	Horizontal	PASS
2	2368.93	36.73	1.44	38.17	54.00	15.83	Horizontal	PASS
3	2389.36	43.67	1.43	45.10	54.00	8.90	Horizontal	PASS
4	2335.13	47.88	1.32	49.20	74.00	24.80	Horizontal	PASS
5	2369.68	47.54	1.44	48.98	74.00	25.02	Horizontal	PASS
6	2388.65	55.07	1.43	56.50	74.00	17.50	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	/
Bandwidth	/	Channel	1
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8 P14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2319.45	36.75	1.19	37.94	54.00	16.06	Vertical	PASS
2	2357.09	36.81	1.44	38.25	54.00	15.75	Vertical	PASS
3	2389.81	43.08	1.43	44.51	54.00	9.49	Vertical	PASS
4	2319.67	48.56	1.19	49.75	74.00	24.25	Vertical	PASS
5	2357.35	48.29	1.44	49.73	74.00	24.27	Vertical	PASS
6	2389.55	53.38	1.43	54.81	74.00	19.19	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	/
Bandwidth	/	Channel	11
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8 P14		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.96	43.98	1.87	45.85	54.00	8.15	Horizontal	PASS
2	2485.76	42.32	1.88	44.20	54.00	9.80	Horizontal	PASS
3	2498.08	33.79	2.01	35.80	54.00	18.20	Horizontal	PASS
4	2484.34	58.02	1.87	59.89	74.00	14.11	Horizontal	PASS
5	2485.71	56.39	1.88	58.27	74.00	15.73	Horizontal	PASS
6	2497.98	44.41	2.01	46.42	74.00	27.58	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	/
Bandwidth	/	Channel	11
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8 P14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.03	38.77	1.87	40.64	54.00	13.36	Vertical	PASS
2	2485.14	38.34	1.87	40.21	54.00	13.79	Vertical	PASS
3	2496.97	33.92	2.00	35.92	54.00	18.08	Vertical	PASS
4	2484.22	50.66	1.87	52.53	74.00	21.47	Vertical	PASS
5	2485.14	50.39	1.87	52.26	74.00	21.74	Vertical	PASS
6	2497.05	44.54	2.00	46.54	74.00	27.46	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	/
Bandwidth	/	Channel	1
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8 P14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2347.57	36.75	1.43	38.18	54.00	15.82	Horizontal	PASS
2	2362.47	37.31	1.44	38.75	54.00	15.25	Horizontal	PASS
3	2389.25	41.69	1.43	43.12	54.00	10.88	Horizontal	PASS
4	2348.69	48.09	1.44	49.53	74.00	24.47	Horizontal	PASS
5	2362.84	47.40	1.45	48.85	74.00	25.15	Horizontal	PASS
6	2389.66	54.63	1.43	56.06	74.00	17.94	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	/
Bandwidth	/	Channel	1
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8 P14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2347.64	36.89	1.43	38.32	54.00	15.68	Vertical	PASS
2	2374.46	37.07	1.44	38.51	54.00	15.49	Vertical	PASS
3	2389.96	42.86	1.43	44.29	54.00	9.71	Vertical	PASS
4	2348.13	47.01	1.43	48.44	74.00	25.56	Vertical	PASS
5	2373.56	47.87	1.44	49.31	74.00	24.69	Vertical	PASS
6	2389.06	54.45	1.43	55.88	74.00	18.12	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	/
Bandwidth	/	Channel	11
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8 P14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.20	43.42	1.87	45.29	54.00	8.71	Horizontal	PASS
2	2485.52	41.56	1.88	43.44	54.00	10.56	Horizontal	PASS
3	2496.97	33.73	2.00	35.73	54.00	18.27	Horizontal	PASS
4	2484.18	57.25	1.87	59.12	74.00	14.88	Horizontal	PASS
5	2485.62	56.79	1.88	58.67	74.00	15.33	Horizontal	PASS
6	2497.14	44.50	2.00	46.50	74.00	27.50	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	/
Bandwidth	/	Channel	11
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8 P14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.74	37.67	1.86	39.53	54.00	14.47	Vertical	PASS
2	2485.09	36.65	1.87	38.52	54.00	15.48	Vertical	PASS
3	2498.20	33.83	2.01	35.84	54.00	18.16	Vertical	PASS
4	2483.96	50.72	1.87	52.59	74.00	21.41	Vertical	PASS
5	2485.09	50.70	1.87	52.57	74.00	21.43	Vertical	PASS
6	2497.96	44.69	2.01	46.70	74.00	27.30	Vertical	PASS

Project Information			
Mode:	802.11be20 26RU0	Band:	/
Bandwidth	/	Channel	1
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8 P7.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2326.54	36.50	1.25	37.75	54.00	16.25	Horizontal	PASS
2	2365.09	36.83	1.44	38.27	54.00	15.73	Horizontal	PASS
3	2389.62	37.08	1.43	38.51	54.00	15.49	Horizontal	PASS
4	2326.39	47.33	1.25	48.58	74.00	25.42	Horizontal	PASS
5	2364.64	47.07	1.44	48.51	74.00	25.49	Horizontal	PASS
6	2389.36	47.39	1.43	48.82	74.00	25.18	Horizontal	PASS

Project Information			
Mode:	802.11be20 26RU0	Band:	/
Bandwidth	/	Channel	1
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8 P7.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2336.81	36.69	1.34	38.03	54.00	15.97	Vertical	PASS
2	2368.89	36.84	1.44	38.28	54.00	15.72	Vertical	PASS
3	2389.02	41.91	1.43	43.34	54.00	10.66	Vertical	PASS
4	2336.25	47.07	1.33	48.40	74.00	25.60	Vertical	PASS
5	2368.86	47.03	1.44	48.47	74.00	25.53	Vertical	PASS
6	2389.32	53.41	1.43	54.84	74.00	19.16	Vertical	PASS

Project Information			
Mode:	802.11be20 26RU8	Band:	/
Bandwidth	/	Channel	11
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8 P7.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2485.76	37.09	1.88	38.97	54.00	15.03	Horizontal	PASS
2	2493.30	37.09	1.96	39.05	54.00	14.95	Horizontal	PASS
3	2497.41	37.23	2.00	39.23	54.00	14.77	Horizontal	PASS
4	2485.40	47.64	1.88	49.52	74.00	24.48	Horizontal	PASS
5	2493.47	47.95	1.96	49.91	74.00	24.09	Horizontal	PASS
6	2497.45	48.55	2.00	50.55	74.00	23.45	Horizontal	PASS

Project Information			
Mode:	802.11be20 26RU8	Band:	/
Bandwidth	/	Channel	11
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8 P7.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2485.33	37.05	1.88	38.93	54.00	15.07	Vertical	PASS
2	2493.04	37.24	1.96	39.20	54.00	14.80	Vertical	PASS
3	2499.06	37.46	2.02	39.48	54.00	14.52	Vertical	PASS
4	2485.18	47.63	1.88	49.51	74.00	24.49	Vertical	PASS
5	2493.16	48.54	1.96	50.50	74.00	23.50	Vertical	PASS
6	2499.59	48.56	2.03	50.59	74.00	23.41	Vertical	PASS

Project Information			
Mode:	802.11be20 52RU37	Band:	/
Bandwidth	/	Channel	1
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8 P10.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2350.86	36.92	1.45	38.37	54.00	15.63	Horizontal	PASS
2	2366.28	36.76	1.44	38.20	54.00	15.80	Horizontal	PASS
3	2389.40	37.73	1.43	39.16	54.00	14.84	Horizontal	PASS
4	2349.81	47.41	1.45	48.86	74.00	25.14	Horizontal	PASS
5	2367.21	47.58	1.44	49.02	74.00	24.98	Horizontal	PASS
6	2389.58	47.71	1.43	49.14	74.00	24.86	Horizontal	PASS

Project Information			
Mode:	802.11be20 52RU37	Band:	/
Bandwidth	/	Channel	1
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8 P10.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2338.35	36.94	1.35	38.29	54.00	15.71	Vertical	PASS
2	2377.07	37.15	1.43	38.58	54.00	15.42	Vertical	PASS
3	2389.96	41.80	1.43	43.23	54.00	10.77	Vertical	PASS
4	2338.42	47.15	1.35	48.50	74.00	25.50	Vertical	PASS
5	2376.10	48.01	1.43	49.44	74.00	24.56	Vertical	PASS
6	2389.17	53.15	1.43	54.58	74.00	19.42	Vertical	PASS

Project Information			
Mode:	802.11be20 52RU40	Band:	/
Bandwidth	/	Channel	11
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8 P10.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.97	37.66	1.87	39.53	54.00	14.47	Horizontal	PASS
2	2491.86	37.10	1.95	39.05	54.00	14.95	Horizontal	PASS
3	2497.29	37.22	2.00	39.22	54.00	14.78	Horizontal	PASS
4	2484.92	48.04	1.87	49.91	74.00	24.09	Horizontal	PASS
5	2492.08	48.38	1.95	50.33	74.00	23.67	Horizontal	PASS
6	2497.36	47.99	2.00	49.99	74.00	24.01	Horizontal	PASS

Project Information			
Mode:	802.11be20 52RU40	Band:	/
Bandwidth	/	Channel	11
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8 P10.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2485.21	37.04	1.88	38.92	54.00	15.08	Vertical	PASS
2	2490.40	37.04	1.93	38.97	54.00	15.03	Vertical	PASS
3	2496.45	37.11	2.00	39.11	54.00	14.89	Vertical	PASS
4	2485.35	48.28	1.88	50.16	74.00	23.84	Vertical	PASS
5	2490.01	48.51	1.93	50.44	74.00	23.56	Vertical	PASS
6	2496.40	48.64	2.00	50.64	74.00	23.36	Vertical	PASS

Project Information			
Mode:	802.11be20 106RU53	Band:	/
Bandwidth	/	Channel	1
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8 P13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2335.10	36.77	1.32	38.09	54.00	15.91	Horizontal	PASS
2	2365.01	37.03	1.44	38.47	54.00	15.53	Horizontal	PASS
3	2389.40	38.49	1.43	39.92	54.00	14.08	Horizontal	PASS
4	2335.28	46.86	1.32	48.18	74.00	25.82	Horizontal	PASS
5	2365.20	47.16	1.44	48.60	74.00	25.40	Horizontal	PASS
6	2388.65	48.69	1.43	50.12	74.00	23.88	Horizontal	PASS

Project Information			
Mode:	802.11be20 106RU53	Band:	/
Bandwidth	/	Channel	1
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8 P13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2342.94	37.26	1.39	38.65	54.00	15.35	Vertical	PASS
2	2372.22	37.16	1.43	38.59	54.00	15.41	Vertical	PASS
3	2389.47	43.17	1.43	44.60	54.00	9.40	Vertical	PASS
4	2343.42	47.43	1.39	48.82	74.00	25.18	Vertical	PASS
5	2372.67	46.86	1.44	48.30	74.00	25.70	Vertical	PASS
6	2388.84	54.33	1.43	55.76	74.00	18.24	Vertical	PASS

Project Information			
Mode:	802.11be20 106RU54	Band:	/
Bandwidth	/	Channel	11
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8 P13		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.25	38.63	1.87	40.50	54.00	13.50	Horizontal	PASS
2	2488.33	37.58	1.91	39.49	54.00	14.51	Horizontal	PASS
3	2496.28	37.19	2.00	39.19	54.00	14.81	Horizontal	PASS
4	2484.22	50.23	1.87	52.10	74.00	21.90	Horizontal	PASS
5	2488.43	48.62	1.91	50.53	74.00	23.47	Horizontal	PASS
6	2496.40	47.42	2.00	49.42	74.00	24.58	Horizontal	PASS

Project Information			
Mode:	802.11be20 106RU54	Band:	/
Bandwidth	/	Channel	11
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5&8 P13		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.66	37.22	1.87	39.09	54.00	14.91	Vertical	PASS
2	2492.03	37.21	1.95	39.16	54.00	14.84	Vertical	PASS
3	2498.44	37.07	2.01	39.08	54.00	14.92	Vertical	PASS
4	2484.56	48.23	1.87	50.10	74.00	23.90	Vertical	PASS
5	2492.08	48.64	1.95	50.59	74.00	23.41	Vertical	PASS
6	2498.10	47.91	2.01	49.92	74.00	24.08	Vertical	PASS