



Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph



Project Information			
Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5130.38	27.64	12.34	39.98	54.00	14.02	Horizontal	PASS
2	5143.32	28.34	12.43	40.77	54.00	13.23	Horizontal	PASS
3	5149.45	28.17	12.48	40.65	54.00	13.35	Horizontal	PASS
4	5130.44	38.29	12.34	50.63	74.00	23.37	Horizontal	PASS
5	5143.26	39.70	12.43	52.13	74.00	21.87	Horizontal	PASS
6	5148.39	38.94	12.47	51.41	74.00	22.59	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5126.19	28.57	12.31	40.88	54.00	13.12	Vertical	PASS
2	5146.01	30.18	12.45	42.63	54.00	11.37	Vertical	PASS
3	5148.26	30.57	12.46	43.03	54.00	10.97	Vertical	PASS
4	5126.50	39.41	12.32	51.73	74.00	22.27	Vertical	PASS
5	5145.70	41.54	12.45	53.99	74.00	20.01	Vertical	PASS
6	5149.45	40.50	12.48	52.98	74.00	21.02	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5352.80	29.30	12.69	41.99	54.00	12.01	Horizontal	PASS
2	5357.74	30.00	12.72	42.72	54.00	11.28	Horizontal	PASS
3	5360.37	29.63	12.74	42.37	54.00	11.63	Horizontal	PASS
4	5353.11	40.10	12.69	52.79	74.00	21.21	Horizontal	PASS
5	5357.74	40.49	12.72	53.21	74.00	20.79	Horizontal	PASS
6	5361.68	41.03	12.75	53.78	74.00	20.22	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.49	32.75	12.68	45.43	54.00	8.57	Vertical	PASS
2	5360.43	32.55	12.74	45.29	54.00	8.71	Vertical	PASS
3	5374.00	30.71	12.82	43.53	54.00	10.47	Vertical	PASS
4	5351.93	42.41	12.70	55.11	74.00	18.89	Vertical	PASS
5	5361.43	43.81	12.75	56.56	74.00	17.44	Vertical	PASS
6	5372.56	42.86	12.81	55.67	74.00	18.33	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.00	28.39	12.69	41.08	54.00	12.92	Horizontal	PASS
2	5458.82	29.51	12.78	42.29	54.00	11.71	Horizontal	PASS
3	5451.74	39.82	12.67	52.49	74.00	21.51	Horizontal	PASS
4	5460.15	40.15	12.80	52.95	68.20	15.25	Horizontal	PASS
5	5464.23	40.45	12.88	53.33	68.20	14.87	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5456.36	29.48	12.74	42.22	54.00	11.78	Vertical	PASS
2	5460.03	29.86	12.80	42.66	-	-	Vertical	NA
3	5457.08	40.51	12.75	53.26	74.00	20.74	Vertical	PASS
4	5459.72	40.26	12.80	53.06	74.00	20.94	Vertical	PASS
5	5465.07	40.90	12.88	53.78	68.20	14.42	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5724.70	38.56	13.37	51.93	-	-	Horizontal	NA
2	5731.90	39.01	13.26	52.27	68.20	15.93	Horizontal	PASS
3	5741.45	39.67	13.10	52.77	68.20	15.43	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.04	38.99	13.34	52.33	68.20	15.87	Vertical	PASS
2	5738.56	38.81	13.15	51.96	68.20	16.24	Vertical	PASS
3	5746.94	39.23	13.01	52.24	68.20	15.96	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5876.82	39.55	13.50	53.05	68.20	15.15	Horizontal	PASS
2	5948.67	38.56	14.08	52.64	68.20	15.56	Horizontal	PASS
3	5970.56	38.44	13.87	52.31	68.20	15.89	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5863.31	39.01	13.37	52.38	68.20	15.82	Vertical	PASS
2	5896.81	38.28	13.70	51.98	68.20	16.22	Vertical	PASS
3	5966.23	38.29	13.92	52.21	68.20	15.99	Vertical	PASS


Project Information			
Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




Project Information			
Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph



Project Information			
Mode:	802.11be40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5132.48	27.59	12.36	39.95	54.00	14.05	Horizontal	PASS
2	5142.09	28.60	12.43	41.03	54.00	12.97	Horizontal	PASS
3	5148.73	28.93	12.47	41.40	54.00	12.60	Horizontal	PASS
4	5132.23	39.09	12.36	51.45	74.00	22.55	Horizontal	PASS
5	5142.43	39.35	12.43	51.78	74.00	22.22	Horizontal	PASS
6	5149.32	40.66	12.48	53.14	74.00	20.86	Horizontal	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5131.25	27.74	12.35	40.09	54.00	13.91	Vertical	PASS
2	5137.67	27.91	12.39	40.30	54.00	13.70	Vertical	PASS
3	5150.13	28.43	12.48	40.91	-	-	Vertical	NA
4	5131.29	38.18	12.35	50.53	74.00	23.47	Vertical	PASS
5	5138.56	38.83	12.40	51.23	74.00	22.77	Vertical	PASS
6	5149.83	38.61	12.48	51.09	74.00	22.91	Vertical	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.81	29.51	12.69	42.20	54.00	11.80	Horizontal	PASS
2	5357.48	29.58	12.73	42.31	54.00	11.69	Horizontal	PASS
3	5362.46	29.13	12.76	41.89	54.00	12.11	Horizontal	PASS
4	5350.34	39.67	12.68	52.35	74.00	21.65	Horizontal	PASS
5	5357.99	40.69	12.72	53.41	74.00	20.59	Horizontal	PASS
6	5362.80	39.56	12.75	52.31	74.00	21.69	Horizontal	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.34	30.47	12.68	43.15	54.00	10.85	Vertical	PASS
2	5352.46	30.05	12.70	42.75	54.00	11.25	Vertical	PASS
3	5362.80	29.68	12.75	42.43	54.00	11.57	Vertical	PASS
4	5351.44	40.73	12.69	53.42	74.00	20.58	Vertical	PASS
5	5352.80	41.17	12.69	53.86	74.00	20.14	Vertical	PASS
6	5362.16	40.43	12.75	53.18	74.00	20.82	Vertical	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5451.16	28.46	12.66	41.12	54.00	12.88	Horizontal	PASS
2	5457.32	29.08	12.75	41.83	54.00	12.17	Horizontal	PASS
3	5450.52	38.83	12.65	51.48	74.00	22.52	Horizontal	PASS
4	5459.08	40.50	12.78	53.28	74.00	20.72	Horizontal	PASS
5	5466.77	40.15	12.91	53.06	68.20	15.14	Horizontal	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.16	28.27	12.67	40.94	54.00	13.06	Vertical	PASS
2	5458.28	28.78	12.77	41.55	54.00	12.45	Vertical	PASS
3	5451.68	39.33	12.67	52.00	74.00	22.00	Vertical	PASS
4	5459.60	39.71	12.80	52.51	74.00	21.49	Vertical	PASS
5	5468.09	41.43	12.93	54.36	68.20	13.84	Vertical	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.09	39.03	13.34	52.37	68.20	15.83	Horizontal	PASS
2	5738.94	38.95	13.14	52.09	68.20	16.11	Horizontal	PASS
3	5743.90	39.64	13.06	52.70	68.20	15.50	Horizontal	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.69	38.95	13.33	52.28	68.20	15.92	Vertical	PASS
2	5734.09	39.71	13.22	52.93	68.20	15.27	Vertical	PASS
3	5743.55	39.56	13.07	52.63	68.20	15.57	Vertical	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5852.24	39.66	13.26	52.92	68.20	15.28	Horizontal	PASS
2	5933.28	38.24	13.97	52.21	68.20	15.99	Horizontal	PASS
3	5990.55	38.46	13.66	52.12	68.20	16.08	Horizontal	PASS

Project Information			
Mode:	802.11be40	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5862.77	38.58	13.37	51.95	68.20	16.25	Vertical	PASS
2	5937.06	38.47	13.99	52.46	68.20	15.74	Vertical	PASS
3	5977.31	38.24	13.80	52.04	68.20	16.16	Vertical	PASS


Project Information			
Mode:	802.11be40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




Project Information			
Mode:	802.11be40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




Project Information			
Mode:	802.11be40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




Project Information			
Mode:	802.11be40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph



Project Information			
Mode:	802.11be80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5130.50	27.70	12.34	40.04	54.00	13.96	Horizontal	PASS
2	5138.88	28.47	12.41	40.88	54.00	13.12	Horizontal	PASS
3	5145.76	28.44	12.45	40.89	54.00	13.11	Horizontal	PASS
4	5129.94	38.72	12.34	51.06	74.00	22.94	Horizontal	PASS
5	5138.44	39.35	12.40	51.75	74.00	22.25	Horizontal	PASS
6	5146.45	38.97	12.46	51.43	74.00	22.57	Horizontal	PASS

Project Information			
Mode:	802.11be80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5125.75	28.19	12.31	40.50	54.00	13.50	Vertical	PASS
2	5137.94	29.55	12.39	41.94	54.00	12.06	Vertical	PASS
3	5149.32	29.09	12.48	41.57	54.00	12.43	Vertical	PASS
4	5126.19	38.54	12.31	50.85	74.00	23.15	Vertical	PASS
5	5135.82	38.85	12.38	51.23	74.00	22.77	Vertical	PASS
6	5148.51	40.13	12.47	52.60	74.00	21.40	Vertical	PASS

Project Information			
Mode:	802.11be80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5352.68	28.99	12.69	41.68	54.00	12.32	Horizontal	PASS
2	5359.49	29.42	12.73	42.15	54.00	11.85	Horizontal	PASS
3	5372.31	28.77	12.81	41.58	54.00	12.42	Horizontal	PASS
4	5351.99	39.43	12.70	52.13	74.00	21.87	Horizontal	PASS
5	5358.49	39.96	12.73	52.69	74.00	21.31	Horizontal	PASS
6	5372.44	39.65	12.82	52.47	74.00	21.53	Horizontal	PASS

Project Information			
Mode:	802.11be80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5349.55	31.28	12.68	43.96	-	-	Vertical	NA
2	5359.55	31.23	12.73	43.96	54.00	10.04	Vertical	PASS
3	5366.62	30.17	12.78	42.95	54.00	11.05	Vertical	PASS
4	5349.55	42.03	12.68	54.71	-	-	Vertical	NA
5	5359.87	42.12	12.74	54.86	74.00	19.14	Vertical	PASS
6	5367.93	42.34	12.78	55.12	74.00	18.88	Vertical	PASS

Project Information			
Mode:	802.11be80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5456.12	28.77	12.74	41.51	54.00	12.49	Horizontal	PASS
2	5459.66	29.50	12.80	42.30	54.00	11.70	Horizontal	PASS
3	5455.04	38.65	12.72	51.37	74.00	22.63	Horizontal	PASS
4	5460.27	40.24	12.80	53.04	68.20	15.16	Horizontal	PASS
5	5468.31	39.33	12.94	52.27	68.20	15.93	Horizontal	PASS

Project Information			
Mode:	802.11be80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.18	29.29	12.69	41.98	54.00	12.02	Vertical	PASS
2	5458.70	30.18	12.78	42.96	54.00	11.04	Vertical	PASS
3	5451.56	39.95	12.67	52.62	74.00	21.38	Vertical	PASS
4	5458.04	40.68	12.77	53.45	74.00	20.55	Vertical	PASS
5	5466.81	41.67	12.91	54.58	68.20	13.62	Vertical	PASS

Project Information			
Mode:	802.11be80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.13	38.89	13.34	52.23	68.20	15.97	Horizontal	PASS
2	5735.23	39.66	13.20	52.86	68.20	15.34	Horizontal	PASS
3	5743.07	38.59	13.07	51.66	68.20	16.54	Horizontal	PASS

Project Information			
Mode:	802.11be80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.67	38.58	13.33	51.91	68.20	16.29	Vertical	PASS
2	5739.55	38.71	13.13	51.84	68.20	16.36	Vertical	PASS
3	5744.69	38.90	13.05	51.95	68.20	16.25	Vertical	PASS

Project Information			
Mode:	802.11be80	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5858.45	38.54	13.32	51.86	68.20	16.34	Horizontal	PASS
2	5912.21	38.85	13.81	52.66	68.20	15.54	Horizontal	PASS
3	5962.45	38.38	13.96	52.34	68.20	15.86	Horizontal	PASS

Project Information			
Mode:	802.11be80	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5866.01	38.75	13.40	52.15	68.20	16.05	Vertical	PASS
2	5930.04	38.83	13.95	52.78	68.20	15.42	Vertical	PASS
3	5962.72	38.29	13.96	52.25	68.20	15.95	Vertical	PASS


Project Information			
Mode:	802.11be80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




Project Information			
Mode:	802.11be80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph



Project Information			
Mode:	802.11ac160	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5359.37	33.49	12.73	46.22	54.00	7.78	Horizontal	PASS
2	5362.37	33.19	12.76	45.95	54.00	8.05	Horizontal	PASS
3	5374.62	32.30	12.82	45.12	54.00	8.88	Horizontal	PASS
4	5127.13	43.95	12.32	56.27	74.00	17.73	Horizontal	PASS
5	5132.25	43.48	12.36	55.84	74.00	18.16	Horizontal	PASS
6	5148.51	43.00	12.47	55.47	74.00	18.53	Horizontal	PASS
7	5358.62	43.70	12.73	56.43	74.00	17.57	Horizontal	PASS
8	5363.12	44.00	12.75	56.75	74.00	17.25	Horizontal	PASS
9	5373.75	43.03	12.82	55.85	74.00	18.15	Horizontal	PASS

Project Information			
Mode:	802.11ac160	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5127.88	34.54	12.32	46.86	54.00	7.14	Vertical	PASS
2	5140.01	35.57	12.41	47.98	54.00	6.02	Vertical	PASS
3	5145.14	34.71	12.45	47.16	54.00	6.84	Vertical	PASS
4	5351.49	36.48	12.69	49.17	54.00	4.83	Vertical	PASS
5	5362.99	37.06	12.75	49.81	54.00	4.19	Vertical	PASS
6	5369.12	36.73	12.79	49.52	54.00	4.48	Vertical	PASS
7	5127.25	45.59	12.32	57.91	74.00	16.09	Vertical	PASS
8	5139.76	46.92	12.41	59.33	74.00	14.67	Vertical	PASS
9	5145.26	45.12	12.45	57.57	74.00	16.43	Vertical	PASS
10	5354.24	47.54	12.70	60.24	74.00	13.76	Vertical	PASS
11	5363.74	47.87	12.76	60.63	74.00	13.37	Vertical	PASS
12	5366.50	48.78	12.78	61.56	74.00	12.44	Vertical	PASS

Project Information			
Mode:	802.11be160	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5126.88	29.73	12.32	42.05	54.00	11.95	Horizontal	PASS
2	5137.76	29.54	12.39	41.93	54.00	12.07	Horizontal	PASS
3	5146.26	29.39	12.46	41.85	54.00	12.15	Horizontal	PASS
4	5350.99	29.87	12.69	42.56	54.00	11.44	Horizontal	PASS
5	5359.87	30.49	12.74	43.23	54.00	10.77	Horizontal	PASS
6	5368.37	29.67	12.78	42.45	54.00	11.55	Horizontal	PASS
7	5127.13	41.10	12.32	53.42	74.00	20.58	Horizontal	PASS
8	5137.88	40.14	12.39	52.53	74.00	21.47	Horizontal	PASS
9	5146.14	39.48	12.45	51.93	74.00	22.07	Horizontal	PASS
10	5352.74	40.89	12.69	53.58	74.00	20.42	Horizontal	PASS
11	5366.50	40.70	12.78	53.48	74.00	20.52	Horizontal	PASS
12	5370.50	39.96	12.80	52.76	74.00	21.24	Horizontal	PASS

Project Information			
Mode:	802.11be160	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5126.50	31.83	12.32	44.15	54.00	9.85	Vertical	PASS
2	5137.76	30.27	12.39	42.66	54.00	11.34	Vertical	PASS
3	5145.39	29.79	12.45	42.24	54.00	11.76	Vertical	PASS
4	5352.24	30.29	12.70	42.99	54.00	11.01	Vertical	PASS
5	5362.87	31.06	12.75	43.81	54.00	10.19	Vertical	PASS
6	5374.62	30.52	12.82	43.34	54.00	10.66	Vertical	PASS
7	5125.63	43.68	12.31	55.99	74.00	18.01	Vertical	PASS
8	5137.51	39.97	12.39	52.36	74.00	21.64	Vertical	PASS
9	5147.39	41.48	12.46	53.94	74.00	20.06	Vertical	PASS
10	5354.99	40.30	12.71	53.01	74.00	20.99	Vertical	PASS
11	5366.37	41.18	12.78	53.96	74.00	20.04	Vertical	PASS
12	5373.37	40.59	12.81	53.40	74.00	20.60	Vertical	PASS

Project Information			
Mode:	802.11ac160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5417.68	31.33	12.86	44.19	54.00	9.81	Horizontal	PASS
2	5437.64	30.99	12.73	43.72	54.00	10.28	Horizontal	PASS
3	5456.55	30.78	12.75	43.53	54.00	10.47	Horizontal	PASS
4	5421.36	42.67	12.83	55.50	74.00	18.50	Horizontal	PASS
5	5438.34	41.35	12.72	54.07	74.00	19.93	Horizontal	PASS
6	5457.95	41.65	12.77	54.42	74.00	19.58	Horizontal	PASS
7	5727.59	42.24	13.33	55.57	68.20	12.63	Horizontal	PASS
8	5735.12	40.21	13.20	53.41	68.20	14.79	Horizontal	PASS
9	5741.60	40.28	13.10	53.38	68.20	14.82	Horizontal	PASS

Project Information			
Mode:	802.11ac160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5422.59	31.96	12.83	44.79	54.00	9.21	Vertical	PASS
2	5443.07	33.02	12.69	45.71	54.00	8.29	Vertical	PASS
3	5456.55	32.45	12.75	45.20	54.00	8.80	Vertical	PASS
4	5421.19	44.10	12.83	56.93	74.00	17.07	Vertical	PASS
5	5443.25	43.27	12.69	55.96	74.00	18.04	Vertical	PASS
6	5462.86	43.63	12.85	56.48	68.20	11.72	Vertical	PASS
7	5725.84	42.34	13.36	55.70	68.20	12.50	Vertical	PASS
8	5734.77	40.27	13.21	53.48	68.20	14.72	Vertical	PASS
9	5750.00	40.86	12.96	53.82	68.20	14.38	Vertical	PASS

Project Information			
Mode:	802.11be160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5412.61	30.55	12.89	43.44	54.00	10.56	Horizontal	PASS
2	5432.39	31.60	12.75	44.35	54.00	9.65	Horizontal	PASS
3	5437.99	30.64	12.72	43.36	54.00	10.64	Horizontal	PASS
4	5413.13	42.39	12.89	55.28	74.00	18.72	Horizontal	PASS
5	5433.09	44.48	12.76	57.24	74.00	16.76	Horizontal	PASS
6	5436.94	43.13	12.72	55.85	74.00	18.15	Horizontal	PASS
7	5727.76	43.42	13.32	56.74	68.20	11.46	Horizontal	PASS
8	5738.44	40.29	13.15	53.44	68.20	14.76	Horizontal	PASS

Project Information			
Mode:	802.11be160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5412.78	31.05	12.89	43.94	54.00	10.06	Vertical	PASS
2	5432.92	32.80	12.76	45.56	54.00	8.44	Vertical	PASS
3	5443.95	32.67	12.68	45.35	54.00	8.65	Vertical	PASS
4	5413.13	42.21	12.89	55.10	74.00	18.90	Vertical	PASS
5	5432.74	44.26	12.76	57.02	74.00	16.98	Vertical	PASS
6	5458.65	41.54	12.78	54.32	74.00	19.68	Vertical	PASS
7	5725.49	44.87	13.36	58.23	68.20	9.97	Vertical	PASS
8	5731.79	40.19	13.26	53.45	68.20	14.75	Vertical	PASS
9	5747.37	40.87	13.00	53.87	68.20	14.33	Vertical	PASS

Project Information			
Mode:	802.11be20 26t-0	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5125.13	31.63	12.31	43.94	54.00	10.06	Horizontal	PASS
2	5141.84	31.71	12.43	44.14	54.00	9.86	Horizontal	PASS
3	5146.40	31.85	12.46	44.31	54.00	9.69	Horizontal	PASS
4	5126.33	42.30	12.32	54.62	74.00	19.38	Horizontal	PASS
5	5140.45	43.24	12.41	55.65	74.00	18.35	Horizontal	PASS
6	5148.18	42.86	12.46	55.32	74.00	18.68	Horizontal	PASS

Project Information			
Mode:	802.11be20 26t-0	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5132.32	31.75	12.36	44.11	54.00	9.89	Vertical	PASS
2	5140.93	31.83	12.41	44.24	54.00	9.76	Vertical	PASS
3	5149.45	31.81	12.48	44.29	54.00	9.71	Vertical	PASS
4	5132.12	42.41	12.36	54.77	74.00	19.23	Vertical	PASS
5	5140.48	43.35	12.41	55.76	74.00	18.24	Vertical	PASS
6	5149.29	42.63	12.48	55.11	74.00	18.89	Vertical	PASS

Project Information			
Mode:	802.11be20 52t-37	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5132.61	31.75	12.36	44.11	54.00	9.89	Horizontal	PASS
2	5139.73	31.93	12.41	44.34	54.00	9.66	Horizontal	PASS
3	5147.99	32.04	12.46	44.50	54.00	9.50	Horizontal	PASS
4	5133.42	42.39	12.36	54.75	74.00	19.25	Horizontal	PASS
5	5140.64	42.52	12.41	54.93	74.00	19.07	Horizontal	PASS
6	5148.31	42.56	12.46	55.02	74.00	18.98	Horizontal	PASS

Project Information			
Mode:	802.11be20 52t-37	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5128.64	31.85	12.33	44.18	54.00	9.82	Vertical	PASS
2	5141.68	31.84	12.43	44.27	54.00	9.73	Vertical	PASS
3	5149.52	32.02	12.48	44.50	54.00	9.50	Vertical	PASS
4	5129.75	42.69	12.34	55.03	74.00	18.97	Vertical	PASS
5	5142.10	42.99	12.43	55.42	74.00	18.58	Vertical	PASS
6	5149.61	42.89	12.48	55.37	74.00	18.63	Vertical	PASS

Project Information			
Mode:	802.11be20 106t-53	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5133.49	31.78	12.36	44.14	54.00	9.86	Horizontal	PASS
2	5142.53	31.74	12.43	44.17	54.00	9.83	Horizontal	PASS
3	5149.58	32.24	12.48	44.72	54.00	9.28	Horizontal	PASS
4	5133.23	42.59	12.36	54.95	74.00	19.05	Horizontal	PASS
5	5143.34	42.61	12.43	55.04	74.00	18.96	Horizontal	PASS
6	5149.48	42.50	12.48	54.98	74.00	19.02	Horizontal	PASS

Project Information			
Mode:	802.11be20 106t-53	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5128.54	31.73	12.33	44.06	54.00	9.94	Vertical	PASS
2	5139.66	31.82	12.41	44.23	54.00	9.77	Vertical	PASS
3	5149.13	31.97	12.48	44.45	54.00	9.55	Vertical	PASS
4	5128.61	43.06	12.33	55.39	74.00	18.61	Vertical	PASS
5	5139.89	42.88	12.41	55.29	74.00	18.71	Vertical	PASS
6	5149.19	42.63	12.48	55.11	74.00	18.89	Vertical	PASS

Project Information			
Mode:	802.11be20 26t-8	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.06	28.22	12.68	40.90	54.00	13.10	Horizontal	PASS
2	5355.04	28.20	12.71	40.91	54.00	13.09	Horizontal	PASS
3	5362.84	28.21	12.75	40.96	54.00	13.04	Horizontal	PASS
4	5350.29	38.86	12.68	51.54	74.00	22.46	Horizontal	PASS
5	5354.68	39.86	12.71	52.57	74.00	21.43	Horizontal	PASS
6	5362.74	39.12	12.75	51.87	74.00	22.13	Horizontal	PASS

Project Information			
Mode:	802.11be20 26t-8	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.22	28.24	12.68	40.92	54.00	13.08	Vertical	PASS
2	5364.40	28.18	12.76	40.94	54.00	13.06	Vertical	PASS
3	5368.63	28.13	12.79	40.92	54.00	13.08	Vertical	PASS
4	5350.35	39.42	12.68	52.10	74.00	21.90	Vertical	PASS
5	5364.98	39.54	12.77	52.31	74.00	21.69	Vertical	PASS
6	5368.53	39.40	12.78	52.18	74.00	21.82	Vertical	PASS

Project Information			
Mode:	802.11be20 52t-40	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5351.49	28.25	12.69	40.94	54.00	13.06	Horizontal	PASS
2	5362.22	28.30	12.76	41.06	54.00	12.94	Horizontal	PASS
3	5372.27	28.13	12.81	40.94	54.00	13.06	Horizontal	PASS
4	5351.49	39.80	12.69	52.49	74.00	21.51	Horizontal	PASS
5	5362.55	39.51	12.75	52.26	74.00	21.74	Horizontal	PASS
6	5372.24	40.18	12.81	52.99	74.00	21.01	Horizontal	PASS

Project Information			
Mode:	802.11be20 52t-40	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5354.74	28.36	12.71	41.07	54.00	12.93	Vertical	PASS
2	5364.04	28.50	12.76	41.26	54.00	12.74	Vertical	PASS
3	5372.69	28.22	12.81	41.03	54.00	12.97	Vertical	PASS
4	5354.58	39.53	12.71	52.24	74.00	21.76	Vertical	PASS
5	5364.07	39.48	12.76	52.24	74.00	21.76	Vertical	PASS
6	5371.55	38.71	12.81	51.52	74.00	22.48	Vertical	PASS

Project Information			
Mode:	802.11be20 106t-54	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5350.97	28.55	12.69	41.24	54.00	12.76	Horizontal	PASS
2	5363.13	28.34	12.75	41.09	54.00	12.91	Horizontal	PASS
3	5371.49	28.41	12.81	41.22	54.00	12.78	Horizontal	PASS
4	5350.58	39.41	12.68	52.09	74.00	21.91	Horizontal	PASS
5	5362.55	39.15	12.75	51.90	74.00	22.10	Horizontal	PASS
6	5371.42	39.08	12.81	51.89	74.00	22.11	Horizontal	PASS

Project Information			
Mode:	802.11be20 106t-54	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.00	28.49	12.69	41.18	54.00	12.82	Vertical	PASS
2	5357.70	28.53	12.72	41.25	54.00	12.75	Vertical	PASS
3	5365.15	28.43	12.77	41.20	54.00	12.80	Vertical	PASS
4	5351.33	38.94	12.69	51.63	74.00	22.37	Vertical	PASS
5	5358.45	39.22	12.73	51.95	74.00	22.05	Vertical	PASS
6	5365.21	39.04	12.77	51.81	74.00	22.19	Vertical	PASS

Project Information			
Mode:	802.11be20 26t-0	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5450.06	27.81	12.64	40.45	54.00	13.55	Horizontal	PASS
2	5458.34	28.06	12.78	40.84	54.00	13.16	Horizontal	PASS
3	5450.69	38.05	12.65	50.70	74.00	23.30	Horizontal	PASS
4	5459.63	38.96	12.80	51.76	74.00	22.24	Horizontal	PASS
5	5466.63	38.68	12.91	51.59	68.20	16.61	Horizontal	PASS

Project Information			
Mode:	802.11be20 26t-0	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5450.39	27.89	12.64	40.53	54.00	13.47	Vertical	PASS
2	5457.32	28.02	12.75	40.77	54.00	13.23	Vertical	PASS
3	5450.72	38.28	12.65	50.93	74.00	23.07	Vertical	PASS
4	5457.35	38.47	12.76	51.23	74.00	22.77	Vertical	PASS
5	5469.15	38.86	12.95	51.81	68.20	16.39	Vertical	PASS

Project Information			
Mode:	802.11be20 52t-37	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.77	27.88	12.67	40.55	54.00	13.45	Horizontal	PASS
2	5458.04	28.02	12.77	40.79	54.00	13.21	Horizontal	PASS
3	5451.26	38.95	12.66	51.61	74.00	22.39	Horizontal	PASS
4	5457.98	38.37	12.77	51.14	74.00	22.86	Horizontal	PASS
5	5461.68	39.41	12.83	52.24	68.20	15.96	Horizontal	PASS

Project Information			
Mode:	802.11be20 52t-37	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.46	28.42	12.68	41.10	54.00	12.90	Vertical	PASS
2	5459.93	28.25	12.80	41.05	54.00	12.95	Vertical	PASS
3	5452.67	38.55	12.69	51.24	74.00	22.76	Vertical	PASS
4	5459.54	38.75	12.80	51.55	74.00	22.45	Vertical	PASS
5	5465.07	39.28	12.88	52.16	68.20	16.04	Vertical	PASS

Project Information			
Mode:	802.11be20 106t-53	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5450.51	27.93	12.65	40.58	54.00	13.42	Horizontal	PASS
2	5456.24	28.01	12.74	40.75	54.00	13.25	Horizontal	PASS
3	5450.81	39.11	12.65	51.76	74.00	22.24	Horizontal	PASS
4	5456.18	38.96	12.74	51.70	74.00	22.30	Horizontal	PASS
5	5467.17	38.72	12.92	51.64	68.20	16.56	Horizontal	PASS

Project Information			
Mode:	802.11be20 106t-53	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.67	28.34	12.69	41.03	54.00	12.97	Vertical	PASS
2	5457.65	28.27	12.77	41.04	54.00	12.96	Vertical	PASS
3	5451.74	38.86	12.67	51.53	74.00	22.47	Vertical	PASS
4	5457.71	39.00	12.77	51.77	74.00	22.23	Vertical	PASS
5	5468.94	39.51	12.94	52.45	68.20	15.75	Vertical	PASS

Project Information			
Mode:	802.11be20 26t-8	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.12	38.69	13.37	52.06	68.20	16.14	Horizontal	PASS
2	5739.04	39.03	13.14	52.17	68.20	16.03	Horizontal	PASS
3	5744.84	38.69	13.04	51.73	68.20	16.47	Horizontal	PASS

Project Information			
Mode:	802.11be20 26t-8	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.54	39.05	13.36	52.41	68.20	15.79	Vertical	PASS
2	5736.88	39.19	13.18	52.37	68.20	15.83	Vertical	PASS
3	5743.31	38.89	13.07	51.96	68.20	16.24	Vertical	PASS

Project Information			
Mode:	802.11be20 52t-40	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.39	38.68	13.36	52.04	68.20	16.16	Horizontal	PASS
2	5732.44	39.48	13.25	52.73	68.20	15.47	Horizontal	PASS
3	5745.59	39.32	13.03	52.35	68.20	15.85	Horizontal	PASS

Project Information			
Mode:	802.11be20 52t-40	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.65	38.87	13.34	52.21	68.20	15.99	Vertical	PASS
2	5731.63	39.67	13.26	52.93	68.20	15.27	Vertical	PASS
3	5740.46	39.14	13.12	52.26	68.20	15.94	Vertical	PASS

Project Information			
Mode:	802.11be20 106t-54	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.66	39.00	13.36	52.36	68.20	15.84	Horizontal	PASS
2	5728.96	39.34	13.31	52.65	68.20	15.55	Horizontal	PASS
3	5735.74	39.14	13.19	52.33	68.20	15.87	Horizontal	PASS

Project Information			
Mode:	802.11be20 106t-54	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.69	39.55	13.36	52.91	68.20	15.29	Vertical	PASS
2	5735.14	39.92	13.20	53.12	68.20	15.08	Vertical	PASS
3	5745.14	39.33	13.04	52.37	68.20	15.83	Vertical	PASS

Project Information			
Mode:	802.11be20 26t-8	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5866.55	38.65	13.40	52.05	68.20	16.15	Horizontal	PASS
2	5940.30	39.06	14.02	53.08	68.20	15.12	Horizontal	PASS
3	5984.33	38.37	13.72	52.09	68.20	16.11	Horizontal	PASS

Project Information			
Mode:	802.11be20 26t-8	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5853.59	39.44	13.28	52.72	68.20	15.48	Vertical	PASS
2	5928.68	38.01	13.94	51.95	68.20	16.25	Vertical	PASS
3	5959.21	39.35	13.99	53.34	68.20	14.86	Vertical	PASS

Project Information			
Mode:	802.11be20 52t-40	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5864.12	39.46	13.38	52.84	68.20	15.36	Horizontal	PASS
2	5908.96	38.93	13.80	52.73	68.20	15.47	Horizontal	PASS
3	5961.64	38.22	13.96	52.18	68.20	16.02	Horizontal	PASS

Project Information			
Mode:	802.11be20 52t-40	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5863.04	39.04	13.37	52.41	68.20	15.79	Vertical	PASS
2	5923.82	38.45	13.90	52.35	68.20	15.85	Vertical	PASS
3	5954.89	38.33	14.04	52.37	68.20	15.83	Vertical	PASS

Project Information			
Mode:	802.11be20 106t-54	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5851.16	38.61	13.25	51.86	68.20	16.34	Horizontal	PASS
2	5933.01	38.51	13.97	52.48	68.20	15.72	Horizontal	PASS
3	5974.88	38.31	13.83	52.14	68.20	16.06	Horizontal	PASS

Project Information			
Mode:	802.11be20 106t-54	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5877.90	39.52	13.51	53.03	68.20	15.17	Vertical	PASS
2	5936.25	38.41	13.99	52.40	68.20	15.80	Vertical	PASS
3	5997.57	38.55	13.59	52.14	68.20	16.06	Vertical	PASS


Project Information			
Mode:	802.11be20 26t-0	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




Project Information			
Mode:	802.11be20 26t-0	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




Project Information			
Mode:	802.11be20 52t-37	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




Project Information			
Mode:	802.11be20 52t-37	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

## Test Graph



Project Information			
Mode:	802.11be20 106t-53	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph



Project Information			
Mode:	802.11be20 106t-53	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph

