



Project Information			
Mode:	802.11be20 26t-8	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




Project Information			
Mode:	802.11be20 26t-8	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




Project Information			
Mode:	802.11be20 26t-8	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




Project Information			
Mode:	802.11be20 26t-8	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




Project Information			
Mode:	802.11be20 106t-54	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




Project Information			
Mode:	802.11be20 106t-54	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph



Project Information			
Mode:	802.11be40 242t-61	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5132.23	27.69	12.36	40.05	54.00	13.95	Horizontal	PASS
2	5142.26	27.80	12.43	40.23	54.00	13.77	Horizontal	PASS
3	5148.90	27.96	12.48	40.44	54.00	13.56	Horizontal	PASS
4	5132.36	38.48	12.36	50.84	74.00	23.16	Horizontal	PASS
5	5142.94	39.12	12.43	51.55	74.00	22.45	Horizontal	PASS
6	5149.58	38.19	12.48	50.67	74.00	23.33	Horizontal	PASS

Project Information			
Mode:	802.11be40 242t-61	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5137.59	27.78	12.39	40.17	54.00	13.83	Vertical	PASS
2	5145.79	28.05	12.45	40.50	54.00	13.50	Vertical	PASS
3	5149.62	28.72	12.48	41.20	54.00	12.80	Vertical	PASS
4	5136.57	38.35	12.39	50.74	74.00	23.26	Vertical	PASS
5	5146.09	39.75	12.45	52.20	74.00	21.80	Vertical	PASS
6	5149.45	40.18	12.48	52.66	74.00	21.34	Vertical	PASS

Project Information			
Mode:	802.11be40 242t-62	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.38	29.04	12.68	41.72	54.00	12.28	Horizontal	PASS
2	5363.73	28.65	12.76	41.41	54.00	12.59	Horizontal	PASS
3	5369.26	28.49	12.79	41.28	54.00	12.72	Horizontal	PASS
4	5351.27	39.93	12.69	52.62	74.00	21.38	Horizontal	PASS
5	5364.20	39.19	12.76	51.95	74.00	22.05	Horizontal	PASS
6	5369.68	39.05	12.79	51.84	74.00	22.16	Horizontal	PASS

Project Information			
Mode:	802.11be40 242t-62	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.89	29.65	12.69	42.34	54.00	11.66	Vertical	PASS
2	5357.78	28.99	12.72	41.71	54.00	12.29	Vertical	PASS
3	5373.04	28.46	12.81	41.27	54.00	12.73	Vertical	PASS
4	5350.30	42.92	12.68	55.60	74.00	18.40	Vertical	PASS
5	5358.42	40.51	12.73	53.24	74.00	20.76	Vertical	PASS
6	5372.66	39.32	12.81	52.13	74.00	21.87	Vertical	PASS

Project Information			
Mode:	802.11be40 242t-61	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.60	28.21	12.69	40.90	54.00	13.10	Horizontal	PASS
2	5456.84	28.34	12.75	41.09	54.00	12.91	Horizontal	PASS
3	5450.80	38.96	12.65	51.61	74.00	22.39	Horizontal	PASS
4	5456.64	39.17	12.75	51.92	74.00	22.08	Horizontal	PASS
5	5461.09	40.15	12.82	52.97	68.20	15.23	Horizontal	PASS

Project Information			
Mode:	802.11be40 242t-61	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.36	28.35	12.67	41.02	54.00	12.98	Vertical	PASS
2	5458.48	28.53	12.78	41.31	54.00	12.69	Vertical	PASS
3	5451.80	40.11	12.67	52.78	74.00	21.22	Vertical	PASS
4	5459.56	39.36	12.80	52.16	74.00	21.84	Vertical	PASS
5	5468.53	40.14	12.94	53.08	68.20	15.12	Vertical	PASS

Project Information			
Mode:	802.11be40 242t-62	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.19	38.98	13.37	52.35	68.20	15.85	Horizontal	PASS
2	5736.34	39.70	13.18	52.88	68.20	15.32	Horizontal	PASS
3	5748.00	38.90	12.99	51.89	68.20	16.31	Horizontal	PASS

Project Information			
Mode:	802.11be40 242t-62	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.24	40.12	13.33	53.45	68.20	14.75	Vertical	PASS
2	5736.79	39.83	13.18	53.01	68.20	15.19	Vertical	PASS
3	5744.60	39.05	13.05	52.10	68.20	16.10	Vertical	PASS


Project Information			
Mode:	802.11be40 242t-62	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




Project Information			
Mode:	802.11be40 242t-62	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




Project Information			
Mode:	802.11be40 242t-61	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




Project Information			
Mode:	802.11be40 242t-61	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




Project Information			
Mode:	802.11be40 242t-62	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




Project Information			
Mode:	802.11be40 242t-62	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph



Project Information			
Mode:	802.11be80 484t-65	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5132.07	27.39	12.36	39.75	54.00	14.25	Horizontal	PASS
2	5146.51	29.28	12.46	41.74	54.00	12.26	Horizontal	PASS
3	5149.20	29.96	12.48	42.44	54.00	11.56	Horizontal	PASS
4	5132.38	39.99	12.36	52.35	74.00	21.65	Horizontal	PASS
5	5147.07	40.44	12.46	52.90	74.00	21.10	Horizontal	PASS
6	5149.89	40.96	12.48	53.44	74.00	20.56	Horizontal	PASS

Project Information			
Mode:	802.11be80 484t-65	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5134.94	28.34	12.37	40.71	54.00	13.29	Vertical	PASS
2	5144.07	29.67	12.44	42.11	54.00	11.89	Vertical	PASS
3	5149.26	31.33	12.48	43.81	54.00	10.19	Vertical	PASS
4	5133.94	39.68	12.37	52.05	74.00	21.95	Vertical	PASS
5	5143.76	40.52	12.44	52.96	74.00	21.04	Vertical	PASS
6	5149.76	42.86	12.48	55.34	74.00	18.66	Vertical	PASS

Project Information			
Mode:	802.11be80 484t-66	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.55	29.25	12.68	41.93	54.00	12.07	Horizontal	PASS
2	5360.31	28.51	12.74	41.25	54.00	12.75	Horizontal	PASS
3	5368.31	28.13	12.78	40.91	54.00	13.09	Horizontal	PASS
4	5350.99	40.95	12.69	53.64	74.00	20.36	Horizontal	PASS
5	5357.93	39.65	12.72	52.37	74.00	21.63	Horizontal	PASS
6	5366.93	39.81	12.78	52.59	74.00	21.41	Horizontal	PASS

Project Information			
Mode:	802.11be80 484t-66	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.30	31.67	12.68	44.35	54.00	9.65	Vertical	PASS
2	5362.68	29.02	12.75	41.77	54.00	12.23	Vertical	PASS
3	5370.56	28.42	12.80	41.22	54.00	12.78	Vertical	PASS
4	5350.93	44.58	12.69	57.27	74.00	16.73	Vertical	PASS
5	5362.49	40.40	12.76	53.16	74.00	20.84	Vertical	PASS
6	5372.19	39.38	12.81	52.19	74.00	21.81	Vertical	PASS

Project Information			
Mode:	802.11be80 484t-65	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.92	28.36	12.72	41.08	54.00	12.92	Horizontal	PASS
2	5459.00	28.70	12.78	41.48	54.00	12.52	Horizontal	PASS
3	5454.68	39.58	12.72	52.30	74.00	21.70	Horizontal	PASS
4	5459.12	39.60	12.78	52.38	74.00	21.62	Horizontal	PASS
5	5466.75	39.82	12.91	52.73	68.20	15.47	Horizontal	PASS

Project Information			
Mode:	802.11be80 484t-65	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5455.94	28.59	12.74	41.33	54.00	12.67	Vertical	PASS
2	5458.28	29.04	12.77	41.81	54.00	12.19	Vertical	PASS
3	5455.40	39.54	12.73	52.27	74.00	21.73	Vertical	PASS
4	5458.22	39.75	12.77	52.52	74.00	21.48	Vertical	PASS
5	5469.21	42.85	12.96	55.81	68.20	12.39	Vertical	PASS

Project Information			
Mode:	802.11be80 484t-66	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.95	38.75	13.34	52.09	68.20	16.11	Horizontal	PASS
2	5737.84	38.46	13.16	51.62	68.20	16.58	Horizontal	PASS
3	5742.53	38.54	13.08	51.62	68.20	16.58	Horizontal	PASS

Project Information			
Mode:	802.11be80 484t-66	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.96	38.95	13.35	52.30	68.20	15.90	Vertical	PASS
2	5736.31	39.07	13.18	52.25	68.20	15.95	Vertical	PASS
3	5746.94	38.45	13.01	51.46	68.20	16.74	Vertical	PASS

Project Information			
Mode:	802.11be80 484t-66	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5858.72	38.70	13.33	52.03	68.20	16.17	Horizontal	PASS
2	5906.26	38.09	13.77	51.86	68.20	16.34	Horizontal	PASS
3	5989.73	38.27	13.67	51.94	68.20	16.26	Horizontal	PASS

Project Information			
Mode:	802.11be80 484t-66	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5858.99	38.74	13.33	52.07	68.20	16.13	Vertical	PASS
2	5921.39	38.42	13.88	52.30	68.20	15.90	Vertical	PASS
3	5972.18	38.19	13.85	52.04	68.20	16.16	Vertical	PASS


Project Information			
Mode:	802.11be80 484t-65	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	155
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




Project Information			
Mode:	802.11be80 484t-65	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	155
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




Project Information			
Mode:	802.11be80 484t-66	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	155
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




Project Information			
Mode:	802.11be80 484t-66	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	155
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph



Project Information			
Mode:	802.11be80 484t-66	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	155
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5135.26	31.50	12.38	43.88	54.00	10.12	Horizontal	PASS
2	5140.26	32.35	12.41	44.76	54.00	9.24	Horizontal	PASS
3	5145.01	32.15	12.45	44.60	54.00	9.40	Horizontal	PASS
4	5353.61	28.50	12.70	41.20	54.00	12.80	Horizontal	PASS
5	5361.37	28.51	12.75	41.26	54.00	12.74	Horizontal	PASS
6	5372.12	28.23	12.81	41.04	54.00	12.96	Horizontal	PASS
7	5132.88	43.43	12.36	55.79	74.00	18.21	Horizontal	PASS
8	5139.01	43.76	12.41	56.17	74.00	17.83	Horizontal	PASS
9	5147.01	42.78	12.46	55.24	74.00	18.76	Horizontal	PASS
10	5351.24	41.57	12.69	54.26	74.00	19.74	Horizontal	PASS
11	5363.24	39.51	12.75	52.26	74.00	21.74	Horizontal	PASS
12	5370.62	39.03	12.80	51.83	74.00	22.17	Horizontal	PASS

Project Information			
Mode:	802.11be160 996t-67	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5133.38	35.02	12.36	47.38	54.00	6.62	Vertical	PASS
2	5136.38	35.18	12.39	47.57	54.00	6.43	Vertical	PASS
3	5149.89	36.42	12.48	48.90	54.00	5.10	Vertical	PASS
4	5352.36	29.51	12.70	42.21	54.00	11.79	Vertical	PASS
5	5353.74	29.68	12.70	42.38	54.00	11.62	Vertical	PASS
6	5366.37	28.92	12.78	41.70	54.00	12.30	Vertical	PASS
7	5133.00	48.47	12.36	60.83	74.00	13.17	Vertical	PASS
8	5136.01	48.69	12.38	61.07	74.00	12.93	Vertical	PASS
9	5149.14	47.44	12.48	59.92	74.00	14.08	Vertical	PASS
10	5351.11	45.61	12.69	58.30	74.00	15.70	Vertical	PASS
11	5356.24	43.45	12.72	56.17	74.00	17.83	Vertical	PASS
12	5365.87	41.99	12.77	54.76	74.00	19.24	Vertical	PASS

Project Information			
Mode:	802.11be160 996t-68	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5129.63	27.46	12.34	39.80	54.00	14.20	Horizontal	PASS
2	5141.01	27.49	12.41	39.90	54.00	14.10	Horizontal	PASS
3	5148.14	27.53	12.46	39.99	54.00	14.01	Horizontal	PASS
4	5353.86	32.72	12.70	45.42	54.00	8.58	Horizontal	PASS
5	5360.49	33.12	12.74	45.86	54.00	8.14	Horizontal	PASS
6	5373.37	31.40	12.81	44.21	54.00	9.79	Horizontal	PASS
7	5128.75	38.92	12.34	51.26	74.00	22.74	Horizontal	PASS
8	5139.76	39.48	12.41	51.89	74.00	22.11	Horizontal	PASS
9	5149.01	38.24	12.48	50.72	74.00	23.28	Horizontal	PASS
10	5353.99	48.46	12.70	61.16	74.00	12.84	Horizontal	PASS
11	5359.87	48.98	12.74	61.72	74.00	12.28	Horizontal	PASS
12	5373.37	45.92	12.81	58.73	74.00	15.27	Horizontal	PASS

Project Information			
Mode:	802.11be160 996t-68	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5126.50	27.89	12.32	40.21	54.00	13.79	Vertical	PASS
2	5137.51	28.05	12.39	40.44	54.00	13.56	Vertical	PASS
3	5149.64	28.27	12.48	40.75	54.00	13.25	Vertical	PASS
4	5353.24	36.48	12.70	49.18	54.00	4.82	Vertical	PASS
5	5359.99	36.64	12.74	49.38	54.00	4.62	Vertical	PASS
6	5368.87	35.27	12.79	48.06	54.00	5.94	Vertical	PASS
7	5128.13	40.86	12.32	53.18	74.00	20.82	Vertical	PASS
8	5135.38	41.71	12.38	54.09	74.00	19.91	Vertical	PASS
9	5149.51	41.39	12.48	53.87	74.00	20.13	Vertical	PASS
10	5351.24	51.85	12.69	64.54	74.00	9.46	Vertical	PASS
11	5362.37	52.37	12.76	65.13	74.00	8.87	Vertical	PASS
12	5370.25	50.28	12.80	63.08	74.00	10.92	Vertical	PASS

Project Information			
Mode:	802.11be160 996t-67	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5435.89	33.85	12.73	46.58	54.00	7.42	Horizontal	PASS
2	5457.08	34.82	12.75	47.57	54.00	6.43	Horizontal	PASS
3	5436.77	52.60	12.72	65.32	74.00	8.68	Horizontal	PASS
4	5457.08	51.22	12.75	63.97	74.00	10.03	Horizontal	PASS
5	5464.08	49.71	12.86	62.57	68.20	5.63	Horizontal	PASS
6	5725.84	38.80	13.36	52.16	68.20	16.04	Horizontal	PASS
7	5737.22	38.40	13.17	51.57	68.20	16.63	Horizontal	PASS
8	5745.80	39.05	13.03	52.08	68.20	16.12	Horizontal	PASS

Project Information			
Mode:	802.11be160 996t-67	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5438.69	35.47	12.72	48.19	54.00	5.81	Vertical	PASS
2	5458.65	35.17	12.78	47.95	54.00	6.05	Vertical	PASS
3	5418.21	47.68	12.85	60.53	74.00	13.47	Vertical	PASS
4	5438.52	53.52	12.72	66.24	74.00	7.76	Vertical	PASS
5	5468.28	51.99	12.94	64.93	68.20	3.27	Vertical	PASS
6	5726.01	39.91	13.35	53.26	68.20	14.94	Vertical	PASS
7	5737.04	38.96	13.17	52.13	68.20	16.07	Vertical	PASS
8	5748.95	38.84	12.98	51.82	68.20	16.38	Vertical	PASS

Project Information			
Mode:	802.11be160 996t-68	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5423.29	28.31	12.82	41.13	54.00	12.87	Horizontal	PASS
2	5435.37	28.20	12.74	40.94	54.00	13.06	Horizontal	PASS
3	5422.24	39.71	12.82	52.53	74.00	21.47	Horizontal	PASS
4	5434.14	40.02	12.75	52.77	74.00	21.23	Horizontal	PASS
5	5460.76	39.62	12.81	52.43	68.20	15.77	Horizontal	PASS
6	5726.01	46.69	13.35	60.04	68.20	8.16	Horizontal	PASS
7	5732.14	46.73	13.25	59.98	68.20	8.22	Horizontal	PASS
8	5737.57	45.62	13.16	58.78	68.20	9.42	Horizontal	PASS

Project Information			
Mode:	802.11be160 996t-68	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	Y; ANT5&8		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5409.98	28.45	12.90	41.35	54.00	12.65	Vertical	PASS
2	5456.73	28.49	12.75	41.24	54.00	12.76	Vertical	PASS
3	5406.13	39.57	12.93	52.50	74.00	21.50	Vertical	PASS
4	5458.83	40.49	12.78	53.27	74.00	20.73	Vertical	PASS
5	5469.33	40.30	12.96	53.26	68.20	14.94	Vertical	PASS
6	5727.24	46.64	13.33	59.97	68.20	8.23	Vertical	PASS
7	5731.97	46.46	13.26	59.72	68.20	8.48	Vertical	PASS
8	5740.20	46.33	13.12	59.45	68.20	8.75	Vertical	PASS

Project Information			
Mode:	802.11be160 Gap(40M)+484+996	Band:	U-NII-1&2A
Bandwidth	160	Channel	50
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P14.5		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5112.46	27.54	12.22	39.76	54.00	14.24	Horizontal	PASS
2	5137.22	28.81	12.39	41.20	54.00	12.80	Horizontal	PASS
3	5148.17	28.46	12.46	40.92	54.00	13.08	Horizontal	PASS
4	5362.33	28.27	12.76	41.03	54.00	12.97	Horizontal	PASS
5	5382.44	28.29	12.87	41.16	54.00	12.84	Horizontal	PASS
6	5393.40	28.63	12.93	41.56	54.00	12.44	Horizontal	PASS
7	5116.51	38.22	12.25	50.47	74.00	23.53	Horizontal	PASS
8	5138.42	41.60	12.40	54.00	74.00	20.00	Horizontal	PASS
9	5148.02	40.83	12.46	53.29	74.00	20.71	Horizontal	PASS
10	5359.93	39.22	12.74	51.96	74.00	22.04	Horizontal	PASS
11	5380.64	39.24	12.86	52.10	74.00	21.90	Horizontal	PASS
12	5396.40	38.54	12.95	51.49	74.00	22.51	Horizontal	PASS

Project Information			
Mode:	802.11be160 Gap(40M)+484+996	Band:	U-NII-1&2A
Bandwidth	160	Channel	50
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P14.5		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5114.56	29.16	12.23	41.39	54.00	12.61	Vertical	PASS
2	5136.02	29.96	12.38	42.34	54.00	11.66	Vertical	PASS
3	5148.47	30.26	12.47	42.73	54.00	11.27	Vertical	PASS
4	5357.23	31.86	12.73	44.59	54.00	9.41	Vertical	PASS
5	5384.09	32.51	12.88	45.39	54.00	8.61	Vertical	PASS
6	5393.85	32.28	12.93	45.21	54.00	8.79	Vertical	PASS
7	5116.36	39.38	12.25	51.63	74.00	22.37	Vertical	PASS
8	5134.52	40.00	12.37	52.37	74.00	21.63	Vertical	PASS
9	5145.32	41.86	12.45	54.31	74.00	19.69	Vertical	PASS
10	5356.03	42.16	12.72	54.88	74.00	19.12	Vertical	PASS
11	5384.99	44.00	12.88	56.88	74.00	17.12	Vertical	PASS
12	5393.40	44.39	12.93	57.32	74.00	16.68	Vertical	PASS

Project Information			
Mode:	802.11be160 484+Gap(40M)+996	Band:	U-NII-1&2A
Bandwidth	160	Channel	50
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P14.5		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5118.46	29.11	12.26	41.37	54.00	12.63	Horizontal	PASS
2	5127.61	29.71	12.32	42.03	54.00	11.97	Horizontal	PASS
3	5149.37	29.96	12.48	42.44	54.00	11.56	Horizontal	PASS
4	5119.96	43.10	12.27	55.37	74.00	18.63	Horizontal	PASS
5	5128.51	41.80	12.33	54.13	74.00	19.87	Horizontal	PASS
6	5149.97	40.45	12.48	52.93	74.00	21.07	Horizontal	PASS
7	5357.53	39.77	12.72	52.49	74.00	21.51	Horizontal	PASS
8	5375.54	39.70	12.83	52.53	74.00	21.47	Horizontal	PASS
9	5389.19	39.97	12.91	52.88	74.00	21.12	Horizontal	PASS

Project Information			
Mode:	802.11be160 484+Gap(40M)+996	Band:	U-NII-1&2A
Bandwidth	160	Channel	50
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P14.5		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5121.46	30.07	12.28	42.35	54.00	11.65	Vertical	PASS
2	5134.37	31.00	12.37	43.37	54.00	10.63	Vertical	PASS
3	5149.82	31.52	12.48	44.00	54.00	10.00	Vertical	PASS
4	5356.48	33.43	12.72	46.15	54.00	7.85	Vertical	PASS
5	5380.64	33.55	12.86	46.41	54.00	7.59	Vertical	PASS
6	5396.25	34.11	12.95	47.06	54.00	6.94	Vertical	PASS
7	5119.81	44.72	12.27	56.99	74.00	17.01	Vertical	PASS
8	5136.77	42.69	12.39	55.08	74.00	18.92	Vertical	PASS
9	5149.07	40.93	12.48	53.41	74.00	20.59	Vertical	PASS
10	5355.73	43.33	12.71	56.04	74.00	17.96	Vertical	PASS
11	5376.89	43.91	12.84	56.75	74.00	17.25	Vertical	PASS
12	5393.85	44.41	12.93	57.34	74.00	16.66	Vertical	PASS

Project Information			
Mode:	802.11be160 996+Gap(40M)+484	Band:	U-NII-1&2A
Bandwidth	160	Channel	50
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P12.5		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5125.51	29.58	12.31	41.89	54.00	12.11	Horizontal	PASS
2	5141.57	30.59	12.42	43.01	54.00	10.99	Horizontal	PASS
3	5148.17	30.28	12.46	42.74	54.00	11.26	Horizontal	PASS
4	5354.83	30.54	12.71	43.25	54.00	10.75	Horizontal	PASS
5	5372.99	29.54	12.81	42.35	54.00	11.65	Horizontal	PASS
6	5396.55	30.31	12.95	43.26	54.00	10.74	Horizontal	PASS
7	5126.11	40.39	12.31	52.70	74.00	21.30	Horizontal	PASS
8	5141.12	41.89	12.41	54.30	74.00	19.70	Horizontal	PASS
9	5148.47	40.27	12.47	52.74	74.00	21.26	Horizontal	PASS
10	5355.88	41.03	12.72	53.75	74.00	20.25	Horizontal	PASS
11	5372.39	39.99	12.81	52.80	74.00	21.20	Horizontal	PASS
12	5396.40	43.71	12.95	56.66	74.00	17.34	Horizontal	PASS

Project Information			
Mode:	802.11be160 996+Gap(40M)+484	Band:	U-NII-1&2A
Bandwidth	160	Channel	50
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P12.5		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5111.11	32.10	12.20	44.30	54.00	9.70	Vertical	PASS
2	5136.77	33.06	12.39	45.45	54.00	8.55	Vertical	PASS
3	5148.77	34.10	12.48	46.58	54.00	7.42	Vertical	PASS
4	5351.08	35.20	12.69	47.89	54.00	6.11	Vertical	PASS
5	5385.29	35.77	12.89	48.66	54.00	5.34	Vertical	PASS
6	5396.10	37.05	12.95	50.00	54.00	4.00	Vertical	PASS
7	5114.41	42.43	12.23	54.66	74.00	19.34	Vertical	PASS
8	5136.47	44.71	12.39	57.10	74.00	16.90	Vertical	PASS
9	5145.47	43.54	12.45	55.99	74.00	18.01	Vertical	PASS
10	5351.53	45.92	12.69	58.61	74.00	15.39	Vertical	PASS
11	5384.69	47.30	12.88	60.18	74.00	13.82	Vertical	PASS
12	5396.85	50.25	12.96	63.21	74.00	10.79	Vertical	PASS

Project Information			
Mode:	802.11be160 996+484+Gap(40M)	Band:	U-NII-1&2A
Bandwidth	160	Channel	50
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P13		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5102.70	29.53	12.15	41.68	54.00	12.32	Horizontal	PASS
2	5121.76	31.74	12.29	44.03	54.00	9.97	Horizontal	PASS
3	5148.02	33.28	12.46	45.74	54.00	8.26	Horizontal	PASS
4	5356.33	32.25	12.72	44.97	54.00	9.03	Horizontal	PASS
5	5361.43	31.56	12.75	44.31	54.00	9.69	Horizontal	PASS
6	5377.94	29.32	12.84	42.16	54.00	11.84	Horizontal	PASS
7	5103.00	40.46	12.15	52.61	74.00	21.39	Horizontal	PASS
8	5120.41	41.89	12.27	54.16	74.00	19.84	Horizontal	PASS
9	5145.92	44.10	12.45	56.55	74.00	17.45	Horizontal	PASS
10	5355.88	44.93	12.72	57.65	74.00	16.35	Horizontal	PASS
11	5361.13	44.31	12.75	57.06	74.00	16.94	Horizontal	PASS
12	5379.14	40.22	12.85	53.07	74.00	20.93	Horizontal	PASS

Project Information			
Mode:	802.11be160 996+484+Gap(40M)	Band:	U-NII-1&2A
Bandwidth	160	Channel	50
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P13		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5131.82	35.51	12.36	47.87	54.00	6.13	Vertical	PASS
2	5135.87	35.61	12.38	47.99	54.00	6.01	Vertical	PASS
3	5148.92	37.40	12.48	49.88	54.00	4.12	Vertical	PASS
4	5358.28	37.82	12.72	50.54	54.00	3.46	Vertical	PASS
5	5362.63	37.82	12.75	50.57	54.00	3.43	Vertical	PASS
6	5367.58	36.75	12.78	49.53	54.00	4.47	Vertical	PASS
7	5129.71	45.72	12.34	58.06	74.00	15.94	Vertical	PASS
8	5135.42	45.89	12.38	58.27	74.00	15.73	Vertical	PASS
9	5148.47	47.16	12.47	59.63	74.00	14.37	Vertical	PASS
10	5358.58	50.24	12.73	62.97	74.00	11.03	Vertical	PASS

Project Information			
Mode:	802.11be160242+Gap(20M)+484+996	Band:	U-NII-1&2A
Bandwidth	160	Channel	50
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P14		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5101.50	33.34	12.14	45.48	54.00	8.52	Horizontal	PASS
2	5136.32	33.23	12.39	45.62	54.00	8.38	Horizontal	PASS
3	5145.32	32.62	12.45	45.07	54.00	8.93	Horizontal	PASS
4	5361.28	32.02	12.75	44.77	54.00	9.23	Horizontal	PASS
5	5376.14	32.47	12.83	45.30	54.00	8.70	Horizontal	PASS
6	5381.24	33.09	12.86	45.95	54.00	8.05	Horizontal	PASS
7	5106.75	47.93	12.18	60.11	74.00	13.89	Horizontal	PASS
8	5135.27	47.07	12.38	59.45	74.00	14.55	Horizontal	PASS
9	5142.62	46.46	12.43	58.89	74.00	15.11	Horizontal	PASS
10	5361.13	45.83	12.75	58.58	74.00	15.42	Horizontal	PASS
11	5376.74	46.36	12.84	59.20	74.00	14.80	Horizontal	PASS
12	5381.09	47.45	12.86	60.31	74.00	13.69	Horizontal	PASS

Project Information			
Mode:	802.11be160242+Gap(20M)+484+996	Band:	U-NII-1&2A
Bandwidth	160	Channel	50
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P14		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5105.85	36.28	12.17	48.45	54.00	5.55	Vertical	PASS
2	5141.42	35.33	12.42	47.75	54.00	6.25	Vertical	PASS
3	5145.47	36.62	12.45	49.07	54.00	4.93	Vertical	PASS
4	5358.88	33.07	12.73	45.80	54.00	8.20	Vertical	PASS
5	5373.89	34.42	12.82	47.24	54.00	6.76	Vertical	PASS
6	5378.99	33.83	12.85	46.68	54.00	7.32	Vertical	PASS
7	5105.70	50.63	12.17	62.80	74.00	11.20	Vertical	PASS
8	5134.82	50.74	12.37	63.11	74.00	10.89	Vertical	PASS
9	5145.32	50.08	12.45	62.53	74.00	11.47	Vertical	PASS
10	5358.73	46.46	12.73	59.19	74.00	14.81	Vertical	PASS
11	5374.34	48.74	12.82	61.56	74.00	12.44	Vertical	PASS
12	5378.69	47.80	12.84	60.64	74.00	13.36	Vertical	PASS

Project Information			
Mode:	802.11be160 Gap(20M)+242+484+996	Band:	U-NII-1&2A
Bandwidth	160	Channel	50
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P13		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5116.81	28.43	12.25	40.68	54.00	13.32	Horizontal	PASS
2	5127.76	28.80	12.32	41.12	54.00	12.88	Horizontal	PASS
3	5147.87	28.39	12.46	40.85	54.00	13.15	Horizontal	PASS
4	5366.83	29.16	12.78	41.94	54.00	12.06	Horizontal	PASS
5	5392.05	30.43	12.93	43.36	54.00	10.64	Horizontal	PASS
6	5396.40	30.15	12.95	43.10	54.00	10.90	Horizontal	PASS
7	5116.06	40.92	12.24	53.16	74.00	20.84	Horizontal	PASS
8	5127.61	41.69	12.32	54.01	74.00	19.99	Horizontal	PASS
9	5145.62	40.05	12.45	52.50	74.00	21.50	Horizontal	PASS
10	5364.43	43.34	12.76	56.10	74.00	17.90	Horizontal	PASS
11	5391.90	42.74	12.93	55.67	74.00	18.33	Horizontal	PASS
12	5396.55	43.71	12.95	56.66	74.00	17.34	Horizontal	PASS

Project Information			
Mode:	802.11be160 Gap(20M)+242+484+996	Band:	U-NII-1&2A
Bandwidth	160	Channel	50
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P13		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5118.76	30.13	12.27	42.40	54.00	11.60	Vertical	PASS
2	5125.36	29.95	12.31	42.26	54.00	11.74	Vertical	PASS
3	5146.07	30.17	12.45	42.62	54.00	11.38	Vertical	PASS
4	5387.54	32.93	12.89	45.82	54.00	8.18	Vertical	PASS
5	5392.65	34.77	12.92	47.69	54.00	6.31	Vertical	PASS
6	5398.80	35.54	12.96	48.50	54.00	5.50	Vertical	PASS
7	5115.01	41.76	12.24	54.00	74.00	20.00	Vertical	PASS
8	5128.66	43.15	12.33	55.48	74.00	18.52	Vertical	PASS
9	5145.92	41.91	12.45	54.36	74.00	19.64	Vertical	PASS
10	5388.14	45.08	12.90	57.98	74.00	16.02	Vertical	PASS
11	5393.10	46.82	12.93	59.75	74.00	14.25	Vertical	PASS
12	5398.35	48.46	12.96	61.42	74.00	12.58	Vertical	PASS

Project Information			
Mode:	802.11be160 484+Gap(20M)+242+996	Band:	U-NII-1&2A
Bandwidth	160	Channel	50
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P13.5		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5112.46	30.12	12.22	42.34	54.00	11.66	Horizontal	PASS
2	5122.81	30.57	12.29	42.86	54.00	11.14	Horizontal	PASS
3	5147.87	28.98	12.46	41.44	54.00	12.56	Horizontal	PASS
4	5113.06	41.95	12.22	54.17	74.00	19.83	Horizontal	PASS
5	5122.81	42.34	12.29	54.63	74.00	19.37	Horizontal	PASS
6	5146.22	41.63	12.45	54.08	74.00	19.92	Horizontal	PASS
7	5354.08	40.24	12.70	52.94	74.00	21.06	Horizontal	PASS
8	5366.38	41.35	12.78	54.13	74.00	19.87	Horizontal	PASS
9	5394.75	41.21	12.94	54.15	74.00	19.85	Horizontal	PASS

Project Information			
Mode:	802.11be160 484+Gap(20M)+242+996	Band:	U-NII-1&2A
Bandwidth	160	Channel	50
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P13.5		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5106.15	28.68	12.17	40.85	54.00	13.15	Vertical	PASS
2	5122.66	29.62	12.29	41.91	54.00	12.09	Vertical	PASS
3	5145.77	29.43	12.45	41.88	54.00	12.12	Vertical	PASS
4	5365.63	29.74	12.77	42.51	54.00	11.49	Vertical	PASS
5	5376.29	30.86	12.84	43.70	54.00	10.30	Vertical	PASS
6	5386.64	31.21	12.90	44.11	54.00	9.89	Vertical	PASS
7	5105.70	41.59	12.17	53.76	74.00	20.24	Vertical	PASS
8	5125.81	42.10	12.31	54.41	74.00	19.59	Vertical	PASS
9	5146.37	42.00	12.46	54.46	74.00	19.54	Vertical	PASS
10	5363.08	42.42	12.75	55.17	74.00	18.83	Vertical	PASS
11	5372.39	42.60	12.81	55.41	74.00	18.59	Vertical	PASS
12	5386.49	44.15	12.89	57.04	74.00	16.96	Vertical	PASS

Project Information			
Mode:	802.11be160 484+242+Gap(20M)+996	Band:	U-NII-1&2A
Bandwidth	160	Channel	50
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P13.5		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5112.61	31.45	12.22	43.67	54.00	10.33	Horizontal	PASS
2	5118.76	31.44	12.27	43.71	54.00	10.29	Horizontal	PASS
3	5125.81	31.53	12.31	43.84	54.00	10.16	Horizontal	PASS
4	5361.43	30.02	12.75	42.77	54.00	11.23	Horizontal	PASS
5	5365.48	30.48	12.77	43.25	54.00	10.75	Horizontal	PASS
6	5398.80	30.46	12.96	43.42	54.00	10.58	Horizontal	PASS
7	5115.01	45.22	12.24	57.46	74.00	16.54	Horizontal	PASS
8	5118.16	44.66	12.25	56.91	74.00	17.09	Horizontal	PASS
9	5126.56	45.25	12.32	57.57	74.00	16.43	Horizontal	PASS
10	5359.63	42.73	12.74	55.47	74.00	18.53	Horizontal	PASS
11	5365.78	42.49	12.77	55.26	74.00	18.74	Horizontal	PASS
12	5398.80	42.56	12.96	55.52	74.00	18.48	Horizontal	PASS

Project Information			
Mode:	802.11be160 484+242+Gap(20M)+996	Band:	U-NII-1&2A
Bandwidth	160	Channel	50
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P13.5		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5111.56	33.98	12.21	46.19	54.00	7.81	Vertical	PASS
2	5116.36	34.10	12.25	46.35	54.00	7.65	Vertical	PASS
3	5125.66	36.02	12.31	48.33	54.00	5.67	Vertical	PASS
4	5357.23	31.62	12.73	44.35	54.00	9.65	Vertical	PASS
5	5368.18	31.59	12.78	44.37	54.00	9.63	Vertical	PASS
6	5396.25	33.95	12.95	46.90	54.00	7.10	Vertical	PASS
7	5110.96	47.73	12.20	59.93	74.00	14.07	Vertical	PASS
8	5114.71	48.67	12.23	60.90	74.00	13.10	Vertical	PASS
9	5125.51	49.56	12.31	61.87	74.00	12.13	Vertical	PASS
10	5357.08	45.74	12.73	58.47	74.00	15.53	Vertical	PASS
11	5366.53	45.35	12.78	58.13	74.00	15.87	Vertical	PASS
12	5395.05	48.05	12.94	60.99	74.00	13.01	Vertical	PASS

Project Information			
Mode:	802.11be160 996+Gap(20M)+242+484	Band:	U-NII-1&2A
Bandwidth	160	Channel	50
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P13.5		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5126.11	30.21	12.31	42.52	54.00	11.48	Horizontal	PASS
2	5132.27	30.96	12.36	43.32	54.00	10.68	Horizontal	PASS
3	5145.92	31.58	12.45	44.03	54.00	9.97	Horizontal	PASS
4	5352.43	31.27	12.70	43.97	54.00	10.03	Horizontal	PASS
5	5358.58	31.08	12.73	43.81	54.00	10.19	Horizontal	PASS
6	5378.54	29.96	12.84	42.80	54.00	11.20	Horizontal	PASS
7	5125.51	42.75	12.31	55.06	74.00	18.94	Horizontal	PASS
8	5134.82	43.65	12.37	56.02	74.00	17.98	Horizontal	PASS
9	5145.77	45.16	12.45	57.61	74.00	16.39	Horizontal	PASS
10	5352.28	45.43	12.70	58.13	74.00	15.87	Horizontal	PASS
11	5358.73	44.46	12.73	57.19	74.00	16.81	Horizontal	PASS
12	5377.79	43.06	12.84	55.90	74.00	18.10	Horizontal	PASS

Project Information			
Mode:	802.11be160 996+Gap(20M)+242+484	Band:	U-NII-1&2A
Bandwidth	160	Channel	50
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P13.5		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5111.41	31.58	12.21	43.79	54.00	10.21	Vertical	PASS
2	5132.42	32.61	12.36	44.97	54.00	9.03	Vertical	PASS
3	5145.62	33.00	12.45	45.45	54.00	8.55	Vertical	PASS
4	5352.28	32.56	12.70	45.26	54.00	8.74	Vertical	PASS
5	5365.93	33.43	12.77	46.20	54.00	7.80	Vertical	PASS
6	5398.95	32.68	12.96	45.64	54.00	8.36	Vertical	PASS
7	5108.55	43.79	12.19	55.98	74.00	18.02	Vertical	PASS
8	5134.52	45.82	12.37	58.19	74.00	15.81	Vertical	PASS
9	5145.47	47.22	12.45	59.67	74.00	14.33	Vertical	PASS
10	5356.18	46.39	12.72	59.11	74.00	14.89	Vertical	PASS
11	5365.78	46.47	12.77	59.24	74.00	14.76	Vertical	PASS
12	5395.20	47.25	12.94	60.19	74.00	13.81	Vertical	PASS

Project Information			
Mode:	802.11be160 996+242+Gap(20M)+484	Band:	U-NII-1&2A
Bandwidth	160	Channel	50
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P13		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5122.36	28.79	12.29	41.08	54.00	12.92	Horizontal	PASS
2	5127.46	29.36	12.32	41.68	54.00	12.32	Horizontal	PASS
3	5146.82	28.92	12.46	41.38	54.00	12.62	Horizontal	PASS
4	5356.48	29.94	12.72	42.66	54.00	11.34	Horizontal	PASS
5	5365.78	29.24	12.77	42.01	54.00	11.99	Horizontal	PASS
6	5397.30	29.66	12.96	42.62	54.00	11.38	Horizontal	PASS
7	5122.36	41.23	12.29	53.52	74.00	20.48	Horizontal	PASS
8	5127.31	40.86	12.32	53.18	74.00	20.82	Horizontal	PASS
9	5145.62	39.52	12.45	51.97	74.00	22.03	Horizontal	PASS
10	5350.03	41.30	12.68	53.98	74.00	20.02	Horizontal	PASS
11	5366.68	41.56	12.78	54.34	74.00	19.66	Horizontal	PASS
12	5396.25	40.46	12.95	53.41	74.00	20.59	Horizontal	PASS

Project Information			
Mode:	802.11be160 996+242+Gap(20M)+484	Band:	U-NII-1&2A
Bandwidth	160	Channel	50
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P13		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5112.91	30.96	12.22	43.18	54.00	10.82	Vertical	PASS
2	5123.86	32.89	12.30	45.19	54.00	8.81	Vertical	PASS
3	5144.27	32.34	12.44	44.78	54.00	9.22	Vertical	PASS
4	5352.43	32.79	12.70	45.49	54.00	8.51	Vertical	PASS
5	5367.73	33.87	12.78	46.65	54.00	7.35	Vertical	PASS
6	5398.80	34.05	12.96	47.01	54.00	6.99	Vertical	PASS
7	5112.76	43.29	12.22	55.51	74.00	18.49	Vertical	PASS
8	5123.71	42.66	12.29	54.95	74.00	19.05	Vertical	PASS
9	5145.17	42.37	12.45	54.82	74.00	19.18	Vertical	PASS
10	5352.28	44.89	12.70	57.59	74.00	16.41	Vertical	PASS
11	5368.18	45.88	12.78	58.66	74.00	15.34	Vertical	PASS
12	5398.80	46.69	12.96	59.65	74.00	14.35	Vertical	PASS

Project Information			
Mode:	802.11be160 996+484+Gap(20M)+242	Band:	U-NII-1&2A
Bandwidth	160	Channel	50
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P13		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5112.46	29.75	12.22	41.97	54.00	12.03	Horizontal	PASS
2	5122.81	30.71	12.29	43.00	54.00	11.00	Horizontal	PASS
3	5142.47	28.87	12.43	41.30	54.00	12.70	Horizontal	PASS
4	5363.08	29.18	12.75	41.93	54.00	12.07	Horizontal	PASS
5	5372.54	29.52	12.81	42.33	54.00	11.67	Horizontal	PASS
6	5394.00	29.89	12.93	42.82	54.00	11.18	Horizontal	PASS
7	5112.31	43.29	12.22	55.51	74.00	18.49	Horizontal	PASS
8	5121.01	43.01	12.27	55.28	74.00	18.72	Horizontal	PASS
9	5142.32	42.47	12.43	54.90	74.00	19.10	Horizontal	PASS
10	5362.78	42.07	12.75	54.82	74.00	19.18	Horizontal	PASS
11	5366.23	43.81	12.78	56.59	74.00	17.41	Horizontal	PASS
12	5393.85	42.19	12.93	55.12	74.00	18.88	Horizontal	PASS

Project Information			
Mode:	802.11be160 996+484+Gap(20M)+242	Band:	U-NII-1&2A
Bandwidth	160	Channel	50
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P13		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5113.96	32.77	12.23	45.00	54.00	9.00	Vertical	PASS
2	5125.51	31.94	12.31	44.25	54.00	9.75	Vertical	PASS
3	5140.37	30.77	12.41	43.18	54.00	10.82	Vertical	PASS
4	5352.13	29.87	12.70	42.57	54.00	11.43	Vertical	PASS
5	5366.38	29.90	12.78	42.68	54.00	11.32	Vertical	PASS
6	5396.70	31.80	12.95	44.75	54.00	9.25	Vertical	PASS
7	5115.16	46.94	12.24	59.18	74.00	14.82	Vertical	PASS
8	5125.81	45.99	12.31	58.30	74.00	15.70	Vertical	PASS
9	5146.07	43.50	12.45	55.95	74.00	18.05	Vertical	PASS
10	5356.33	41.59	12.72	54.31	74.00	19.69	Vertical	PASS
11	5365.93	44.07	12.77	56.84	74.00	17.16	Vertical	PASS
12	5395.35	46.01	12.94	58.95	74.00	15.05	Vertical	PASS

Project Information			
Mode:	802.11be160 996+484+242+Gap(20M)	Band:	U-NII-1&2A
Bandwidth	160	Channel	50
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P13		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5132.72	30.30	12.36	42.66	54.00	11.34	Horizontal	PASS
2	5136.62	30.35	12.39	42.74	54.00	11.26	Horizontal	PASS
3	5146.07	29.84	12.45	42.29	54.00	11.71	Horizontal	PASS
4	5351.38	29.45	12.69	42.14	54.00	11.86	Horizontal	PASS
5	5374.34	29.44	12.82	42.26	54.00	11.74	Horizontal	PASS
6	5388.14	29.10	12.90	42.00	54.00	12.00	Horizontal	PASS
7	5107.80	40.64	12.18	52.82	74.00	21.18	Horizontal	PASS
8	5136.17	44.75	12.38	57.13	74.00	16.87	Horizontal	PASS
9	5146.37	42.28	12.46	54.74	74.00	19.26	Horizontal	PASS
10	5350.63	40.19	12.68	52.87	74.00	21.13	Horizontal	PASS
11	5377.94	40.44	12.84	53.28	74.00	20.72	Horizontal	PASS
12	5387.99	41.79	12.90	54.69	74.00	19.31	Horizontal	PASS

Project Information			
Mode:	802.11be160 996+484+242+Gap(20M)	Band:	U-NII-1&2A
Bandwidth	160	Channel	50
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P13		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5129.86	32.38	12.34	44.72	54.00	9.28	Vertical	PASS
2	5135.42	32.42	12.38	44.80	54.00	9.20	Vertical	PASS
3	5146.22	32.23	12.45	44.68	54.00	9.32	Vertical	PASS
4	5358.43	32.32	12.73	45.05	54.00	8.95	Vertical	PASS
5	5372.84	32.12	12.81	44.93	54.00	9.07	Vertical	PASS
6	5388.29	32.52	12.90	45.42	54.00	8.58	Vertical	PASS
7	5129.71	45.34	12.34	57.68	74.00	16.32	Vertical	PASS
8	5135.27	48.91	12.38	61.29	74.00	12.71	Vertical	PASS
9	5145.47	45.33	12.45	57.78	74.00	16.22	Vertical	PASS
10	5358.73	43.00	12.73	55.73	74.00	18.27	Vertical	PASS
11	5374.49	46.48	12.82	59.30	74.00	14.70	Vertical	PASS
12	5388.14	45.14	12.90	58.04	74.00	15.96	Vertical	PASS

Project Information			
Mode:	802.11be160 Gap(40M)+484+996	Band:	U-NII-2C
Bandwidth	160	Channel	144
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P13.5		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5415.93	28.35	12.86	41.21	54.00	12.79	Horizontal	PASS
2	5436.07	28.04	12.73	40.77	54.00	13.23	Horizontal	PASS
3	5456.73	28.24	12.75	40.99	54.00	13.01	Horizontal	PASS
4	5418.56	39.20	12.85	52.05	74.00	21.95	Horizontal	PASS
5	5432.57	39.48	12.76	52.24	74.00	21.76	Horizontal	PASS
6	5454.63	39.38	12.72	52.10	74.00	21.90	Horizontal	PASS
7	5727.59	43.55	13.33	56.88	68.20	11.32	Horizontal	PASS
8	5732.32	43.60	13.25	56.85	68.20	11.35	Horizontal	PASS
9	5737.22	40.50	13.17	53.67	68.20	14.53	Horizontal	PASS

Project Information			
Mode:	802.11be160 Gap(40M)+484+996	Band:	U-NII-2C
Bandwidth	160	Channel	144
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P13.5		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.28	30.72	12.71	43.43	54.00	10.57	Vertical	PASS
2	5459.18	30.96	12.79	43.75	54.00	10.25	Vertical	PASS
3	5454.45	44.07	12.72	56.79	74.00	17.21	Vertical	PASS
4	5456.03	43.54	12.74	56.28	74.00	17.72	Vertical	PASS
5	5465.48	42.48	12.89	55.37	68.20	12.83	Vertical	PASS
6	5727.76	45.74	13.32	59.06	68.20	9.14	Vertical	PASS
7	5732.49	45.72	13.25	58.97	68.20	9.23	Vertical	PASS
8	5741.25	42.97	13.10	56.07	68.20	12.13	Vertical	PASS

Project Information			
Mode:	802.11be160 484+Gap(40M)+996	Band:	U-NII-2C
Bandwidth	160	Channel	144
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P12.5		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5412.08	30.73	12.89	43.62	54.00	10.38	Horizontal	PASS
2	5432.04	31.18	12.75	43.93	54.00	10.07	Horizontal	PASS
3	5442.72	31.88	12.69	44.57	54.00	9.43	Horizontal	PASS
4	5411.03	40.93	12.90	53.83	74.00	20.17	Horizontal	PASS
5	5431.87	42.61	12.76	55.37	74.00	18.63	Horizontal	PASS
6	5448.15	41.94	12.66	54.60	74.00	19.40	Horizontal	PASS
7	5727.59	45.53	13.33	58.86	68.20	9.34	Horizontal	PASS
8	5745.27	43.86	13.04	56.90	68.20	11.30	Horizontal	PASS

Project Information			
Mode:	802.11be160 484+Gap(40M)+996	Band:	U-NII-2C
Bandwidth	160	Channel	144
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P12.5		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5437.47	36.47	12.72	49.19	54.00	4.81	Vertical	PASS
2	5443.77	36.63	12.68	49.31	54.00	4.69	Vertical	PASS
3	5436.77	47.26	12.72	59.98	74.00	14.02	Vertical	PASS
4	5445.17	47.87	12.67	60.54	74.00	13.46	Vertical	PASS
5	5461.28	46.58	12.83	59.41	68.20	8.79	Vertical	PASS
6	5726.36	49.16	13.35	62.51	68.20	5.69	Vertical	PASS
7	5733.37	45.20	13.23	58.43	68.20	9.77	Vertical	PASS
8	5748.25	44.10	12.99	57.09	68.20	11.11	Vertical	PASS

Project Information			
Mode:	802.11be160 996+Gap(40M)+484	Band:	U-NII-2C
Bandwidth	160	Channel	144
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P12		

### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5404.03	30.92	12.95	43.87	54.00	10.13	Horizontal	PASS
2	5434.84	30.91	12.74	43.65	54.00	10.35	Horizontal	PASS
3	5458.30	30.49	12.77	43.26	54.00	10.74	Horizontal	PASS
4	5405.78	42.22	12.93	55.15	74.00	18.85	Horizontal	PASS
5	5441.32	42.17	12.69	54.86	74.00	19.14	Horizontal	PASS
6	5459.53	40.66	12.80	53.46	74.00	20.54	Horizontal	PASS
7	5725.84	47.99	13.36	61.35	68.20	6.85	Horizontal	PASS
8	5738.44	46.02	13.15	59.17	68.20	9.03	Horizontal	PASS
9	5745.27	44.43	13.04	57.47	68.20	10.73	Horizontal	PASS