


Project Information			
Mode:	802.11be160 996+Gap(40M)+484	Band:	U-NII-2C
Bandwidth	160	Channel	144
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P12		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5438.87	37.37	12.72	50.09	54.00	3.91	Vertical	PASS
2	5458.83	36.71	12.78	49.49	54.00	4.51	Vertical	PASS
3	5429.76	49.51	12.77	62.28	74.00	11.72	Vertical	PASS
4	5438.69	50.53	12.72	63.25	74.00	10.75	Vertical	PASS
5	5464.08	48.07	12.86	60.93	68.20	7.27	Vertical	PASS
6	5725.66	50.95	13.36	64.31	68.20	3.89	Vertical	PASS
7	5732.14	48.07	13.25	61.32	68.20	6.88	Vertical	PASS
8	5745.27	47.59	13.04	60.63	68.20	7.57	Vertical	PASS

Project Information			
Mode:	802.11be160 996+484+Gap(40M)	Band:	U-NII-2C
Bandwidth	160	Channel	144
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P12		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5413.83	29.68	12.88	42.56	54.00	11.44	Horizontal	PASS
2	5416.46	29.84	12.86	42.70	54.00	11.30	Horizontal	PASS
3	5421.54	29.86	12.82	42.68	54.00	11.32	Horizontal	PASS
4	5411.73	42.16	12.89	55.05	74.00	18.95	Horizontal	PASS
5	5417.51	42.41	12.86	55.27	74.00	18.73	Horizontal	PASS
6	5420.84	42.16	12.83	54.99	74.00	19.01	Horizontal	PASS
7	5728.81	38.49	13.31	51.80	68.20	16.40	Horizontal	PASS
8	5738.79	38.51	13.14	51.65	68.20	16.55	Horizontal	PASS
9	5745.80	38.67	13.03	51.70	68.20	16.50	Horizontal	PASS

Project Information			
Mode:	802.11be160 996+484+Gap(40M)	Band:	U-NII-2C
Bandwidth	160	Channel	144
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P12		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5413.66	35.31	12.88	48.19	54.00	5.81	Vertical	PASS
2	5418.91	36.10	12.85	48.95	54.00	5.05	Vertical	PASS
3	5433.62	33.64	12.75	46.39	54.00	7.61	Vertical	PASS
4	5413.66	51.45	12.88	64.33	74.00	9.67	Vertical	PASS
5	5416.98	51.10	12.85	63.95	74.00	10.05	Vertical	PASS
6	5433.44	48.95	12.75	61.70	74.00	12.30	Vertical	PASS
7	5729.86	39.33	13.29	52.62	68.20	15.58	Vertical	PASS
8	5744.57	39.89	13.05	52.94	68.20	15.26	Vertical	PASS
9	5750.00	40.38	12.96	53.34	68.20	14.86	Vertical	PASS

Project Information			
Mode:	802.11be160 Gap(20M)+242+484+996	Band:	U-NII-2C
Bandwidth	160	Channel	144
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P13		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5432.92	29.71	12.76	42.47	54.00	11.53	Horizontal	PASS
2	5438.69	29.64	12.72	42.36	54.00	11.64	Horizontal	PASS
3	5432.74	42.35	12.76	55.11	74.00	18.89	Horizontal	PASS
4	5437.12	41.63	12.72	54.35	74.00	19.65	Horizontal	PASS
5	5467.76	39.54	12.93	52.47	68.20	15.73	Horizontal	PASS
6	5725.66	44.77	13.36	58.13	68.20	10.07	Horizontal	PASS
7	5734.59	44.77	13.21	57.98	68.20	10.22	Horizontal	PASS
8	5745.45	43.33	13.03	56.36	68.20	11.84	Horizontal	PASS

Project Information			
Mode:	802.11be160 Gap(20M)+242+484+996	Band:	U-NII-2C
Bandwidth	160	Channel	144
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5433.79	32.53	12.75	45.28	54.00	8.72	Vertical	PASS
2	5446.05	32.04	12.66	44.70	54.00	9.30	Vertical	PASS
3	5435.02	45.98	12.74	58.72	74.00	15.28	Vertical	PASS
4	5445.87	45.72	12.67	58.39	74.00	15.61	Vertical	PASS
5	5458.65	43.65	12.78	56.43	74.00	17.57	Vertical	PASS
6	5725.49	49.10	13.36	62.46	68.20	5.74	Vertical	PASS
7	5734.94	44.61	13.21	57.82	68.20	10.38	Vertical	PASS
8	5745.62	44.88	13.03	57.91	68.20	10.29	Vertical	PASS

Project Information			
Mode:	802.11be160 242+Gap(20M)+484+996	Band:	U-NII-2C
Bandwidth	160	Channel	144
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P13		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5412.26	30.97	12.88	43.85	54.00	10.15	Horizontal	PASS
2	5418.91	31.13	12.85	43.98	54.00	10.02	Horizontal	PASS
3	5458.48	28.93	12.78	41.71	54.00	12.29	Horizontal	PASS
4	5412.96	45.01	12.89	57.90	74.00	16.10	Horizontal	PASS
5	5419.43	44.21	12.84	57.05	74.00	16.95	Horizontal	PASS
6	5456.73	41.56	12.75	54.31	74.00	19.69	Horizontal	PASS
7	5731.09	43.11	13.27	56.38	68.20	11.82	Horizontal	PASS
8	5736.87	42.46	13.18	55.64	68.20	12.56	Horizontal	PASS
9	5745.80	43.36	13.03	56.39	68.20	11.81	Horizontal	PASS

Project Information			
Mode:	802.11be160 242+Gap(20M)+484+996	Band:	U-NII-2C
Bandwidth	160	Channel	144
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P13		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5412.78	34.53	12.89	47.42	54.00	6.58	Vertical	PASS
2	5419.08	36.35	12.85	49.20	54.00	4.80	Vertical	PASS
3	5459.18	33.90	12.79	46.69	54.00	7.31	Vertical	PASS
4	5413.83	49.64	12.88	62.52	74.00	11.48	Vertical	PASS
5	5418.91	49.84	12.85	62.69	74.00	11.31	Vertical	PASS
6	5459.00	47.36	12.78	60.14	74.00	13.86	Vertical	PASS
7	5730.39	44.05	13.28	57.33	68.20	10.87	Vertical	PASS
8	5735.47	44.93	13.20	58.13	68.20	10.07	Vertical	PASS
9	5738.44	43.56	13.15	56.71	68.20	11.49	Vertical	PASS

Project Information			
Mode:	802.11be160 484+Gap(20M)+242+996	Band:	U-NII-2C
Bandwidth	160	Channel	144
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5421.71	30.16	12.82	42.98	54.00	11.02	Horizontal	PASS
2	5428.01	29.90	12.79	42.69	54.00	11.31	Horizontal	PASS
3	5441.32	29.86	12.69	42.55	54.00	11.45	Horizontal	PASS
4	5421.89	42.70	12.82	55.52	74.00	18.48	Horizontal	PASS
5	5426.09	44.59	12.80	57.39	74.00	16.61	Horizontal	PASS
6	5442.20	42.59	12.69	55.28	74.00	18.72	Horizontal	PASS
7	5726.01	41.25	13.35	54.60	68.20	13.60	Horizontal	PASS
8	5733.02	39.07	13.24	52.31	68.20	15.89	Horizontal	PASS
9	5745.80	39.76	13.03	52.79	68.20	15.41	Horizontal	PASS

Project Information			
Mode:	802.11be160 484+Gap(20M)+242+996	Band:	U-NII-2C
Bandwidth	160	Channel	144
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P13		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5423.99	34.64	12.81	47.45	54.00	6.55	Vertical	PASS
2	5432.57	35.11	12.76	47.87	54.00	6.13	Vertical	PASS
3	5447.97	33.68	12.66	46.34	54.00	7.66	Vertical	PASS
4	5423.81	47.24	12.82	60.06	74.00	13.94	Vertical	PASS
5	5433.79	47.33	12.75	60.08	74.00	13.92	Vertical	PASS
6	5447.80	47.74	12.66	60.40	74.00	13.60	Vertical	PASS
7	5726.54	41.47	13.34	54.81	68.20	13.39	Vertical	PASS
8	5731.09	40.53	13.27	53.80	68.20	14.40	Vertical	PASS
9	5744.92	39.56	13.04	52.60	68.20	15.60	Vertical	PASS

Project Information			
Mode:	802.11be160 484+242+Gap(20M)+996	Band:	U-NII-2C
Bandwidth	160	Channel	144
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5432.57	31.44	12.76	44.20	54.00	9.80	Horizontal	PASS
2	5436.42	30.70	12.73	43.43	54.00	10.57	Horizontal	PASS
3	5456.38	28.73	12.75	41.48	54.00	12.52	Horizontal	PASS
4	5433.97	45.10	12.75	57.85	74.00	16.15	Horizontal	PASS
5	5440.97	43.28	12.70	55.98	74.00	18.02	Horizontal	PASS
6	5458.13	40.99	12.77	53.76	74.00	20.24	Horizontal	PASS
7	5726.01	43.79	13.35	57.14	68.20	11.06	Horizontal	PASS
8	5738.97	41.24	13.14	54.38	68.20	13.82	Horizontal	PASS
9	5750.00	41.45	12.96	54.41	68.20	13.79	Horizontal	PASS

Project Information			
Mode:	802.11be160 484+242+Gap(20M)+996	Band:	U-NII-2C
Bandwidth	160	Channel	144
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5433.97	35.09	12.75	47.84	54.00	6.16	Vertical	PASS
2	5439.04	35.46	12.71	48.17	54.00	5.83	Vertical	PASS
3	5448.50	34.89	12.65	47.54	54.00	6.46	Vertical	PASS
4	5432.74	50.80	12.76	63.56	74.00	10.44	Vertical	PASS
5	5438.87	49.00	12.72	61.72	74.00	12.28	Vertical	PASS
6	5448.15	48.01	12.66	60.67	74.00	13.33	Vertical	PASS
7	5726.36	46.20	13.35	59.55	68.20	8.65	Vertical	PASS
8	5732.67	42.93	13.24	56.17	68.20	12.03	Vertical	PASS
9	5750.00	41.92	12.96	54.88	68.20	13.32	Vertical	PASS

Project Information			
Mode:	802.11be160 996+Gap(20M)+242+484	Band:	U-NII-2C
Bandwidth	160	Channel	144
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5416.28	42.01	12.86	54.87	74.00	19.13	Horizontal	PASS
2	5428.54	41.06	12.78	53.84	74.00	20.16	Horizontal	PASS
3	5459.53	39.88	12.80	52.68	74.00	21.32	Horizontal	PASS
4	5726.54	41.21	13.34	54.55	68.20	13.65	Horizontal	PASS
5	5741.07	43.52	13.11	56.63	68.20	11.57	Horizontal	PASS
6	5749.12	40.63	12.97	53.60	68.20	14.60	Horizontal	PASS

Project Information			
Mode:	802.11be160 996+Gap(20M)+242+484	Band:	U-NII-2C
Bandwidth	160	Channel	144
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5412.61	32.79	12.89	45.68	54.00	8.32	Vertical	PASS
2	5418.91	33.96	12.85	46.81	54.00	7.19	Vertical	PASS
3	5444.12	33.02	12.68	45.70	54.00	8.30	Vertical	PASS
4	5413.48	47.32	12.88	60.20	74.00	13.80	Vertical	PASS
5	5418.03	49.02	12.85	61.87	74.00	12.13	Vertical	PASS
6	5467.58	46.67	12.93	59.60	68.20	8.60	Vertical	PASS
7	5728.11	43.88	13.32	57.20	68.20	11.00	Vertical	PASS
8	5732.49	43.06	13.25	56.31	68.20	11.89	Vertical	PASS
9	5740.90	43.38	13.11	56.49	68.20	11.71	Vertical	PASS

Project Information			
Mode:	802.11be160 996+242+Gap(20M)+484	Band:	U-NII-2C
Bandwidth	160	Channel	144
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P13		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5433.97	31.51	12.75	44.26	54.00	9.74	Horizontal	PASS
2	5446.57	31.07	12.66	43.73	54.00	10.27	Horizontal	PASS
3	5433.79	46.43	12.75	59.18	74.00	14.82	Horizontal	PASS
4	5446.40	44.87	12.66	57.53	74.00	16.47	Horizontal	PASS
5	5467.93	42.85	12.93	55.78	68.20	12.42	Horizontal	PASS
6	5726.36	43.63	13.35	56.98	68.20	11.22	Horizontal	PASS
7	5735.64	39.26	13.20	52.46	68.20	15.74	Horizontal	PASS
8	5746.32	41.16	13.02	54.18	68.20	14.02	Horizontal	PASS

Project Information			
Mode:	802.11be160 996+242+Gap(20M)+484	Band:	U-NII-2C
Bandwidth	160	Channel	144
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5433.97	36.95	12.75	49.70	54.00	4.30	Vertical	PASS
2	5438.87	37.07	12.72	49.79	54.00	4.21	Vertical	PASS
3	5448.85	35.20	12.65	47.85	54.00	6.15	Vertical	PASS
4	5432.92	51.61	12.76	64.37	74.00	9.63	Vertical	PASS
5	5438.69	51.68	12.72	64.40	74.00	9.60	Vertical	PASS
6	5448.67	49.36	12.65	62.01	74.00	11.99	Vertical	PASS
7	5726.01	46.12	13.35	59.47	68.20	8.73	Vertical	PASS
8	5730.04	43.80	13.29	57.09	68.20	11.11	Vertical	PASS
9	5745.45	41.71	13.03	54.74	68.20	13.46	Vertical	PASS

Project Information			
Mode:	802.11be160 996+484+Gap(20M)+242	Band:	U-NII-2C
Bandwidth	160	Channel	144
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5434.32	42.88	12.74	55.62	74.00	18.38	Horizontal	PASS
2	5437.12	43.13	12.72	55.85	74.00	18.15	Horizontal	PASS
3	5447.45	40.93	12.65	53.58	74.00	20.42	Horizontal	PASS
4	5727.59	41.50	13.33	54.83	68.20	13.37	Horizontal	PASS
5	5742.47	41.30	13.08	54.38	68.20	13.82	Horizontal	PASS
6	5746.67	41.24	13.01	54.25	68.20	13.95	Horizontal	PASS

Project Information			
Mode:	802.11be160 996+484+Gap(20M)+242	Band:	U-NII-2C
Bandwidth	160	Channel	144
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P13		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5434.14	34.06	12.75	46.81	54.00	7.19	Vertical	PASS
2	5440.97	33.08	12.70	45.78	54.00	8.22	Vertical	PASS
3	5445.35	33.65	12.67	46.32	54.00	7.68	Vertical	PASS
4	5434.84	47.82	12.74	60.56	74.00	13.44	Vertical	PASS
5	5439.04	46.60	12.71	59.31	74.00	14.69	Vertical	PASS
6	5445.52	46.49	12.67	59.16	74.00	14.84	Vertical	PASS
7	5725.14	46.25	13.37	59.62	68.20	8.58	Vertical	PASS
8	5733.54	43.10	13.23	56.33	68.20	11.87	Vertical	PASS
9	5746.32	40.88	13.02	53.90	68.20	14.30	Vertical	PASS

Project Information			
Mode:	802.11be160 996+484+242+Gap(20M)	Band:	U-NII-2C
Bandwidth	160	Channel	144
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P12		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5415.58	30.45	12.87	43.32	54.00	10.68	Horizontal	PASS
2	5422.94	29.83	12.82	42.65	54.00	11.35	Horizontal	PASS
3	5417.33	41.14	12.85	53.99	74.00	20.01	Horizontal	PASS
4	5426.26	40.60	12.79	53.39	74.00	20.61	Horizontal	PASS
5	5466.36	41.49	12.91	54.40	68.20	13.80	Horizontal	PASS
6	5727.76	41.40	13.32	54.72	68.20	13.48	Horizontal	PASS
7	5734.07	42.82	13.22	56.04	68.20	12.16	Horizontal	PASS
8	5739.14	42.27	13.14	55.41	68.20	12.79	Horizontal	PASS

Project Information			
Mode:	802.11be160 996+484+242+Gap(20M)	Band:	U-NII-2C
Bandwidth	160	Channel	144
SN:	HQ64CA0013	Engineer:	Shen Zhuang
Remark:	Y; ANT5/8 P12		

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5426.44	34.77	12.79	47.56	54.00	6.44	Vertical	PASS
2	5445.52	36.19	12.67	48.86	54.00	5.14	Vertical	PASS
3	5453.93	35.87	12.70	48.57	54.00	5.43	Vertical	PASS
4	5425.04	48.26	12.80	61.06	74.00	12.94	Vertical	PASS
5	5453.23	48.68	12.69	61.37	74.00	12.63	Vertical	PASS
6	5469.51	48.16	12.96	61.12	68.20	7.08	Vertical	PASS
7	5725.84	42.16	13.36	55.52	68.20	12.68	Vertical	PASS
8	5734.59	44.22	13.21	57.43	68.20	10.77	Vertical	PASS
9	5739.67	44.04	13.13	57.17	68.20	11.03	Vertical	PASS

Simultaneous TX emissions

Test Result

Project Information			
Mode:	NFC+BT(DH5)+5G WiFi+EN_DC_41A_n77(3450-3550MHz)	Band:	U-NII-3;LTE Band 41;NR n77
Bandwidth	WiFi 20MHz;LTE 20MHz; NR 100MHz	Channel	WiFi 149; LTE Midl;NR Mid
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	BT WiFi;ANT 5/8;LTE ANT2 ;NR ANT6		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	40.67	47.56	-23.68	23.88	40.00	16.12	Horizontal	PASS
2	100.23	51.43	-23.35	28.08	43.50	15.42	Horizontal	PASS
3	159.50	50.49	-25.26	25.23	43.50	18.27	Horizontal	PASS
4	171.72	50.44	-24.19	26.25	43.50	17.25	Horizontal	PASS
5	448.70	38.01	-8.64	29.37	46.00	16.63	Horizontal	PASS
6	492.45	37.59	-8.24	29.35	46.00	16.65	Horizontal	PASS

Project Information			
Mode:	NFC+BT(DH5)+5G WiFi+EN_DC_41A_n77(3450-3550MHz)	Band:	U-NII-3;LTE Band 41;NR n77
Bandwidth	WiFi 20MHz;LTE 20MHz; NR 100MHz	Channel	WiFi 149; LTE Midl;NR Mid
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	BT WIFI;ANT 5/8;LTE ANT2 ;NR ANT6		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	33.78	52.68	-24.99	27.69	40.00	12.31	Vertical	PASS
2	40.67	55.04	-23.28	31.76	40.00	8.24	Vertical	PASS
3	67.78	52.29	-25.00	27.29	40.00	12.71	Vertical	PASS
4	109.98	49.00	-22.72	26.28	43.50	17.22	Vertical	PASS
5	437.59	38.10	-9.22	28.88	46.00	17.12	Vertical	PASS
6	480.32	37.55	-8.31	29.24	46.00	16.76	Vertical	PASS

Project Information			
Mode:	NFC+BT(DH5)+5G WIFI+EN_DC_41A_n77(3450-3550MHz)	Band:	U-NII-3;LTE Band 41; NR n77
Bandwidth	WiFi 20MHz;LTE 20MHz; NR 100MHz	Channel	WiFi 149; LTE Midl;NR Mid
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	BT WIFI;ANT 5/8;LTE ANT2 ;NR ANT6		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	8343.13	35.87	1.01	36.88	54.00	17.12	Horizontal	PASS
2	11372.33	35.01	5.19	40.20	54.00	13.80	Horizontal	PASS
3	17836.69	32.09	13.42	45.51	54.00	8.49	Horizontal	PASS
4	2479.78	82.74	11.94	94.68	-	-	Horizontal	NA
5	2584.05	85.78	12.86	98.64	-	-	Horizontal	NA
6	3451.15	104.60	6.51	111.11	-	-	Horizontal	NA
7	5738.58	92.84	13.21	106.05	-	-	Horizontal	NA
8	6893.70	46.36	-1.78	44.58	68.20	23.62	Horizontal	PASS
9	10353.01	51.38	3.78	55.16	68.20	13.04	Horizontal	PASS
10	17994.63	38.74	13.71	52.45	74.00	21.55	Horizontal	PASS

Project Information			
Mode:	NFC+BT(DH5)+5G WIFI+EN_DC_41A_n77(3450-3550MHz)	Band:	U-NII-3;LTE Band 41; NR n77
Bandwidth	WiFi 20MHz;LTE 20MHz; NR 100MHz	Channel	WiFi 149; LTE Mid;NR Mid
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	BT WIFI;ANT 5/8;LTE ANT2 ;NR ANT6		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8090.89	36.99	0.50	37.49	54.00	16.51	Vertical	PASS
2	12234.47	34.86	5.34	40.20	54.00	13.80	Vertical	PASS
3	17983.90	32.22	13.56	45.78	54.00	8.22	Vertical	PASS
4	2479.92	92.88	11.94	104.82	-	-	Vertical	NA
5	2584.25	81.43	12.85	94.28	-	-	Vertical	NA
6	3450.98	102.81	6.51	109.32	-	-	Vertical	NA
7	5737.18	92.16	13.23	105.39	-	-	Vertical	NA
8	10353.01	44.34	3.78	48.12	68.20	20.08	Vertical	PASS
9	13675.09	40.65	9.25	49.90	68.20	18.30	Vertical	PASS
10	17858.16	39.26	13.89	53.15	74.00	20.85	Vertical	PASS

~The End~