






802.11 N20 Middle Channel




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com












802.11 N20_Highest Channel















802.11N40 Lowest Channel



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com











802.11 N40 Middle Channel












802.11 N40_Highest Channel





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com




Remark:

Scan from 9kHz to 25GHz, the disturbance between 9KHz to 30MHz was very low, and the above harmonics were the highest point could be found when testing, The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Radiated Spurious Emissions
Radiated Emission test (below 1 GHz)



Final Result

No.	Frequency [MHz]	(P)	Reading QP [dB(µV)]	c. f [dB(1/m)]	Result QP [dB(µV/m)]	Limit QP [dB(µV/m)]	Margin QP [dB]	Height [cm]	Angle [°]	System	Remark
1	30.366	V	27.5	-3.9	23.6	40.0	16.4	100.0	358.8	2	
2	242.047	V	39.0	-9.2	29.8	46.0	16.2	106.0	203.7	2	
3	935.478	V	17.0	4.9	21.9	46.0	24.1	109.0	48.0	2	
4	30.187	H	22.2	-4.9	17.3	40.0	22.7	366.0	350.6	1	
5	237.974	H	43.0	-10.6	32.4	46.0	13.6	112.0	22.6	1	
6	932.811	H	17.5	4.1	21.6	46.0	24.4	100.0	353.0	1	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Radiated Emission Test Result

Radiated Emission test (1 GHz – 3 GHz)

: 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny
EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52
Power Supply : Battery **Test Mode** : Tx mode
Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/HORIZONTAL
Memo : 11B 1M 2412

Data: 17



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	1342.00	-4.41	40.11	74.00	-33.89	174	89	Peak	HORIZONTAL
2	1664.00	-2.25	42.52	74.00	-31.48	188	275	Peak	HORIZONTAL
3	1984.00	0.25	44.88	74.00	-29.12	158	46	Peak	HORIZONTAL
4	2234.00	2.37	45.41	74.00	-28.59	157	2	Peak	HORIZONTAL
5	2618.00	5.69	48.68	74.00	-25.32	185	250	Peak	HORIZONTAL
6	2766.00	6.57	49.88	74.00	-24.12	154	46	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/VERTICAL

Memo : 11B 1M 2412

Data: 18



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	1250.00	-4.72	40.28	74.00	-33.72	165	329	Peak	VERTICAL
2	1544.00	-2.52	41.54	74.00	-32.46	180	291	Peak	VERTICAL
3	1880.00	-0.17	43.68	74.00	-30.32	158	41	Peak	VERTICAL
4	2202.00	2.37	46.88	74.00	-27.12	177	54	Peak	VERTICAL
5	2620.00	5.67	49.02	74.00	-24.98	158	209	Peak	VERTICAL
6	2878.00	6.87	49.47	74.00	-24.53	175	173	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/VERTICAL

Memo : 11B 1M 2437

Data: 19



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	1284.00	-4.70	39.40	74.00	-34.60	185	351	Peak	VERTICAL
2	1502.00	-2.93	41.28	74.00	-32.72	165	73	Peak	VERTICAL
3	1990.00	0.24	43.61	74.00	-30.39	184	359	Peak	VERTICAL
4	2254.00	2.34	46.07	74.00	-27.93	180	0	Peak	VERTICAL
5	2554.00	4.88	48.72	74.00	-25.28	161	66	Peak	VERTICAL
6	2766.00	6.57	49.10	74.00	-24.90	178	288	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3'C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/HORIZONTAL

Memo : 11B 1M 2437

Data: 20



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	1274.00	-4.71	41.53	74.00	-32.47	170	304	Peak	HORIZONTAL
2	1594.00	-2.30	41.38	74.00	-32.62	179	33	Peak	HORIZONTAL
3	1832.00	-0.62	43.74	74.00	-30.26	175	36	Peak	HORIZONTAL
4	2184.00	1.98	45.31	74.00	-28.69	169	156	Peak	HORIZONTAL
5	2732.00	6.38	48.71	74.00	-25.29	161	212	Peak	HORIZONTAL
6	2880.00	6.88	49.62	74.00	-24.38	153	247	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3'C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/HORIZONTAL

Memo : 11B 1M 2462

Data: 21



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	1232.00	-4.93	40.85	74.00	-33.15	167	251	Peak	HORIZONTAL
2	1580.00	-2.35	41.90	74.00	-32.10	166	185	Peak	HORIZONTAL
3	1952.00	0.29	44.25	74.00	-29.75	154	342	Peak	HORIZONTAL
4	2218.00	2.37	45.88	74.00	-28.12	171	233	Peak	HORIZONTAL
5	2594.00	5.78	48.97	74.00	-25.03	155	73	Peak	HORIZONTAL
6	2840.00	6.64	48.62	74.00	-25.38	164	157	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3'C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/VERTICAL

Memo : 11B 1M 2462

Data: 22



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	1280.00	-4.70	39.73	74.00	-34.27	158	34	Peak	VERTICAL
2	1530.00	-2.66	42.08	74.00	-31.92	150	151	Peak	VERTICAL
3	1838.00	-0.52	43.91	74.00	-30.09	151	144	Peak	VERTICAL
4	2136.00	0.97	44.73	74.00	-29.27	151	25	Peak	VERTICAL
5	2616.00	5.71	52.44	74.00	-21.56	163	94	Peak	VERTICAL
6	2916.00	6.87	48.69	74.00	-25.31	150	117	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/VERTICAL

Memo : 11G 6M 2412

Data: 23



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	1240.00	-4.84	39.71	74.00	-34.29	179	224	Peak	VERTICAL
2	1566.00	-2.41	42.04	74.00	-31.96	154	265	Peak	VERTICAL
3	1896.00	-0.09	43.73	74.00	-30.27	185	29	Peak	VERTICAL
4	2090.00	0.62	45.02	74.00	-28.98	176	300	Peak	VERTICAL
5	2588.00	5.64	49.05	74.00	-24.95	156	212	Peak	VERTICAL
6	2816.00	6.49	49.74	74.00	-24.26	166	84	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/HORIZONTAL

Memo : 11G 6M 2412

Data: 24



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	1276.00	-4.70	39.90	74.00	-34.10	161	145	Peak	HORIZONTAL
2	1594.00	-2.30	41.94	74.00	-32.06	152	323	Peak	HORIZONTAL
3	1764.00	-1.36	44.54	74.00	-29.46	151	29	Peak	HORIZONTAL
4	2178.00	1.84	45.46	74.00	-28.54	154	94	Peak	HORIZONTAL
5	2610.00	5.79	48.48	74.00	-25.52	186	244	Peak	HORIZONTAL
6	2862.00	6.78	49.47	74.00	-24.53	169	285	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3'C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/HORIZONTAL

Memo : 11G 6M 2437

Data: 25



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	1334.00	-4.46	39.82	74.00	-34.18	164	209	Peak	HORIZONTAL
2	1572.00	-2.38	41.26	74.00	-32.74	155	77	Peak	HORIZONTAL
3	1858.00	-0.29	43.54	74.00	-30.46	187	20	Peak	HORIZONTAL
4	2176.00	1.78	45.59	74.00	-28.41	156	248	Peak	HORIZONTAL
5	2620.00	5.67	49.16	74.00	-24.84	175	234	Peak	HORIZONTAL
6	2728.00	6.33	49.99	74.00	-24.01	179	143	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3'C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/VERTICAL

Memo : 11G 6M 2437

Data: 26



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	1280.00	-4.70	40.21	74.00	-33.79	174	181	Peak	VERTICAL
2	1596.00	-2.30	42.77	74.00	-31.23	162	16	Peak	VERTICAL
3	1924.00	0.11	44.12	74.00	-29.88	157	230	Peak	VERTICAL
4	2194.00	2.23	46.06	74.00	-27.94	150	41	Peak	VERTICAL
5	2690.00	5.79	48.90	74.00	-25.10	152	270	Peak	VERTICAL
6	2810.00	6.45	49.86	74.00	-24.14	180	279	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3'C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/VERTICAL

Memo : 11G 6M 2462

Data: 27



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	1278.00	-4.70	39.63	74.00	-34.37	168	348	Peak	VERTICAL
2	1514.00	-2.82	41.27	74.00	-32.73	168	266	Peak	VERTICAL
3	1716.00	-1.80	43.10	74.00	-30.90	187	150	Peak	VERTICAL
4	2132.00	0.92	45.22	74.00	-28.78	166	249	Peak	VERTICAL
5	2614.00	5.74	48.12	74.00	-25.88	163	354	Peak	VERTICAL
6	2774.00	6.52	49.52	74.00	-24.48	183	189	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3'C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/HORIZONTAL

Memo : 11G 6M 2462

Data: 28



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	1242.00	-4.81	40.20	74.00	-33.80	174	342	Peak	HORIZONTAL
2	1580.00	-2.35	42.48	74.00	-31.52	165	205	Peak	HORIZONTAL
3	1758.00	-1.39	43.83	74.00	-30.17	169	271	Peak	HORIZONTAL
4	1982.00	0.25	43.96	74.00	-30.04	185	74	Peak	HORIZONTAL
5	2614.00	5.74	48.95	74.00	-25.05	179	346	Peak	HORIZONTAL
6	2818.00	6.49	48.92	74.00	-25.08	162	151	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/HORIZONTAL

Memo : 11N20 MCS0 2412

Data: 29



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	1254.00	-4.72	40.01	74.00	-33.99	181	129	Peak	HORIZONTAL
2	1524.00	-2.72	41.60	74.00	-32.40	166	320	Peak	HORIZONTAL
3	1872.00	-0.21	43.44	74.00	-30.56	180	322	Peak	HORIZONTAL
4	2006.00	0.34	45.14	74.00	-28.86	179	290	Peak	HORIZONTAL
5	2644.00	5.38	48.36	74.00	-25.64	167	1	Peak	HORIZONTAL
6	2850.00	6.71	49.18	74.00	-24.82	171	209	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/VERTICAL

Memo : 11N20 MCS0 2412

Data: 30



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	1218.00	-5.11	40.08	74.00	-33.92	167	312	Peak	VERTICAL
2	1550.00	-2.46	41.86	74.00	-32.14	187	88	Peak	VERTICAL
3	1900.00	-0.07	44.10	74.00	-29.90	179	34	Peak	VERTICAL
4	2156.00	1.29	45.31	74.00	-28.69	154	5	Peak	VERTICAL
5	2586.00	5.60	47.98	74.00	-26.02	158	358	Peak	VERTICAL
6	2746.00	6.59	49.76	74.00	-24.24	150	23	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/VERTICAL

Memo : 11N20 MCS0 2437

Data: 31



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	1282.00	-4.70	39.49	74.00	-34.51	170	216	Peak	VERTICAL
2	1596.00	-2.30	41.33	74.00	-32.67	169	273	Peak	VERTICAL
3	1850.00	-0.33	43.03	74.00	-30.97	188	192	Peak	VERTICAL
4	2152.00	1.19	44.64	74.00	-29.36	178	129	Peak	VERTICAL
5	2608.00	5.82	48.42	74.00	-25.58	166	53	Peak	VERTICAL
6	2730.00	6.35	49.34	74.00	-24.66	176	183	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3'C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/HORIZONTAL

Memo : 11N20 MCS0 2437

Data: 32



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	1202.00	-5.29	40.43	74.00	-33.57	178	20	Peak	HORIZONTAL
2	1578.00	-2.36	42.83	74.00	-31.17	150	92	Peak	HORIZONTAL
3	1904.00	-0.04	43.70	74.00	-30.30	190	79	Peak	HORIZONTAL
4	2216.00	2.37	46.48	74.00	-27.52	173	189	Peak	HORIZONTAL
5	2630.00	5.54	48.97	74.00	-25.03	177	140	Peak	HORIZONTAL
6	2742.00	6.53	49.34	74.00	-24.66	162	215	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3'C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/HORIZONTAL

Memo : 11N20 MCS0 2462

Data: 33



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	1292.00	-4.69	40.91	74.00	-33.09	179	297	Peak	HORIZONTAL
2	1470.00	-3.27	41.56	74.00	-32.44	175	169	Peak	HORIZONTAL
3	1854.00	-0.31	43.45	74.00	-30.55	150	338	Peak	HORIZONTAL
4	2182.00	1.93	45.87	74.00	-28.13	188	265	Peak	HORIZONTAL
5	2710.00	6.06	48.30	74.00	-25.70	157	71	Peak	HORIZONTAL
6	2852.00	6.72	49.71	74.00	-24.29	176	154	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3'C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/VERTICAL

Memo : 11N20 MCS0 2462

Data: 34



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	1300.00	-4.69	40.00	74.00	-34.00	170	319	Peak	VERTICAL
2	1750.00	-1.44	42.75	74.00	-31.25	190	188	Peak	VERTICAL
3	2020.00	0.60	44.90	74.00	-29.10	162	133	Peak	VERTICAL
4	2222.00	2.37	45.56	74.00	-28.44	154	205	Peak	VERTICAL
5	2618.00	5.69	48.19	74.00	-25.81	176	134	Peak	VERTICAL
6	2844.00	6.67	50.08	74.00	-23.92	165	50	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/VERTICAL

Memo : 11N40 MCS0 2422

Data: 35



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	1316.00	-4.59	40.55	74.00	-33.45	180	232	Peak	VERTICAL
2	1604.00	-2.28	41.85	74.00	-32.15	184	345	Peak	VERTICAL
3	1952.00	0.29	44.77	74.00	-29.23	164	265	Peak	VERTICAL
4	2232.00	2.37	45.83	74.00	-28.17	161	318	Peak	VERTICAL
5	2610.00	5.79	49.41	74.00	-24.59	162	79	Peak	VERTICAL
6	2838.00	6.63	49.08	74.00	-24.92	180	128	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/HORIZONTAL

Memo : 11N40 MCS0 2422

Data: 36



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	1242.00	-4.81	40.32	74.00	-33.68	175	338	Peak	HORIZONTAL
2	1516.00	-2.79	41.80	74.00	-32.20	186	289	Peak	HORIZONTAL
3	1834.00	-0.59	44.39	74.00	-29.61	154	152	Peak	HORIZONTAL
4	2140.00	1.02	44.71	74.00	-29.29	172	215	Peak	HORIZONTAL
5	2630.00	5.54	48.51	74.00	-25.49	154	112	Peak	HORIZONTAL
6	2754.00	6.63	49.33	74.00	-24.67	175	345	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/HORIZONTAL

Memo : 11N40 MCS0 2437

Data: 37



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	1348.00	-4.38	40.16	74.00	-33.84	183	287	Peak	HORIZONTAL
2	1608.00	-2.29	41.71	74.00	-32.29	186	3	Peak	HORIZONTAL
3	1878.00	-0.19	42.92	74.00	-31.08	167	116	Peak	HORIZONTAL
4	2190.00	2.13	44.60	74.00	-29.40	189	150	Peak	HORIZONTAL
5	2616.00	5.71	48.43	74.00	-25.57	164	17	Peak	HORIZONTAL
6	2786.00	6.46	50.00	74.00	-24.00	190	310	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3'C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/VERTICAL

Memo : 11N40 MCS0 2437

Data: 38



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	1232.00	-4.93	39.82	74.00	-34.18	186	144	Peak	VERTICAL
2	1636.00	-2.33	41.56	74.00	-32.44	162	37	Peak	VERTICAL
3	1864.00	-0.26	43.19	74.00	-30.81	185	349	Peak	VERTICAL
4	2188.00	2.08	44.72	74.00	-29.28	173	15	Peak	VERTICAL
5	2658.00	5.40	48.55	74.00	-25.45	162	339	Peak	VERTICAL
6	2772.00	6.54	49.70	74.00	-24.30	165	199	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3'C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/VERTICAL

Memo : 11N40 MCS0 2452

Data: 39



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	1256.00	-4.72	39.98	74.00	-34.02	189	70	Peak	VERTICAL
2	1664.00	-2.25	41.64	74.00	-32.36	183	52	Peak	VERTICAL
3	1892.00	-0.11	44.04	74.00	-29.96	150	331	Peak	VERTICAL
4	2222.00	2.37	45.43	74.00	-28.57	178	76	Peak	VERTICAL
5	2690.00	5.79	48.58	74.00	-25.42	166	89	Peak	VERTICAL
6	2892.00	6.94	49.98	74.00	-24.02	176	98	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3'C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/HORIZONTAL

Memo : 11N40 MCS0 2452

Data: 40



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	1256.00	-4.72	39.07	74.00	-34.93	179	135	Peak	HORIZONTAL
2	1598.00	-2.29	42.92	74.00	-31.08	155	158	Peak	HORIZONTAL
3	1870.00	-0.23	44.58	74.00	-29.42	174	119	Peak	HORIZONTAL
4	2174.00	1.74	45.01	74.00	-28.99	158	108	Peak	HORIZONTAL
5	2562.00	5.06	48.73	74.00	-25.27	166	19	Peak	HORIZONTAL
6	2738.00	6.48	48.80	74.00	-25.20	161	8	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Radiated Emission test (3 GHz – 18 GHz)

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/HORIZONTAL

Memo : 11B 1M 2412

Data: 41



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	4824.00	0.83	44.95	74.00	-29.05	165	96	Peak	HORIZONTAL
2	7236.00	6.19	43.56	74.00	-30.44	152	291	Peak	HORIZONTAL
3	9060.00	7.11	47.21	74.00	-26.79	171	44	Peak	HORIZONTAL
4	10860.00	9.56	47.71	74.00	-26.29	172	187	Peak	HORIZONTAL
5	13950.00	12.79	50.97	74.00	-23.03	159	58	Peak	HORIZONTAL
6	17040.00	16.02	52.00	74.00	-22.00	167	246	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/VERTICAL

Memo : 11B 1M 2412

Data: 42



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	4824.00	0.83	45.60	74.00	-28.40	177	38	Peak	VERTICAL
2	7236.00	6.19	45.05	74.00	-28.95	155	263	Peak	VERTICAL
3	10110.00	8.65	46.66	74.00	-27.34	174	83	Peak	VERTICAL
4	10965.00	9.74	48.35	74.00	-25.65	161	27	Peak	VERTICAL
5	14190.00	13.97	52.64	74.00	-21.36	174	183	Peak	VERTICAL
6	17220.00	15.61	51.66	74.00	-22.34	189	198	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/VERTICAL

Memo : 11B 1M 2437

Data: 43



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	4874.00	0.92	44.77	74.00	-29.23	155	313	Peak	VERTICAL
2	7311.00	6.34	44.66	74.00	-29.34	177	307	Peak	VERTICAL
3	9960.00	8.09	46.65	74.00	-27.35	159	193	Peak	VERTICAL
4	12105.00	9.85	47.64	74.00	-26.36	176	45	Peak	VERTICAL
5	13950.00	12.79	51.33	74.00	-22.67	176	341	Peak	VERTICAL
6	17340.00	15.74	53.43	74.00	-20.57	182	308	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/HORIZONTAL

Memo : 11B 1M 2437

Data: 44



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	4874.00	0.92	45.03	74.00	-28.97	186	174	Peak	HORIZONTAL
2	7311.00	6.34	44.08	74.00	-29.92	176	105	Peak	HORIZONTAL
3	9255.00	7.49	46.33	74.00	-27.67	157	357	Peak	HORIZONTAL
4	10965.00	9.74	47.74	74.00	-26.26	167	97	Peak	HORIZONTAL
5	14205.00	14.01	51.41	74.00	-22.59	176	59	Peak	HORIZONTAL
6	17295.00	15.81	52.60	74.00	-21.40	151	90	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT,
 DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/HORIZONTAL

Memo : 11B 1M 2462

Data: 45



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	4924.00	1.07	50.93	74.00	-23.07	174	267	Peak	HORIZONTAL
2	7386.00	6.24	45.32	74.00	-28.68	160	197	Peak	HORIZONTAL
3	9975.00	8.03	47.02	74.00	-26.98	175	65	Peak	HORIZONTAL
4	11670.00	10.04	47.96	74.00	-26.04	175	21	Peak	HORIZONTAL
5	14280.00	13.10	50.80	74.00	-23.20	161	164	Peak	HORIZONTAL
6	17355.00	15.70	52.58	74.00	-21.42	172	301	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/VERTICAL

Memo : 11B 1M 2462

Data: 46



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	4924.00	1.07	46.52	74.00	-27.48	180	191	Peak	VERTICAL
2	7386.00	6.24	44.86	74.00	-29.14	152	318	Peak	VERTICAL
3	8565.00	6.47	46.25	74.00	-27.75	179	301	Peak	VERTICAL
4	11265.00	10.20	48.66	74.00	-25.34	175	165	Peak	VERTICAL
5	14205.00	14.01	52.48	74.00	-21.52	176	317	Peak	VERTICAL
6	17325.00	15.77	52.46	74.00	-21.54	184	292	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/VERTICAL

Memo : 11G 6M 2412

Data: 47



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	4824.00	0.83	41.72	74.00	-32.28	156	190	Peak	VERTICAL
2	7236.00	6.19	45.06	74.00	-28.94	189	274	Peak	VERTICAL
3	9240.00	7.43	48.25	74.00	-25.75	177	112	Peak	VERTICAL
4	11745.00	10.02	48.31	74.00	-25.69	154	240	Peak	VERTICAL
5	14220.00	13.82	51.73	74.00	-22.27	179	336	Peak	VERTICAL
6	17535.00	15.54	53.03	74.00	-20.97	184	279	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/HORIZONTAL

Memo : 11G 6M 2412

Data: 48



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	4824.00	0.83	42.29	74.00	-31.71	182	241	Peak	HORIZONTAL
2	7236.00	6.19	43.38	74.00	-30.62	156	127	Peak	HORIZONTAL
3	9585.00	8.04	46.19	74.00	-27.81	164	92	Peak	HORIZONTAL
4	11445.00	10.07	47.36	74.00	-26.64	182	31	Peak	HORIZONTAL
5	14220.00	13.82	51.57	74.00	-22.43	173	159	Peak	HORIZONTAL
6	16920.00	15.17	52.13	74.00	-21.87	180	290	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/HORIZONTAL

Memo : 11G 6M 2437

Data: 49



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	4874.00	0.92	41.89	74.00	-32.11	188	290	Peak	HORIZONTAL
2	7311.00	6.34	44.10	74.00	-29.90	160	84	Peak	HORIZONTAL
3	9690.00	8.07	46.20	74.00	-27.80	174	106	Peak	HORIZONTAL
4	10485.00	8.91	47.62	74.00	-26.38	174	29	Peak	HORIZONTAL
5	13830.00	12.18	51.09	74.00	-22.91	159	284	Peak	HORIZONTAL
6	16965.00	15.81	53.06	74.00	-20.94	157	267	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/VERTICAL

Memo : 11G 6M 2437

Data: 50



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	4874.00	0.92	39.97	74.00	-34.03	178	208	Peak	VERTICAL
2	7311.00	6.34	44.56	74.00	-29.44	156	222	Peak	VERTICAL
3	9225.00	7.37	46.29	74.00	-27.71	190	204	Peak	VERTICAL
4	11505.00	10.09	48.38	74.00	-25.62	154	19	Peak	VERTICAL
5	13770.00	11.98	52.59	74.00	-21.41	163	10	Peak	VERTICAL
6	17310.00	15.80	52.33	74.00	-21.67	160	289	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Report No.: ZR/2019/A000304-01
 Rev.: 01
 Page: 146 of 175

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/VERTICAL

Memo : 11G 6M 2462

Data: 51



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	4924.00	1.07	40.87	74.00	-33.13	172	13	Peak	VERTICAL
2	7386.00	6.24	43.78	74.00	-30.22	181	5	Peak	VERTICAL
3	9435.00	8.05	46.74	74.00	-27.26	187	311	Peak	VERTICAL
4	11100.00	10.01	48.48	74.00	-25.52	156	306	Peak	VERTICAL
5	14505.00	12.87	51.24	74.00	-22.76	188	291	Peak	VERTICAL
6	17340.00	15.74	52.51	74.00	-21.49	171	313	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT,
 DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/HORIZONTAL

Memo : 11G 6M 2462

Data: 52



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	4924.00	1.07	42.44	74.00	-31.56	188	281	Peak	HORIZONTAL
2	7386.00	6.24	43.83	74.00	-30.17	154	205	Peak	HORIZONTAL
3	9420.00	8.11	46.00	74.00	-28.00	180	214	Peak	HORIZONTAL
4	10785.00	9.56	47.78	74.00	-26.22	160	251	Peak	HORIZONTAL
5	13950.00	12.79	50.74	74.00	-23.26	158	146	Peak	HORIZONTAL
6	17280.00	15.77	52.60	74.00	-21.40	179	134	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/HORIZONTAL

Memo : 11N20 MCS0 2412

Data: 53



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	4824.00	0.83	43.76	74.00	-30.24	159	301	Peak	HORIZONTAL
2	7236.00	6.19	43.75	74.00	-30.25	158	15	Peak	HORIZONTAL
3	8775.00	6.68	46.71	74.00	-27.29	167	315	Peak	HORIZONTAL
4	10215.00	8.11	47.66	74.00	-26.34	180	201	Peak	HORIZONTAL
5	14055.00	13.04	51.35	74.00	-22.65	181	338	Peak	HORIZONTAL
6	17025.00	16.14	53.17	74.00	-20.83	175	91	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/VERTICAL

Memo : 11N20 MCS0 2412

Data: 54



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	4824.00	0.83	39.54	74.00	-34.46	159	205	Peak	VERTICAL
2	7236.00	6.19	43.99	74.00	-30.01	169	118	Peak	VERTICAL
3	8580.00	6.48	46.43	74.00	-27.57	152	44	Peak	VERTICAL
4	11595.00	10.06	47.97	74.00	-26.03	151	156	Peak	VERTICAL
5	13995.00	12.98	51.52	74.00	-22.48	180	181	Peak	VERTICAL
6	17355.00	15.70	52.89	74.00	-21.11	175	5	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT,
 DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/VERTICAL

Memo : 11N20 MCS0 2437

Data: 55



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	4874.00	0.92	39.34	74.00	-34.66	165	251	Peak	VERTICAL
2	7311.00	6.34	44.46	74.00	-29.54	159	307	Peak	VERTICAL
3	9435.00	8.05	46.92	74.00	-27.08	162	184	Peak	VERTICAL
4	10950.00	9.68	48.48	74.00	-25.52	188	99	Peak	VERTICAL
5	14205.00	14.01	51.35	74.00	-22.65	175	264	Peak	VERTICAL
6	17325.00	15.77	53.38	74.00	-20.62	168	180	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT,
 DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/HORIZONTAL

Memo : 11N20 MCS0 2437

Data: 56



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	4874.00	0.92	40.19	74.00	-33.81	176	7	Peak	HORIZONTAL
2	7311.00	6.34	44.46	74.00	-29.54	160	10	Peak	HORIZONTAL
3	9225.00	7.37	46.48	74.00	-27.52	187	102	Peak	HORIZONTAL
4	12030.00	9.83	47.89	74.00	-26.11	171	284	Peak	HORIZONTAL
5	13500.00	11.34	50.92	74.00	-23.08	157	275	Peak	HORIZONTAL
6	16830.00	15.27	52.28	74.00	-21.72	181	123	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/HORIZONTAL

Memo : 11N20 MCS0 2462

Data: 57



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	4924.00	1.07	41.65	74.00	-32.35	164	232	Peak	HORIZONTAL
2	7386.00	6.24	44.77	74.00	-29.23	154	256	Peak	HORIZONTAL
3	9075.00	7.08	46.67	74.00	-27.33	173	98	Peak	HORIZONTAL
4	11820.00	10.02	47.51	74.00	-26.49	180	133	Peak	HORIZONTAL
5	13995.00	12.98	51.29	74.00	-22.71	152	285	Peak	HORIZONTAL
6	17505.00	15.59	52.87	74.00	-21.13	161	93	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/VERTICAL

Memo : 11N20 MCS0 2462

Data: 58



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	4924.00	1.07	39.11	74.00	-34.89	162	111	Peak	VERTICAL
2	7386.00	6.24	43.51	74.00	-30.49	175	275	Peak	VERTICAL
3	9255.00	7.49	46.11	74.00	-27.89	164	349	Peak	VERTICAL
4	11220.00	10.34	48.26	74.00	-25.74	183	347	Peak	VERTICAL
5	14205.00	14.01	51.00	74.00	-23.00	175	216	Peak	VERTICAL
6	17295.00	15.81	52.01	74.00	-21.99	164	251	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/VERTICAL

Memo : 11N40 MCS0 2422

Data: 59



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	4844.00	0.88	39.44	74.00	-34.56	166	227	Peak	VERTICAL
2	7266.00	6.37	44.51	74.00	-29.49	172	116	Peak	VERTICAL
3	9030.00	7.14	46.41	74.00	-27.59	165	189	Peak	VERTICAL
4	11820.00	10.02	47.91	74.00	-26.09	153	27	Peak	VERTICAL
5	14265.00	13.28	51.30	74.00	-22.70	175	222	Peak	VERTICAL
6	17445.00	15.59	52.98	74.00	-21.02	176	57	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT,
 DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/HORIZONTAL

Memo : 11N40 MCS0 2422

Data: 60



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	4844.00	0.88	39.96	74.00	-34.04	156	162	Peak	HORIZONTAL
2	7266.00	6.37	42.82	74.00	-31.18	160	187	Peak	HORIZONTAL
3	9690.00	8.07	47.39	74.00	-26.61	160	16	Peak	HORIZONTAL
4	11730.00	10.02	47.46	74.00	-26.54	161	24	Peak	HORIZONTAL
5	14175.00	13.83	51.24	74.00	-22.76	188	260	Peak	HORIZONTAL
6	17310.00	15.80	52.20	74.00	-21.80	162	22	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/HORIZONTAL

Memo : 11N40 MCS0 2437

Data: 61



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	4874.00	0.92	39.61	74.00	-34.39	170	270	Peak	HORIZONTAL
2	7311.00	6.34	44.22	74.00	-29.78	169	203	Peak	HORIZONTAL
3	9405.00	8.17	46.88	74.00	-27.12	186	215	Peak	HORIZONTAL
4	11805.00	10.02	47.78	74.00	-26.22	180	62	Peak	HORIZONTAL
5	14250.00	13.46	51.85	74.00	-22.15	174	356	Peak	HORIZONTAL
6	17520.00	15.56	52.35	74.00	-21.65	186	206	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/VERTICAL

Memo : 11N40 MCS0 2437

Data: 62



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	4874.00	0.92	39.08	74.00	-34.92	160	138	Peak	VERTICAL
2	7311.00	6.34	44.13	74.00	-29.87	172	74	Peak	VERTICAL
3	9870.00	8.24	47.51	74.00	-26.49	176	109	Peak	VERTICAL
4	11370.00	10.07	47.93	74.00	-26.07	177	70	Peak	VERTICAL
5	13755.00	11.96	52.20	74.00	-21.80	170	53	Peak	VERTICAL
6	17115.00	15.56	53.52	74.00	-20.48	175	21	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT,
 DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/VERTICAL

Memo : 11N40 MCS0 2452

Data: 63



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	4904.00	0.96	39.68	74.00	-34.32	168	192	Peak	VERTICAL
2	7356.00	6.52	43.86	74.00	-30.14	161	98	Peak	VERTICAL
3	9975.00	8.03	47.40	74.00	-26.60	167	106	Peak	VERTICAL
4	13230.00	10.44	49.03	74.00	-24.97	180	234	Peak	VERTICAL
5	14190.00	13.97	50.97	74.00	-23.03	174	164	Peak	VERTICAL
6	17295.00	15.81	52.55	74.00	-21.45	162	287	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/HORIZONTAL

Memo : 11N40 MCS0 2452

Data: 64



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	4904.00	0.96	41.39	74.00	-32.61	185	100	Peak	HORIZONTAL
2	7356.00	6.52	44.69	74.00	-29.31	159	230	Peak	HORIZONTAL
3	9285.00	7.61	46.68	74.00	-27.32	183	192	Peak	HORIZONTAL
4	11730.00	10.02	47.76	74.00	-26.24	179	245	Peak	HORIZONTAL
5	13905.00	12.60	51.76	74.00	-22.24	155	319	Peak	HORIZONTAL
6	16815.00	15.35	51.76	74.00	-22.24	182	28	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Restricted bands around fundamental frequency

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/HORIZONTAL

Memo : 11B 1M 2412

Data: 1



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	2367.25	3.24	46.64	74.00	-27.36	160	352	Peak	HORIZONTAL
2	2390.00	3.30	44.53	74.00	-29.47	187	256	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/VERTICAL

Memo : 11B 1M 2412

Data: 2



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	2351.13	3.19	45.90	74.00	-28.10	167	219	Peak	VERTICAL
2	2390.00	3.30	43.65	74.00	-30.35	150	301	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/VERTICAL

Memo : 11B 1M 2462

Data: 3



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	2483.50	3.52	46.36	74.00	-27.64	176	69	Peak	VERTICAL
2	2503.80	3.73	46.30	74.00	-27.70	181	337	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/HORIZONTAL

Memo : 11B 1M 2462

Data: 4



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	2483.50	3.52	47.43	74.00	-26.57	155	112	Peak	HORIZONTAL
2	2508.21	3.83	46.31	74.00	-27.69	162	268	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT,
 DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/HORIZONTAL

Memo : 11G 6M 2412

Data: 5



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	2368.25	3.24	45.86	74.00	-28.14	168	255	Peak	HORIZONTAL
2	2390.00	3.30	51.38	74.00	-22.62	177	241	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/VERTICAL

Memo : 11G 6M 2412

Data: 6



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	2369.25	3.24	45.88	74.00	-28.12	179	256	Peak	VERTICAL
2	2390.00	3.30	49.54	74.00	-24.46	164	360	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/VERTICAL

Memo : 11G 6M 2462

Data: 7



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	2483.50	3.52	51.22	74.00	-22.78	169	29	Peak	VERTICAL
2	2514.62	3.97	47.07	74.00	-26.93	188	96	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/HORIZONTAL

Memo : 11G 6M 2462

Data: 8



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	2483.50	3.52	55.04	74.00	-18.96	169	83	Peak	HORIZONTAL
2	2503.49	3.72	46.43	74.00	-27.57	160	181	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/HORIZONTAL

Memo : 11N20 MCS0 2412

Data: 9



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	2363.75	3.23	46.55	74.00	-27.45	181	22	Peak	HORIZONTAL
2	2390.00	3.30	50.80	74.00	-23.20	176	123	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Report No.: ZR/2019/A000304-01
 Rev.: 01
 Page: 169 of 175

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/VERTICAL

Memo : 11N20 MCS0 2412

Data: 10



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	2349.38	3.17	46.63	74.00	-27.37	151	1	Peak	VERTICAL
2	2390.00	3.30	51.80	74.00	-22.20	163	88	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/VERTICAL

Memo : 11N20 MCS0 2462

Data: 11



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	2483.50	3.52	50.38	74.00	-23.62	178	26	Peak	VERTICAL
2	2499.29	3.64	46.54	74.00	-27.46	152	262	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/HORIZONTAL

Memo : 11N20 MCS0 2462

Data: 12



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	2483.50	3.52	51.51	74.00	-22.49	168	203	Peak	HORIZONTAL
2	2502.96	3.71	46.41	74.00	-27.59	172	201	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT,
 DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/HORIZONTAL

Memo : 11N40 MCS0 2422

Data: 13



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBuV/m)	Limit Line (dBuV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	2368.38	3.24	45.94	74.00	-28.06	150	183	Peak	HORIZONTAL
2	2390.00	3.30	51.19	74.00	-22.81	180	272	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/VERTICAL

Memo : 11N40 MCS0 2422

Data: 14



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/ m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	2360.13	3.22	45.43	74.00	-28.57	151	85	Peak	VERTICAL
2	2390.00	3.30	52.67	74.00	-21.33	155	116	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3°C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/VERTICAL

Memo : 11N40 MCS0 2452

Data: 15



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	2483.50	3.52	52.10	74.00	-21.90	157	144	Peak	VERTICAL
2	2508.00	3.83	45.99	74.00	-28.01	160	274	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.



Test Site : 10m Chamber

Test Date : 01-10-2022 **Tested By** : Sunny


EUT : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n, GPS and NFC **Model Number** : XQ-AD52

Power Supply : Battery **Test Mode** : Tx mode

Condition : Temp:22.3'C,Humi:22%,Press:102.6kPa **Antenna/Distance** : 3m/HORIZONTAL

Memo : 11N40 MCS0 2452

Data: 16



Item (Mark)	Freq. (MHz)	Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/m)	Over Limit (dB)	Height (cm)	Angle (deg)	Detector	Polarization
1	2483.50	3.52	53.34	74.00	-20.66	178	88	Peak	HORIZONTAL
2	2513.57	3.95	46.55	74.00	-27.45	153	312	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Margin = Result Level – Limit.

The End

