

PART 24 MEASUREMENT REPORT

Applicant Name:
Sony Mobile Communications Inc
4-12-3 Higashi-Shinagawa
Shinagawa-ku
Tokyo, 140-0002, Japan

Date of Testing:
7/9/2020 - 9/18/2020
Test Site/Location:
PCTEST Lab. Columbia, MD, USA
Test Report Serial No.:
12M007070106-17-R2.PY7


| | |
|------------------------|---------------------------------------|
| FCC ID: | PY7-57441Y |
| Applicant Name: | Sony Mobile Communications Inc |

Application Type: Certification
EUT Type: Portable Handset
FCC Classification: PCS Licensed Transmitter Held to Ear (PCE)
FCC Rule Part: 24
Test Procedure(s): ANSI C63.26-2015, ANSI/TIA-603-E-2016, KDB 971168 D01 v03r01

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in §2.947. Test results reported herein relate only to the item(s) tested.

This revised Test Report (S/N: 1M2007070106-17-R2.FCC Report SNs) supersedes and replaces the previously issued test report on the same subject device for the same type of testing as indicated. Please discard or destroy the previously issued test report(s) and dispose of it accordingly.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.



Randy Ortanez
President



| | | | | |
|---|---|--------------------------------------|-------------|--|
| FCC ID: PY7-57441Y |  | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 1 of 131 |

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.


TABLE OF CONTENTS

| | | |
|-----|---|-----|
| 1.0 | INTRODUCTION | 4 |
| 1.1 | Scope | 4 |
| 1.2 | PCTEST Test Location..... | 4 |
| 1.3 | Test Facility / Accreditations..... | 4 |
| 2.0 | PRODUCT INFORMATION..... | 5 |
| 2.1 | Equipment Description | 5 |
| 2.2 | Device Capabilities..... | 5 |
| 2.3 | Test Configuration | 5 |
| 2.4 | EMI Suppression Device(s)/Modifications | 5 |
| 3.0 | DESCRIPTION OF TESTS | 6 |
| 3.1 | Evaluation Procedure | 6 |
| 3.2 | Radiated Power and Radiated Spurious Emissions | 6 |
| 4.0 | MEASUREMENT UNCERTAINTY | 7 |
| 5.0 | TEST EQUIPMENT CALIBRATION DATA | 8 |
| 6.0 | SAMPLE CALCULATIONS | 9 |
| 7.0 | TEST RESULTS | 11 |
| 7.1 | Summary | 11 |
| 7.2 | Conducted Power Output Data | 12 |
| 7.3 | Occupied Bandwidth | 18 |
| 7.4 | Spurious and Harmonic Emissions at Antenna Terminal | 38 |
| 7.5 | Band Edge Emissions at Antenna Terminal..... | 59 |
| 7.6 | Peak-Average Ratio | 91 |
| 7.7 | Radiated Power (ERP/EIRP)..... | 111 |
| 7.8 | Radiated Spurious Emissions Measurements..... | 115 |
| 7.9 | Frequency Stability / Temperature Variation | 126 |
| 8.0 | CONCLUSION..... | 131 |


| | | | | |
|--|---|-------------------------------|---|---------------------------------|
| FCC ID: PY7-57441Y |  <small>Proud to be part of element</small> | PART 24 MEASUREMENT REPORT |  | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 2 of 131 |

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



PART 24 MEASUREMENT REPORT



| Mode | Bandwidth | Modulation | Tx Frequency Range [MHz] | EIRP | | Emission Designator |
|---------------|-----------|-----------------|--------------------------|-----------------|------------------|---------------------|
| | | | | Max. Power [W] | Max. Power [dBm] | |
| GSM/GPRS | N/A | GMSK | 1850.2 - 1909.8 | 0.550 | 27.40 | 243KGXW |
| EDGE | | 8-PSK | 1850.2 - 1909.8 | 0.171 | 22.32 | 247KG7W |
| WCDMA | N/A | Spread Spectrum | 1852.4 - 1907.6 | 0.240 | 23.81 | 4M15F9W |
| LTE Band 25/2 | 20 MHz | QPSK | 1860 - 1905 | 0.163 | 22.13 | 18M0G7D |
| | | 16QAM | 1860 - 1905 | 0.136 | 21.32 | 18M0W7D |
| | | 64QAM | 1860 - 1905 | 0.110 | 20.41 | 18M0W7D |
| | 15 MHz | QPSK | 1857.5 - 1907.5 | 0.110 | 20.41 | 13M5G7D |
| | | 16QAM | 1857.5 - 1907.5 | 0.170 | 22.31 | 13M5W7D |
| | | 64QAM | 1857.5 - 1907.5 | 0.169 | 22.27 | 13M5W7D |
| | 10 MHz | QPSK | 1855 - 1910 | 0.169 | 22.27 | 9M01G7D |
| | | 16QAM | 1855 - 1910 | 0.139 | 21.44 | 9M02W7D |
| | | 64QAM | 1855 - 1910 | 0.108 | 20.32 | 9M00W7D |
| | 5 MHz | QPSK | 1852.5 - 1912.5 | 0.167 | 22.22 | 4M54G7D |
| | | 16QAM | 1852.5 - 1912.5 | 0.133 | 21.25 | 4M53W7D |
| | | 64QAM | 1852.5 - 1912.5 | 0.098 | 19.90 | 4M55W7D |
| | 3 MHz | QPSK | 1851.5 - 1913.5 | 0.170 | 22.30 | 2M72G7D |
| | | 16QAM | 1851.5 - 1913.5 | 0.136 | 21.32 | 2M71W7D |
| | | 64QAM | 1851.5 - 1913.5 | 0.106 | 20.25 | 2M71W7D |
| | 1.4 MHz | QPSK | 1850.7 - 1914.3 | 0.168 | 22.26 | 1M10G7D |
| | | 16QAM | 1850.7 - 1914.3 | 0.125 | 20.95 | 1M10W7D |
| | | 64QAM | 1850.7 - 1914.3 | 0.096 | 19.84 | 1M10W7D |
| NR Band n2 | 20 MHz | $\pi/2$ BPSK | 1860 - 1905 | 0.066 | 18.20 | 18M0G7D |
| | | QPSK | 1860 - 1905 | 0.068 | 18.30 | 19M0G7D |
| | | 16QAM | 1860 - 1905 | 0.056 | 17.51 | 19M0W7D |
| | | 64QAM | 1860 - 1905 | 0.043 | 16.37 | 19M0W7D |
| | 15 MHz | $\pi/2$ BPSK | 1857.5 - 1907.5 | 0.062 | 17.91 | 13M5G7D |
| | | QPSK | 1857.5 - 1907.5 | 0.064 | 18.07 | 14M2G7D |
| | | 16QAM | 1857.5 - 1907.5 | 0.052 | 17.16 | 14M2W7D |
| | 10 MHz | 64QAM | 1857.5 - 1907.5 | 0.047 | 16.68 | 14M2W7D |
| | | $\pi/2$ BPSK | 1855 - 1910 | 0.062 | 17.95 | 8M98G7D |
| | | QPSK | 1855 - 1910 | 0.067 | 18.26 | 9M35G7D |
| | 5 MHz | 16QAM | 1855 - 1910 | 0.051 | 17.05 | 9M36W7D |
| | | 64QAM | 1855 - 1910 | 0.045 | 16.54 | 9M40W7D |
| | | $\pi/2$ BPSK | 1852.5 - 1912.5 | 0.062 | 17.96 | 4M50G7D |
| | | QPSK | 1852.5 - 1912.5 | 0.066 | 18.16 | 4M52G7D |
| | | | 16QAM | 1852.5 - 1912.5 | 0.050 | 17.00 |
| 64QAM | | | 1852.5 - 1912.5 | 0.045 | 16.52 | 4M54W7D |

| | | | | |
|--|---|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y |  PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 3 of 131 |

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

1.0 INTRODUCTION

1.1 Scope

Measurement and determination of electromagnetic emissions (EMC) of radio frequency devices including intentional and/or unintentional radiators for compliance with the technical rules and regulations of the Federal Communications Commission and the Innovation, Science and Economic Development Canada.

1.2 PCTEST Test Location

These measurement tests were conducted at the PCTEST Engineering Laboratory, Inc. facility located at 7185 Oakland Mills Road, Columbia, MD 21046. The measurement facility is compliant with the test site requirements specified in ANSI C63.4-2014.

1.3 Test Facility / Accreditations

Measurements were performed at PCTEST Engineering Lab located in Columbia, MD 21046, U.S.A.

- PCTEST is an ISO 17025-2005 accredited test facility under the American Association for Laboratory Accreditation (A2LA) with Certificate number 2041.01 for Specific Absorption Rate (SAR), Hearing Aid Compatibility (HAC) testing, where applicable, and Electromagnetic Compatibility (EMC) testing for FCC and Innovation, Science, and Economic Development Canada rules.
- PCTEST TCB is a Telecommunication Certification Body (TCB) accredited to ISO/IEC 17065-2012 by A2LA (Certificate number 2041.03) in all scopes of FCC Rules and ISED Standards (RSS).
- PCTEST facility is a registered (2451B) test laboratory with the site description on file with ISED.

| | | | | |
|--|---|-------------------------------|---|---------------------------------|
| FCC ID: PY7-57441Y |  PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT |  | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 4 of 131 |

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

2.0 PRODUCT INFORMATION

2.1 Equipment Description

The Equipment Under Test (EUT) is the SONY **Portable Handset FCC ID:PY7-57441Y**. The test data contained in this report pertains only to the emissions due to the EUT's licensed transmitters that operate under the provisions of Part 24.

Test Device Serial No.: 83174, 81811, 64264

2.2 Device Capabilities

This device contains the following capabilities:

850/1900 GSM/GPRS/EDGE, 850/1700/1900, WCDMA/HSPA, Multi-band LTE, 5G NR (n5, n66, n2, n260, n261), 802.11b/g/n/ax WLAN, 802.11a/n/ac/ax UNII, Bluetooth (1x, EDR, LE), NFC

2.3 Test Configuration

The EUT was tested per the guidance of ANSI/TIA-603-E-2016 and KDB 971168 D01 v03r01. See Section 7.0 of this test report for a description of the radiated and antenna port conducted emissions tests.

2.4 EMI Suppression Device(s)/Modifications

No EMI suppression device(s) were added and no modifications were made during testing.

| | | | | |
|--|---|-------------------------------|---|---------------------------------|
| FCC ID: PY7-57441Y |  PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT |  | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | Page 5 of 131 | |

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

3.0 DESCRIPTION OF TESTS

3.1 Evaluation Procedure

The measurement procedures described in the “Land Mobile FM or PM – Communications Equipment – Measurements and Performance Standards” (ANSI/TIA-603-E-2016) and “Measurement Guidance for Certification of Licensed Digital Transmitters” (KDB 971168 D01 v03r01) were used in the measurement of the EUT.

Deviation from Measurement Procedure.....None

3.2 Radiated Power and Radiated Spurious Emissions

The radiated test facilities consisted of an indoor 3 meter semi-anechoic chamber used for final measurements and exploratory measurements, when necessary. The measurement area is contained within the semi-anechoic chamber which is shielded from any ambient interference. The test site inside the chamber is a 6m x 5.2m elliptical, obstruction-free area in accordance with Figure 5.7 of Clause 5 in ANSI C63.4-2014. Absorbers are arranged on the floor between the turn table and the antenna mast in such a way so as to maximize the reduction of reflections for measurements above 1GHz. For measurements below 1GHz, the absorbers are removed. A raised turntable is used for radiated measurement. The turn table is a continuously rotatable, remote-controlled, metallic turntable and 2 meters (6.56 ft.) in diameter. The turn table is flush with the raised floor of the chamber in order to maintain its function as a ground plane. An 80cm tall test table made of Styrodur is placed on top of the turn table. A Styrodur pedestal is placed on top of the test table to bring the total table height to 1.5m.

The equipment under test was transmitting while connected to its integral antenna and is placed on a turntable 3 meters from the receive antenna. The receive antenna height is adjusted between 1 and 4 meter height, the turntable is rotated through 360 degrees, and the EUT is manipulated through all orthogonal planes representative of its typical use to achieve the highest reading on the receive spectrum analyzer.

For radiated power measurements, substitution method is used per the guidance of ANSI/TIA-603-E-2016. A half-wave dipole is substituted in place of the EUT. For emissions above 1GHz, a horn antenna is substituted in place of the EUT. The substitute antenna is driven by a signal generator with the level of the signal generator being adjusted to obtain the same receive spectrum analyzer level previously recorded from the spurious emission from the EUT. The power of the emission is calculated using the following formula:

$$P_d [dBm] = P_g [dBm] - \text{cable loss} [dB] + \text{antenna gain} [dBd/dBi];$$

where P_d is the dipole equivalent power, P_g is the generator output into the substitution antenna, and the antenna gain is the gain of the substitute antenna used relative to either a half-wave dipole (dBd) or an isotropic source (dBi). The substitute level is equal to $P_g [dBm] - \text{cable loss} [dB]$.

For radiated spurious emissions measurements and calculations, conversion method is used per the formulas in KDB 971168 Section 5.8.4. Field Strength (EIRP) is calculated using the following formulas:

$$E_{[dB\mu V/m]} = \text{Measured amplitude level}_{[dBm]} + 107 + \text{Cable Loss}_{[dB]} + \text{Antenna Factor}_{[dB/m]}$$

And

$$\text{EIRP}_{[dBm]} = E_{[dB\mu V/m]} + 20\log D - 104.8; \text{ where } D \text{ is the measurement distance in meters.}$$

All radiated measurements are performed in a chamber that meets the site requirements per ANSI C63.4-2014. Additionally, radiated emissions below 30MHz are also validated on an Open Area Test Site to assert correlation with the chamber measurements per the requirements of KDB 474788 D01.

Radiated power and radiated spurious emission levels are investigated with the receive antenna horizontally and vertically polarized per ANSI/TIA-603-E-2016.

| | | | | |
|--|---|-------------------------------|---|---------------------------------|
| FCC ID: PY7-57441Y |  | PART 24 MEASUREMENT REPORT |  | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | Page 6 of 131 | |

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

4.0 MEASUREMENT UNCERTAINTY

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.4-2014. All measurement uncertainty values are shown with a coverage factor of $k = 2$ to indicate a 95% level of confidence. The measurement uncertainty shown below meets or exceeds the U_{CISPR} measurement uncertainty values specified in CISPR 16-4-2 and, thus, can be compared directly to specified limits to determine compliance.

| Contribution | Expanded Uncertainty (\pm dB) |
|----------------------------------|----------------------------------|
| Conducted Bench Top Measurements | 1.13 |
| Radiated Disturbance (<1GHz) | 4.98 |
| Radiated Disturbance (>1GHz) | 5.07 |
| Radiated Disturbance (>18GHz) | 5.09 |

| | | | | |
|---|---|--------------------------------------|-------------|--|
| FCC ID: PY7-57441Y |  PCTEST <small>Proud to be part of element</small> | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 7 of 131 |

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

5.0 TEST EQUIPMENT CALIBRATION DATA

Test Equipment Calibration is traceable to the National Institute of Standards and Technology (NIST). Measurements antennas used during testing were calibrated in accordance to the requirements of ANSI C63.5-2017.

| Manufacturer | Model | Description | Cal Date | Cal Interval | Cal Due | Serial Number |
|-----------------------|------------|---|------------|--------------|------------|---------------|
| - | LTX2 | Licensed Transmitter Cable Set | 4/9/2020 | Annual | 4/9/2021 | LTX2 |
| - | LTX3 | Licensed Transmitter Cable Set | 10/30/2019 | Annual | 10/30/2020 | LTX3 |
| Anritsu | MT8821C | Radio Communication Analyzer | 3/10/2020 | Annual | 3/10/2021 | 6200901190 |
| Anritsu | MT8821C | Radio Communication Analyzer | 6/15/2020 | Annual | 6/15/2021 | 6201381794 |
| Com-Power | AL-130 | 9kHz - 30MHz Loop Antenna | 10/10/2019 | Biennial | 10/10/2021 | 121034 |
| Emco | 3115 | Horn Antenna (1-18GHz) | 6/18/2020 | Biennial | 6/18/2022 | 9704-5182 |
| ETS Lindgren | 3117 | 1-18 GHz DRG Horn (Medium) | 2/14/2019 | Biennial | 2/14/2021 | 125518 |
| ETS Lindgren | 3164-08 | Quad Ridge Horn Antenna | 3/12/2020 | Biennial | 3/12/2022 | 128337 |
| ETS-Lindgren | 3115 | Double Ridged Guide Horn 750MHz - 18GHz | 3/12/2020 | Biennial | 3/12/2022 | 150693 |
| Hewlett-Packard | 8648D | (9kHz-4GHz) Signal Generator | 6/23/2020 | Annual | 6/23/2021 | 3613A00315 |
| Keysight Technologies | N9020A | MXA Signal Analyzer | 8/14/2020 | Annual | 8/14/2021 | US46470561 |
| Keysight Technologies | N9038A | MXE EMI Receiver | 8/11/2020 | Annual | 8/11/2021 | MY51210133 |
| Keysight Technologies | N9030A | PXA Signal Analyzer (44GHz) | 8/17/2020 | Annual | 8/17/2021 | MY52350166 |
| Mini Circuits | TVA-11-422 | RF Power Amp | | N/A | | QA1317001 |
| Mini-Circuits | SSG-4000HP | Synthesized Signal Generator | | N/A | | 11208010032 |
| Rohde & Schwarz | CMU200 | Base Station Simulator | | N/A | | 836536/0005 |
| Rohde & Schwarz | TS-PR26 | 18-26.5 GHz Pre-Amplifier | 11/1/2019 | Annual | 11/1/2020 | 100040 |
| Rohde & Schwarz | ESU26 | EMI Test Receiver (26.5GHz) | 7/15/2020 | Annual | 7/15/2021 | 100342 |
| Rohde & Schwarz | TC-TA18 | Cross-Pol Antenna 400MHz-18GHz | 7/8/2020 | Biennial | 7/8/2022 | 101058 |
| Rohde & Schwarz | SFUNIT-Rx | Shielded Filter Unit | 2/10/2020 | Annual | 2/10/2021 | 102134 |
| Sunol | DRH-118 | Horn Antenna (1-18GHz) | 10/3/2019 | Biennial | 10/3/2021 | A050307 |
| Sunol Science | JB5 | Bi-Log Antenna (30M - 5GHz) | 7/27/2020 | Biennial | 7/27/2022 | A051107 |

Table 5-1. Test Equipment

Notes:

Equipment with a calibration date of "N/A" shown in this list was not used to make direct calibrated measurements.

| | | | | |
|--|---|-------------------------------|---|---------------------------------|
| FCC ID: PY7-57441Y |  PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT |  | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 8 of 131 |

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

6.0 SAMPLE CALCULATIONS

GSM Emission Designator

Emission Designator = 250KGXW

GSM BW = 250 kHz

G = Phase Modulation

X = Cases not otherwise covered

W = Combination (Audio/Data)

EDGE Emission Designator

Emission Designator = 250KG7W

EDGE BW = 250 kHz

G = Phase Modulation

7 = Quantized/Digital Info

W = Combination (Audio/Data)

WCDMA Emission Designator

Emission Designator = 4M16F9W

WCDMA BW = 4.16 MHz

F = Frequency Modulation

9 = Composite Digital Info

W = Combination (Audio/Data)

QPSK Modulation

Emission Designator = 8M62G7D

LTE BW = 8.62 MHz

G = Phase Modulation

7 = Quantized/Digital Info

D = Data transmission, telemetry, telecommand

QAM Modulation

Emission Designator = 8M45W7D

LTE BW = 8.45 MHz

W = Amplitude/Angle Modulated

7 = Quantized/Digital Info

D = Data transmission, telemetry, telecommand

| | | | | |
|--|---|-------------------------------|---|---------------------------------|
| FCC ID: PY7-57441Y |  PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT |  | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | Page 9 of 131 | |

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Spurious Radiated Emission

Example: Spurious emission at 3700.40 MHz

The receive spectrum analyzer reading at 3 meters with the EUT on the turntable was -81.0 dBm. The gain of the substituted antenna is 8.1 dBi. The signal generator connected to the substituted antenna terminals is adjusted to produce a reading of -81.0 dBm on the spectrum analyzer. The loss of the cable between the signal generator and the terminals of the substituted antenna is 2.0 dB at 3700.40 MHz. So 6.1 dB is added to the signal generator reading of -30.9 dBm yielding -24.80 dBm. The fundamental EIRP was 25.50 dBm so this harmonic was 25.50 dBm $- (-24.80) = 50.3$ dBc.

| | | | | |
|--|--|-------------------------------|---|---------------------------------|
| FCC ID: PY7-57441Y |  PCTEST® Proud to be part of element | PART 24 MEASUREMENT REPORT |  | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | Page 10 of 131 | |

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

7.0 TEST RESULTS

7.1 Summary

Company Name: Sony Mobile Communications Inc
 FCC ID: PY7-57441Y
 FCC Classification: PCS Licensed Transmitter Held to Ear (PCE)
 Mode(s): GSM/GPRS/EDGE/WCDMA/LTE/NR

| Test Condition | Test Description | FCC Part Section(s) | RSS Section(s) | Test Limit | Test Result | Reference |
|------------------|--|---------------------|----------------|--|-------------|--------------------------------------|
| CONDUCTED | Occupied Bandwidth | 2.1049 | RSS-133(2.3) | N/A | PASS | Section 7.3 |
| | Conducted Band Edge / Spurious Emissions | 2.1051, 24.238(a) | RSS-133(6.5) | > 43 + 10log ₁₀ (P[Watts]) at Band Edge and for all out-of-band emissions | PASS | Sections 7.4/7.5 |
| | Transmitter Conducted Output Power | 2.1046 | RSS-133(4.1) | N/A | PASS | See Section 7.2 / RF Exposure Report |
| | Frequency Stability | 2.1055, 24.235 | RSS-133(6.3) | Fundamental emissions stay within authorized frequency block | PASS | Section 7.9 |
| RADIATED | Effective Radiated Power / Equivalent Isotropic Radiated Power | 24.232(c) | RSS-132(5.4) | < 7 Watts max. ERP | PASS | Section 7.7 |
| | Radiated Spurious Emissions | 2.1053, 24.238(a) | RSS-133(6.5) | > 43 + 10 log ₁₀ (P[Watts]) for all out-of-band emissions | PASS | Section 7.8 |

Table 7-1. Summary of Test Results

Notes:

- 1) All modes of operation and data rates were investigated. The test results shown in the following sections represent the worst case emissions.
- 2) The analyzer plots were all taken with a correction table loaded into the analyzer. The correction table was used to account for the losses of the cables, directional couplers, and attenuators used as part of the system to maintain a link between the call box and the EUT at all frequencies of interest.
- 3) All antenna port conducted emissions testing was performed on a test bench with the antenna port of the EUT connected to the spectrum analyzer through calibrated cables, attenuators, and couplers.
- 4) All conducted emissions measurements are performed with automated test software to capture the corresponding plots necessary to show compliance. The measurement software utilized is PCTEST 2G/3G Automation Version 4.5, LTE Automation Version 5.3.

| | | | | |
|--|---|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y |  PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 11 of 131 |

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

7.2 Conducted Power Output Data

Test Overview

The EUT is set up to transmit two contiguous LTE channels. The power level of both carriers is measured by means of a calibrated spectrum analyzer. All emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

Test Procedure Used

KDB 971168 D01 v03r01 – Section 6.0

Test Settings

1. Detector = RMS
2. Trace mode = trace average for continuous emissions, max hold for pulse emissions
3. Sweep time = auto couple
4. The trace was allowed to stabilize
5. Please see test notes below for RBW and VBW settings

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-1. Test Instrument & Measurement Setup

Test Notes

1. Uplink carrier aggregation is only supported in this EUT while operating in Power Class 3.
2. Conducted power measurements were evaluated for the two contiguous channels using various combinations of RB size, RB offset, modulation, and channel bandwidth. Channel bandwidth data is shown in the tables below based only on the channel bandwidths that were supported in this device.
3. Compliance with the applicable limits is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz or greater for frequencies less than 1 GHz and 1 MHz or greater for frequencies greater than 1 GHz.
4. All other conducted power measurements are contained in the RF exposure report for this filing.

| | | | | |
|--|---|-------------------------------|----------------|---------------------------------|
| FCC ID: PY7-57441Y |  PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | Page 12 of 131 | |

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

LTE Band 25/2

| LTE Band 25 (PCS) 20 MHz Bandwidth | | | | | | | | |
|---------------------------------------|---------|-----------|-----------------------|-----------------------|-----------------------|------------------------------|----------|---|
| Modulation | RB Size | RB Offset | Low Channel | Mid Channel | High Channel | MPR Allowed per 3GPP [dB] | MPR [dB] | |
| | | | 26140 (1860.0 MHz) | 26365 (1882.5 MHz) | 26590 (1905.0 MHz) | | | |
| | | | Conducted Power [dBm] | | | | | |
| QPSK | 1 | 0 | 24.15 | 23.98 | 24.00 | 0 | 0 | |
| | 1 | 50 | 24.21 | 24.08 | 24.08 | | 0 | |
| | 1 | 99 | 24.20 | 24.04 | 24.01 | | 0 | |
| | 50 | 0 | 23.21 | 23.26 | 23.29 | 0-1 | 1 | |
| | 50 | 25 | 23.40 | 23.39 | 23.36 | | 1 | |
| | 50 | 50 | 23.29 | 23.36 | 23.38 | | 1 | |
| 16QAM | 100 | 0 | 23.30 | 23.36 | 23.32 | 0-1 | 1 | |
| | 1 | 0 | 23.30 | 23.56 | 23.51 | | 0-1 | 1 |
| | 1 | 50 | 23.32 | 23.62 | 23.54 | | | 1 |
| | 50 | 0 | 21.97 | 22.48 | 22.00 | 0-2 | | 2 |
| | 50 | 25 | 22.10 | 22.61 | 22.06 | | 2 | |
| | 50 | 50 | 22.08 | 22.55 | 22.10 | | 2 | |
| 64QAM | 100 | 0 | 21.99 | 22.58 | 22.11 | 0-2 | 2 | |
| | 1 | 0 | 22.30 | 22.37 | 22.21 | | 0-2 | 2 |
| | 1 | 50 | 22.40 | 22.61 | 22.28 | | | 2 |
| | 1 | 99 | 22.37 | 22.65 | 21.89 | 0-3 | | 2 |
| | 50 | 0 | 21.42 | 20.95 | 21.07 | | 3 | |
| | 50 | 25 | 21.55 | 21.10 | 21.15 | | 3 | |
| 64QAM | 50 | 50 | 21.52 | 21.07 | 21.19 | 0-3 | 3 | |
| | 100 | 0 | 21.57 | 21.10 | 21.09 | | 3 | |

Table 7-2. LTE Band 25 (PCS) Measured Pmax for DSI = 2 (Free Space State) - 20 MHz Bandwidth

| LTE Band 25 (PCS) 15 MHz Bandwidth | | | | | | | | |
|---------------------------------------|---------|-----------|-----------------------|-----------------------|-----------------------|------------------------------|----------|---|
| Modulation | RB Size | RB Offset | Low Channel | Mid Channel | High Channel | MPR Allowed per 3GPP [dB] | MPR [dB] | |
| | | | 26115 (1857.5 MHz) | 26365 (1882.5 MHz) | 26615 (1907.5 MHz) | | | |
| | | | Conducted Power [dBm] | | | | | |
| QPSK | 1 | 0 | 24.02 | 24.01 | 24.20 | 0 | 0 | |
| | 1 | 36 | 24.10 | 24.08 | 24.30 | | 0 | |
| | 1 | 74 | 24.05 | 24.03 | 24.22 | | 0 | |
| | 36 | 0 | 23.63 | 23.59 | 23.60 | 0-1 | 1 | |
| | 36 | 18 | 23.68 | 23.61 | 23.67 | | 1 | |
| | 36 | 37 | 23.59 | 23.62 | 23.67 | | 1 | |
| 16QAM | 75 | 0 | 23.61 | 23.63 | 23.62 | 0-1 | 1 | |
| | 1 | 0 | 23.30 | 23.78 | 23.61 | | 0-1 | 1 |
| | 1 | 36 | 23.40 | 23.85 | 23.72 | | | 1 |
| | 1 | 74 | 23.37 | 23.80 | 23.67 | 0-2 | | 1 |
| | 36 | 0 | 22.29 | 22.28 | 22.35 | | 2 | |
| | 36 | 18 | 22.34 | 22.32 | 22.42 | | 2 | |
| 64QAM | 36 | 37 | 22.28 | 22.35 | 22.43 | 0-2 | 2 | |
| | 75 | 0 | 22.33 | 22.34 | 22.31 | | 2 | |
| | 1 | 0 | 22.16 | 22.31 | 22.62 | | 0-2 | 2 |
| | 1 | 36 | 22.24 | 22.43 | 22.73 | 2 | | |
| | 1 | 74 | 22.16 | 22.36 | 22.46 | 0-3 | | 2 |
| | 36 | 0 | 21.44 | 21.40 | 21.32 | | 3 | |
| 36 | 18 | 21.44 | 21.41 | 21.40 | 3 | | | |
| 64QAM | 36 | 37 | 21.42 | 21.45 | 21.42 | 0-3 | 3 | |
| | 75 | 0 | 21.38 | 21.31 | 21.40 | | 3 | |

Table 7-3. LTE Band 25 (PCS) Measured Pmax for DSI = 2 (Free Space State) - 15 MHz Bandwidth

| | | | | |
|--|---|-------------------------------|---|---------------------------------|
| FCC ID: PY7-57441Y |  PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT |  | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | Page 13 of 131 | |

| LTE Band 25 (PCS) 10 MHz Bandwidth | | | | | | | |
|---------------------------------------|---------|-----------|-----------------------|-----------------------|-----------------------|------------------------------|----------|
| Modulation | RB Size | RB Offset | Low Channel | Mid Channel | High Channel | MPR Allowed per 3GPP [dB] | MPR [dB] |
| | | | 26090 (1855.0 MHz) | 26365 (1882.5 MHz) | 26640 (1910.0 MHz) | | |
| | | | Conducted Power [dBm] | | | | |
| QPSK | 1 | 0 | 24.10 | 24.07 | 24.04 | 0 | 0 |
| | 1 | 25 | 23.99 | 24.03 | 24.11 | | 0 |
| | 1 | 49 | 24.02 | 24.09 | 24.09 | | 0 |
| | 25 | 0 | 23.64 | 23.52 | 23.54 | 0-1 | 1 |
| | 25 | 12 | 23.65 | 23.61 | 23.58 | | 1 |
| | 25 | 25 | 23.64 | 23.64 | 23.67 | | 1 |
| 16QAM | 50 | 0 | 23.64 | 23.64 | 23.62 | 1 | 1 |
| | 1 | 0 | 23.58 | 23.34 | 23.80 | 0-1 | 1 |
| | 1 | 25 | 23.53 | 23.33 | 23.81 | | 1 |
| | 1 | 49 | 23.57 | 23.33 | 23.77 | | 1 |
| | 25 | 0 | 22.46 | 22.28 | 22.31 | 0-2 | 2 |
| | 25 | 12 | 22.42 | 22.34 | 22.38 | | 2 |
| 25 | 25 | 22.46 | 22.41 | 22.48 | 2 | | |
| 64QAM | 50 | 0 | 22.35 | 22.32 | 22.30 | 2 | 2 |
| | 1 | 0 | 22.46 | 22.01 | 22.23 | 0-2 | 2 |
| | 1 | 25 | 22.52 | 22.19 | 22.39 | | 2 |
| | 1 | 49 | 22.49 | 22.18 | 22.18 | | 2 |
| | 25 | 0 | 21.48 | 21.33 | 21.34 | 0-3 | 3 |
| | 25 | 12 | 21.50 | 21.48 | 21.38 | | 3 |
| 25 | 25 | 21.48 | 21.46 | 21.44 | 3 | | |
| | 50 | 0 | 21.41 | 21.38 | 21.33 | 3 | 3 |

Table 7-4 LTE Band 25 (PCS) Measured P_{max} for DSI = 2 (Free Space State) - 10 MHz Bandwidth

| LTE Band 25 (PCS) 5 MHz Bandwidth | | | | | | | |
|--------------------------------------|---------|-----------|-----------------------|-----------------------|-----------------------|------------------------------|----------|
| Modulation | RB Size | RB Offset | Low Channel | Mid Channel | High Channel | MPR Allowed per 3GPP [dB] | MPR [dB] |
| | | | 26065 (1852.5 MHz) | 26365 (1882.5 MHz) | 26665 (1912.5 MHz) | | |
| | | | Conducted Power [dBm] | | | | |
| QPSK | 1 | 0 | 24.15 | 24.10 | 24.06 | 0 | 0 |
| | 1 | 12 | 24.15 | 24.28 | 24.04 | | 0 |
| | 1 | 24 | 24.15 | 24.20 | 24.08 | | 0 |
| | 12 | 0 | 23.61 | 23.50 | 23.63 | 0-1 | 1 |
| | 12 | 6 | 23.65 | 23.65 | 23.68 | | 1 |
| | 12 | 13 | 23.65 | 23.64 | 23.71 | | 1 |
| 16QAM | 25 | 0 | 23.61 | 23.62 | 23.66 | 1 | 1 |
| | 1 | 0 | 23.34 | 23.59 | 23.54 | 0-1 | 1 |
| | 1 | 12 | 23.44 | 23.70 | 23.53 | | 1 |
| | 1 | 24 | 23.42 | 23.73 | 23.53 | | 1 |
| | 12 | 0 | 22.27 | 22.41 | 22.28 | 0-2 | 2 |
| | 12 | 6 | 22.35 | 22.52 | 22.39 | | 2 |
| 12 | 13 | 22.37 | 22.59 | 22.44 | 2 | | |
| 64QAM | 25 | 0 | 22.34 | 22.31 | 22.43 | 2 | 2 |
| | 1 | 0 | 22.64 | 22.83 | 22.49 | 0-2 | 2 |
| | 1 | 12 | 22.67 | 22.91 | 22.52 | | 2 |
| | 1 | 24 | 22.68 | 22.95 | 22.18 | | 2 |
| | 12 | 0 | 21.35 | 21.23 | 21.26 | 0-3 | 3 |
| | 12 | 6 | 21.45 | 21.37 | 21.31 | | 3 |
| 12 | 13 | 21.45 | 21.42 | 21.21 | 3 | | |
| | 25 | 0 | 21.34 | 21.43 | 21.42 | 3 | 3 |

Table 7-5. LTE Band 25 (PCS) Measured P_{max} for DSI = 2 (Free Space State) - 5 MHz Bandwidth

| | | | | |
|--|---|-------------------------------|---|---------------------------------|
| FCC ID: PY7-57441Y |  PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT |  | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 14 of 131 |

| LTE Band 25 (PCS) 3 MHz Bandwidth | | | | | | | |
|--------------------------------------|---------|-----------|-----------------------|-----------------------|-----------------------|------------------------------|----------|
| Modulation | RB Size | RB Offset | Low Channel | Mid Channel | High Channel | MPR Allowed per 3GPP [dB] | MPR [dB] |
| | | | 26055 (1851.5 MHz) | 26365 (1882.5 MHz) | 26675 (1913.5 MHz) | | |
| | | | Conducted Power [dBm] | | | | |
| QPSK | 1 | 0 | 24.01 | 23.95 | 24.06 | 0 | 0 |
| | 1 | 7 | 24.16 | 24.08 | 24.07 | | 0 |
| | 1 | 14 | 24.13 | 24.19 | 24.12 | | 0 |
| | 8 | 0 | 23.61 | 23.47 | 23.58 | 0-1 | 1 |
| | 8 | 4 | 23.64 | 23.63 | 23.71 | | 1 |
| | 8 | 7 | 23.64 | 23.62 | 23.68 | | 1 |
| 16QAM | 15 | 0 | 23.66 | 23.60 | 23.66 | 0-1 | 1 |
| | 1 | 0 | 23.54 | 23.29 | 23.80 | | 1 |
| | 1 | 7 | 23.52 | 23.37 | 23.79 | | 1 |
| | 1 | 14 | 23.60 | 23.45 | 23.87 | 0-2 | 1 |
| | 8 | 0 | 22.35 | 22.23 | 22.39 | | 2 |
| | 8 | 4 | 22.41 | 22.40 | 22.50 | | 2 |
| 64QAM | 8 | 7 | 22.38 | 22.37 | 22.48 | 0-2 | 2 |
| | 15 | 0 | 22.45 | 22.24 | 22.41 | | 2 |
| | 1 | 0 | 22.56 | 22.09 | 22.36 | | 0-2 |
| | 1 | 7 | 22.59 | 22.20 | 22.29 | 2 | |
| | 1 | 14 | 22.62 | 22.34 | 22.07 | 0-3 | |
| | 8 | 0 | 21.36 | 21.21 | 21.41 | | 3 |
| 8 | 4 | 21.46 | 21.34 | 21.48 | 3 | | |
| 64QAM | 8 | 7 | 21.43 | 21.37 | 21.30 | 0-3 | 3 |
| | 15 | 0 | 21.37 | 21.43 | 21.38 | | 3 |

Table 7-6. LTE Band 25 (PCS) Measured P_{max} for DSI = 2 (Free Space State) - 3 MHz Bandwidth

| LTE Band 25 (PCS) 1.4 MHz Bandwidth | | | | | | | | |
|--|---------|-----------|-----------------------|-----------------------|-----------------------|------------------------------|----------|---|
| Modulation | RB Size | RB Offset | Low Channel | Mid Channel | High Channel | MPR Allowed per 3GPP [dB] | MPR [dB] | |
| | | | 26047 (1850.7 MHz) | 26365 (1882.5 MHz) | 26683 (1914.3 MHz) | | | |
| | | | Conducted Power [dBm] | | | | | |
| QPSK | 1 | 0 | 23.95 | 23.95 | 24.15 | 0 | 0 | |
| | 1 | 2 | 24.02 | 24.03 | 24.22 | | 0 | |
| | 1 | 5 | 23.99 | 24.03 | 24.24 | | 0 | |
| | 3 | 0 | 24.02 | 24.02 | 24.07 | 0-1 | 0 | |
| | 3 | 2 | 24.11 | 24.07 | 24.14 | | 0 | |
| | 3 | 3 | 24.05 | 24.07 | 24.11 | | 0 | |
| 16QAM | 6 | 0 | 23.51 | 23.45 | 23.52 | 0-1 | 1 | |
| | 1 | 0 | 23.37 | 23.23 | 23.38 | | 0-1 | 1 |
| | 1 | 2 | 23.53 | 23.34 | 23.44 | | | 1 |
| | 1 | 5 | 23.49 | 23.40 | 23.43 | 0-1 | | 1 |
| | 3 | 0 | 23.21 | 23.33 | 23.43 | | 1 | |
| | 3 | 2 | 23.27 | 23.42 | 23.49 | | 1 | |
| 64QAM | 3 | 3 | 23.24 | 23.39 | 23.47 | 0-2 | 1 | |
| | 6 | 0 | 22.19 | 22.19 | 22.34 | | 2 | |
| | 1 | 0 | 22.43 | 22.13 | 22.44 | | 0-2 | 2 |
| | 1 | 2 | 22.49 | 22.23 | 22.47 | 2 | | |
| | 1 | 5 | 22.54 | 22.22 | 22.26 | 2 | | |
| | 3 | 0 | 22.37 | 22.36 | 22.36 | 0-2 | 2 | |
| 3 | 2 | 22.46 | 22.46 | 22.34 | 2 | | | |
| 3 | 3 | 22.45 | 22.42 | 22.24 | 2 | | | |
| 64QAM | 6 | 0 | 21.27 | 21.25 | 21.04 | 0-3 | 3 | |

Table 7-7. LTE Band 25 (PCS) Measured P_{max} for DSI = 2 (Free Space State) - 1.4 MHz Bandwidth

| | | | | |
|--|---|-------------------------------|---|---------------------------------|
| FCC ID: PY7-57441Y |  | PART 24 MEASUREMENT REPORT |  | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 15 of 131 |

LTE Band 25/2

| NR Band n2 20 MHz Bandwidth | | | | | | | |
|--------------------------------|---------|-----------|-----------------------|-------------------|-------------------|---------------------------|----------|
| Modulation | RB Size | RB Offset | Channel | | | MPR Allowed per 3GPP [dB] | MPR [dB] |
| | | | 372000 (1860 MHz) | 376000 (1880 MHz) | 380000 (1900 MHz) | | |
| | | | Conducted Power [dBm] | | | | |
| DFT-s-OFDM $\pi/2$ BPSK | 1 | 1 | 23.99 | 23.92 | 23.90 | 0 | 0.0 |
| | 1 | 53 | 24.28 | 24.16 | 24.26 | | 0.0 |
| | 1 | 104 | 23.84 | 23.96 | 23.79 | | 0.0 |
| | 50 | 0 | 23.46 | 23.39 | 23.33 | 0-0.5 | 0.5 |
| | 50 | 28 | 23.97 | 23.89 | 23.81 | 0 | 0.0 |
| | 50 | 56 | 23.44 | 23.40 | 23.29 | 0-0.5 | 0.5 |
| | 100 | 0 | 23.39 | 23.44 | 23.26 | | 0.5 |
| DFT-s-OFDM QPSK | 1 | 1 | 23.89 | 23.86 | 23.74 | 0 | 0.0 |
| | 1 | 53 | 24.41 | 24.34 | 24.22 | | 0.0 |
| | 1 | 104 | 23.79 | 23.83 | 23.78 | | 0.0 |
| | 50 | 0 | 22.87 | 22.87 | 22.75 | 0-1 | 1.0 |
| | 50 | 28 | 23.91 | 23.88 | 23.77 | 0 | 0.0 |
| | 50 | 56 | 22.87 | 22.88 | 22.79 | 0-1 | 1.0 |
| | 100 | 0 | 22.85 | 22.86 | 22.80 | | 1.0 |
| DFT-s-OFDM 16QAM | 1 | 1 | 23.11 | 23.15 | 23.08 | 0-1 | 1.0 |
| CP-OFDM QPSK | 1 | 1 | 22.69 | 22.47 | 22.59 | 0-1.5 | 1.5 |

Table 7-8. NR Band n2 Measured Pmax for DSI = 2 (Free Space State) - 20 MHz Bandwidth

| NR Band n2 15 MHz Bandwidth | | | | | | | |
|--------------------------------|---------|-----------|-----------------------|-------------------|---------------------|---------------------------|----------|
| Modulation | RB Size | RB Offset | Channel | | | MPR Allowed per 3GPP [dB] | MPR [dB] |
| | | | 371500 (1857.5 MHz) | 376000 (1880 MHz) | 380500 (1902.5 MHz) | | |
| | | | Conducted Power [dBm] | | | | |
| DFT-s-OFDM $\pi/2$ BPSK | 1 | 1 | 23.80 | 23.81 | 23.70 | 0 | 0.0 |
| | 1 | 40 | 23.83 | 23.94 | 23.69 | | 0.0 |
| | 1 | 77 | 23.87 | 23.85 | 23.77 | | 0.0 |
| | 36 | 0 | 23.46 | 23.34 | 23.27 | 0-0.5 | 0.5 |
| | 36 | 22 | 23.92 | 23.78 | 23.76 | 0 | 0.0 |
| | 36 | 43 | 23.45 | 23.28 | 23.21 | 0-0.5 | 0.5 |
| | 75 | 0 | 23.42 | 23.33 | 23.24 | | 0.5 |
| DFT-s-OFDM QPSK | 1 | 1 | 24.02 | 23.95 | 23.75 | 0 | 0.0 |
| | 1 | 40 | 24.04 | 23.90 | 23.86 | | 0.0 |
| | 1 | 77 | 23.97 | 23.96 | 23.88 | | 0.0 |
| | 36 | 0 | 23.00 | 22.82 | 22.63 | 0-1 | 1.0 |
| | 36 | 22 | 23.91 | 23.81 | 23.72 | 0 | 0.0 |
| | 36 | 43 | 22.97 | 22.83 | 22.70 | 0-1 | 1.0 |
| | 75 | 0 | 23.03 | 22.88 | 22.40 | | 1.0 |
| DFT-s-OFDM 16QAM | 1 | 1 | 23.13 | 22.79 | 22.81 | 0-1 | 1.0 |
| CP-OFDM QPSK | 1 | 1 | 22.59 | 22.46 | 22.22 | 0-1.5 | 1.5 |

Table 7-9. NR Band n2 Measured Pmax for DSI = 2 (Free Space State) - 15 MHz Bandwidth

| | | | | |
|--|---|-------------------------------|---|---------------------------------|
| FCC ID: PY7-57441Y |  | PART 24 MEASUREMENT REPORT |  | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | Page 16 of 131 | |

| NR Band n2 10 MHz Bandwidth | | | | | | | |
|--------------------------------|---------|-----------|-----------------------|-------------------|-------------------|---------------------------|----------|
| Modulation | RB Size | RB Offset | Channel | | | MPR Allowed per 3GPP [dB] | MPR [dB] |
| | | | 371000 (1855 MHz) | 376000 (1880 MHz) | 381000 (1905 MHz) | | |
| | | | Conducted Power [dBm] | | | | |
| DFT-s-OFDM $\pi/2$ BPSK | 1 | 1 | 23.84 | 23.78 | 23.65 | 0 | 0.0 |
| | 1 | 26 | 23.99 | 23.86 | 23.88 | | 0.0 |
| | 1 | 50 | 23.86 | 23.75 | 23.74 | | 0.0 |
| | 25 | 0 | 23.43 | 23.31 | 23.26 | 0-0.5 | 0.5 |
| | 25 | 14 | 23.95 | 23.80 | 23.72 | 0 | 0.0 |
| | 25 | 27 | 23.40 | 23.27 | 23.21 | 0-0.5 | 0.5 |
| 50 | 0 | 23.38 | 23.28 | 23.19 | 0.5 | | |
| DFT-s-OFDM QPSK | 1 | 1 | 23.92 | 23.86 | 23.68 | 0 | 0.0 |
| | 1 | 26 | 24.30 | 24.26 | 24.07 | | 0.0 |
| | 1 | 50 | 23.88 | 23.89 | 23.63 | | 0.0 |
| | 25 | 0 | 22.92 | 22.79 | 22.65 | 0-1 | 1.0 |
| | 25 | 14 | 23.88 | 23.72 | 23.67 | 0 | 0.0 |
| | 25 | 27 | 22.87 | 22.75 | 22.70 | 0-1 | 1.0 |
| 50 | 0 | 22.88 | 22.74 | 22.65 | 1.0 | | |
| DFT-s-OFDM 16QAM | 1 | 1 | 23.00 | 22.82 | 22.76 | 0-1 | 1.0 |
| CP-OFDM QPSK | 1 | 1 | 22.44 | 22.39 | 22.20 | 0-1.5 | 1.5 |

Table 7-10. NR Band n2 Measured Pmax for DSI = 2 (Free Space State) - 10 MHz Bandwidth

| NR Band n2 5 MHz Bandwidth | | | | | | | |
|-------------------------------|---------|-----------|-----------------------|-------------------|---------------------|---------------------------|----------|
| Modulation | RB Size | RB Offset | Channel | | | MPR Allowed per 3GPP [dB] | MPR [dB] |
| | | | 370500 (1852.5 MHz) | 376000 (1880 MHz) | 381500 (1907.5 MHz) | | |
| | | | Conducted Power [dBm] | | | | |
| DFT-s-OFDM $\pi/2$ BPSK | 1 | 1 | 23.86 | 23.70 | 23.57 | 0 | 0.0 |
| | 1 | 13 | 23.87 | 23.71 | 23.74 | | 0.0 |
| | 1 | 23 | 24.03 | 23.73 | 23.71 | | 0.0 |
| | 12 | 0 | 23.39 | 23.19 | 23.18 | 0-0.5 | 0.5 |
| | 12 | 7 | 23.91 | 23.74 | 23.75 | 0 | 0.0 |
| | 12 | 13 | 23.43 | 23.22 | 23.28 | 0-0.5 | 0.5 |
| 25 | 0 | 23.41 | 23.25 | 23.27 | 0.5 | | |
| DFT-s-OFDM QPSK | 1 | 1 | 23.92 | 23.73 | 23.76 | 0 | 0.0 |
| | 1 | 13 | 23.98 | 23.69 | 23.78 | | 0.0 |
| | 1 | 23 | 23.96 | 23.76 | 23.83 | | 0.0 |
| | 12 | 0 | 22.84 | 22.65 | 22.80 | 0-1 | 1.0 |
| | 12 | 7 | 23.91 | 23.71 | 23.79 | 0 | 0.0 |
| | 12 | 13 | 22.96 | 22.69 | 22.81 | 0-1 | 1.0 |
| 25 | 0 | 22.88 | 22.64 | 22.75 | 1.0 | | |
| DFT-s-OFDM 16QAM | 1 | 1 | 22.91 | 22.77 | 22.86 | 0-1 | 1.0 |
| CP-OFDM QPSK | 1 | 1 | 22.49 | 22.16 | 22.32 | 0-1.5 | 1.5 |

Table 7-11. NR Band n2 Measured Pmax for DSI = 2 (Free Space State) - 5 MHz Bandwidth

| | | | | |
|--|---|-------------------------------|---|---------------------------------|
| FCC ID: PY7-57441Y |  PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT |  | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | Page 17 of 131 | |

7.3 Occupied Bandwidth

Test Overview

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured. All modes of operation were investigated and the worst case configuration results are reported in this section.

Test Procedure Used

KDB 971168 D01 v03r01 – Section 4.2

Test Settings

1. The signal analyzer's automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
2. RBW = 1 – 5% of the expected OBW
3. VBW \geq 3 x RBW
4. Detector = Peak
5. Trace mode = max hold
6. Sweep = auto couple
7. The trace was allowed to stabilize
8. If necessary, steps 2 – 7 were repeated after changing the RBW such that it would be within 1 – 5% of the 99% occupied bandwidth observed in Step 7

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-2. Test Instrument & Measurement Setup

Test Notes


None.

| | | | | |
|--|--|-----------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 18 of 131 |

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

LTE Band 25/2



Plot 7-1. Occupied Bandwidth Plot (LTE Band 25/2 - 20MHz QPSK - Full RB Configuration)




Plot 7-2. Occupied Bandwidth Plot (LTE Band 25/2 - 20MHz 16-QAM - Full RB Configuration)


| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 19 of 131 |

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-3. Occupied Bandwidth Plot (LTE Band 25/2 - 20MHz 64-QAM - Full RB Configuration)




Plot 7-4. Occupied Bandwidth Plot (LTE Band 25/2 - 15MHz QPSK - Full RB Configuration)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 20 of 131 |




Plot 7-5. Occupied Bandwidth Plot (LTE Band 25/2 - 15MHz 16-QAM - Full RB Configuration)




Plot 7-6. Occupied Bandwidth Plot (LTE Band 25/2 - 15MHz 64-QAM - Full RB Configuration)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 21 of 131 |



Plot 7-7. Occupied Bandwidth Plot (LTE Band 25/2 - 10MHz QPSK - Full RB Configuration)




Plot 7-8. Occupied Bandwidth Plot (LTE Band 25/2 - 10MHz 16-QAM - Full RB Configuration)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 22 of 131 |




Plot 7-9. Occupied Bandwidth Plot (LTE Band 25/2 - 10MHz 64-QAM - Full RB Configuration)




Plot 7-10. Occupied Bandwidth Plot (LTE Band 25/2 - 5MHz QPSK - Full RB Configuration)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 23 of 131 |



Plot 7-11. Occupied Bandwidth Plot (LTE Band 25/2 - 5MHz 16-QAM - Full RB Configuration)




Plot 7-12. Occupied Bandwidth Plot (LTE Band 25/2 - 5MHz 64-QAM - Full RB Configuration)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 24 of 131 |



Plot 7-13. Occupied Bandwidth Plot (LTE Band 25/2 - 3MHz QPSK - Full RB Configuration)




Plot 7-14. Occupied Bandwidth Plot (LTE Band 25/2 - 3MHz 16-QAM - Full RB Configuration)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 25 of 131 |



Plot 7-15. Occupied Bandwidth Plot (LTE Band 25/2 - 3MHz 64-QAM - Full RB Configuration)




Plot 7-16. Occupied Bandwidth Plot (LTE Band 25/2 - 1.4MHz QPSK - Full RB Configuration)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 26 of 131 |



Plot 7-17. Occupied Bandwidth Plot (LTE Band 25/2 - 1.4MHz 16-QAM - Full RB Configuration)




Plot 7-18. Occupied Bandwidth Plot (LTE Band 25/2 - 1.4MHz 64-QAM - Full RB Configuration)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 27 of 131 |

NR Band n2




Plot 7-19. Occupied Bandwidth Plot (NR Band n2 - 20.0MHz DFT-s-OFDM BPSK - Full RB)




Plot 7-20. Occupied Bandwidth Plot (NR Band n2 - 20.0MHz CP-OFDM QPSK - Full RB)

| | | | | |
|--|--|-----------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 28 of 131 |




Plot 7-21. Occupied Bandwidth Plot (NR Band n2 - 20.0MHz CP-OFDM 16QAM - Full RB)




Plot 7-22. Occupied Bandwidth Plot (NR Band n2 - 20.0MHz CP-OFDM 64QAM - Full RB)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 29 of 131 |




Plot 7-23. Occupied Bandwidth Plot (NR Band n2 - 15.0MHz DFT-s-OFDM BPSK - Full RB)




Plot 7-24. Occupied Bandwidth Plot (NR Band n2 - 15.0MHz CP-OFDM QPSK - Full RB)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 30 of 131 |



Plot 7-25. Occupied Bandwidth Plot (NR Band n2 - 15.0MHz CP-OFDM 16QAM - Full RB)



Plot 7-26. Occupied Bandwidth Plot (NR Band n2 - 15.0MHz CP-OFDM 64QAM - Full RB)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 31 of 131 |




Plot 7-27. Occupied Bandwidth Plot (NR Band n2 - 10.0MHz DFT-s-OFDM BPSK - Full RB)




Plot 7-28. Occupied Bandwidth Plot (NR Band n2 - 10.0MHz CP-OFDM QPSK - Full RB)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 32 of 131 |




Plot 7-29. Occupied Bandwidth Plot (NR Band n2 - 10.0MHz CP-OFDM 16QAM - Full RB)




Plot 7-30. Occupied Bandwidth Plot (NR Band n2 - 10.0MHz CP-OFDM 64QAM - Full RB)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 33 of 131 |




Plot 7-31. Occupied Bandwidth Plot (NR Band n2 - 5.0MHz DFT-s-OFDM BPSK - Full RB)




Plot 7-32. Occupied Bandwidth Plot (NR Band n2 - 5.0MHz CP-OFDM QPSK - Full RB)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 34 of 131 |



Plot 7-33. Occupied Bandwidth Plot (NR Band n2 - 5.0MHz CP-OFDM 16QAM - Full RB)




Plot 7-34. Occupied Bandwidth Plot (NR Band n2 - 5.0MHz CP-OFDM 64QAM - Full RB)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 35 of 131 |

GSM/GPRS PCS



Plot 7-35. Occupied Bandwidth Plot (GPRS, Ch. 661)




Plot 7-36. Occupied Bandwidth Plot (EDGE, Ch. 661)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 36 of 131 |

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

WCDMA PCS



Plot 7-37. Occupied Bandwidth Plot (WCDMA, Ch. 9400)

| | | | | |
|--|--|-----------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 37 of 131 |

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

7.4 Spurious and Harmonic Emissions at Antenna Terminal

Test Overview

The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10th harmonic. All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

The minimum permissible attenuation level of any spurious emission is $43 + 10 \log_{10}(P_{[Watts]})$, where P is the transmitter power in Watts.

Test Procedure Used

KDB 971168 D01 v03r01 – Section 6.0

Test Settings

1. Start frequency was set to 30MHz and stop frequency was set to 20GHz (separated into at least two plots per channel)
2. Detector = RMS
3. Trace mode = trace average for continuous emissions, max hold for pulse emissions
4. Sweep time = auto couple
5. The trace was allowed to stabilize
6. Please see test notes below for RBW and VBW settings

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-3. Test Instrument & Measurement Setup

Test Notes


1. Per Part 24 and RSS-133, compliance with the applicable limits is based on the use of measurement instrumentation employing a resolution bandwidth 100 kHz or greater for measurements below 1GHz. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.
2. For NR operation, all subcarrier spacings (SCS) and transmission schemes (e.g. CP-OFDM and DFT-s-OFDM) were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

| | | | | |
|--|---|-------------------------------|------|---------------------------------|
| FCC ID: PY7-57441Y |  PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 38 of 131 |


© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

LTE Band 25/2



Plot 7-38. Conducted Spurious Plot (LTE Band 25/2 - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-39. Conducted Spurious Plot (LTE Band 25/2 - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)

| | | | | |
|--|--|-----------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 39 of 131 |

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-40. Conducted Spurious Plot (LTE Band 25/2 - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-41. Conducted Spurious Plot (LTE Band 25/2 - 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)


| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 40 of 131 |

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-42. Conducted Spurious Plot (LTE Band 25/2 - 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)




Plot 7-43. Conducted Spurious Plot (LTE Band 25/2 - 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 41 of 131 |




Plot 7-44. Conducted Spurious Plot (LTE Band 25/2 - 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel)



Plot 7-45. Conducted Spurious Plot (LTE Band 25/2 - 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 42 of 131 |




Plot 7-46. Conducted Spurious Plot (LTE Band 25/2 - 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel)


| | | | | |
|--|--|-----------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 43 of 131 |

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-49. Conducted Spurious Plot (NR Band n2 - 20.0MHz - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-50. Conducted Spurious Plot (NR Band n2 - 20.0MHz - RB Size 1, RB Offset 0 - Mid Channel)


| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 45 of 131 |

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-51. Conducted Spurious Plot (NR Band n2 - 20.0MHz - RB Size 1, RB Offset 0 - Mid Channel)




Plot 7-52. Conducted Spurious Plot (NR Band n2 - 20.0MHz - RB Size 1, RB Offset 0 - Mid Channel)


| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 46 of 131 |

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-53. Conducted Spurious Plot (NR Band n2 - 20.0MHz - RB Size 1, RB Offset 0 - High Channel)




Plot 7-54. Conducted Spurious Plot (NR Band n2 - 20.0MHz - RB Size 1, RB Offset 0 - High Channel)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 47 of 131 |

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.




Plot 7-55. Conducted Spurious Plot (NR Band n2 - 20.0MHz - RB Size 1, RB Offset 0 - High Channel)

| | | | | |
|--|--|-----------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 48 of 131 |


© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

GSM/GPRS PCS



Plot 7-31. Conducted Spurious Plot (GPRS Ch. 512)




Plot 7-31. Conducted Spurious Plot (GPRS Ch. 512)


| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 49 of 131 |

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.




Plot 7-31. Conducted Spurious Plot (GPRS Ch. 661)




Plot 7-31. Conducted Spurious Plot (GPRS Ch. 661)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 51 of 131 |




Plot 7-31. Conducted Spurious Plot (GPRS Ch. 810)




Plot 7-31. Conducted Spurious Plot (GPRS Ch. 810)

| | | | | |
|--|---------------------------------------|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 52 of 131 |

WCDMA PCS



Plot 7-31. Conducted Spurious Plot (WCDMA Ch. 9262)




Plot 7-31. Conducted Spurious Plot (WCDMA Ch. 9262)


| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 54 of 131 |

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-31. Conducted Spurious Plot (WCDMA Ch. 9262)




Plot 7-31. Conducted Spurious Plot (WCDMA Ch. 9400)


| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 55 of 131 |

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-31. Conducted Spurious Plot (WCDMA Ch. 9538)



Plot 7-31. Conducted Spurious Plot (WCDMA Ch. 9538)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 57 of 131 |

7.5 Band Edge Emissions at Antenna Terminal

Test Overview

All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

The minimum permissible attenuation level of any spurious emission is $43 + 10 \log_{10}(P_{[Watts]})$, where P is the transmitter power in Watts.

Test Procedure Used

KDB 971168 D01 v03r01 – Section 6.0

Test Settings

1. Start and stop frequency were set such that the band edge would be placed in the center of the plot
2. Span was set large enough so as to capture all out of band emissions near the band edge
3. RBW \geq 1% of the emission bandwidth
4. VBW \geq 3 x RBW
5. Detector = RMS
6. Number of sweep points \geq 2 x Span/RBW
7. Trace mode = trace average for continuous emissions, max hold for pulse emissions
8. Sweep time = auto couple
9. The trace was allowed to stabilize

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-4. Test Instrument & Measurement Setup

| | | | | |
|--|--|-----------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y |  PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 59 of 131 |

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Test Notes


1. Per 24.238(b), in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed to demonstrate compliance with the out-of-band emissions limit. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.
2. For NR operation, all subcarrier spacings (SCS) and transmission schemes (e.g. CP-OFDM and DFT-s-OFDM) were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

| | | | |
|--|---|-------------------------------|---------------------------------|
| FCC ID: PY7-57441Y |  PART 24 MEASUREMENT REPORT  | | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | Page 60 of 131 |


© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

LTE Band 25/2



Plot 7-56. Lower Band Edge Plot (LTE Band 25/2 - 20MHz QPSK – Full RB Configuration)



Plot 7-57. Extended Lower Band Edge Plot (LTE Band 25/2 - 20MHz QPSK – Full RB Configuration)


| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 61 of 131 |

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.




Plot 7-60. Upper Band Edge Plot (LTE Band 25 - 20MHz QPSK – Full RB Configuration)




Plot 7-61. Extended Upper Band Edge Plot (LTE Band 25 - 20MHz QPSK – Full RB Configuration)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 63 of 131 |



Plot 7-62. Lower Band Edge Plot (LTE Band 25/2 - 15MHz QPSK – Full RB Configuration)




Plot 7-63. Extended Lower Band Edge Plot (LTE Band 25/2 - 15MHz QPSK – Full RB Configuration)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 64 of 131 |



Plot 7-64. Upper Band Edge Plot (LTE Band 2 - 15MHz QPSK – Full RB Configuration)




Plot 7-65. Extended Upper Band Edge Plot (LTE Band 2 - 15MHz QPSK – Full RB Configuration)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 65 of 131 |




Plot 7-66. Upper Band Edge Plot (LTE Band 25 - 15MHz QPSK – Full RB Configuration)




Plot 7-67. Extended Upper Band Edge Plot (LTE Band 25 - 15MHz QPSK – Full RB Configuration)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 66 of 131 |



Plot 7-68. Lower Band Edge Plot (LTE Band 25/2 - 10MHz QPSK – Full RB Configuration)




Plot 7-69. Extended Lower Band Edge Plot (LTE Band 25/2 - 10MHz QPSK – Full RB Configuration)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 67 of 131 |




Plot 7-70. Upper Band Edge Plot (LTE Band 2 - 10MHz QPSK – Full RB Configuration)




Plot 7-71. Extended Upper Band Edge Plot (LTE Band 2 - 10MHz QPSK – Full RB Configuration)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 68 of 131 |




Plot 7-72. Upper Band Edge Plot (LTE Band 25 - 10MHz QPSK – Full RB Configuration)




Plot 7-73. Extended Upper Band Edge Plot (LTE Band 25 - 10MHz QPSK – Full RB Configuration)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 69 of 131 |



Plot 7-74. Lower Band Edge Plot (LTE Band 25/2 - 5MHz QPSK – Full RB Configuration)




Plot 7-75. Extended Lower Band Edge Plot (LTE Band 25/2 - 5MHz QPSK – Full RB Configuration)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 70 of 131 |



Plot 7-76. Upper Band Edge Plot (LTE Band 2 - 5MHz QPSK – Full RB Configuration)




Plot 7-77. Extended Upper Band Edge Plot (LTE Band 2 - 5MHz QPSK – Full RB Configuration)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 71 of 131 |




Plot 7-78. Upper Band Edge Plot (LTE Band 25 - 5MHz QPSK – Full RB Configuration)




Plot 7-79. Extended Upper Band Edge Plot (LTE Band 25 - 5MHz QPSK – Full RB Configuration)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 72 of 131 |



Plot 7-80. Lower Band Edge Plot (LTE Band 25/2 - 3MHz QPSK – Full RB Configuration)




Plot 7-81. Extended Lower Band Edge Plot (LTE Band 25/2 - 3MHz QPSK – Full RB Configuration)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 73 of 131 |



Plot 7-82. Upper Band Edge Plot (LTE Band 2 - 3MHz QPSK – Full RB Configuration)




Plot 7-83. Extended Upper Band Edge Plot (LTE Band 2 - 3MHz QPSK – Full RB Configuration)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 74 of 131 |




Plot 7-84. Upper Band Edge Plot (LTE Band 25 - 3MHz QPSK – Full RB Configuration)




Plot 7-85. Extended Upper Band Edge Plot (LTE Band 25 - 3MHz QPSK – Full RB Configuration)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 75 of 131 |



Plot 7-86. Lower Band Edge Plot (LTE Band 25/2 – 1.4MHz QPSK – Full RB Configuration)




Plot 7-87. Extended Lower Band Edge Plot (LTE Band 25/2 – 1.4MHz QPSK – Full RB Configuration)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 76 of 131 |



Plot 7-88. Upper Band Edge Plot (LTE Band 2 – 1.4MHz QPSK – Full RB Configuration)




Plot 7-89. Extended Upper Band Edge Plot (LTE Band 2 – 1.4MHz QPSK – Full RB Configuration)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 77 of 131 |



Plot 7-90. Upper Band Edge Plot (LTE Band 25 – 1.4MHz QPSK – Full RB Configuration)




Plot 7-91. Extended Upper Band Edge Plot (LTE Band 25 – 1.4MHz QPSK – Full RB Configuration)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 78 of 131 |

NR Band n2



Plot 7-92. Lower Band Edge Plot (NR Band n2 – 20.0MHz - Full RB)




Plot 7-93. Lower Extended Band Edge Plot (NR Band n2 – 20.0MHz - Full RB)


| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 79 of 131 |

© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.




Plot 7-94. Upper Band Edge Plot (NR Band n2 – 20.0MHz - Full RB)




Plot 7-95. Upper Extended Band Edge Plot (NR Band n2 – 20.0MHz - Full RB)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 80 of 131 |



Plot 7-96. Lower Band Edge Plot (NR Band n2 – 15.0MHz - Full RB)




Plot 7-97. Lower Extended Band Edge Plot (NR Band n2 – 15.0MHz - Full RB)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 81 of 131 |



Plot 7-98. Upper Band Edge Plot (NR Band n2 – 15.0MHz - Full RB)




Plot 7-99. Upper Extended Band Edge Plot (NR Band n2 – 15.0MHz - Full RB)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 82 of 131 |



Plot 7-100. Lower Band Edge Plot (NR Band n2 – 10.0MHz - Full RB)



Plot 7-101. Lower Extended Band Edge Plot (NR Band n2 – 10.0MHz - Full RB)

| | | | | |
|--|--|-------------------------------|-------------|---------------------------------|
| FCC ID: PY7-57441Y | PCTEST Proud to be part of element | PART 24 MEASUREMENT REPORT | SONY | Approved by: Quality Manager |
| Test Report S/N: 12M007070106-17-R2.PY7 | Test Dates: 7/9/2020 - 9/18/2020 | EUT Type: Portable Handset | | Page 83 of 131 |