







Radiated Spurious Emissions

Test Result

	Project Information							
Mode:	802.11a	Band:	U-NII-1					
Bandwidth	-	Channel	36					
SN:	HQ652D0088	Engineer:	Ou Shuyan					
Remark:		Z; ANT6&7						




Data L	Data List							
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5176.84	37.95	13.91	51.86	-	-	Horizontal	NA
2	8350.80	36.79	1.10	37.89	54.00	16.11	Horizontal	PASS
3	12040.88	35.17	5.39	40.56	54.00	13.44	Horizontal	PASS
4	17977.00	32.64	13.46	46.10	54.00	7.90	Horizontal	PASS
5	5176.84	44.66	13.91	58.57	-	-	Horizontal	NA
6	6314.64	35.47	16.94	52.41	68.20	15.79	Horizontal	PASS
7	15251.79	40.42	9.89	50.31	68.20	17.89	Horizontal	PASS
8	17844.74	39.26	13.77	53.03	74.00	20.97	Horizontal	PASS





	Project Information							
Mode:	802.11a	Band:	U-NII-1					
Bandwidth	-	Channel	36					
SN:	HQ652D0088	Engineer:	Ou Shuyan					
Remark:		Z; ANT6&7						




Data L	.ist							
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5177.57	38.26	13.90	52.16	-	-	Vertical	NA
2	9076.09	36.83	2.17	39.00	54.00	15.00	Vertical	PASS
3	12677.62	34.81	6.04	40.85	54.00	13.15	Vertical	PASS
4	17845.89	31.86	13.81	45.67	54.00	8.33	Vertical	PASS
5	5177.39	43.76	13.91	57.67	-	-	Vertical	NA
6	6347.83	35.44	17.26	52.70	68.20	15.50	Vertical	PASS
7	12397.01	42.52	6.19	48.71	74.00	25.29	Vertical	PASS
8	17962.82	39.80	13.25	53.05	74.00	20.95	Vertical	PASS





	Project Information							
Mode:	802.11a	Band:	U-NII-1					
Bandwidth	-	Channel	40					
SN:	HQ652D0088	Engineer:	Ou Shuyan					
Remark:		Z; ANT6&7						




Data L	Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict	
1	9138.95	35.91	3.09	39.00	54.00	15.00	Horizontal	PASS	
2	12204.96	35.74	5.28	41.02	54.00	12.98	Horizontal	PASS	
3	17865.06	31.99	13.79	45.78	54.00	8.22	Horizontal	PASS	
4	6341.78	34.99	17.20	52.19	68.20	16.01	Horizontal	PASS	
5	15058.97	40.89	9.19	50.08	68.20	18.12	Horizontal	PASS	
6	17395.08	40.82	12.09	52.91	68.20	15.29	Horizontal	PASS	





	Project Information							
Mode:	802.11a	Band:	U-NII-1					
Bandwidth	-	Channel	40					
SN:	HQ652D0088	Engineer:	Ou Shuyan					
Remark:		Z; ANT6&7						




Data L	.ist							
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5192.79	30.69	13.91	44.60	-	-	Vertical	NA
2	8084.75	37.92	0.48	38.40	54.00	15.60	Vertical	PASS
3	12396.25	34.97	6.18	41.15	54.00	12.85	Vertical	PASS
4	17982.75	32.54	13.54	46.08	54.00	7.92	Vertical	PASS
5	5192.24	37.42	13.92	51.34	-	-	Vertical	NA
6	6471.03	35.29	17.14	52.43	68.20	15.77	Vertical	PASS
7	14351.70	41.39	8.99	50.38	68.20	17.82	Vertical	PASS
8	17853.56	38.33	13.95	52.28	74.00	21.72	Vertical	PASS






	Project Information							
Mode:	802.11a	Band:	U-NII-1					
Bandwidth	-	Channel	48					
SN:	HQ652D0088	Engineer:	Ou Shuyan					
Remark:		Z; ANT6&7						




Data L	Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict	
1	8384.15	39.24	0.98	40.22	54.00	13.78	Horizontal	PASS	
2	12102.99	36.16	5.17	41.33	54.00	12.67	Horizontal	PASS	
3	17989.27	32.96	13.64	46.60	54.00	7.40	Horizontal	PASS	
4	6357.00	35.33	17.18	52.51	68.20	15.69	Horizontal	PASS	
5	13697.71	41.19	9.41	50.60	68.20	17.60	Horizontal	PASS	
6	17868.90	39.22	13.75	52.97	74.00	21.03	Horizontal	PASS	





	Project Information							
Mode:	802.11a	Band:	U-NII-1					
Bandwidth	-	Channel	48					
SN:	HQ652D0088	Engineer:	Ou Shuyan					
Remark:		Z; ANT6&7						



Data L	Data List							
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	8384.53	41.45	0.98	42.43	54.00	11.57	Vertical	PASS
2	12259.39	35.63	5.29	40.92	54.00	13.08	Vertical	PASS
3	17983.90	33.02	13.56	46.58	54.00	7.42	Vertical	PASS
4	6306.94	36.06	16.87	52.93	68.20	15.27	Vertical	PASS
5	8384.15	45.11	0.98	46.09	74.00	27.91	Vertical	PASS
6	17983.52	39.45	13.55	53.00	74.00	21.00	Vertical	PASS