


Appendix-E Field Strength of Spurious Radiation

For GSM:

Project Information			
Mode:	GSM	Band:	GSM850
Bandwidth:	-	Channel:	Low
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1648.40	59.93	-114.09	-54.16	-13.00	41.16	Horizontal	PASS
2	2472.40	72.52	-111.24	-38.72	-13.00	25.72	Horizontal	PASS
3	4121.20	55.48	-105.75	-50.27	-13.00	37.27	Horizontal	PASS

Project Information			
Mode:	GSM	Band:	GSM850
Bandwidth:	-	Channel:	Low
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1648.40	57.29	-114.09	-56.80	-13.00	43.80	Vertical	PASS
2	2472.40	71.56	-111.24	-39.68	-13.00	26.68	Vertical	PASS
3	4120.80	50.05	-105.76	-55.71	-13.00	42.71	Vertical	PASS

Project Information			
Mode:	GSM	Band:	GSM850
Bandwidth:		Channel:	Mid
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1673.20	61.36	-114.14	-52.78	-13.00	39.78	Horizontal	PASS
2	2509.60	73.93	-111.36	-37.43	-13.00	24.43	Horizontal	PASS
3	4183.20	46.73	-105.46	-58.73	-13.00	45.73	Horizontal	PASS

Project Information			
Mode:	GSM	Band:	GSM850
Bandwidth:		Channel:	Mid
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1673.20	59.76	-114.14	-54.38	-13.00	41.38	Vertical	PASS
2	2509.60	67.31	-111.36	-44.05	-13.00	31.05	Vertical	PASS
3	4182.80	42.71	-105.46	-62.75	-13.00	49.75	Vertical	PASS

Project Information			
Mode:	GSM	Band:	GSM850
Bandwidth:	-	Channel:	High
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1697.60	58.03	-114.21	-56.18	-13.00	43.18	Horizontal	PASS
2	2546.40	70.88	-111.22	-40.34	-13.00	27.34	Horizontal	PASS
3	4244.00	49.81	-105.13	-55.32	-13.00	42.32	Horizontal	PASS

Project Information			
Mode:	GSM	Band:	GSM850
Bandwidth:	-	Channel:	High
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1697.60	60.17	-114.21	-54.04	-13.00	41.04	Vertical	PASS
2	2546.40	68.03	-111.22	-43.19	-13.00	30.19	Vertical	PASS
3	4244.00	47.67	-105.13	-57.46	-13.00	44.46	Vertical	PASS

Project Information			
Mode:	GSM	Band:	GSM1900
Bandwidth:	-	Channel:	Low
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1850.20	110.75	-84.97	25.78	-	-	Horizontal	NA
2	2989.20	35.55	-80.14	-44.59	-13.00	31.59	Horizontal	PASS
3	3700.50	42.52	-107.51	-64.99	-13.00	51.99	Horizontal	PASS
4	5550.50	58.20	-101.32	-43.12	-13.00	30.12	Horizontal	PASS

Project Information			
Mode:	GSM	Band:	GSM1900
Bandwidth:	-	Channel:	Low
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1850.20	112.94	-84.97	27.97	-	-	Vertical	NA
2	2985.80	35.41	-80.08	-44.67	-13.00	31.67	Vertical	PASS
3	3700.50	48.04	-107.51	-59.47	-13.00	46.47	Vertical	PASS
4	5550.50	47.40	-101.32	-53.92	-13.00	40.92	Vertical	PASS

Project Information			
Mode:	GSM	Band:	GSM1900
Bandwidth:	-	Channel:	Mid
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1880.00	110.74	-84.95	25.79	-	-	Horizontal	NA
2	2989.80	35.53	-80.15	-44.62	-13.00	31.62	Horizontal	PASS
3	3760.00	45.76	-107.25	-61.49	-13.00	48.49	Horizontal	PASS
4	5640.00	52.00	-100.83	-48.83	-13.00	35.83	Horizontal	PASS

Project Information			
Mode:	GSM	Band:	GSM1900
Bandwidth:	-	Channel:	Mid
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1880.00	111.28	-84.95	26.33	-	-	Vertical	NA
2	2957.60	35.53	-79.98	-44.45	-13.00	31.45	Vertical	PASS
3	3760.00	46.45	-107.25	-60.80	-13.00	47.80	Vertical	PASS
4	5640.00	44.60	-100.83	-56.23	-13.00	43.23	Vertical	PASS

Project Information			
Mode:	GSM	Band:	GSM1900
Bandwidth:	-	Channel:	High
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1909.80	109.59	-84.86	24.73	-	-	Horizontal	NA
2	2985.00	35.29	-80.07	-44.78	-13.00	31.78	Horizontal	PASS
3	3819.50	44.25	-106.57	-62.32	-13.00	49.32	Horizontal	PASS
4	5729.50	52.62	-100.75	-48.13	-13.00	35.13	Horizontal	PASS

Project Information			
Mode:	GSM	Band:	GSM1900
Bandwidth:	-	Channel:	High
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1909.80	111.14	-84.86	26.28	-	-	Vertical	NA
2	2991.00	35.75	-80.17	-44.42	-13.00	31.42	Vertical	PASS
3	3819.50	42.84	-106.57	-63.73	-13.00	50.73	Vertical	PASS
4	5729.50	45.25	-100.75	-55.50	-13.00	42.50	Vertical	PASS

For WCDMA:

Project Information			
Mode:	WCDMA	Band:	Band IV
Bandwidth:	-	Channel:	Low
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1711.20	102.80	-85.36	17.44	-	-	Horizontal	NA
2	2111.00	36.74	-84.32	-47.58	-	-	Horizontal	NA
3	2954.80	35.58	-79.99	-44.41	-13.00	31.41	Horizontal	PASS
4	5140.50	41.82	-102.10	-60.28	-13.00	47.28	Horizontal	PASS
5	17845.50	38.44	-82.53	-44.09	-13.00	31.09	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	Band IV
Bandwidth:	-	Channel:	Low
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1713.80	101.07	-85.34	15.73	-	-	Vertical	NA
2	2111.80	43.53	-84.32	-40.79	-	-	Vertical	NA
3	2980.60	36.05	-79.99	-43.94	-13.00	30.94	Vertical	PASS
4	9528.00	37.72	-92.66	-54.94	-13.00	41.94	Vertical	PASS
5	17800.00	38.25	-83.19	-44.94	-13.00	31.94	Vertical	PASS

Project Information			
Mode:	WCDMA	Band:	Band IV
Bandwidth:	-	Channel:	Mid
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1731.80	102.51	-85.22	17.29	-	-	Horizontal	NA
2	2133.40	37.71	-84.52	-46.81	-	-	Horizontal	NA
3	2963.60	35.53	-79.95	-44.42	-13.00	31.42	Horizontal	PASS
4	5195.50	40.64	-102.18	-61.54	-13.00	48.54	Horizontal	PASS
5	17856.50	38.12	-82.54	-44.42	-13.00	31.42	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	Band IV
Bandwidth:	-	Channel:	Mid
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1733.20	100.57	-85.20	15.37	-	-	Vertical	NA
2	2134.20	44.44	-84.53	-40.09	-	-	Vertical	NA
3	2967.80	35.38	-79.93	-44.55	-13.00	31.55	Vertical	PASS
4	9498.50	37.27	-92.62	-55.35	-13.00	42.35	Vertical	PASS
5	17850.00	37.62	-82.46	-44.84	-13.00	31.84	Vertical	PASS

Project Information			
Mode:	WCDMA	Band:	Band IV
Bandwidth:	-	Channel:	High
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1752.20	103.16	-85.05	18.11	-	-	Horizontal	NA
2	2979.80	35.28	-79.98	-44.70	-13.00	31.70	Horizontal	PASS
3	15098.00	37.43	-86.21	-48.78	-13.00	35.78	Horizontal	PASS
4	17847.50	38.09	-82.49	-44.40	-13.00	31.40	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	Band IV
Bandwidth:	-	Channel:	High
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1753.60	103.11	-85.04	18.07	-	-	Vertical	NA
2	2154.20	44.09	-84.62	-40.53	-	-	Vertical	NA
3	2974.20	35.48	-79.90	-44.42	-13.00	31.42	Vertical	PASS
4	14355.50	36.10	-86.03	-49.93	-13.00	36.93	Vertical	PASS
5	17941.00	38.28	-83.10	-44.82	-13.00	31.82	Vertical	PASS

Project Information			
Mode:	WCDMA	Band:	Band V
Bandwidth:	-	Channel:	Low
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1655.20	55.25	-114.09	-58.84	-13.00	45.84	Horizontal	PASS
2	2482.40	58.66	-111.30	-52.64	-13.00	39.64	Horizontal	PASS
3	8038.80	36.55	-95.47	-58.92	-13.00	45.92	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	Band V
Bandwidth:	-	Channel:	Low
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1651.20	51.38	-114.08	-62.70	-13.00	49.70	Vertical	PASS
2	2481.60	56.37	-111.29	-54.92	-13.00	41.92	Vertical	PASS
3	8138.40	36.33	-94.96	-58.63	-13.00	45.63	Vertical	PASS

Project Information			
Mode:	WCDMA	Band:	Band V
Bandwidth:	-	Channel:	Mid
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1674.40	55.52	-114.14	-58.62	-13.00	45.62	Horizontal	PASS
2	2512.40	61.82	-111.36	-49.54	-13.00	36.54	Horizontal	PASS
3	7953.60	37.48	-95.47	-57.99	-13.00	44.99	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	Band V
Bandwidth:	-	Channel:	Mid
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1671.60	51.35	-114.13	-62.78	-13.00	49.78	Vertical	PASS
2	2512.80	58.00	-111.34	-53.34	-13.00	40.34	Vertical	PASS
3	8035.60	36.90	-95.48	-58.58	-13.00	45.58	Vertical	PASS

Project Information			
Mode:	WCDMA	Band:	Band V
Bandwidth:	-	Channel:	High
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1694.80	54.74	-114.20	-59.46	-13.00	46.46	Horizontal	PASS
2	2536.40	62.71	-111.26	-48.55	-13.00	35.55	Horizontal	PASS
3	7951.60	37.06	-95.47	-58.41	-13.00	45.41	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	Band V
Bandwidth:	-	Channel:	High
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1695.20	51.32	-114.20	-62.88	-13.00	49.88	Vertical	PASS
2	2542.80	59.29	-111.22	-51.93	-13.00	38.93	Vertical	PASS
3	8126.00	36.55	-95.06	-58.51	-13.00	45.51	Vertical	PASS

For LTE:

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	Low
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1711.00	108.82	-85.36	23.46	-	-	Horizontal	NA
2	3422.00	45.97	-107.53	-61.56	-13.00	48.56	Horizontal	PASS
3	5133.50	47.35	-102.21	-54.86	-13.00	41.86	Horizontal	PASS
4	17346.50	37.77	-82.56	-44.79	-13.00	31.79	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	Low
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1711.20	108.47	-85.36	23.11	-	-	Vertical	NA
2	2127.40	39.99	-84.46	-44.47	-	-	Vertical	NA
3	3422.00	45.80	-107.53	-61.73	-13.00	48.73	Vertical	PASS
4	5133.00	45.76	-102.22	-56.46	-13.00	43.46	Vertical	PASS
5	17850.50	37.98	-82.47	-44.49	-13.00	31.49	Vertical	PASS

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	Mid
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	108.38	-85.28	23.10	-	-	Horizontal	NA
2	3447.00	44.94	-107.30	-62.36	-13.00	49.36	Horizontal	PASS
3	5171.00	47.77	-102.05	-54.28	-13.00	41.28	Horizontal	PASS
4	17818.00	38.60	-82.92	-44.32	-13.00	31.32	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	Mid
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	108.63	-85.28	23.35	-	-	Vertical	NA
2	2127.40	39.72	-84.46	-44.74	-	-	Vertical	NA
3	3447.00	45.46	-107.30	-61.84	-13.00	48.84	Vertical	PASS
4	5170.50	44.36	-102.05	-57.69	-13.00	44.69	Vertical	PASS
5	17869.00	38.32	-82.68	-44.36	-13.00	31.36	Vertical	PASS

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	High
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	109.18	-85.18	24.00	-	-	Horizontal	NA
2	3472.00	45.13	-107.15	-62.02	-13.00	49.02	Horizontal	PASS
3	5208.00	50.81	-102.19	-51.38	-13.00	38.38	Horizontal	PASS
4	17493.50	38.91	-83.57	-44.66	-13.00	31.66	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	High
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT1		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	108.14	-85.18	22.96	-	-	Vertical	NA
2	2137.60	38.85	-84.56	-45.71	-	-	Vertical	NA
3	3472.00	44.50	-107.15	-62.65	-13.00	49.65	Vertical	PASS
4	5208.00	48.72	-102.19	-53.47	-13.00	40.47	Vertical	PASS
5	17815.50	38.51	-82.96	-44.45	-13.00	31.45	Vertical	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	Low
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1649.20	57.98	-114.08	-56.10	-13.00	43.10	Horizontal	PASS
2	2473.60	58.40	-111.25	-52.85	-13.00	39.85	Horizontal	PASS
3	8044.80	36.92	-95.45	-58.53	-13.00	45.53	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	Low
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1649.20	54.41	-114.08	-59.67	-13.00	46.67	Vertical	PASS
2	2473.60	57.91	-111.25	-53.34	-13.00	40.34	Vertical	PASS
3	8390.40	37.15	-95.01	-57.86	-13.00	44.86	Vertical	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	Mid
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.40	55.55	-114.12	-58.57	-13.00	45.57	Horizontal	PASS
2	2496.40	65.53	-111.37	-45.84	-13.00	32.84	Horizontal	PASS
3	7989.60	37.13	-95.55	-58.42	-13.00	45.42	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	Mid
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.00	55.86	-114.12	-58.26	-13.00	45.26	Vertical	PASS
2	2496.40	62.42	-111.37	-48.95	-13.00	35.95	Vertical	PASS
3	3328.40	43.37	-108.29	-64.92	-13.00	51.92	Vertical	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	High
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1679.20	60.81	-114.16	-53.35	-13.00	40.35	Horizontal	PASS
2	2518.80	64.29	-111.32	-47.03	-13.00	34.03	Horizontal	PASS
3	7899.20	37.09	-95.69	-58.60	-13.00	45.60	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	High
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANTO		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1679.20	56.10	-114.16	-58.06	-13.00	45.06	Vertical	PASS
2	2518.80	62.35	-111.32	-48.97	-13.00	35.97	Vertical	PASS
3	3358.40	42.58	-108.24	-65.66	-13.00	52.66	Vertical	PASS

Project Information			
Mode:	LTE	Band:	41(2496-2690MHz)
Bandwidth:	20MHz	Channel:	Low
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2497.20	100.90	-83.13	17.77	-	-	Horizontal	NA
2	4994.00	42.72	-102.85	-60.13	-25.00	35.13	Horizontal	PASS
3	7491.50	40.51	-96.79	-56.28	-25.00	31.28	Horizontal	PASS
4	17846.50	38.00	-82.51	-44.51	-25.00	19.51	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	41(2496-2690MHz)
Bandwidth:	20MHz	Channel:	Low
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2497.10	104.49	-83.13	21.36	-	-	Vertical	NA
2	2920.40	40.35	-80.36	-40.01	-25.00	15.01	Vertical	PASS
3	7491.00	50.79	-96.79	-46.00	-25.00	21.00	Vertical	PASS
4	17341.50	38.98	-82.79	-43.81	-25.00	18.81	Vertical	PASS

Project Information			
Mode:	LTE	Band:	41(2496-2690MHz)
Bandwidth:	20MHz	Channel:	Mid
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.00	102.42	-82.40	20.02	-	-	Horizontal	NA
2	2972.80	40.25	-79.91	-39.66	-25.00	14.66	Horizontal	PASS
3	7752.50	48.58	-96.49	-47.91	-25.00	22.91	Horizontal	PASS
4	17890.00	38.60	-82.93	-44.33	-25.00	19.33	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	41(2496-2690MHz)
Bandwidth:	20MHz	Channel:	Mid
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.10	102.00	-82.40	19.60	-	-	Vertical	NA
2	5167.50	46.75	-102.03	-55.28	-25.00	30.28	Vertical	PASS
3	7752.50	54.57	-96.49	-41.92	-25.00	16.92	Vertical	PASS
4	17978.50	38.28	-82.72	-44.44	-25.00	19.44	Vertical	PASS

Project Information			
Mode:	LTE	Band:	41(2496-2690MHz)
Bandwidth:	20MHz	Channel:	High
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2671.20	102.11	-81.56	20.55	-	-	Horizontal	NA
2	5342.00	44.91	-101.95	-57.04	-25.00	32.04	Horizontal	PASS
3	8013.00	48.81	-95.39	-46.58	-25.00	21.58	Horizontal	PASS
4	17977.00	37.92	-82.74	-44.82	-25.00	19.82	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	41(2496-2690MHz)
Bandwidth:	20MHz	Channel:	High
SN:	HQ652D00D9	Engineer:	Ou Shuyan
Remark:	Z ANT0		
Test Standard:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2671.00	101.42	-81.57	19.85	-	-	Vertical	NA
2	5342.00	53.15	-101.95	-48.80	-25.00	23.80	Vertical	PASS
3	8013.50	47.72	-95.39	-47.67	-25.00	22.67	Vertical	PASS
4	17352.00	38.23	-82.48	-44.25	-25.00	19.25	Vertical	PASS

~The End~