





LTE Band 7 / 5MHz / 16QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 7 / 10MHz / QPSK


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 7 / 10MHz / 16QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 7 / 15MHz / QPSK


Lowest Band Edge / 1 RB



Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 7 / 15MHz / 16QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 7 / 20MHz / QPSK


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 7 / 20MHz / 16QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1RB



Lowest Band Edge / Full RB



Highest Band Edge / Full RB






Conducted Spurious Emission




LTE Band 7 / 5MHz

Lowest Channel / QPSK




Date: 11.SEP.2015 14:05:47

Lowest Channel / 16QAM




Date: 11.SEP.2015 14:06:43

Middle Channel / QPSK



Date: 11.SEP.2015 14:08:26

Middle Channel / 16QAM




Date: 11.SEP.2015 14:09:21




LTE Band 7 / 5MHz

Highest Channel / QPSK



Date: 11.SEP.2015 14:15:44


Highest Channel / 16QAM



Date: 11.SEP.2015 14:16:40


LTE Band 7 / 10MHz

Lowest Channel / QPSK



Date: 11.SEP.2015 14:23:02

Lowest Channel / 16QAM




Date: 11.SEP.2015 14:23:58




LTE Band 7 / 10MHz

Middle Channel / QPSK




Date: 11.SEP.2015 14:29:40

Middle Channel / 16QAM




Date: 11.SEP.2015 14:26:36

Highest Channel / QPSK



Date: 11.SEP.2015 14:32:58

Highest Channel / 16QAM




Date: 11.SEP.2015 14:33:54




LTE Band 7 / 15MHz

Lowest Channel / QPSK




Date: 11.SEP.2015 14:40:16

Lowest Channel / 16QAM




Date: 11.SEP.2015 14:41:12

Middle Channel / QPSK



Date: 11.SEP.2015 14:42:54

Middle Channel / 16QAM




Date: 11.SEP.2015 14:43:50




LTE Band7 / 15MHz

Highest Channel / QPSK



Date: 11.SEP.2015 14:50:13


Highest Channel / 16QAM



Date: 11.SEP.2015 14:51:08


LTE Band 7 / 20MHz

Lowest Channel / QPSK



Date: 11.SEP.2015 14:57:30

Lowest Channel / 16QAM




Date: 11.SEP.2015 14:58:25




LTE Band 7 / 20MHz

Middle Channel / QPSK




Date: 11.SEP.2015 15:00:08

Middle Channel / 16QAM




Date: 11.SEP.2015 15:01:04

Highest Channel / QPSK



Date: 11.SEP.2015 15:07:25

Highest Channel / 16QAM



Date: 11.SEP.2015 15:08:21

Frequency Stability

Test Conditions		LTE Band 7 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0002	PASS
40	Normal Voltage	0.0003	
30	Normal Voltage	0.0010	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0006	
0	Normal Voltage	0.0009	
-10	Normal Voltage	0.0005	
-20	Normal Voltage	0.0002	
-30	Normal Voltage	0.0002	
20	Maximum Voltage	0.0007	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0009	

Note:

1. Normal Voltage = 3.8V. ; Battery End Point (BEP) = 3.6 V. ; Maximum Voltage =4.2 V
2. The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of Radiated Test

ERP/EIRP

LTE Band 2 / 1.4MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	16.17	0.0414	14.77	0.0300
Middle		1	0	17.10	0.0513	15.37	0.0344
Highest		1	0	17.66	0.0583	15.26	0.0336
Lowest	16QAM	1	0	16.54	0.0451	14.94	0.0312
Middle		1	0	17.35	0.0543	15.66	0.0368
Highest		1	0	17.96	0.0625	15.57	0.0361
Limit	EIRP < 2W			Result		PASS	

LTE Band 2 / 3MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	8	16.18	0.0415	14.94	0.0312
Middle		1	8	17.33	0.0541	15.48	0.0353
Highest		1	8	17.58	0.0573	15.21	0.0332
Lowest	16QAM	1	8	16.46	0.0443	14.96	0.0313
Middle		1	8	17.14	0.0518	15.51	0.0356
Highest		1	8	17.84	0.0608	15.35	0.0343
Limit	EIRP < 2W			Result		PASS	



LTE Band 2 / 5MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	16.33	0.0430	14.94	0.0312
Middle		1	0	17.09	0.0512	15.18	0.0330
Highest		1	0	17.55	0.0569	15.32	0.0340
Lowest	16QAM	1	24	16.52	0.0449	14.94	0.0312
Middle		1	24	17.34	0.0542	15.56	0.0360
Highest		1	24	17.75	0.0596	15.47	0.0352
Limit	EIRP < 2W			Result		PASS	

LTE Band 2 / 10MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	16.50	0.0447	15.45	0.0351
Middle		1	0	17.28	0.0535	15.92	0.0391
Highest		1	0	17.64	0.0581	15.68	0.0370
Lowest	16QAM	1	0	16.81	0.0480	15.78	0.0378
Middle		1	0	17.53	0.0566	16.15	0.0412
Highest		1	0	17.86	0.0611	16.08	0.0406
Limit	EIRP < 2W			Result		PASS	

LTE Band 2 / 15MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	16.29	0.0426	15.33	0.0341
Middle		1	0	16.95	0.0495	15.60	0.0363
Highest		1	0	17.42	0.0552	15.28	0.0337
Lowest	16QAM	1	0	16.50	0.0447	15.46	0.0352
Middle		1	0	17.35	0.0543	15.52	0.0356
Highest		1	0	17.58	0.0573	15.67	0.0369
Limit	EIRP < 2W			Result		PASS	



LTE Band 2 / 20MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	16.37	0.0434	15.16	0.0328
Middle		1	0	17.10	0.0513	15.59	0.0362
Highest		1	0	17.38	0.0547	15.10	0.0324
Lowest	16QAM	1	99	16.74	0.0472	15.49	0.0354
Middle		1	99	17.47	0.0558	15.63	0.0366
Highest		1	99	17.70	0.0589	15.46	0.0352
Limit	EIRP < 2W			Result		PASS	



LTE Band 4 / 1.4MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	3	16.13	0.0410	14.86	0.0306
Middle		1	3	16.24	0.0421	15.14	0.0327
Highest		1	3	16.14	0.0411	14.88	0.0308
Lowest	16QAM	1	0	16.51	0.0448	15.38	0.0345
Middle		1	0	16.36	0.0433	15.42	0.0348
Highest		1	0	16.56	0.0453	15.57	0.0361
Limit	EIRP < 1W			Result		PASS	

LTE Band 4 / 3MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	8	16.18	0.0415	15.02	0.0318
Middle		1	8	16.42	0.0439	15.30	0.0339
Highest		1	8	16.19	0.0416	15.39	0.0346
Lowest	16QAM	1	8	16.42	0.0439	15.31	0.0340
Middle		1	8	16.58	0.0455	15.64	0.0366
Highest		1	8	16.51	0.0448	15.59	0.0362
Limit	EIRP < 1W			Result		PASS	

LTE Band 4 / 5MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	16.03	0.0401	15.26	0.0336
Middle		1	0	16.16	0.0413	15.37	0.0344
Highest		1	0	16.37	0.0434	15.44	0.0350
Lowest	16QAM	1	12	16.51	0.0448	15.48	0.0353
Middle		1	12	16.67	0.0465	15.63	0.0366
Highest		1	12	16.47	0.0444	15.79	0.0379
Limit	EIRP < 1W			Result		PASS	



LTE Band 4/ 10MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	16.56	0.0453	15.53	0.0357
Middle		1	0	16.43	0.0440	15.63	0.0366
Highest		1	0	16.50	0.0447	15.54	0.0358
Lowest	16QAM	1	0	16.94	0.0494	15.83	0.0383
Middle		1	0	16.57	0.0454	15.96	0.0394
Highest		1	0	16.72	0.0470	15.78	0.0378
Limit	EIRP < 1W			Result		PASS	

LTE Band 4 / 15MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	16.30	0.0427	15.28	0.0337
Middle		1	0	16.21	0.0418	15.43	0.0349
Highest		1	0	16.34	0.0431	15.32	0.0340
Lowest	16QAM	1	0	16.57	0.0454	15.52	0.0356
Middle		1	0	16.54	0.0451	15.79	0.0379
Highest		1	0	16.66	0.0463	15.57	0.0361
Limit	EIRP < 1W			Result		PASS	

LTE Band 4 / 20MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	16.45	0.0442	15.35	0.0343
Middle		1	0	16.51	0.0448	15.63	0.0366
Highest		1	0	16.00	0.0398	15.10	0.0324
Lowest	16QAM	1	0	16.58	0.0455	15.58	0.0361
Middle		1	0	16.75	0.0473	15.87	0.0386
Highest		1	0	16.28	0.0425	15.43	0.0349
Limit	EIRP < 1W			Result		PASS	



LTE Band 7 / 5MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	17.47	0.0558	15.22	0.0333
Middle		1	0	17.72	0.0592	15.15	0.0327
Highest		1	0	17.50	0.0562	15.31	0.0340
Lowest	16QAM	1	12	17.62	0.0578	15.24	0.0334
Middle		1	12	17.89	0.0615	15.18	0.0330
Highest		1	12	17.73	0.0593	15.48	0.0353
Limit	EIRP < 2W			Result		PASS	

LTE Band 7 / 10MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	25	24	17.20	0.0525	15.00	0.0316
Middle		25	24	17.86	0.0611	14.93	0.0311
Highest		25	24	17.41	0.0551	15.21	0.0332
Lowest	16QAM	1	49	17.50	0.0562	15.17	0.0329
Middle		1	49	17.94	0.0622	15.24	0.0334
Highest		1	49	17.78	0.0600	15.60	0.0363
Limit	EIRP < 2W			Result		PASS	



LTE Band 7 / 15MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	17.30	0.0537	15.03	0.0318
Middle		1	0	17.45	0.0556	14.84	0.0305
Highest		1	0	17.68	0.0586	15.30	0.0339
Lowest	16QAM	1	0	17.53	0.0566	15.21	0.0332
Middle		1	0	17.62	0.0578	15.14	0.0327
Highest		1	0	17.56	0.0570	15.48	0.0353
Limit	EIRP < 2W			Result		PASS	

LTE Band 7 / 20MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	17.32	0.0540	15.14	0.0327
Middle		1	0	17.59	0.0574	15.17	0.0329
Highest		1	0	17.67	0.0585	15.23	0.0333
Lowest	16QAM	1	0	17.48	0.0560	15.33	0.0341
Middle		1	0	17.74	0.0594	15.34	0.0342
Highest		1	0	17.81	0.0604	15.42	0.0348
Limit	EIRP < 2W			Result		PASS	

**Radiated Spurious Emission**

LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700	-58.49	-13	-45.49	-77.71	-65.06	1.67	8.24	H
	5550	-54.04	-13	-41.04	-78.66	-61.11	2.65	9.72	H
	7400	-52.89	-13	-39.89	-79.16	-62.03	2.46	11.60	H
	3700	-58.02	-13	-45.02	-78.13	-64.59	1.67	8.24	V
	5550	-53.15	-13	-40.15	-78.76	-60.22	2.65	9.72	V
	7400	-50.88	-13	-37.88	-79.18	-60.02	2.46	11.60	V
Middle	3756	-57.97	-13	-44.97	-77.36	-64.59	1.68	8.31	H
	5637	-54.28	-13	-41.28	-78.93	-61.33	2.70	9.75	H
	7517	-51.99	-13	-38.99	-79.04	-61.38	2.42	11.81	H
	3756	-57.41	-13	-44.41	-77.65	-64.03	1.68	8.31	V
	5637	-52.97	-13	-39.97	-78.51	-60.02	2.70	9.75	V
	7517	-50.53	-13	-37.53	-79.19	-59.92	2.42	11.81	V
Highest	3817	-54.76	-13	-41.76	-77.74	-61.44	1.70	8.38	H
	5725	-51.40	-13	-38.40	-78.51	-58.44	2.75	9.79	H
	7634	-49.39	-13	-36.39	-79.02	-58.88	2.39	11.88	H
	3817	-54.34	-13	-41.34	-77.6	-61.02	1.70	8.38	V
	5725	-51.18	-13	-38.18	-78.93	-58.22	2.75	9.79	V
	7634	-47.62	-13	-34.62	-78.95	-57.11	2.39	11.88	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700	-58.91	-13	-45.91	-78.06	-65.48	1.67	8.24	H
	5550	-54.15	-13	-41.15	-78.9	-61.22	2.65	9.72	H
	7400	-52.39	-13	-39.39	-78.89	-61.53	2.46	11.60	H
	3700	-57.86	-13	-44.86	-77.97	-64.43	1.67	8.24	V
	5550	-53.04	-13	-40.04	-78.88	-60.11	2.65	9.72	V
	7400	-51.07	-13	-38.07	-79.19	-60.21	2.46	11.60	V
Middle	3756	-58.41	-13	-45.41	-77.54	-65.03	1.68	8.31	H
	5635	-54.17	-13	-41.17	-78.88	-61.22	2.70	9.75	H
	7514	-52.39	-13	-39.39	-79.2	-61.77	2.42	11.81	H
	3756	-57.41	-13	-44.41	-77.6	-64.03	1.68	8.31	V
	5635	-53.17	-13	-40.17	-78.88	-60.22	2.70	9.75	V
	7514	-50.39	-13	-37.39	-78.89	-59.77	2.42	11.81	V
Highest	3812	-54.72	-13	-41.72	-77.62	-61.39	1.70	8.37	H
	5721	-51.83	-13	-38.83	-78.71	-58.87	2.75	9.79	H
	7628	-49.54	-13	-36.54	-79.24	-59.03	2.39	11.88	H
	3812	-54.21	-13	-41.21	-77.38	-60.88	1.70	8.37	V
	5721	-50.93	-13	-37.93	-78.71	-57.97	2.75	9.79	V
	7628	-47.90	-13	-34.90	-79.19	-57.39	2.39	11.88	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700	-58.98	-13	-45.98	-78.16	-65.55	1.67	8.24	H
	5550	-53.95	-13	-40.95	-78.71	-61.02	2.65	9.72	H
	7400	-52.63	-13	-39.63	-78.94	-61.77	2.46	11.60	H
	3700	-57.98	-13	-44.98	-78.05	-64.55	1.67	8.24	V
	5550	-52.95	-13	-39.95	-78.58	-60.02	2.65	9.72	V
	7400	-50.99	-13	-37.99	-79.04	-60.13	2.46	11.60	V
Middle	3756	-58.43	-13	-45.43	-77.54	-65.05	1.68	8.31	H
	5632	-54.06	-13	-41.06	-78.62	-61.11	2.70	9.75	H
	7510	-52.01	-13	-39.01	-78.96	-61.39	2.43	11.81	H
	3756	-57.44	-13	-44.44	-77.6	-64.06	1.68	8.31	V
	5632	-53.17	-13	-40.17	-78.91	-60.22	2.70	9.75	V
	7510	-50.68	-13	-37.68	-79.14	-60.06	2.43	11.81	V
Highest	3812	-54.52	-13	-41.52	-77.44	-61.19	1.70	8.37	H
	5715	-51.88	-13	-38.88	-78.6	-58.92	2.75	9.79	H
	7620	-49.53	-13	-36.53	-79.26	-59.01	2.39	11.87	H
	3812	-54.39	-13	-41.39	-77.49	-61.06	1.70	8.37	V
	5715	-51.08	-13	-38.08	-78.86	-58.12	2.75	9.79	V
	7620	-47.91	-13	-34.91	-79.28	-57.39	2.39	11.87	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700	-58.89	-13	-45.89	-78.07	-65.46	1.67	8.24	H
	5550	-54.37	-13	-41.37	-78.98	-61.44	2.65	9.72	H
	7400	-52.89	-13	-39.89	-79.16	-62.03	2.46	11.60	H
	3700	-58.45	-13	-45.45	-78.25	-65.02	1.67	8.24	V
	5550	-52.95	-13	-39.95	-78.73	-60.02	2.65	9.72	V
	7400	-50.97	-13	-37.97	-79.22	-60.11	2.46	11.60	V
Middle	3749	-58.44	-13	-45.44	-77.87	-65.06	1.68	8.30	H
	5625	-54.06	-13	-41.06	-78.66	-61.11	2.70	9.75	H
	7500	-52.29	-13	-39.29	-79.18	-61.66	2.43	11.80	H
	3749	-57.64	-13	-44.64	-77.95	-64.26	1.68	8.30	V
	5625	-53.01	-13	-40.01	-78.65	-60.06	2.70	9.75	V
	7500	-50.14	-13	-37.14	-78.68	-59.51	2.43	11.80	V
Highest	3798	-54.76	-13	-41.76	-77.62	-61.42	1.70	8.36	H
	5700	-51.89	-13	-38.89	-78.87	-58.93	2.74	9.78	H
	7600	-49.60	-13	-36.60	-79.23	-59.06	2.40	11.86	H
	3798	-54.22	-13	-41.22	-77.33	-60.88	1.70	8.36	V
	5700	-50.39	-13	-37.39	-78.29	-57.43	2.74	9.78	V
	7600	-47.83	-13	-34.83	-79.19	-57.29	2.40	11.86	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700	-57.98	-13	-44.98	-78.1	-64.55	1.67	8.24	H
	5550	-54.04	-13	-41.04	-78.57	-61.11	2.65	9.72	H
	7400	-52.43	-13	-39.43	-78.82	-61.57	2.46	11.60	H
	3700	-58.45	-13	-45.45	-78.26	-65.02	1.67	8.24	V
	5550	-53.04	-13	-40.04	-78.82	-60.11	2.65	9.72	V
	7400	-50.52	-13	-37.52	-78.7	-59.66	2.46	11.60	V
Middle	3742	-58.61	-13	-45.61	-78.08	-65.22	1.68	8.29	H
	5617	-54.31	-13	-41.31	-78.94	-61.36	2.69	9.75	H
	7490	-52.67	-13	-39.67	-79.22	-62.02	2.43	11.78	H
	3742	-57.42	-13	-44.42	-77.63	-64.03	1.68	8.29	V
	5617	-53.28	-13	-40.28	-78.91	-60.33	2.69	9.75	V
	7490	-50.76	-13	-37.76	-79.19	-60.11	2.43	11.78	V
Highest	3791	-54.77	-13	-41.77	-77.3	-61.42	1.70	8.35	H
	5685	-51.83	-13	-38.83	-78.72	-58.87	2.73	9.77	H
	7580	-49.78	-13	-36.78	-79.41	-59.22	2.40	11.85	H
	3791	-54.23	-13	-41.23	-77.25	-60.88	1.70	8.35	V
	5685	-51.18	-13	-38.18	-78.99	-58.22	2.73	9.77	V
	7580	-48.08	-13	-35.08	-79.3	-57.52	2.40	11.85	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700	-59.02	-13	-46.02	-78.17	-65.59	1.67	8.24	H
	5550	-54.22	-13	-41.22	-78.97	-61.29	2.65	9.72	H
	7400	-52.89	-13	-39.89	-79.24	-62.03	2.46	11.60	H
	3700	-57.64	-13	-44.64	-77.77	-64.21	1.67	8.24	V
	5550	-53.01	-13	-40.01	-78.89	-60.08	2.65	9.72	V
	7400	-51.07	-13	-38.07	-79.24	-60.21	2.46	11.60	V
Middle	3740	-58.52	-13	-45.52	-77.92	-65.13	1.68	8.29	H
	5610	-54.16	-13	-41.16	-78.73	-61.22	2.69	9.74	H
	7480	-52.74	-13	-39.74	-79.4	-62.06	2.44	11.76	H
	3740	-57.94	-13	-44.94	-78.06	-64.55	1.68	8.29	V
	5610	-51.96	-13	-38.96	-78.68	-59.02	2.69	9.74	V
	7480	-51.12	-13	-38.12	-79.53	-60.44	2.44	11.76	V
Highest	3777	-55.38	-13	-42.38	-77.75	-62.02	1.69	8.33	H
	5670	-52.06	-13	-39.06	-79.02	-59.11	2.72	9.77	H
	7560	-50.01	-13	-37.01	-79.51	-59.44	2.41	11.84	H
	3777	-54.47	-13	-41.47	-77.49	-61.11	1.69	8.33	V
	5670	-51.17	-13	-38.17	-79.09	-58.22	2.72	9.77	V
	7560	-48.60	-13	-35.60	-79.49	-58.03	2.41	11.84	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420	-59.83	-13	-46.83	-76.63	-65.9	1.58	7.65	H
	5130	-55.91	-13	-42.91	-78.69	-63.2	2.41	9.70	H
	6840	-53.23	-13	-40.23	-78.68	-61.2	2.64	10.61	H
	3420	-58.73	-13	-45.73	-76.8	-64.8	1.58	7.65	V
	5130	-54.91	-13	-41.91	-78.71	-62.2	2.41	9.70	V
	6840	-51.53	-13	-38.53	-78.15	-59.5	2.64	10.61	V
Middle	3462	-59.86	-13	-46.86	-76.78	-66.1	1.59	7.83	H
	5195	-55.65	-13	-42.65	-78.43	-62.9	2.45	9.70	H
	6927	-53.30	-13	-40.30	-78.91	-61.4	2.61	10.71	H
	3462	-58.56	-13	-45.56	-76.76	-64.8	1.59	7.83	V
	5195	-54.55	-13	-41.55	-78.42	-61.8	2.45	9.70	V
	6927	-51.60	-13	-38.60	-78.53	-59.7	2.61	10.71	V
Highest	3504	-60.20	-13	-47.20	-77.04	-66.6	1.61	8.00	H
	5261	-55.19	-13	-42.19	-78.59	-62.4	2.49	9.70	H
	7015	-53.26	-13	-40.26	-78.81	-61.5	2.59	10.83	H
	3504	-58.70	-13	-45.70	-76.94	-65.1	1.61	8.00	V
	5261	-53.89	-13	-40.89	-78.51	-61.1	2.49	9.70	V
	7015	-51.86	-13	-38.86	-78.54	-60.1	2.59	10.83	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420	-60.03	-13	-47.03	-76.94	-66.1	1.58	7.65	H
	5130	-55.91	-13	-42.91	-78.62	-63.2	2.41	9.70	H
	6840	-52.93	-13	-39.93	-78.6	-60.9	2.64	10.61	H
	3420	-58.83	-13	-45.83	-76.98	-64.9	1.58	7.65	V
	5130	-53.91	-13	-40.91	-77.91	-61.2	2.41	9.70	V
	6840	-51.93	-13	-38.93	-78.64	-59.9	2.64	10.61	V
Middle	3462	-59.96	-13	-46.96	-76.97	-66.2	1.59	7.83	H
	5193	-55.85	-13	-42.85	-78.7	-63.1	2.45	9.70	H
	6924	-53.11	-13	-40.11	-78.78	-61.2	2.62	10.71	H
	3462	-58.66	-13	-45.66	-76.94	-64.9	1.59	7.83	V
	5193	-54.65	-13	-41.65	-78.44	-61.9	2.45	9.70	V
	6924	-52.11	-13	-39.11	-78.82	-60.2	2.62	10.71	V
Highest	3504	-59.70	-13	-46.70	-76.97	-66.1	1.61	8.00	H
	5256	-54.88	-13	-41.88	-78.27	-62.1	2.48	9.70	H
	7008	-52.87	-13	-39.87	-78.49	-61.1	2.59	10.82	H
	3504	-58.50	-13	-45.50	-76.76	-64.9	1.61	8.00	V
	5256	-54.28	-13	-41.28	-78.63	-61.5	2.48	9.70	V
	7008	-51.87	-13	-38.87	-78.62	-60.1	2.59	10.82	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420	-60.03	-13	-47.03	-76.87	-66.1	1.58	7.65	H
	5131	-55.91	-13	-42.91	-78.54	-63.2	2.41	9.70	H
	6841	-53.13	-13	-40.13	-78.72	-61.1	2.64	10.61	H
	3420	-59.03	-13	-46.03	-77.1	-65.1	1.58	7.65	V
	5131	-54.91	-13	-41.91	-78.63	-62.2	2.41	9.70	V
	6841	-51.73	-13	-38.73	-78.41	-59.7	2.64	10.61	V
Middle	3462	-59.86	-13	-46.86	-76.72	-66.1	1.59	7.83	H
	5191	-55.85	-13	-42.85	-78.6	-63.1	2.45	9.70	H
	6921	-53.11	-13	-40.11	-78.72	-61.2	2.62	10.71	H
	3462	-58.66	-13	-45.66	-77.06	-64.9	1.59	7.83	V
	5191	-53.85	-13	-40.85	-77.69	-61.1	2.45	9.70	V
	6921	-52.11	-13	-39.11	-78.67	-60.2	2.62	10.71	V
Highest	3497	-60.12	-13	-47.12	-77.14	-66.5	1.60	7.99	H
	5251	-55.28	-13	-42.28	-78.81	-62.5	2.48	9.70	H
	7001	-52.69	-13	-39.69	-78.33	-60.9	2.59	10.80	H
	3497	-58.52	-13	-45.52	-76.82	-64.9	1.60	7.99	V
	5251	-54.38	-13	-41.38	-78.67	-61.6	2.48	9.70	V
	7001	-51.69	-13	-38.69	-78.48	-59.9	2.59	10.80	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420	-59.13	-13	-46.13	-76.97	-65.2	1.58	7.65	H
	5130	-55.51	-13	-42.51	-78.77	-62.8	2.41	9.70	H
	6840	-52.23	-13	-39.23	-78.41	-60.2	2.64	10.61	H
	3420	-58.03	-13	-45.03	-76.95	-64.1	1.58	7.65	V
	5130	-54.11	-13	-41.11	-78.61	-61.4	2.41	9.70	V
	6840	-50.43	-13	-37.43	-78.12	-58.4	2.64	10.61	V
Middle	3455	-58.99	-13	-45.99	-76.67	-65.2	1.59	7.80	H
	5183	-54.84	-13	-41.84	-78.4	-62.1	2.44	9.70	H
	6910	-52.73	-13	-39.73	-78.6	-60.8	2.62	10.69	H
	3455	-57.89	-13	-44.89	-76.68	-64.1	1.59	7.80	V
	5183	-53.84	-13	-40.84	-78.43	-61.1	2.44	9.70	V
	6910	-51.63	-13	-38.63	-78.6	-59.7	2.62	10.69	V
Highest	3490	-58.85	-13	-45.85	-76.78	-65.2	1.60	7.96	H
	5235	-54.27	-13	-41.27	-78.33	-61.5	2.47	9.70	H
	6980	-51.82	-13	-38.82	-78.14	-60	2.60	10.78	H
	3490	-57.85	-13	-44.85	-76.93	-64.2	1.60	7.96	V
	5235	-53.27	-13	-40.27	-78.23	-60.5	2.47	9.70	V
	6980	-51.32	-13	-38.32	-78.24	-59.5	2.60	10.78	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420	-59.43	-13	-46.43	-77	-65.5	1.58	7.65	H
	5130	-55.21	-13	-42.21	-78.56	-62.5	2.41	9.70	H
	6840	-52.83	-13	-39.83	-78.59	-60.8	2.64	10.61	H
	3420	-58.13	-13	-45.13	-76.95	-64.2	1.58	7.65	V
	5130	-53.81	-13	-40.81	-78.52	-61.1	2.41	9.70	V
	6840	-51.23	-13	-38.23	-78.49	-59.2	2.64	10.61	V
Middle	3450	-59.31	-13	-46.31	-76.99	-65.5	1.59	7.78	H
	5175	-54.94	-13	-41.94	-78.41	-62.2	2.44	9.70	H
	6900	-52.14	-13	-39.14	-78.37	-60.2	2.62	10.68	H
	3450	-58.11	-13	-45.11	-76.83	-64.3	1.59	7.78	V
	5175	-53.94	-13	-40.94	-78.47	-61.2	2.44	9.70	V
	6900	-51.44	-13	-38.44	-78.64	-59.5	2.62	10.68	V
Highest	3480	-59.09	-13	-46.09	-76.82	-65.4	1.60	7.91	H
	5220	-55.26	-13	-42.26	-78.46	-62.5	2.46	9.70	H
	6960	-52.25	-13	-39.25	-78.52	-60.4	2.60	10.75	H
	3480	-57.79	-13	-44.79	-76.42	-64.1	1.60	7.91	V
	5220	-53.56	-13	-40.56	-78.52	-60.8	2.46	9.70	V
	6960	-51.45	-13	-38.45	-78.56	-59.6	2.60	10.75	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420	-59.13	-13	-46.13	-76.78	-65.2	1.58	7.65	H
	5130	-54.61	-13	-41.61	-78.3	-61.9	2.41	9.70	H
	6840	-52.13	-13	-39.13	-78.34	-60.1	2.64	10.61	H
	3420	-58.13	-13	-45.13	-76.8	-64.2	1.58	7.65	V
	5130	-54.81	-13	-41.81	-78.7	-62.1	2.41	9.70	V
	6840	-50.93	-13	-37.93	-78.26	-58.9	2.64	10.61	V
Middle	3445	-59.23	-13	-46.23	-76.78	-65.4	1.59	7.76	H
	5168	-55.43	-13	-42.43	-78.6	-62.7	2.43	9.70	H
	6890	-52.16	-13	-39.16	-78.24	-60.2	2.63	10.67	H
	3445	-57.43	-13	-44.43	-76.65	-63.6	1.59	7.76	V
	5168	-54.23	-13	-41.23	-78.15	-61.5	2.43	9.70	V
	6890	-51.46	-13	-38.46	-78.3	-59.5	2.63	10.67	V
Highest	3469	-58.83	-13	-45.83	-76.51	-65.1	1.59	7.86	H
	5205	-54.96	-13	-41.96	-78.43	-62.2	2.46	9.70	H
	6940	-52.78	-13	-39.78	-78.75	-60.9	2.61	10.73	H
	3469	-57.63	-13	-44.63	-76.88	-63.9	1.59	7.86	V
	5205	-53.86	-13	-40.86	-78.33	-61.1	2.46	9.70	V
	6940	-51.08	-13	-38.08	-78.32	-59.2	2.61	10.73	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5004	-55.54	-25	-30.54	-78.28	-62.9	2.34	9.70	H
	7501	-52.53	-25	-27.53	-78.69	-61.9	2.43	11.80	H
	10001	-51.90	-25	-26.90	-79.19	-61.4	2.70	12.20	H
	5004	-54.14	-25	-29.14	-77.97	-61.5	2.34	9.70	V
	7501	-50.73	-25	-25.73	-78.44	-60.1	2.43	11.80	V
	10001	-49.60	-25	-24.60	-79.44	-59.1	2.70	12.20	V
Middle	5064	-56.07	-25	-31.07	-78.65	-63.4	2.37	9.70	H
	7598	-51.84	-25	-26.84	-78.81	-61.3	2.40	11.86	H
	10131	-52.34	-25	-27.34	-79.88	-61.9	2.70	12.25	H
	5064	-54.97	-25	-29.97	-78.62	-62.3	2.37	9.70	V
	7605	-50.03	-25	-25.03	-78.87	-59.5	2.40	11.86	V
	10140	-49.54	-25	-24.54	-79.64	-59.1	2.70	12.26	V
Highest	5136	-55.32	-25	-30.32	-78.14	-62.6	2.42	9.70	H
	7696	-51.15	-25	-26.15	-77.82	-60.7	2.37	11.92	H
	10261	-51.29	-25	-26.29	-79.13	-60.9	2.69	12.30	H
	5136	-54.52	-25	-29.52	-78.15	-61.8	2.42	9.70	V
	7696	-49.55	-25	-24.55	-77.94	-59.1	2.37	11.92	V
	10261	-48.89	-25	-23.89	-79.36	-58.5	2.69	12.30	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5004	-55.14	-25	-30.14	-78.19	-62.5	2.34	9.70	H
	7501	-52.43	-25	-27.43	-78.51	-61.8	2.43	11.80	H
	10002	-52.20	-25	-27.20	-79.5	-61.7	2.70	12.20	H
	5004	-54.74	-25	-29.74	-78.37	-62.1	2.34	9.70	V
	7501	-50.73	-25	-25.73	-78.67	-60.1	2.43	11.80	V
	10002	-49.70	-25	-24.70	-79.45	-59.2	2.70	12.20	V
Middle	5064	-55.57	-25	-30.57	-78.41	-62.9	2.37	9.70	H
	7591	-51.75	-25	-26.75	-78.64	-61.2	2.40	11.85	H
	10122	-51.95	-25	-26.95	-79.52	-61.5	2.70	12.25	H
	5064	-54.57	-25	-29.57	-78.18	-61.9	2.37	9.70	V
	7591	-50.15	-25	-25.15	-78.54	-59.6	2.40	11.85	V
	10122	-49.35	-25	-24.35	-79.44	-58.9	2.70	12.25	V
Highest	5124	-55.21	-25	-30.21	-78.23	-62.5	2.41	9.70	H
	7681	-51.26	-25	-26.26	-78.16	-60.8	2.37	11.91	H
	10242	-51.50	-25	-26.50	-79.35	-61.1	2.69	12.30	H
	5124	-54.41	-25	-29.41	-78.31	-61.7	2.41	9.70	V
	7681	-49.86	-25	-24.86	-78.07	-59.4	2.37	11.91	V
	10242	-48.80	-25	-23.80	-79.55	-58.4	2.69	12.30	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5004	-55.84	-25	-30.84	-78.43	-63.2	2.34	9.70	H
	7502	-52.53	-25	-27.53	-78.64	-61.9	2.43	11.80	H
	10003	-52.30	-25	-27.30	-79.48	-61.8	2.70	12.20	H
	5004	-54.44	-25	-29.44	-78.16	-61.8	2.34	9.70	V
	7502	-50.53	-25	-25.53	-78.31	-59.9	2.43	11.80	V
	10003	-49.20	-25	-24.20	-78.9	-58.7	2.70	12.20	V
Middle	5052	-55.47	-25	-30.47	-78.23	-62.8	2.37	9.70	H
	7585	-52.25	-25	-27.25	-78.87	-61.7	2.40	11.85	H
	10113	-52.55	-25	-27.55	-79.93	-62.1	2.70	12.25	H
	5052	-54.77	-25	-29.77	-78.43	-62.1	2.37	9.70	V
	7585	-50.25	-25	-25.25	-78.57	-59.7	2.40	11.85	V
	10113	-49.65	-25	-24.65	-79.83	-59.2	2.70	12.25	V
Highest	5112	-55.80	-25	-30.80	-78.39	-63.1	2.40	9.70	H
	7667	-51.18	-25	-26.18	-77.88	-60.7	2.38	11.90	H
	10223	-51.61	-25	-26.61	-79.51	-61.2	2.69	12.29	H
	5112	-54.60	-25	-29.60	-78.3	-61.9	2.40	9.70	V
	7667	-49.78	-25	-24.78	-78.07	-59.3	2.38	11.90	V
	10223	-49.01	-25	-24.01	-79.58	-58.6	2.69	12.29	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5004	-55.14	-25	-30.14	-78.03	-62.5	2.34	9.70	H
	7503	-52.73	-25	-27.73	-78.74	-62.1	2.43	11.80	H
	10004	-52.30	-25	-27.30	-79.39	-61.8	2.70	12.20	H
	5004	-54.54	-25	-29.54	-78.31	-61.9	2.34	9.70	V
	7502	-51.13	-25	-26.13	-78.93	-60.5	2.43	11.80	V
	10004	-49.80	-25	-24.80	-79.52	-59.3	2.70	12.20	V
Middle	5052	-55.87	-25	-30.87	-78.58	-63.2	2.37	9.70	H
	7578	-51.86	-25	-26.86	-78.44	-61.3	2.40	11.85	H
	10104	-52.55	-25	-27.55	-79.9	-62.1	2.70	12.24	H
	5052	-54.57	-25	-29.57	-78.16	-61.9	2.37	9.70	V
	7578	-49.86	-25	-24.86	-78.33	-59.3	2.40	11.85	V
	10104	-49.35	-25	-24.35	-79.44	-58.9	2.70	12.24	V
Highest	5100	-55.59	-25	-30.59	-78.36	-62.9	2.39	9.70	H
	7653	-51.39	-25	-26.39	-78.1	-60.9	2.38	11.89	H
	10204	-51.91	-25	-26.91	-79.65	-61.5	2.70	12.28	H
	5100	-54.39	-25	-29.39	-78.14	-61.7	2.39	9.70	V
	7653	-49.59	-25	-24.59	-77.91	-59.1	2.38	11.89	V
	10204	-49.31	-25	-24.31	-79.75	-58.9	2.70	12.28	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.