



# FCC RF Test Report

**APPLICANT** : Sony Mobile Communications Inc.  
**EQUIPMENT** : GSM/WCDMA/LTE Phone + Bluetooth, DTS/UNII  
a/b/g/n/ac, ANT+, and NFC  
**BRAND NAME** : Sony  
**FCC ID** : PY7-PM0910  
**STANDARD** : FCC Part 15 Subpart E §15.407  
**CLASSIFICATION** : (NII) Unlicensed National Information Infrastructure

The product was received on Jul. 16, 2015 and testing was completed on Sep. 06, 2015. We, SPORTON INTERNATIONAL INC., would like to declare that the tested sample has been evaluated in accordance with the test procedures and has been in compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of SPORTON INTERNATIONAL INC., the test report shall not be reproduced except in full.

---

Reviewed by: Joseph Lin / Supervisor

---

Approved by: Jones Tsai / Manager



## **SPORTON INTERNATIONAL INC.**

**No. 52, Hwa Ya 1<sup>st</sup> Rd., Hwa Ya Technology Park, Kwei-Shan District, Tao Yuan City, Taiwan, R.O.C.**

---

**SPORTON INTERNATIONAL INC.**

TEL : 886-3-327-3456

FAX : 886-3-328-4978

FCC ID : PY7-PM0910

Page Number : 1 of 37

Report Issued Date : Sep. 15, 2015

Report Version : Rev. 01

Report Template No.: BU5-FR15EWLB4 AC MA Version 1.0



## TABLE OF CONTENTS

|                                                              |           |
|--------------------------------------------------------------|-----------|
| REVISION HISTORY .....                                       | 3         |
| SUMMARY OF TEST RESULT .....                                 | 4         |
| <b>1 GENERAL DESCRIPTION .....</b>                           | <b>5</b>  |
| 1.1 Applicant .....                                          | 5         |
| 1.2 Manufacturer .....                                       | 5         |
| 1.3 Feature of Equipment Under Test .....                    | 5         |
| 1.4 Modification of EUT .....                                | 6         |
| 1.5 Testing Location .....                                   | 6         |
| 1.6 Applicable Standards .....                               | 6         |
| <b>2 TEST CONFIGURATION OF EQUIPMENT UNDER TEST .....</b>    | <b>7</b>  |
| 2.1 Carrier Frequency and Channel .....                      | 7         |
| 2.2 Pre-Scanned RF Power .....                               | 7         |
| 2.3 Test Mode .....                                          | 11        |
| 2.4 Connection Diagram of Test System .....                  | 13        |
| 2.5 Support Unit used in test configuration and system ..... | 14        |
| 2.6 EUT Operation Test Setup .....                           | 14        |
| 2.7 Measurement Results Explanation Example .....            | 14        |
| <b>3 TEST RESULT .....</b>                                   | <b>15</b> |
| 3.1 6dB Bandwidth Measurement .....                          | 15        |
| 3.2 Maximum Conducted Output Power Measurement .....         | 17        |
| 3.3 Power Spectral Density Measurement .....                 | 18        |
| 3.4 Unwanted Emissions Measurement .....                     | 21        |
| 3.5 AC Conducted Emission Measurement .....                  | 26        |
| 3.6 Frequency Stability Measurement .....                    | 30        |
| 3.7 Automatically Discontinue Transmission .....             | 31        |
| 3.8 Antenna Requirements .....                               | 32        |
| <b>4 LIST OF MEASURING EQUIPMENT .....</b>                   | <b>34</b> |
| <b>5 UNCERTAINTY OF EVALUATION .....</b>                     | <b>36</b> |
| <b>APPENDIX A. CONDUCTED TEST RESULTS</b>                    |           |
| <b>APPENDIX B. RADIATED TEST RESULTS</b>                     |           |
| <b>APPENDIX C. RADIATED SPURIOUS EMISSION</b>                |           |



## REVISION HISTORY

| REPORT NO. | VERSION | DESCRIPTION             | ISSUED DATE   |
|------------|---------|-------------------------|---------------|
| FR571620G  | Rev. 01 | Initial issue of report | Sep. 15, 2015 |
|            |         |                         |               |
|            |         |                         |               |
|            |         |                         |               |
|            |         |                         |               |
|            |         |                         |               |
|            |         |                         |               |
|            |         |                         |               |
|            |         |                         |               |
|            |         |                         |               |
|            |         |                         |               |
|            |         |                         |               |
|            |         |                         |               |
|            |         |                         |               |
|            |         |                         |               |



## SUMMARY OF TEST RESULT

| Report Section | FCC Rule           | Description                            | Limit                               | Result | Remark                                    |
|----------------|--------------------|----------------------------------------|-------------------------------------|--------|-------------------------------------------|
| 3.1            | 15.403(i)          | 6dB Bandwidth                          | > 500kHz                            | Pass   | -                                         |
| 3.2            | 15.407(a)          | Maximum Conducted Output Power         | $\leq 30$ dBm                       | Pass   | -                                         |
| 3.3            | 15.407(a)          | Power Spectral Density                 | $\leq 30$ dBm/500kHz                | Pass   | -                                         |
| 3.4            | 15.407(b)          | Unwanted Emissions                     | $\leq -17, -27$ dBm/MHz & 15.209(a) | Pass   | Under limit<br>4.36 dB at<br>5712.200 MHz |
| 3.5            | 15.207             | AC Conducted Emission                  | 15.207(a)                           | Pass   | Under limit<br>20.30 dB at<br>0.678 MHz   |
| 3.6            | 15.407(g)          | Frequency Stability                    | Within Operation Band               | Pass   | -                                         |
| 3.7            | 15.407(c)          | Automatically Discontinue Transmission | Discontinue Transmission            | Pass   | -                                         |
| 3.8            | 15.203 & 15.407(a) | Antenna Requirement                    | N/A                                 | Pass   | -                                         |

# 1 General Description

## 1.1 Applicant

**Sony Mobile Communications Inc.**  
Nya Vattentorget, 22188 Lund, Sweden

## 1.2 Manufacturer

**Sony Mobile Communications Inc.**  
1-8-15 Konan, Minato-ku, Tokyo, 108-0075, Japan

## 1.3 Feature of Equipment Under Test

GSM/WCDMA/LTE, Bluetooth, DTS/UNII a/b/g/n/ac, ANT+, NFC, and GPS

| Product Specification subjective to this standard |                                                                    |
|---------------------------------------------------|--------------------------------------------------------------------|
| <b>Antenna Type</b>                               | Main Antenna : Monopole Antenna<br>Aux. Antenna : Monopole Antenna |
| <b>Antenna Gain</b>                               | Main Antenna : -4.10 dBi<br>Aux. Antenna : -6.30 dBi               |

| EUT Information List |            |              |            |                            |
|----------------------|------------|--------------|------------|----------------------------|
| IMEI                 | HW Version | SW Version   | S/N        | Performed Test Item        |
| 004402541723270      | A          | 32.0.B.0.233 | CB5A27R41W | RF conducted measurement   |
| 004402541720565      |            |              | CB5A27R48A | Radiated Spurious Emission |
| 004402541724070      |            |              | CB5A27R49U | Conducted Emission         |

| Accessory List    |                                                                                             |
|-------------------|---------------------------------------------------------------------------------------------|
| <b>AC Adapter</b> | Model No. : UCH20                                                                           |
|                   | Type No. : AC-0061-US                                                                       |
|                   | S/N :                                                                                       |
|                   | 5815W22500089 (for radiated spurious emission)<br>5815W22500112 (for conducted emission)    |
| <b>Earphone</b>   | Model No. : MDR-NC750                                                                       |
|                   | Type No. : AG-0020                                                                          |
| <b>USB Cable</b>  | Model No. : UCB11                                                                           |
|                   | Type No. : AI-0120                                                                          |
|                   | S/N :                                                                                       |
|                   | 1015W02400014C (for radiated spurious emission)<br>1522A7370000074 (for conducted emission) |

### Note:

- Above EUT list and accessory list used are electrically identical per declared by manufacturer.
- Above the accessories list are used to exercise the EUT during test.
- For other wireless features of this EUT, test report will be issued separately.

## 1.4 Modification of EUT

No modifications are made to the EUT during all test items.

## 1.5 Testing Location

Sporton Lab is accredited to ISO 17025 by Taiwan Accreditation Foundation (TAF code : 1190) and the FCC designation No. TW1022 under the FCC 2.948(e) by Mutual Recognition Agreement (MRA) in FCC Test.

|                    |                                                                                                                                                                  |         |           |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-----------|
| Test Site          | SPORTON INTERNATIONAL INC.                                                                                                                                       |         |           |
| Test Site Location | No. 52, Hwa Ya 1 <sup>st</sup> Rd., Hwa Ya Technology Park,<br>Kwei-Shan District, Tao Yuan City, Taiwan, R.O.C.<br>TEL: +886-3-327-3456<br>FAX: +886-3-328-4978 |         |           |
| Test Site No.      | Sporton Site No.                                                                                                                                                 |         |           |
|                    | TH05-HY                                                                                                                                                          | CO05-HY | 03CH07-HY |

**Note:** The test site complies with ANSI C63.4 2009 requirement.

## 1.6 Applicable Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- ♦ FCC Part 15 Subpart E
- ♦ FCC KDB 789033 D02 General UNII Test Procedures New Rules v01
- ♦ FCC KDB 662911 D01 Multiple Transmitter Output v02r01.
- ♦ FCC KDB 644545 D03 Guidance for IEEE 802.11ac New Rules v01
- ♦ ANSI C63.10-2009

### Remark:

1. All test items were verified and recorded according to the standards and without any deviation during the test.
2. FCC permits the use of the 1.5 meter table as an alternative in C63.10-2013 through inquiry tracking number 961829.



## 2 Test Configuration of Equipment Under Test

The EUT has been associated with peripherals and configuration operated in a manner tended to maximize its emission characteristics in a typical application. Frequency range investigated: conducted emission (150 kHz to 30 MHz) and radiated emission (9 kHz to the 10th harmonic of the highest fundamental frequency or to 40 GHz, whichever is lower). For radiated measurement, pre-scanned in three orthogonal panels, X, Y, Z. The worst cases (Y plane) were recorded in this report.

The final configuration from all the combinations and the worst-case data rates were investigated by measuring the maximum power across all the data rates and modulation modes under section 2.2.

Based on the worst configuration found above, the RF power setting is set individually to meet FCC compliance limit for the final conducted and radiated tests shown in section 2.3.

### 2.1 Carrier Frequency and Channel

| Frequency Band                       | Channel    | Freq.<br>(MHz) | Channel    | Freq.<br>(MHz) |
|--------------------------------------|------------|----------------|------------|----------------|
| 5725-5850 MHz<br>Band 4<br>(U-NII-3) | 149        | 5745           | 157        | 5785           |
|                                      | <b>151</b> | <b>5755</b>    | <b>159</b> | <b>5795</b>    |
|                                      | 153        | 5765           | 161        | 5805           |
|                                      | 155        | 5775           | 165        | 5825           |

**Note:** The above Frequency and Channel in boldface were 802.11n HT40.

### 2.2 Pre-Scanned RF Power

The data rates were set in

6 Mbps for 802.11a, MCS0 for 802.11n HT20, and MCS0 for 802.11n HT40 for Ant. 1 and Ant. 2;

MCS8 for 802.11n HT20 and MCS8 for 802.11n HT40 for MIMO <Ant. 1 + 2>;

MCS0 for 802.11n VHT20, MCS0 for 802.11n VHT40, and MCS0 for 802.11n VHT80, due to the customer declared.



## SISO &lt;Ant. 1&gt;

| 5GHz 802.11a mode   |        |       |       |
|---------------------|--------|-------|-------|
| Data Rate (MHz)     | 6M bps |       |       |
| Channel             | CH149  | CH157 | CH165 |
| Frequency           | 5745   | 5785  | 5825  |
| Average Power (dBm) | 9.59   | 9.39  | 9.27  |

| 5GHz 802.11n HT20 mode |       |       |       |
|------------------------|-------|-------|-------|
| Data Rate (MHz)        | MCS0  |       |       |
| Channel                | CH149 | CH157 | CH165 |
| Frequency              | 5745  | 5785  | 5825  |
| Average Power (dBm)    | 9.26  | 9.13  | 9.01  |

| 5GHz 802.11n HT40 mode |       |       |
|------------------------|-------|-------|
| Data Rate (MHz)        | MCS0  |       |
| Channel                | CH151 | CH159 |
| Frequency              | 5755  | 5795  |
| Average Power (dBm)    | 9.39  | 9.00  |

| 5GHz 802.11ac VHT20 mode |       |       |       |
|--------------------------|-------|-------|-------|
| Data Rate (MHz)          | MCS0  |       |       |
| Channel                  | CH149 | CH157 | CH165 |
| Frequency                | 5745  | 5785  | 5825  |
| Average Power (dBm)      | 9.20  | 9.09  | 8.98  |

| 5GHz 802.11ac VHT40 mode |       |       |
|--------------------------|-------|-------|
| Data Rate (MHz)          | MCS0  |       |
| Channel                  | CH151 | CH159 |
| Frequency                | 5755  | 5795  |
| Average Power (dBm)      | 9.41  | 9.12  |

| 5GHz 802.11ac VHT80 mode |       |
|--------------------------|-------|
| Data Rate (MHz)          | MCS0  |
| Channel                  | CH155 |
| Frequency                | 5775  |
| Average Power (dBm)      | 9.58  |





## SISO &lt;Ant. 2&gt;

| 5GHz 802.11a mode   |        |       |       |
|---------------------|--------|-------|-------|
| Data Rate (MHz)     | 6M bps |       |       |
| Channel             | CH149  | CH157 | CH165 |
| Frequency           | 5745   | 5785  | 5825  |
| Average Power (dBm) | 9.49   | 9.29  | 9.61  |

| 5GHz 802.11n HT20 mode |       |       |       |
|------------------------|-------|-------|-------|
| Data Rate (MHz)        | MCS0  |       |       |
| Channel                | CH149 | CH157 | CH165 |
| Frequency              | 5745  | 5785  | 5825  |
| Average Power (dBm)    | 9.41  | 9.35  | 9.55  |

| 5GHz 802.11n HT40 mode |       |       |
|------------------------|-------|-------|
| Data Rate (MHz)        | MCS0  |       |
| Channel                | CH151 | CH159 |
| Frequency              | 5755  | 5795  |
| Average Power (dBm)    | 9.60  | 9.84  |

| 5GHz 802.11ac VHT20 mode |       |       |       |
|--------------------------|-------|-------|-------|
| Data Rate (MHz)          | MCS0  |       |       |
| Channel                  | CH149 | CH157 | CH165 |
| Frequency                | 5745  | 5785  | 5825  |
| Average Power (dBm)      | 9.40  | 9.43  | 9.58  |

| 5GHz 802.11ac VHT40 mode |       |       |
|--------------------------|-------|-------|
| Data Rate (MHz)          | MCS0  |       |
| Channel                  | CH151 | CH159 |
| Frequency                | 5755  | 5795  |
| Average Power (dBm)      | 9.51  | 9.70  |

| 5GHz 802.11ac VHT80 mode |       |
|--------------------------|-------|
| Data Rate (MHz)          | MCS0  |
| Channel                  | CH155 |
| Frequency                | 5775  |
| Average Power (dBm)      | 9.96  |



## MIMO &lt;Ant. 1+2&gt;

| 5GHz 802.11a mode   |        |       |       |
|---------------------|--------|-------|-------|
| Data Rate (MHz)     | 6M bps |       |       |
| Channel             | CH149  | CH157 | CH165 |
| Frequency           | 5745   | 5785  | 5825  |
| Average Power (dBm) | 12.56  | 12.39 | 12.47 |

| 5GHz 802.11n HT20 mode |       |       |       |
|------------------------|-------|-------|-------|
| Data Rate (MHz)        | MCS8  |       |       |
| Channel                | CH149 | CH157 | CH165 |
| Frequency              | 5745  | 5785  | 5825  |
| Average Power (dBm)    | 12.39 | 12.27 | 12.43 |

| 5GHz 802.11n HT40 mode |       |       |
|------------------------|-------|-------|
| Data Rate (MHz)        | MCS8  |       |
| Channel                | CH151 | CH159 |
| Frequency              | 5755  | 5795  |
| Average Power (dBm)    | 12.56 | 12.47 |

| 5GHz 802.11ac VHT20 mode |       |       |       |
|--------------------------|-------|-------|-------|
| Data Rate (MHz)          | MCS0  |       |       |
| Channel                  | CH149 | CH157 | CH165 |
| Frequency                | 5745  | 5785  | 5825  |
| Average Power (dBm)      | 12.40 | 12.32 | 12.30 |

| 5GHz 802.11ac VHT40 mode |       |       |
|--------------------------|-------|-------|
| Data Rate (MHz)          | MCS0  |       |
| Channel                  | CH151 | CH159 |
| Frequency                | 5755  | 5795  |
| Average Power (dBm)      | 12.55 | 12.44 |

| 5GHz 802.11ac VHT80 mode |       |
|--------------------------|-------|
| Data Rate (MHz)          | MCS0  |
| Channel                  | CH155 |
| Frequency                | 5775  |
| Average Power (dBm)      | 12.82 |

**Note:** MIMO Ant. 1+2 is a calculated result from sum of the power MIMO Ant. 1 and MIMO Ant. 2.

## 2.3 Test Mode

Final test mode of conducted test items and radiated spurious emissions are considering the modulation and worse data rates from the power table described in section 2.2.

The radiated spurious emissions testing were performed in n-mode only for HT20/40, which covers ac-mode testing.

### Single Antenna

| Modulation     | Data Rate |
|----------------|-----------|
| 802.11a        | 6 Mbps    |
| 802.11n HT20   | MCS0      |
| 802.11n HT40   | MCS0      |
| 802.11ac VHT20 | MCS0      |
| 802.11ac VHT40 | MCS0      |
| 802.11ac VHT80 | MCS0      |

### MIMO Antenna

| Modulation     | Data Rate |
|----------------|-----------|
| 802.11a        | 6 Mbps    |
| 802.11n HT20   | MCS8      |
| 802.11n HT40   | MCS8      |
| 802.11ac VHT20 | MCS0      |
| 802.11ac VHT40 | MCS0      |
| 802.11ac VHT80 | MCS0      |

|                              |                                                                          |
|------------------------------|--------------------------------------------------------------------------|
| <b>AC Conducted Emission</b> | Mode 1 : WLAN (5GHz) Link + Earphone + USB Cable (Charging from Adapter) |
|------------------------------|--------------------------------------------------------------------------|




| Ch. # |        | Band IV : 5725-5850 MHz |              |              |
|-------|--------|-------------------------|--------------|--------------|
|       |        | 802.11a                 | 802.11n HT20 | 802.11n HT40 |
| L     | Low    | 149                     | 149          | 151          |
| M     | Middle | 157                     | 157          | -            |
| H     | High   | 165                     | 165          | 159          |


| Ch. # |        | Band IV : 5725-5850 MHz |                |                |
|-------|--------|-------------------------|----------------|----------------|
|       |        | 802.11ac VHT20          | 802.11ac VHT40 | 802.11ac VHT80 |
| L     | Low    | 149                     | 151            | -              |
| M     | Middle | 157                     | -              | 155            |
| H     | High   | 165                     | 159            | -              |

## 2.4 Connection Diagram of Test System

### <WLAN Tx Mode>



### <AC Conducted Emission Mode>



## 2.5 Support Unit used in test configuration and system

| Item | Equipment | Trade Name | Model Name     | FCC ID                                       | Data Cable | Power Cord                                                 |
|------|-----------|------------|----------------|----------------------------------------------|------------|------------------------------------------------------------|
| 1.   | WLAN AP   | IO-Data    | WN-AC733GR     | N/A                                          | N/A        | Unshielded, 1.8 m                                          |
| 2.   | Notebook  | DELL       | Latitude E6320 | FCC DoC/<br>Contains FCC ID:<br>QDS-BRCM1054 | N/A        | AC I/P:<br>Unshielded, 1.2 m<br>DC O/P:<br>Shielded, 1.8 m |
| 3.   | SD Card   | SanDisk    | MicroSD HC     | FCC DoC                                      | N/A        | N/A                                                        |

## 2.6 EUT Operation Test Setup

For WLAN RF test items, an engineering test program was provided and enabled to make EUT continuous transmit/receive.

## 2.7 Measurement Results Explanation Example

**For all conducted test items:**

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuator factor between EUT conducted output port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly the EUT RF output level.

Example :

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

*Offset = RF cable loss + attenuator factor.*

Following shows an offset computation example with cable loss 4.2 dB and 10dB attenuator.

$$\begin{aligned}
 \text{Offset(dB)} &= \text{RF cable loss(dB)} + \text{attenuator factor(dB)}. \\
 &= 4.2 + 10 = 14.2 \text{ (dB)}
 \end{aligned}$$

### 3 Test Result

#### 3.1 6dB Bandwidth Measurement

##### 3.1.1 Description of 6dB Bandwidth

The minimum 6 dB bandwidth shall be at least 500 kHz.


##### 3.1.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

##### 3.1.3 Test Procedures


1. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules v01.  
Section C) Emission bandwidth for the band 5.725-5.85GHz
2. Set RBW = 100kHz.
3. Set the VBW  $\geq 3 \times$  RBW.
4. Detector = Peak.
5. Trace mode = max hold
6. Measure the maximum width of the emission that is 6 dB down from the peak of the emission.
7. Measure and record the results in the test report.

##### 3.1.4 Test Setup



### 3.1.5 Test Result of 6dB Bandwidth

Please refer to Appendix A.





## 3.2 Maximum Conducted Output Power Measurement

### 3.2.1 Limit of Maximum Conducted Output Power

For the band 5.725–5.85 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W.

If transmitting antennas of directional gain greater than 6 dBi are used, the peak output power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

### 3.2.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.


### 3.2.3 Test Procedures

The testing follows Method PM of FCC KDB 789033 D02 General UNII Test Procedures New Rules v01.

Method PM (Measurement using an RF average power meter):

1. Measurement is performed using a wideband RF power meter.
2. The EUT is configured to transmit continuously with a consistent duty cycle at its maximum power control level.
3. Measure the average power of the transmitter, and the average power is corrected with duty factor,  $10 \log(1/x)$ , where  $x$  is the duty cycle.

### 3.2.4 Test Setup



### 3.2.5 Test Result of Maximum Conducted Output Power

Please refer to Appendix A.



### **3.3 Power Spectral Density Measurement**

#### **3.3.1 Limit of Power Spectral Density**

For the band 5.725–5.85 GHz, the maximum power spectral density shall not exceed 30 dBm in any 500-kHz band.

If transmitting antennas of directional gain greater than 6 dBi are used, the peak output power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

#### **3.3.2 Measuring Instruments**

The measuring equipment is listed in the section 4 of this test report.

#### **3.3.3 Test Procedures**

The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules v01.  
Section F) Maximum power spectral density.

##### **# Method SA-2 #**

(trace averaging across on and off times of the EUT transmissions, followed by duty cycle correction).


1. The testing follows Method SA-2 of FCC KDB 789033 D01 General UNII Test Procedures v01r03.
  - Measure the duty cycle.
  - Set span to encompass the entire emission bandwidth (EBW) of the signal.
  - Set RBW = 300 kHz.
  - Set VBW  $\geq$  1 MHz.
  - Number of points in sweep  $\geq$  2 Span / RBW.
  - Sweep time = auto.
  - Detector = RMS
  - Trace average at least 100 traces in power averaging mode.
  - Add  $10 \log(500\text{kHz}/\text{RBW})$  to the test result.
  - Add  $10 \log(1/x)$ , where  $x$  is the duty cycle, to the measured power in order to compute the average power during the actual transmission times. For example, add  $10 \log(1/0.25) = 6$  dB if the duty cycle is 25 percent.

2. The RF output of EUT was connected to the spectrum analyzer by a low loss cable.
3. Each plot has already offset with cable loss, and attenuator loss. Measure the PSD and record it.
4. For MIMO mode, calculation method follows FCC KDB 662911 D01 Multiple Transmitter Output v02r01.

Method (1): Measure and sum the spectra across the outputs.

The total final Power Spectral Density is from a device with 2 transmitter outputs. The spectrum measurements of the individual outputs are all performed with the same span and number of points, the spectrum value in the first spectral bin of output 1 is summed with that in the first spectral bin of output 2 to obtain the value for the first frequency bin of the summed spectrum.


### 3.3.4 Test Setup





### 3.3.5 Test Result of Power Spectral Density

Please refer to Appendix A.



### 3.4 Unwanted Emissions Measurement

This section as specified in FCC Part 15.407(b) is to measure unwanted emissions through radiated measurement for band edge spurious emissions and out of band emissions measurement. The unwanted emissions shall comply with 15.407(b)(1) to (6), and restricted bands per FCC Part15.205.

#### 3.4.1 Limit of Unwanted Emissions

- (1) For transmitters operating in the 5725-5850 MHz band: all emissions within the frequency range from the band edge to 10 MHz above or below the band edge shall not exceed an EIRP of -17 dBm/MHz (78.3dBμV/m); for frequencies 10 MHz or greater above or below the band edge, emissions shall not exceed an EIRP of -27 dBm/MHz (68.3dBμV/m).
- (2) Unwanted spurious emissions fallen in restricted bands per FCC Part15.205 shall comply with the general field strength limits set forth in § 15.209 as below table,

| Frequency (MHz) | Field Strength (microvolts/meter) | Measurement Distance (meters) |
|-----------------|-----------------------------------|-------------------------------|
| 0.009 – 0.490   | 2400/F(kHz)                       | 300                           |
| 0.490 – 1.705   | 24000/F(kHz)                      | 30                            |
| 1.705 – 30.0    | 30                                | 30                            |
| 30 – 88         | 100                               | 3                             |
| 88 – 216        | 150                               | 3                             |
| 216 - 960       | 200                               | 3                             |
| Above 960       | 500                               | 3                             |

**Note:** The following formula is used to convert the EIRP to field strength.

$$E = \frac{1000000\sqrt{30P}}{3} \mu\text{V/m, where P is the eirp (Watts)}$$

| EIRP (dBm) | Field Strength at 3m (dBμV/m) |
|------------|-------------------------------|
| -17        | 78.3                          |
| - 27       | 68.3                          |

- (3) KDB789033 v01r03 H)2)c)(i) As specified in 15.407(b), emissions above 1000 MHz that are outside of the restricted bands are subject to a peak emission limit of -27 dBm/MHz (or -17 dBm/MHz as specified in 15.407(b)(4)). However, an out-of-band emission that complies with both the average and peak limits of 15.209 is not required to satisfy the -27 dBm/MHz or -17 dBm/MHz peak emission limit.

### 3.4.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

### 3.4.3 Test Procedures

1. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules v01.

Section G) Unwanted emissions measurement.

(1) Procedure for Unwanted Emissions Measurements Below 1000MHz

- RBW = 120 kHz
- VBW = 300 kHz
- Detector = Peak
- Trace mode = max hold

(2) Procedure for Peak Unwanted Emissions Measurements Above 1000 MHz

- RBW = 1 MHz
- VBW  $\geq$  3 MHz
- Detector = Peak
- Sweep time = auto
- Trace mode = max hold

(3) Procedures for Average Unwanted Emissions Measurements Above 1000MHz

- RBW = 1 MHz
- VBW = 10 Hz, when duty cycle is no less than 98 percent.
- VBW  $\geq$  1/T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.


| Antenna | Band                     | Duty Cycle(%) | T(us)  | 1/T(kHz) | VBW Setting |
|---------|--------------------------|---------------|--------|----------|-------------|
| 1+2     | 802.11a for Ant 1        | 98.73         | -      | -        | 10Hz        |
| 1+2     | 802.11a for Ant 2        | 98.73         | -      | -        |             |
| 1+2     | 802.11n HT20 for Ant 1   | 98.01         | -      | -        |             |
| 1+2     | 802.11n HT20 for Ant 2   | 98.01         | -      | -        |             |
| 1+2     | 802.11n HT40 for Ant 1   | 96.80         | 726.00 | 1.38     | 2kHz        |
| 1+2     | 802.11n HT40 for Ant 2   | 96.80         | 726.00 | 1.38     |             |
| 1+2     | 802.11ac VHT80 for Ant 1 | 93.75         | 360.00 | 2.78     | 3kHz        |
| 1+2     | 802.11ac VHT80 for Ant 2 | 93.75         | 360.00 | 2.78     |             |




2. The EUT was placed on a turntable with 0.8 meter for frequency below 1GHz and 1.5 meter for frequency above 1GHz respectively above ground.
3. The EUT was set 3 meters from the interference receiving antenna which was mounted on the top of a variable height antenna tower.
4. The antenna is a broadband antenna and its height is adjusted between one meter and four meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.
5. For each suspected emission, the EUT was arranged to its worst case and then adjust the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.
6. For testing below 1GHz, if the emission level of the EUT in peak mode was 3 dB lower than the limit specified, then peak values of EUT will be reported, otherwise, the emissions will be repeated one by one using the CISPR quasi-peak method and reported.
7. For testing above 1GHz, the emission level of the EUT in peak mode was 20dB lower than average limit (that means the emission level in average mode also complies with the limit in average mode), then peak values of EUT will be reported, otherwise, the emissions will be measured in average mode again and reported.

### 3.4.4 Test Setup

For radiated emissions below 30MHz




For radiated emissions from 30MHz to 1GHz





For radiated emissions above 1GHz



### 3.4.5 Test Results of Radiated Emissions (9 kHz ~ 30 MHz)

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line per 15.31(o) was not reported.

### 3.4.6 Test Result of Radiated Band Edges

Please refer to Appendix B and Appendix C.

### 3.4.7 Test Result of Unwanted Radiated Emission (30MHz ~ 10th Harmonic)

Please refer to Appendix B and Appendix C.

### 3.5 AC Conducted Emission Measurement

#### 3.5.1 Limit of AC Conducted Emission

For equipment that is designed to be connected to the public utility (AC) power line, the radio frequency voltage that is conducted back onto the AC power line on any frequency or frequencies within the band 150 kHz to 30 MHz shall not exceed the limits in the following table.

| Frequency of emission (MHz) | Conducted limit (dB $\mu$ V) |           |
|-----------------------------|------------------------------|-----------|
|                             | Quasi-peak                   | Average   |
| 0.15-0.5                    | 66 to 56*                    | 56 to 46* |
| 0.5-5                       | 56                           | 46        |
| 5-30                        | 60                           | 50        |

\*Decreases with the logarithm of the frequency.


#### 3.5.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

#### 3.5.3 Test Procedures


1. The EUT was placed 0.4 meter from the conducting wall of the shielding room was kept at least 80 centimeters from any other grounded conducting surface.
2. Connect EUT to the power mains through a line impedance stabilization network (LISN).
3. All the support units are connecting to the other LISN.
4. The LISN provides 50 ohm coupling impedance for the measuring instrument.
5. The FCC states that a 50 ohm, 50 microhenry LISN should be used.
6. Both sides of AC line were checked for maximum conducted interference.
7. The frequency range from 150 kHz to 30 MHz was searched.
8. Set the test-receiver system to Peak Detect Function and specified bandwidth with Maximum Hold Mode.

### 3.5.4 Test Setup



### 3.5.5 Test Result of AC Conducted Emission

|                        |                                                                 |                            |         |
|------------------------|-----------------------------------------------------------------|----------------------------|---------|
| <b>Test Mode :</b>     | Mode 1                                                          | <b>Temperature :</b>       | 23~25°C |
| <b>Test Engineer :</b> | Derreck Chen                                                    | <b>Relative Humidity :</b> | 58~61%  |
| <b>Test Voltage :</b>  | 120Vac / 60Hz                                                   | <b>Phase :</b>             | Line    |
| <b>Function Type :</b> | WLAN (5GHz) Link + Earphone + USB Cable (Charging from Adapter) |                            |         |



#### Final Result : QuasiPeak


| Frequency (MHz) | QuasiPeak (dBμV) | Filter | Line | Corr. (dB) | Margin (dB) | Limit (dBμV) |
|-----------------|------------------|--------|------|------------|-------------|--------------|
| 0.182000        | 34.6             | Off    | L1   | 19.5       | 29.8        | 64.4         |
| 0.246000        | 33.2             | Off    | L1   | 19.5       | 28.7        | 61.9         |
| 0.310000        | 28.3             | Off    | L1   | 19.5       | 31.7        | 60.0         |
| 0.366000        | 30.5             | Off    | L1   | 19.5       | 28.1        | 58.6         |
| 8.918000        | 30.5             | Off    | L1   | 19.9       | 29.5        | 60.0         |
| 23.294000       | 28.8             | Off    | L1   | 20.0       | 31.2        | 60.0         |

#### Final Result : Average

| Frequency (MHz) | Average (dBμV) | Filter | Line | Corr. (dB) | Margin (dB) | Limit (dBμV) |
|-----------------|----------------|--------|------|------------|-------------|--------------|
| 0.182000        | 26.0           | Off    | L1   | 19.5       | 28.4        | 54.4         |
| 0.246000        | 21.8           | Off    | L1   | 19.5       | 30.1        | 51.9         |
| 0.310000        | 17.5           | Off    | L1   | 19.5       | 32.5        | 50.0         |
| 0.366000        | 23.1           | Off    | L1   | 19.5       | 25.5        | 48.6         |
| 8.918000        | 22.5           | Off    | L1   | 19.9       | 27.5        | 50.0         |
| 23.294000       | 23.1           | Off    | L1   | 20.0       | 26.9        | 50.0         |



|                 |                                                                 |                     |         |
|-----------------|-----------------------------------------------------------------|---------------------|---------|
| Test Mode :     | Mode 1                                                          | Temperature :       | 23~25°C |
| Test Engineer : | Derreck Chen                                                    | Relative Humidity : | 58~61%  |
| Test Voltage :  | 120Vac / 60Hz                                                   | Phase :             | Neutral |
| Function Type : | WLAN (5GHz) Link + Earphone + USB Cable (Charging from Adapter) |                     |         |

**Final Result : QuasiPeak**

| Frequency (MHz) | QuasiPeak (dBμV) | Filter | Line | Corr. (dB) | Margin (dB) | Limit (dBμV) |
|-----------------|------------------|--------|------|------------|-------------|--------------|
| 0.182000        | 34.7             | Off    | N    | 19.5       | 29.7        | 64.4         |
| 0.246000        | 33.7             | Off    | N    | 19.5       | 28.2        | 61.9         |
| 0.302000        | 30.5             | Off    | N    | 19.5       | 29.7        | 60.2         |
| 0.678000        | 30.5             | Off    | N    | 19.6       | 25.5        | 56.0         |
| 2.246000        | 25.8             | Off    | N    | 19.7       | 30.2        | 56.0         |
| 10.358000       | 33.1             | Off    | N    | 19.8       | 26.9        | 60.0         |
| 23.926000       | 37.5             | Off    | N    | 20.1       | 22.5        | 60.0         |

**Final Result : Average**

| Frequency (MHz) | Average (dBμV) | Filter | Line | Corr. (dB) | Margin (dB) | Limit (dBμV) |
|-----------------|----------------|--------|------|------------|-------------|--------------|
| 0.182000        | 25.3           | Off    | N    | 19.5       | 29.1        | 54.4         |
| 0.246000        | 22.2           | Off    | N    | 19.5       | 29.7        | 51.9         |
| 0.302000        | 20.0           | Off    | N    | 19.5       | 30.2        | 50.2         |
| 0.678000        | 25.7           | Off    | N    | 19.6       | 20.3        | 46.0         |
| 2.246000        | 17.7           | Off    | N    | 19.7       | 28.3        | 46.0         |
| 10.358000       | 24.7           | Off    | N    | 19.8       | 25.3        | 50.0         |
| 23.926000       | 27.8           | Off    | N    | 20.1       | 22.2        | 50.0         |

## 3.6 Frequency Stability Measurement

### 3.6.1 Limit of Frequency Stability

Manufacturers of U-NII devices are responsible for ensuring frequency stability such that an emission is maintained within the band of operation under all conditions of normal operation as specified in the user's manual.


### 3.6.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

### 3.6.3 Test Procedures

1. To ensure emission at the band edge is maintained within the authorized band, those values shall be measured by radiation emissions at upper and lower frequency points, and finally compensated by frequency deviation as procedures below.
2. The EUT was operated at the maximum output power, and connected to the spectrum analyzer, which is set to maximum hold function and peak detector. The peak value of the power envelope was measured and noted. The upper and lower frequency points were respectively measured relatively 10dB lower than the measured peak value.
3. The frequency deviation was calculated by adding the upper frequency point and the lower frequency point divided by two. Those detailed values of frequency deviation are provided in table below.

### 3.6.4 Test Setup



### 3.6.5 Test Result of Frequency Stability

Please refer to Appendix A.



## **3.7 Automatically Discontinue Transmission**

### **3.7.1 Limit of Automatically Discontinue Transmission**

The device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signaling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals. Applicants shall include in their application for equipment authorization to describe how this requirement is met.

### **3.7.2 Measuring Instruments**

The measuring equipment is listed in the section 4 of this test report.

### **3.7.3 Test Result of Automatically Discontinue Transmission**

While the EUT is not transmitting any information, the EUT can automatically discontinue transmission and become standby mode for power saving. The EUT can detect the controlling signal of ACK message transmitting from remote device and verify whether it shall resend or discontinue transmission.

### 3.8 Antenna Requirements

#### 3.8.1 Standard Applicable

According to FCC 47 CFR Section 15.407(a)(1)(2) ,if transmitting antenna directional gain is greater than 6 dBi, both the peak transmit power and the peak power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

#### 3.8.2 Antenna Anti-Replacement Construction

An embedded-in antenna design is used.

#### 3.8.3 Antenna Gain

FCC KDB 662911 D01 Multiple Transmitter Output v02r01

For CDD transmissions, directional gain is calculated as

$$DirectionalGain = 10 \cdot \log \left[ \frac{\sum_{j=1}^{N_{SS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^2}{N_{ANT}} \right]$$

where

Each antenna is driven by no more than one spatial stream;

$N_{SS}$  = the number of independent spatial streams of data;

$N_{ANT}$  = the total number of antennas

$g_{j,k} = 10^{G_k / 20}$  if the  $k$ th antenna is being fed by spatial stream  $j$ , or zero if it is not;  
 $G_k$  is the gain in dBi of the  $k$ th antenna.





The EUT supports CDD mode.

The power and PSD limit should be modified if the directional gain of EUT is over 6 dBi,

The directional gain "DG" is calculated as following table.

|         |       |       | DG    | DG    | Power     | PSD       |
|---------|-------|-------|-------|-------|-----------|-----------|
|         |       |       | for   | for   | Limit     | Limit     |
|         | Ant 1 | Ant 2 | Power | PSD   | Reduction | Reduction |
|         | (dBi) | (dBi) | (dBi) | (dBi) | (dB)      | (dB)      |
| Band IV | -4.10 | -6.30 | -2.12 | -2.12 | 0.00      | 0.00      |

$Power\ Limit\ Reduction = DG(Power) - 6dBi, (min = 0)$

$PSD\ Limit\ Reduction = DG(PSD) - 6dBi, (min = 0)$



## 4 List of Measuring Equipment

| Instrument                | Manufacturer       | Model No.               | Serial No.               | Characteristics    | Calibration Date | Test Date                     | Due Date      | Remark                |
|---------------------------|--------------------|-------------------------|--------------------------|--------------------|------------------|-------------------------------|---------------|-----------------------|
| Power Meter               | Anritsu            | ML2495A                 | 1218006                  | 300MHz~40GHz       | Oct. 18, 2014    | Aug. 23, 2015 ~ Sep. 04, 2015 | Oct. 17, 2015 | Conducted (TH05-HY)   |
| Spectrum Analyzer         | Rohde & Schwarz    | FSP40                   | 100055                   | 9kHz-40GHz         | Jun. 18, 2015    | Aug. 23, 2015 ~ Sep. 04, 2015 | Jun. 17, 2016 | Conducted (TH05-HY)   |
| Power Sensor              | Anritsu            | MA2411B                 | 1126017                  | 300MHz~40GHz       | Oct. 18, 2014    | Aug. 23, 2015 ~ Sep. 04, 2015 | Oct. 17, 2015 | Conducted (TH05-HY)   |
| Temperature Chamber       | ESPEC              | SU-241                  | 92003713                 | -30°C~95°C         | Jun. 15, 2015    | Aug. 23, 2015 ~ Sep. 04, 2015 | Jun. 14, 2016 | Conducted (TH05-HY)   |
| Hygrometer                | Testo              | 608-H1                  | 34897199                 | N/A                | May. 04, 2015    | Aug. 23, 2015 ~ Sep. 04, 2015 | May. 03, 2016 | Conducted (TH05-HY)   |
| RF Cable                  | HARBOUR INDUSTRIES | LL142                   | Infinet CA3601-360 1-DLL | 0.1MHz~40GHz       | Mar. 06, 2015    | Aug. 23, 2015 ~ Sep. 04, 2015 | Mar. 05, 2016 | Conducted (TH05-HY)   |
| EMI Test Receiver         | Rohde & Schwarz    | ESCS 30                 | 100356                   | 9kHz ~ 2.75GHz     | Dec. 01, 2014    | Aug. 28, 2015                 | Nov. 30, 2015 | Conduction (CO05-HY)  |
| Hygrometer                | Testo              | 608-H1                  | 34913912                 | N/A                | Apr. 20, 2015    | Aug. 28, 2015                 | Apr. 19, 2016 | Conduction (CO05-HY)  |
| LISN                      | Rohde & Schwarz    | ENV216                  | 100080                   | 9kHz~30MHz         | Dec. 02, 2014    | Aug. 28, 2015                 | Dec. 01, 2015 | Conduction (CO05-HY)  |
| AC Power Source           | ChainTek           | APC-1000W               | N/A                      | N/A                | N/A              | Aug. 28, 2015                 | N/A           | Conduction (CO05-HY)  |
| LF Cable                  | HUBER + SUHNER     | RG-214/U                | LF01                     | N/A                | Jan. 07, 2015    | Aug. 28, 2015                 | Jan. 06, 2016 | Conduction (CO05-HY)  |
| Test Software             | N/A                | EMC32                   | 8.40.0                   | N/A                | N/A              | Aug. 28, 2015                 | N/A           | Conduction (CO05-HY)  |
| Bilog Antenna             | Schaffner          | CBL6111C                | 2726                     | 30MHz ~ 1GHz       | Sep. 27, 2014    | Sep. 03, 2015 ~ Sep. 06, 2015 | Sep. 26, 2015 | Radiation (03CH07-HY) |
| Double Ridge Horn Antenna | ESCO               | 3117                    | 00075962                 | 1GHz ~ 18GHz       | Aug. 21, 2015    | Sep. 03, 2015 ~ Sep. 06, 2015 | Aug. 20, 2016 | Radiation (03CH07-HY) |
| Loop Antenna              | TESEQ              | HLA 6120                | 31244                    | 9kHz~30MHz         | Feb. 02, 2015    | Sep. 03, 2015 ~ Sep. 06, 2015 | Feb. 01, 2016 | Radiation (03CH07-HY) |
| EMI Test Receiver         | Rohde & Schwarz    | ESCI 7                  | 100724                   | 9kHz~7GHz          | Aug. 25, 2015    | Sep. 03, 2015 ~ Sep. 06, 2015 | Aug. 24, 2016 | Radiation (03CH07-HY) |
| Horn Antenna              | SCHWARZBECK        | BBHA 9170               | BBHA9170584              | 18GHz- 40GHz       | Nov. 03, 2014    | Sep. 03, 2015 ~ Sep. 06, 2015 | Nov. 02, 2015 | Radiation (03CH07-HY) |
| Hygrometer                | Testo              | 608-H1                  | 34897197                 | N/A                | May. 04, 2015    | Sep. 03, 2015 ~ Sep. 06, 2015 | May. 03, 2016 | Radiation (03CH07-HY) |
| Preamplifier              | MITEQ              | AMF-7D-0010 1800-30-10P | 1590075                  | 1GHz ~ 18GHz       | Apr. 20, 2015    | Sep. 03, 2015 ~ Sep. 06, 2015 | Apr. 19, 2016 | Radiation (03CH07-HY) |
| Preamplifier              | COM-POWER          | PA-103A                 | 161241                   | 10MHz-1000MHz      | Mar. 12, 2015    | Sep. 03, 2015 ~ Sep. 06, 2015 | Mar. 11, 2016 | Radiation (03CH07-HY) |
| Preamplifier              | Agilent            | 8449B                   | 3008A02362               | 1GHz~ 26.5GHz      | Oct. 21, 2014    | Sep. 03, 2015 ~ Sep. 06, 2015 | Oct. 20, 2015 | Radiation (03CH07-HY) |
| Controller                | ChainTek           | Chaintek 3000           | N/A                      | Control Turn table | N/A              | Sep. 03, 2015 ~ Sep. 06, 2015 | N/A           | Radiation (03CH07-HY) |
| Controller                | Max-Full           | MF7802                  | MF780208368              | Control Ant Mast   | N/A              | Sep. 03, 2015 ~ Sep. 06, 2015 | N/A           | Radiation (03CH07-HY) |



| Instrument      | Manufacturer          | Model No.               | Serial No.  | Characteristics | Calibration Date | Test Date                        | Due Date      | Remark                   |
|-----------------|-----------------------|-------------------------|-------------|-----------------|------------------|----------------------------------|---------------|--------------------------|
| Antenna Mast    | Max-Full              | MFA520BS                | N/A         | 1m~4m           | N/A              | Sep. 03, 2015 ~<br>Sep. 06, 2015 | N/A           | Radiation<br>(03CH07-HY) |
| Turn Table      | ChainTek              | Chaintek 3000           | N/A         | 0~360 degree    | N/A              | Sep. 03, 2015 ~<br>Sep. 06, 2015 | N/A           | Radiation<br>(03CH07-HY) |
| Preamplifier    | MITEQ                 | JS44-1800400<br>0-33-8P | 1840917     | 18GHz ~ 40GHz   | Jun. 02, 2015    | Sep. 03, 2015 ~<br>Sep. 06, 2015 | Jun. 01, 2016 | Radiation<br>(03CH07-HY) |
| Signal Analyzer | Rohde & Schwarz       | FSV 30                  | 101749      | 10Hz~30GHz      | Mar. 10, 2015    | Sep. 03, 2015 ~<br>Sep. 06, 2015 | Mar. 09, 2016 | Radiation<br>(03CH07-HY) |
| RF Cable        | HUBER +<br>SUHNER     | SUCOFLEX<br>104         | MY84209521  | 1GHz~40GHz      | Dec. 04, 2014    | Sep. 03, 2015 ~<br>Sep. 06, 2015 | Dec. 03, 2015 | Radiation<br>(03CH07-HY) |
| RF Cable        | HUBER +<br>SUHNER     | SUCOFLEX<br>104         | MY84209521  | 9KHz~1GHz       | Dec. 04, 2014    | Sep. 03, 2015 ~<br>Sep. 06, 2015 | Dec. 03, 2015 | Radiation<br>(03CH07-HY) |
| Test Software   | Audix                 | E3                      | 6.2009-8-24 | N/A             | N/A              | Sep. 03, 2015 ~<br>Sep. 06, 2015 | N/A           | Radiation<br>(03CH07-HY) |
| Filter          | Wainwright            | WLKS4500-8S<br>S        | SN19        | 4.5G Low Pass   | Oct. 01, 2014    | Sep. 03, 2015 ~<br>Sep. 06, 2015 | Sep. 30, 2015 | Radiation<br>(03CH07-HY) |
| Filter          | Microwave<br>Circuits | H07G18G3                | SN8009-01   | 7GHz HPF        | Oct. 01, 2014    | Sep. 03, 2015 ~<br>Sep. 06, 2015 | Sep. 30, 2015 | Radiation<br>(03CH07-HY) |



## 5 Uncertainty of Evaluation

### Uncertainty of Conducted Emission Measurement (150kHz ~ 30MHz)

|                                                                         |      |
|-------------------------------------------------------------------------|------|
| Measuring Uncertainty for a Level of Confidence of 95% ( $U = 2Uc(y)$ ) | 2.26 |
|-------------------------------------------------------------------------|------|

### Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

|                                                                         |     |
|-------------------------------------------------------------------------|-----|
| Measuring Uncertainty for a Level of Confidence of 95% ( $U = 2Uc(y)$ ) | 4.5 |
|-------------------------------------------------------------------------|-----|



## **Appendix A. Conducted Test Results**

|                |                         |                    |      |    |
|----------------|-------------------------|--------------------|------|----|
| Test Engineer: | Osolemio Chang          | Temperature:       | 23.4 | °C |
| Test Date:     | 2015/08/23 ~ 2015/09/04 | Relative Humidity: | 53   | %  |

**TEST RESULTS DATA**  
**6dB and 99% OBW**

| FCC Band IV |           |     |     |             |                      |       |                                     |       |           |
|-------------|-----------|-----|-----|-------------|----------------------|-------|-------------------------------------|-------|-----------|
| Mod.        | Data Rate | NTx | CH. | Freq. (MHz) | 6 dB Bandwidth (MHz) |       | FCC 6 dB Bandwidth Min. Limit (MHz) |       | Pass/Fail |
|             |           |     |     |             | Ant 1                | Ant 2 | Ant 1                               | Ant 2 |           |
| 11a         | 6Mbps     | 2   | 149 | 5745        | 16.36                | 16.40 | 0.5                                 |       | Pass      |
| 11a         | 6Mbps     | 2   | 157 | 5785        | 16.36                | 16.40 | 0.5                                 |       | Pass      |
| 11a         | 6Mbps     | 2   | 165 | 5825        | 16.36                | 16.40 | 0.5                                 |       | Pass      |
| HT20        | MCS8      | 2   | 149 | 5745        | 17.60                | 17.64 | 0.5                                 |       | Pass      |
| HT20        | MCS8      | 2   | 157 | 5785        | 17.64                | 17.64 | 0.5                                 |       | Pass      |
| HT20        | MCS8      | 2   | 165 | 5825        | 17.64                | 17.64 | 0.5                                 |       | Pass      |
| HT40        | MCS8      | 2   | 151 | 5755        | 36.40                | 36.40 | 0.5                                 |       | Pass      |
| HT40        | MCS8      | 2   | 159 | 5795        | 36.40                | 36.40 | 0.5                                 |       | Pass      |
| VHT20       | MCS0      | 2   | 149 | 5745        | 17.60                | 17.64 | 0.5                                 |       | Pass      |
| VHT20       | MCS0      | 2   | 157 | 5785        | 17.64                | 17.64 | 0.5                                 |       | Pass      |
| VHT20       | MCS0      | 2   | 165 | 5825        | 17.64                | 17.64 | 0.5                                 |       | Pass      |
| VHT40       | MCS0      | 2   | 151 | 5755        | 36.40                | 36.40 | 0.5                                 |       | Pass      |
| VHT40       | MCS0      | 2   | 159 | 5795        | 36.40                | 36.40 | 0.5                                 |       | Pass      |
| VHT80       | MCS0      | 2   | 155 | 5775        | 76.16                | 76.48 | 0.5                                 |       | Pass      |

**TEST RESULTS DATA**  
**Average Power Table**

| Band IV |           |     |     |             |                  |       |                               |       |       |                                 |       |          |       |           |
|---------|-----------|-----|-----|-------------|------------------|-------|-------------------------------|-------|-------|---------------------------------|-------|----------|-------|-----------|
| Mod.    | Data Rate | NTX | CH. | Freq. (MHz) | Duty Factor (dB) |       | Average Conducted Power (dBm) |       |       | FCC Conducted Power Limit (dBm) |       | DG (dBi) |       | Pass/Fail |
|         |           |     |     |             | Ant 1            | Ant 2 | Ant 1                         | Ant 2 | SUM   | Ant 1                           | Ant 2 | Ant 1    | Ant 2 |           |
| 11a     | 6Mbps     | 1   | 149 | 5745        | 0.08             | 0.08  | 9.59                          | 9.49  |       | 30.00                           | 30.00 | -4.10    | -6.30 | Pass      |
| 11a     | 6Mbps     | 1   | 157 | 5785        | 0.08             | 0.08  | 9.39                          | 9.29  |       | 30.00                           | 30.00 | -4.10    | -6.30 | Pass      |
| 11a     | 6Mbps     | 1   | 165 | 5825        | 0.08             | 0.08  | 9.27                          | 9.61  |       | 30.00                           | 30.00 | -4.10    | -6.30 | Pass      |
| HT20    | MCS0      | 1   | 149 | 5745        | 0.09             | 0.09  | 9.26                          | 9.41  |       | 30.00                           | 30.00 | -4.10    | -6.30 | Pass      |
| HT20    | MCS0      | 1   | 157 | 5785        | 0.09             | 0.09  | 9.13                          | 9.35  |       | 30.00                           | 30.00 | -4.10    | -6.30 | Pass      |
| HT20    | MCS0      | 1   | 165 | 5825        | 0.09             | 0.09  | 9.01                          | 9.55  |       | 30.00                           | 30.00 | -4.10    | -6.30 | Pass      |
| HT40    | MCS0      | 1   | 151 | 5755        | 0.18             | 0.18  | 9.39                          | 9.60  |       | 30.00                           | 30.00 | -4.10    | -6.30 | Pass      |
| HT40    | MCS0      | 1   | 159 | 5795        | 0.18             | 0.18  | 9.00                          | 9.84  |       | 30.00                           | 30.00 | -4.10    | -6.30 | Pass      |
| VHT20   | MCS0      | 1   | 149 | 5745        | 0.09             | 0.09  | 9.20                          | 9.40  |       | 30.00                           | 30.00 | -4.10    | -6.30 | Pass      |
| VHT20   | MCS0      | 1   | 157 | 5785        | 0.09             | 0.09  | 9.09                          | 9.43  |       | 30.00                           | 30.00 | -4.10    | -6.30 | Pass      |
| VHT20   | MCS0      | 1   | 165 | 5825        | 0.09             | 0.09  | 8.98                          | 9.58  |       | 30.00                           | 30.00 | -4.10    | -6.30 | Pass      |
| VHT40   | MCS0      | 1   | 151 | 5755        | 0.18             | 0.15  | 9.41                          | 9.51  |       | 30.00                           | 30.00 | -4.10    | -6.30 | Pass      |
| VHT40   | MCS0      | 1   | 159 | 5795        | 0.18             | 0.15  | 9.12                          | 9.70  |       | 30.00                           | 30.00 | -4.10    | -6.30 | Pass      |
| VHT80   | MCS0      | 1   | 155 | 5775        | 0.31             | 0.31  | 9.58                          | 9.96  |       | 30.00                           | 30.00 | -4.10    | -6.30 | Pass      |
| 11a     | 6Mbps     | 2   | 149 | 5745        | 0.06             | 0.06  | 9.61                          | 9.49  | 12.56 | 30.00                           |       | -2.12    |       | Pass      |
| 11a     | 6Mbps     | 2   | 157 | 5785        | 0.06             | 0.06  | 9.43                          | 9.33  | 12.39 | 30.00                           |       | -2.12    |       | Pass      |
| 11a     | 6Mbps     | 2   | 165 | 5825        | 0.06             | 0.06  | 9.29                          | 9.63  | 12.47 | 30.00                           |       | -2.12    |       | Pass      |
| HT20    | MCS8      | 2   | 149 | 5745        | 0.09             | 0.09  | 9.28                          | 9.48  | 12.39 | 30.00                           |       | -2.12    |       | Pass      |
| HT20    | MCS8      | 2   | 157 | 5785        | 0.09             | 0.09  | 9.14                          | 9.38  | 12.27 | 30.00                           |       | -2.12    |       | Pass      |
| HT20    | MCS8      | 2   | 165 | 5825        | 0.09             | 0.09  | 9.09                          | 9.74  | 12.43 | 30.00                           |       | -2.12    |       | Pass      |
| HT40    | MCS8      | 2   | 151 | 5755        | 0.14             | 0.14  | 9.40                          | 9.70  | 12.56 | 30.00                           |       | -2.12    |       | Pass      |
| HT40    | MCS8      | 2   | 159 | 5795        | 0.14             | 0.14  | 9.02                          | 9.86  | 12.47 | 30.00                           |       | -2.12    |       | Pass      |
| VHT20   | MCS0      | 2   | 149 | 5745        | 0.09             | 0.09  | 9.30                          | 9.49  | 12.40 | 30.00                           |       | -2.12    |       | Pass      |
| VHT20   | MCS0      | 2   | 157 | 5785        | 0.09             | 0.09  | 9.15                          | 9.47  | 12.32 | 30.00                           |       | -2.12    |       | Pass      |
| VHT20   | MCS0      | 2   | 165 | 5825        | 0.09             | 0.09  | 8.98                          | 9.59  | 12.30 | 30.00                           |       | -2.12    |       | Pass      |
| VHT40   | MCS0      | 2   | 151 | 5755        | 0.12             | 0.12  | 9.49                          | 9.59  | 12.55 | 30.00                           |       | -2.12    |       | Pass      |
| VHT40   | MCS0      | 2   | 159 | 5795        | 0.12             | 0.12  | 9.13                          | 9.72  | 12.44 | 30.00                           |       | -2.12    |       | Pass      |
| VHT80   | MCS0      | 2   | 155 | 5775        | 0.28             | 0.28  | 9.64                          | 9.97  | 12.82 | 30.00                           |       | -2.12    |       | Pass      |



**TEST RESULTS DATA**  
**Power Spectral Density**

| FCC Band IV |           |     |     |             |                  |       |                                 |       |                                    |       |       |                                |       |          |       |            |
|-------------|-----------|-----|-----|-------------|------------------|-------|---------------------------------|-------|------------------------------------|-------|-------|--------------------------------|-------|----------|-------|------------|
| Mod.        | Data Rate | NTX | CH. | Freq. (MHz) | Duty Factor (dB) |       | 10log (500kHz /RBW) Factor (dB) |       | Average Power Density (dBm/500kHz) |       |       | Average PSD Limit (dBm/500kHz) |       | DG (dBi) |       | Pass /Fail |
|             |           |     |     |             | Ant 1            | Ant 2 | Ant 1                           | Ant 2 | Ant 1                              | Ant 2 | SUM   | Ant 1                          | Ant 2 | Ant 1    | Ant 2 |            |
| 11a         | 6Mbps     | 2   | 149 | 5745        | 0.06             | 0.06  | 2.22                            |       |                                    |       | -2.11 | 30.00                          |       | -2.12    |       | Pass       |
| 11a         | 6Mbps     | 2   | 157 | 5785        | 0.06             | 0.06  | 2.22                            |       |                                    |       | -2.22 | 30.00                          |       | -2.12    |       | Pass       |
| 11a         | 6Mbps     | 2   | 165 | 5825        | 0.06             | 0.06  | 2.22                            |       |                                    |       | -2.44 | 30.00                          |       | -2.12    |       | Pass       |
| HT20        | MCS8      | 2   | 149 | 5745        | 0.09             | 0.09  | 2.22                            |       |                                    |       | -2.50 | 30.00                          |       | -2.12    |       | Pass       |
| HT20        | MCS8      | 2   | 157 | 5785        | 0.09             | 0.09  | 2.22                            |       |                                    |       | -2.61 | 30.00                          |       | -2.12    |       | Pass       |
| HT20        | MCS8      | 2   | 165 | 5825        | 0.09             | 0.09  | 2.22                            |       |                                    |       | -2.74 | 30.00                          |       | -2.12    |       | Pass       |
| HT40        | MCS8      | 2   | 151 | 5755        | 0.14             | 0.14  | 2.22                            |       |                                    |       | -5.11 | 30.00                          |       | -2.12    |       | Pass       |
| HT40        | MCS8      | 2   | 159 | 5795        | 0.14             | 0.14  | 2.22                            |       |                                    |       | -5.44 | 30.00                          |       | -2.12    |       | Pass       |
| VHT20       | MCS0      | 2   | 149 | 5745        | 0.09             | 0.09  | 2.22                            |       |                                    |       | -2.34 | 30.00                          |       | -2.12    |       | Pass       |
| VHT20       | MCS0      | 2   | 157 | 5785        | 0.09             | 0.09  | 2.22                            |       |                                    |       | -2.38 | 30.00                          |       | -2.12    |       | Pass       |
| VHT20       | MCS0      | 2   | 165 | 5825        | 0.09             | 0.09  | 2.22                            |       |                                    |       | -2.71 | 30.00                          |       | -2.12    |       | Pass       |
| VHT40       | MCS0      | 2   | 151 | 5755        | 0.12             | 0.12  | 2.22                            |       |                                    |       | -5.18 | 30.00                          |       | -2.12    |       | Pass       |
| VHT40       | MCS0      | 2   | 159 | 5795        | 0.12             | 0.12  | 2.22                            |       |                                    |       | -5.31 | 30.00                          |       | -2.12    |       | Pass       |
| VHT80       | MCS0      | 2   | 155 | 5775        | 0.28             | 0.28  | 2.22                            |       |                                    |       | -3.09 | 30.00                          |       | -2.12    |       | Pass       |

**TEST RESULTS DATA**  
**Frequency Stability**

| Band IV |           |     |     |             |                        |                           |                           |                  |             |      |
|---------|-----------|-----|-----|-------------|------------------------|---------------------------|---------------------------|------------------|-------------|------|
| Mod.    | Data Rate | NTX | CH. | Freq. (MHz) | Center Frequency (MHz) | Frequency Deviation (MHz) | Frequency Stability (ppm) | Temperature (°C) | Voltage (V) | Note |
| 11a     | 6Mbps     | 1   | 149 | 5745        | 5745.000               | 0.000                     | 0.00                      | 20               | 3.6         |      |
| 11a     | 6Mbps     | 1   | 149 | 5745        | 5745.000               | 0.000                     | 0.00                      | 20               | 4.2         |      |
| 11a     | 6Mbps     | 1   | 149 | 5745        | 5745.000               | 0.000                     | 0.00                      | 20               | 3.8         |      |
| 11a     | 6Mbps     | 1   | 149 | 5745        | 5745.000               | 0.000                     | 0.00                      | -10              | 3.8         |      |
| 11a     | 6Mbps     | 1   | 149 | 5745        | 5745.000               | 0.000                     | 0.00                      | 55               | 3.8         |      |



## Appendix B. Radiated Spurious Emission

|                 |            |                     |         |
|-----------------|------------|---------------------|---------|
| Test Engineer : | Luke Chang | Temperature :       | 21~23°C |
|                 |            | Relative Humidity : | 41~42%  |

15E Band 4 - 5725~5850MHz

WIFI 802.11a (Band Edge @ 3m)

| WIFI                         | Note | Frequency | Level      | Over   | Limit      | Read     | Antenna  | Cable  | Preamp | Ant    | Table   | Peak  | Pol.  |
|------------------------------|------|-----------|------------|--------|------------|----------|----------|--------|--------|--------|---------|-------|-------|
| Ant.                         |      |           |            | Limit  | Line       | Level    | Factor   | Loss   | Factor | Pos    | Pos     | Avg.  |       |
| 1+2                          |      | ( MHz )   | ( dBμV/m ) | ( dB ) | ( dBμV/m ) | ( dBμV ) | ( dB/m ) | ( dB ) | ( dB ) | ( cm ) | ( deg ) | (P/A) | (H/V) |
| 802.11a<br>CH 149<br>5745MHz |      | 5713.56   | 57.32      | -16.68 | 74         | 43.99    | 35.22    | 12.26  | 34.15  | 253    | 42      | P     | H     |
|                              |      | 5725      | 61.43      | -16.87 | 78.3       | 48.09    | 35.23    | 12.26  | 34.15  | 253    | 42      | P     | H     |
|                              |      | 5714.44   | 43.5       | -10.5  | 54         | 30.17    | 35.22    | 12.26  | 34.15  | 253    | 42      | A     | H     |
|                              | *    | 5745      | 103.76     | -      | -          | 90.36    | 35.24    | 12.33  | 34.17  | 253    | 42      | P     | H     |
|                              | *    | 5745      | 92.61      | -      | -          | 79.21    | 35.24    | 12.33  | 34.17  | 253    | 42      | A     | H     |
|                              |      |           |            |        |            |          |          |        |        |        |         |       | H     |
|                              |      |           |            |        |            |          |          |        |        |        |         |       | H     |
|                              |      |           |            |        |            |          |          |        |        |        |         |       | H     |
|                              |      | 5696.92   | 57.32      | -16.68 | 74         | 44.05    | 35.21    | 12.18  | 34.12  | 168    | 12      | P     | V     |
|                              |      | 5724.84   | 61.88      | -16.42 | 78.3       | 48.54    | 35.23    | 12.26  | 34.15  | 168    | 12      | P     | V     |
|                              |      | 5714.84   | 43.63      | -10.37 | 54         | 30.3     | 35.22    | 12.26  | 34.15  | 168    | 12      | A     | V     |
|                              | *    | 5745      | 103.83     | -      | -          | 90.43    | 35.24    | 12.33  | 34.17  | 168    | 12      | P     | V     |
|                              | *    | 5745      | 92.61      | -      | -          | 79.21    | 35.24    | 12.33  | 34.17  | 168    | 12      | A     | V     |
|                              |      |           |            |        |            |          |          |        |        |        |         |       | V     |
|                              |      |           |            |        |            |          |          |        |        |        |         |       | V     |
|                              |      |           |            |        |            |          |          |        |        |        |         |       | V     |



| WIFI                         | Note | Frequency | Level      | Over   | Limit      | Read     | Antenna  | Cable  | Preamp | Ant    | Table   | Peak  | Pol.  |
|------------------------------|------|-----------|------------|--------|------------|----------|----------|--------|--------|--------|---------|-------|-------|
| Ant.                         |      |           |            | Limit  | Line       | Level    | Factor   | Loss   | Factor | Pos    | Pos     | Avg.  |       |
| 1+2                          |      | ( MHz )   | ( dBμV/m ) | ( dB ) | ( dBμV/m ) | ( dBμV ) | ( dB/m ) | ( dB ) | ( dB ) | ( cm ) | ( deg ) | (P/A) | (H/V) |
| 802.11a<br>CH 157<br>5785MHz |      | 5695      | 57.03      | -16.97 | 74         | 43.76    | 35.21    | 12.18  | 34.12  | 194    | 46      | P     | H     |
|                              |      | 5721.32   | 56.98      | -21.32 | 78.3       | 43.64    | 35.23    | 12.26  | 34.15  | 194    | 46      | P     | H     |
|                              |      | 5714.44   | 43.1       | -10.9  | 54         | 29.77    | 35.22    | 12.26  | 34.15  | 194    | 46      | A     | H     |
|                              | *    | 5785      | 103.59     | -      | -          | 90.15    | 35.27    | 12.4   | 34.23  | 194    | 46      | P     | H     |
|                              | *    | 5785      | 92.85      | -      | -          | 79.41    | 35.27    | 12.4   | 34.23  | 194    | 46      | A     | H     |
|                              |      | 5855.52   | 57.73      | -20.57 | 78.3       | 44.27    | 35.32    | 12.45  | 34.31  | 194    | 46      | P     | H     |
|                              |      | 5883.44   | 57.95      | -16.05 | 74         | 44.52    | 35.33    | 12.49  | 34.39  | 194    | 46      | P     | H     |
|                              |      | 5862.16   | 43.43      | -10.57 | 54         | 29.97    | 35.32    | 12.49  | 34.35  | 194    | 46      | A     | H     |
|                              |      | 5712.92   | 57.74      | -16.26 | 74         | 44.41    | 35.22    | 12.26  | 34.15  | 201    | 9       | P     | V     |
|                              |      | 5715      | 56.93      | -17.07 | 74         | 43.6     | 35.22    | 12.26  | 34.15  | 201    | 9       | P     | V     |
|                              |      | 5714.44   | 43.14      | -10.86 | 54         | 29.81    | 35.22    | 12.26  | 34.15  | 201    | 9       | A     | V     |
|                              | *    | 5785      | 103.35     | -      | -          | 89.91    | 35.27    | 12.4   | 34.23  | 201    | 9       | P     | V     |
|                              | *    | 5785      | 92.03      | -      | -          | 78.59    | 35.27    | 12.4   | 34.23  | 201    | 9       | A     | V     |
|                              |      | 5850.24   | 57.74      | -20.56 | 78.3       | 44.29    | 35.31    | 12.45  | 34.31  | 201    | 9       | P     | V     |
|                              |      | 5889.6    | 57.42      | -16.58 | 74         | 43.98    | 35.34    | 12.49  | 34.39  | 201    | 9       | P     | V     |
|                              |      | 5861.76   | 43.32      | -10.68 | 54         | 29.86    | 35.32    | 12.49  | 34.35  | 201    | 9       | A     | V     |

[illegible]



## 15E Band 4 5725~5850MHz

## WIFI 802.11a (Harmonic @ 3m)

| WIFI                         | Note                                                                                        | Frequency | Level      | Over   | Limit      | Read     | Antenna  | Cable  | Preamp | Ant    | Table   | Peak    | Pol.    |
|------------------------------|---------------------------------------------------------------------------------------------|-----------|------------|--------|------------|----------|----------|--------|--------|--------|---------|---------|---------|
| Ant.                         |                                                                                             |           |            | Limit  | Line       | Level    | Factor   | Loss   | Factor | Pos    | Pos     | Avg.    |         |
| 1+2                          |                                                                                             | ( MHz )   | ( dBμV/m ) | ( dB ) | ( dBμV/m ) | ( dBμV ) | ( dB/m ) | ( dB ) | ( dB ) | ( cm ) | ( deg ) | ( P/A ) | ( H/V ) |
| 802.11a<br>CH 149<br>5745MHz |                                                                                             | 11490     | 44.94      | -29.06 | 74         | 47.21    | 38.19    | 17.38  | 57.84  | 100    | 0       | P       | H       |
|                              |                                                                                             | 17232     | 50.42      | -23.58 | 74         | 43.37    | 42.21    | 21.38  | 56.54  | 100    | 0       | P       | H       |
|                              |                                                                                             |           |            |        |            |          |          |        |        |        |         |         | H       |
|                              |                                                                                             |           |            |        |            |          |          |        |        |        |         |         | H       |
|                              |                                                                                             | 11490     | 43.75      | -30.25 | 74         | 46.02    | 38.19    | 17.38  | 57.84  | 100    | 0       | P       | V       |
|                              |                                                                                             | 17232     | 50.09      | -23.91 | 74         | 43.04    | 42.21    | 21.38  | 56.54  | 100    | 0       | P       | V       |
|                              |                                                                                             |           |            |        |            |          |          |        |        |        |         |         | V       |
|                              |                                                                                             |           |            |        |            |          |          |        |        |        |         |         | V       |
| 802.11a<br>CH 157<br>5785MHz |                                                                                             | 11570     | 43.06      | -30.94 | 74         | 44.99    | 38.3     | 17.46  | 57.69  | 100    | 0       | P       | H       |
|                              |                                                                                             | 17352     | 49.34      | -24.66 | 74         | 42.38    | 42.12    | 21.45  | 56.61  | 100    | 0       | P       | H       |
|                              |                                                                                             |           |            |        |            |          |          |        |        |        |         |         | H       |
|                              |                                                                                             |           |            |        |            |          |          |        |        |        |         |         | H       |
|                              |                                                                                             | 11570     | 43.17      | -30.83 | 74         | 45.1     | 38.3     | 17.46  | 57.69  | 100    | 0       | P       | V       |
|                              |                                                                                             | 17352     | 49.37      | -24.63 | 74         | 42.41    | 42.12    | 21.45  | 56.61  | 100    | 0       | P       | V       |
|                              |                                                                                             |           |            |        |            |          |          |        |        |        |         |         | V       |
|                              |                                                                                             |           |            |        |            |          |          |        |        |        |         |         | V       |
| 802.11a<br>CH 165<br>5825MHz |                                                                                             | 11650     | 43.78      | -30.22 | 74         | 45.44    | 38.39    | 17.53  | 57.58  | 100    | 0       | P       | H       |
|                              |                                                                                             | 17472     | 50.29      | -23.71 | 74         | 43.41    | 42.03    | 21.53  | 56.68  | 100    | 0       | P       | H       |
|                              |                                                                                             |           |            |        |            |          |          |        |        |        |         |         | H       |
|                              |                                                                                             |           |            |        |            |          |          |        |        |        |         |         | H       |
|                              |                                                                                             | 11650     | 43.66      | -30.34 | 74         | 45.32    | 38.39    | 17.53  | 57.58  | 100    | 0       | P       | V       |
|                              |                                                                                             | 17472     | 49.8       | -24.2  | 74         | 42.92    | 42.03    | 21.53  | 56.68  | 100    | 0       | P       | V       |
|                              |                                                                                             |           |            |        |            |          |          |        |        |        |         |         | V       |
|                              |                                                                                             |           |            |        |            |          |          |        |        |        |         |         | V       |
| Remark                       | 1. No other spurious found.<br>2. All results are PASS against Peak and Average limit line. |           |            |        |            |          |          |        |        |        |         |         |         |



## 15E Band 4 5725~5850MHz

## WIFI 802.11n HT20 (Band Edge @ 3m)

| WIFI                                 | Note | Frequency | Level      | Over   | Limit      | Read     | Antenna  | Cable  | Preamp | Ant    | Table   | Peak  | Pol.  |
|--------------------------------------|------|-----------|------------|--------|------------|----------|----------|--------|--------|--------|---------|-------|-------|
| Ant.                                 |      |           |            | Limit  | Line       | Level    | Factor   | Loss   | Factor | Pos    | Pos     | Avg.  |       |
| 1+2                                  |      | ( MHz )   | ( dBμV/m ) | ( dB ) | ( dBμV/m ) | ( dBμV ) | ( dB/m ) | ( dB ) | ( dB ) | ( cm ) | ( deg ) | (P/A) | (H/V) |
| 802.11n<br>HT20<br>CH 149<br>5745MHz |      | 5710.36   | 57.56      | -16.44 | 74         | 44.23    | 35.22    | 12.26  | 34.15  | 250    | 55      | P     | H     |
|                                      |      | 5722.92   | 61.75      | -16.55 | 78.3       | 48.41    | 35.23    | 12.26  | 34.15  | 250    | 55      | P     | H     |
|                                      |      | 5714.76   | 43.53      | -10.47 | 54         | 30.2     | 35.22    | 12.26  | 34.15  | 250    | 55      | A     | H     |
|                                      | *    | 5745      | 101.77     | -      | -          | 88.37    | 35.24    | 12.33  | 34.17  | 250    | 55      | P     | H     |
|                                      | *    | 5745      | 90.58      | -      | -          | 77.18    | 35.24    | 12.33  | 34.17  | 250    | 55      | A     | H     |
|                                      |      |           |            |        |            |          |          |        |        |        |         |       | H     |
|                                      |      |           |            |        |            |          |          |        |        |        |         |       | H     |
|                                      |      |           |            |        |            |          |          |        |        |        |         |       | H     |
|                                      |      | 5707.24   | 58.43      | -15.57 | 74         | 45.1     | 35.22    | 12.26  | 34.15  | 233    | 360     | P     | V     |
|                                      |      | 5724.28   | 60.54      | -17.76 | 78.3       | 47.2     | 35.23    | 12.26  | 34.15  | 233    | 360     | P     | V     |
|                                      |      | 5715      | 43.36      | -10.64 | 54         | 30.03    | 35.22    | 12.26  | 34.15  | 233    | 360     | A     | V     |
|                                      | *    | 5745      | 101.64     | -      | -          | 88.24    | 35.24    | 12.33  | 34.17  | 233    | 360     | P     | V     |
|                                      | *    | 5745      | 90.45      | -      | -          | 77.05    | 35.24    | 12.33  | 34.17  | 233    | 360     | A     | V     |
|                                      |      |           |            |        |            |          |          |        |        |        |         |       | V     |
|                                      |      |           |            |        |            |          |          |        |        |        |         |       | V     |
|                                      |      |           |            |        |            |          |          |        |        |        |         |       | V     |



| WIFI                                 | Note | Frequency | Level      | Over   | Limit      | Read     | Antenna  | Cable  | Preamp | Ant    | Table   | Peak  | Pol.  |
|--------------------------------------|------|-----------|------------|--------|------------|----------|----------|--------|--------|--------|---------|-------|-------|
| Ant.                                 |      |           |            | Limit  | Line       | Level    | Factor   | Loss   | Factor | Pos    | Pos     | Avg.  |       |
| 1+2                                  |      | ( MHz )   | ( dBμV/m ) | ( dB ) | ( dBμV/m ) | ( dBμV ) | ( dB/m ) | ( dB ) | ( dB ) | ( cm ) | ( deg ) | (P/A) | (H/V) |
| 802.11n<br>HT20<br>CH 157<br>5785MHz |      | 5703.24   | 57.55      | -16.45 | 74         | 44.19    | 35.22    | 12.26  | 34.12  | 250    | 50      | P     | H     |
|                                      |      | 5724.84   | 57.52      | -20.78 | 78.3       | 44.18    | 35.23    | 12.26  | 34.15  | 250    | 50      | P     | H     |
|                                      |      | 5713.48   | 43.11      | -10.89 | 54         | 29.78    | 35.22    | 12.26  | 34.15  | 250    | 50      | A     | H     |
|                                      | *    | 5785      | 101.84     | -      | -          | 88.4     | 35.27    | 12.4   | 34.23  | 250    | 50      | P     | H     |
|                                      | *    | 5785      | 90.43      | -      | -          | 76.99    | 35.27    | 12.4   | 34.23  | 250    | 50      | A     | H     |
|                                      |      | 5852.72   | 56.9       | -21.4  | 78.3       | 43.45    | 35.31    | 12.45  | 34.31  | 250    | 50      | P     | H     |
|                                      |      | 5877.12   | 56.78      | -17.22 | 74         | 43.31    | 35.33    | 12.49  | 34.35  | 250    | 50      | P     | H     |
|                                      |      | 5860.32   | 43.37      | -10.63 | 54         | 29.91    | 35.32    | 12.49  | 34.35  | 250    | 50      | A     | H     |
|                                      |      | 5691.08   | 56.92      | -17.08 | 74         | 43.65    | 35.21    | 12.18  | 34.12  | 227    | 0       | P     | V     |
|                                      |      | 5717.32   | 56.58      | -21.72 | 78.3       | 43.25    | 35.22    | 12.26  | 34.15  | 227    | 0       | P     | V     |
|                                      |      | 5712.68   | 43.05      | -10.95 | 54         | 29.72    | 35.22    | 12.26  | 34.15  | 227    | 0       | A     | V     |
|                                      | *    | 5785      | 101.99     | -      | -          | 88.55    | 35.27    | 12.4   | 34.23  | 227    | 0       | P     | V     |
|                                      | *    | 5785      | 89.24      | -      | -          | 75.8     | 35.27    | 12.4   | 34.23  | 227    | 0       | A     | V     |
|                                      |      | 5850.64   | 56.92      | -21.38 | 78.3       | 43.47    | 35.31    | 12.45  | 34.31  | 227    | 0       | P     | V     |
|                                      |      | 5878.24   | 57.46      | -16.54 | 74         | 43.99    | 35.33    | 12.49  | 34.35  | 227    | 0       | P     | V     |
|                                      |      | 5860.24   | 43.31      | -10.69 | 54         | 29.85    | 35.32    | 12.49  | 34.35  | 227    | 0       | A     | V     |



[illegible]



## 15E Band 4 5725~5850MHz

## WIFI 802.11n HT20 (Harmonic @ 3m)

| WIFI                                 | Note                                                                                        | Frequency | Level      | Over   | Limit      | Read     | Antenna  | Cable  | Preamp | Ant    | Table   | Peak    | Pol.    |
|--------------------------------------|---------------------------------------------------------------------------------------------|-----------|------------|--------|------------|----------|----------|--------|--------|--------|---------|---------|---------|
| Ant.                                 |                                                                                             |           |            | Limit  | Line       | Level    | Factor   | Loss   | Factor | Pos    | Pos     | Avg.    |         |
| 1+2                                  |                                                                                             | ( MHz )   | ( dBμV/m ) | ( dB ) | ( dBμV/m ) | ( dBμV ) | ( dB/m ) | ( dB ) | ( dB ) | ( cm ) | ( deg ) | ( P/A ) | ( H/V ) |
| 802.11n<br>HT20<br>CH 149<br>5745MHz |                                                                                             | 11490     | 44.19      | -29.81 | 74         | 46.46    | 38.19    | 17.38  | 57.84  | 100    | 0       | P       | H       |
|                                      |                                                                                             | 17232     | 49.91      | -24.09 | 74         | 42.86    | 42.21    | 21.38  | 56.54  | 100    | 0       | P       | H       |
|                                      |                                                                                             |           |            |        |            |          |          |        |        |        |         |         | H       |
|                                      |                                                                                             |           |            |        |            |          |          |        |        |        |         |         | H       |
|                                      |                                                                                             | 11490     | 44.16      | -29.84 | 74         | 46.43    | 38.19    | 17.38  | 57.84  | 100    | 0       | P       | V       |
|                                      |                                                                                             | 17232     | 49.26      | -24.74 | 74         | 42.21    | 42.21    | 21.38  | 56.54  | 100    | 0       | P       | V       |
|                                      |                                                                                             |           |            |        |            |          |          |        |        |        |         |         | V       |
|                                      |                                                                                             |           |            |        |            |          |          |        |        |        |         |         | V       |
| 802.11n<br>HT20<br>CH 157<br>5785MHz |                                                                                             | 11570     | 43.17      | -30.83 | 74         | 45.1     | 38.3     | 17.46  | 57.69  | 100    | 0       | P       | H       |
|                                      |                                                                                             | 17352     | 49.17      | -24.83 | 74         | 42.21    | 42.12    | 21.45  | 56.61  | 100    | 0       | P       | H       |
|                                      |                                                                                             |           |            |        |            |          |          |        |        |        |         |         | H       |
|                                      |                                                                                             |           |            |        |            |          |          |        |        |        |         |         | H       |
|                                      |                                                                                             | 11570     | 43.16      | -30.84 | 74         | 45.09    | 38.3     | 17.46  | 57.69  | 100    | 0       | P       | V       |
|                                      |                                                                                             | 17352     | 49.38      | -24.62 | 74         | 42.42    | 42.12    | 21.45  | 56.61  | 100    | 0       | P       | V       |
|                                      |                                                                                             |           |            |        |            |          |          |        |        |        |         |         | V       |
|                                      |                                                                                             |           |            |        |            |          |          |        |        |        |         |         | V       |
| 802.11n<br>HT20<br>CH 165<br>5825MHz |                                                                                             | 11650     | 43.38      | -30.62 | 74         | 45.04    | 38.39    | 17.53  | 57.58  | 100    | 0       | P       | H       |
|                                      |                                                                                             | 17472     | 50.31      | -23.69 | 74         | 43.43    | 42.03    | 21.53  | 56.68  | 100    | 0       | P       | H       |
|                                      |                                                                                             |           |            |        |            |          |          |        |        |        |         |         | H       |
|                                      |                                                                                             |           |            |        |            |          |          |        |        |        |         |         | H       |
|                                      |                                                                                             | 11650     | 43.53      | -30.47 | 74         | 45.19    | 38.39    | 17.53  | 57.58  | 100    | 0       | P       | V       |
|                                      |                                                                                             | 17472     | 50.67      | -23.33 | 74         | 43.79    | 42.03    | 21.53  | 56.68  | 100    | 0       | P       | V       |
|                                      |                                                                                             |           |            |        |            |          |          |        |        |        |         |         | V       |
|                                      |                                                                                             |           |            |        |            |          |          |        |        |        |         |         | V       |
| Remark                               | 1. No other spurious found.<br>2. All results are PASS against Peak and Average limit line. |           |            |        |            |          |          |        |        |        |         |         |         |



## 15E Band 4 5725~5850MHz

## WIFI 802.11n HT40 (Band Edge @ 3m)

| WIFI                                 | Note | Frequency | Level      | Over   | Limit      | Read     | Antenna  | Cable  | Preamp | Ant    | Table   | Peak  | Pol.  |
|--------------------------------------|------|-----------|------------|--------|------------|----------|----------|--------|--------|--------|---------|-------|-------|
| Ant.                                 |      |           |            | Limit  | Line       | Level    | Factor   | Loss   | Factor | Pos    | Pos     | Avg.  |       |
| 1+2                                  |      | ( MHz )   | ( dBμV/m ) | ( dB ) | ( dBμV/m ) | ( dBμV ) | ( dB/m ) | ( dB ) | ( dB ) | ( cm ) | ( deg ) | (P/A) | (H/V) |
| 802.11n<br>HT40<br>CH 151<br>5755MHz |      | 5714.68   | 61.65      | -12.35 | 74         | 48.32    | 35.22    | 12.26  | 34.15  | 248    | 52      | P     | H     |
|                                      |      | 5719.96   | 63.43      | -14.87 | 78.3       | 50.09    | 35.23    | 12.26  | 34.15  | 248    | 52      | P     | H     |
|                                      |      | 5714.84   | 48.5       | -5.5   | 54         | 35.17    | 35.22    | 12.26  | 34.15  | 248    | 52      | A     | H     |
|                                      | *    | 5755      | 99.47      | -      | -          | 86.05    | 35.26    | 12.33  | 34.17  | 248    | 52      | P     | H     |
|                                      | *    | 5755      | 89.43      | -      | -          | 76.01    | 35.26    | 12.33  | 34.17  | 248    | 52      | A     | H     |
|                                      |      | 5850.96   | 56.63      | -21.67 | 78.3       | 43.18    | 35.31    | 12.45  | 34.31  | 248    | 52      | P     | H     |
|                                      |      | 5884.24   | 57.77      | -16.23 | 74         | 44.34    | 35.33    | 12.49  | 34.39  | 248    | 52      | P     | H     |
|                                      |      | 5870.56   | 44.54      | -9.46  | 54         | 31.07    | 35.33    | 12.49  | 34.35  | 248    | 52      | A     | H     |
|                                      |      | 5706.6    | 60.49      | -13.51 | 74         | 47.16    | 35.22    | 12.26  | 34.15  | 243    | 1       | P     | V     |
|                                      |      | 5721.08   | 61.86      | -16.44 | 78.3       | 48.52    | 35.23    | 12.26  | 34.15  | 243    | 1       | P     | V     |
|                                      |      | 5714.36   | 47.43      | -6.57  | 54         | 34.1     | 35.22    | 12.26  | 34.15  | 243    | 1       | A     | V     |
|                                      | *    | 5755      | 97.59      | -      | -          | 84.17    | 35.26    | 12.33  | 34.17  | 243    | 1       | P     | V     |
|                                      | *    | 5755      | 87.02      | -      | -          | 73.6     | 35.26    | 12.33  | 34.17  | 243    | 1       | A     | V     |
|                                      |      | 5851.76   | 58.11      | -20.19 | 78.3       | 44.66    | 35.31    | 12.45  | 34.31  | 243    | 1       | P     | V     |
|                                      |      | 5884.72   | 57.12      | -16.88 | 74         | 43.69    | 35.33    | 12.49  | 34.39  | 243    | 1       | P     | V     |
|                                      |      | 5880.32   | 44.47      | -9.53  | 54         | 31       | 35.33    | 12.49  | 34.35  | 243    | 1       | A     | V     |



| WIFI                                 | Note                                                                                        | Frequency | Level      | Over   | Limit      | Read     | Antenna  | Cable  | Preamp | Ant    | Table   | Peak  | Pol.  |
|--------------------------------------|---------------------------------------------------------------------------------------------|-----------|------------|--------|------------|----------|----------|--------|--------|--------|---------|-------|-------|
| Ant.                                 |                                                                                             |           |            | Limit  | Line       | Level    | Factor   | Loss   | Factor | Pos    | Pos     | Avg.  |       |
| 1+2                                  |                                                                                             | ( MHz )   | ( dBμV/m ) | ( dB ) | ( dBμV/m ) | ( dBμV ) | ( dB/m ) | ( dB ) | ( dB ) | ( cm ) | ( deg ) | (P/A) | (H/V) |
| 802.11n<br>HT40<br>CH 159<br>5795MHz |                                                                                             | 5711.08   | 56.88      | -17.12 | 74         | 43.55    | 35.22    | 12.26  | 34.15  | 250    | 52      | P     | H     |
|                                      |                                                                                             | 5719.8    | 57.34      | -20.96 | 78.3       | 44       | 35.23    | 12.26  | 34.15  | 250    | 52      | P     | H     |
|                                      |                                                                                             | 5710.52   | 44.27      | -9.73  | 54         | 30.94    | 35.22    | 12.26  | 34.15  | 250    | 52      | A     | H     |
|                                      | *                                                                                           | 5795      | 99.35      | -      | -          | 85.9     | 35.28    | 12.4   | 34.23  | 250    | 52      | P     | H     |
|                                      | *                                                                                           | 5795      | 89.07      | -      | -          | 75.62    | 35.28    | 12.4   | 34.23  | 250    | 52      | A     | H     |
|                                      |                                                                                             | 5852      | 56.93      | -21.37 | 78.3       | 43.48    | 35.31    | 12.45  | 34.31  | 250    | 52      | P     | H     |
|                                      |                                                                                             | 5876.64   | 57.68      | -16.32 | 74         | 44.21    | 35.33    | 12.49  | 34.35  | 250    | 52      | P     | H     |
|                                      |                                                                                             | 5860      | 44.88      | -9.12  | 54         | 31.46    | 35.32    | 12.45  | 34.35  | 250    | 52      | A     | H     |
|                                      |                                                                                             | 5701.8    | 56.96      | -17.04 | 74         | 43.6     | 35.22    | 12.26  | 34.12  | 232    | 13      | P     | V     |
|                                      |                                                                                             | 5721.08   | 57.35      | -20.95 | 78.3       | 44.01    | 35.23    | 12.26  | 34.15  | 232    | 13      | P     | V     |
|                                      |                                                                                             | 5714.68   | 44.4       | -9.6   | 54         | 31.07    | 35.22    | 12.26  | 34.15  | 232    | 13      | A     | V     |
|                                      | *                                                                                           | 5795      | 97.6       | -      | -          | 84.15    | 35.28    | 12.4   | 34.23  | 232    | 13      | P     | V     |
|                                      | *                                                                                           | 5795      | 87.46      | -      | -          | 74.01    | 35.28    | 12.4   | 34.23  | 232    | 13      | A     | V     |
|                                      |                                                                                             | 5852.64   | 56.93      | -21.37 | 78.3       | 43.48    | 35.31    | 12.45  | 34.31  | 232    | 13      | P     | V     |
|                                      |                                                                                             | 5860.08   | 57.18      | -16.82 | 74         | 43.72    | 35.32    | 12.49  | 34.35  | 232    | 13      | P     | V     |
|                                      |                                                                                             | 5860.24   | 44.63      | -9.37  | 54         | 31.17    | 35.32    | 12.49  | 34.35  | 232    | 13      | A     | V     |
| Remark                               | 1. No other spurious found.<br>2. All results are PASS against Peak and Average limit line. |           |            |        |            |          |          |        |        |        |         |       |       |



## 15E Band 4 5725~5850MHz

## WIFI 802.11n HT40 (Harmonic @ 3m)

| WIFI                                 | Note                                                                                        | Frequency | Level      | Over   | Limit      | Read     | Antenna  | Cable  | Preamp | Ant    | Table   | Peak  | Pol.  |
|--------------------------------------|---------------------------------------------------------------------------------------------|-----------|------------|--------|------------|----------|----------|--------|--------|--------|---------|-------|-------|
| Ant.                                 |                                                                                             |           |            | Limit  | Line       | Level    | Factor   | Loss   | Factor | Pos    | Pos     | Avg.  |       |
| 1+2                                  |                                                                                             | ( MHz )   | ( dBμV/m ) | ( dB ) | ( dBμV/m ) | ( dBμV ) | ( dB/m ) | ( dB ) | ( dB ) | ( cm ) | ( deg ) | (P/A) | (H/V) |
| 802.11n<br>HT40<br>CH 151<br>5755MHz |                                                                                             | 11510     | 43.76      | -30.24 | 74         | 45.94    | 38.2     | 17.42  | 57.8   | 100    | 0       | P     | H     |
|                                      |                                                                                             | 17268     | 49.88      | -24.12 | 74         | 42.85    | 42.19    | 21.4   | 56.56  | 100    | 0       | P     | H     |
|                                      |                                                                                             |           |            |        |            |          |          |        |        |        |         |       | H     |
|                                      |                                                                                             |           |            |        |            |          |          |        |        |        |         |       | H     |
|                                      |                                                                                             | 11510     | 43.1       | -30.9  | 74         | 45.28    | 38.2     | 17.42  | 57.8   | 100    | 0       | P     | V     |
|                                      |                                                                                             | 17268     | 50.21      | -23.79 | 74         | 43.18    | 42.19    | 21.4   | 56.56  | 100    | 0       | P     | V     |
|                                      |                                                                                             |           |            |        |            |          |          |        |        |        |         |       | V     |
|                                      |                                                                                             |           |            |        |            |          |          |        |        |        |         |       | V     |
| 802.11n<br>HT40<br>CH 159<br>5795MHz |                                                                                             | 11590     | 42.89      | -31.11 | 74         | 44.73    | 38.32    | 17.5   | 57.66  | 100    | 0       | P     | H     |
|                                      |                                                                                             | 17388     | 49.79      | -24.21 | 74         | 42.85    | 42.09    | 21.48  | 56.63  | 100    | 0       | P     | H     |
|                                      |                                                                                             |           |            |        |            |          |          |        |        |        |         |       | H     |
|                                      |                                                                                             |           |            |        |            |          |          |        |        |        |         |       | H     |
|                                      |                                                                                             | 11590     | 44.11      | -29.89 | 74         | 45.95    | 38.32    | 17.5   | 57.66  | 100    | 0       | P     | V     |
|                                      |                                                                                             | 17388     | 50.12      | -23.88 | 74         | 43.18    | 42.09    | 21.48  | 56.63  | 100    | 0       | P     | V     |
|                                      |                                                                                             |           |            |        |            |          |          |        |        |        |         |       | V     |
|                                      |                                                                                             |           |            |        |            |          |          |        |        |        |         |       | V     |
| Remark                               | 1. No other spurious found.<br>2. All results are PASS against Peak and Average limit line. |           |            |        |            |          |          |        |        |        |         |       |       |



**15E Band 4 5725~5850MHz**

**WIFI 802.11ac VHT80 (Band Edge @ 3m)**

| WIFI                                             | Note                                                                                        | Frequency | Level      | Over   | Limit      | Read     | Antenna  | Cable  | Preamp | Ant    | Table   | Peak  | Pol.  |
|--------------------------------------------------|---------------------------------------------------------------------------------------------|-----------|------------|--------|------------|----------|----------|--------|--------|--------|---------|-------|-------|
| Ant.                                             |                                                                                             |           |            | Limit  | Line       | Level    | Factor   | Loss   | Factor | Pos    | Pos     | Avg.  |       |
| 1+2                                              |                                                                                             | ( MHz )   | ( dBμV/m ) | ( dB ) | ( dBμV/m ) | ( dBμV ) | ( dB/m ) | ( dB ) | ( dB ) | ( cm ) | ( deg ) | (P/A) | (H/V) |
| <b>802.11ac<br/>VHT80<br/>CH 155<br/>5775MHz</b> |                                                                                             | 5710.6    | 62.02      | -11.98 | 74         | 48.69    | 35.22    | 12.26  | 34.15  | 251    | 48      | P     | H     |
|                                                  |                                                                                             | 5721.16   | 62.1       | -16.2  | 78.3       | 48.76    | 35.23    | 12.26  | 34.15  | 251    | 48      | P     | H     |
|                                                  |                                                                                             | 5712.2    | 49.64      | -4.36  | 54         | 36.31    | 35.22    | 12.26  | 34.15  | 251    | 48      | A     | H     |
|                                                  | *                                                                                           | 5775      | 96.99      | -      | -          | 83.59    | 35.27    | 12.33  | 34.2   | 251    | 48      | P     | H     |
|                                                  | *                                                                                           | 5775      | 86.35      | -      | -          | 72.95    | 35.27    | 12.33  | 34.2   | 251    | 48      | A     | H     |
|                                                  |                                                                                             | 5854.8    | 59.21      | -19.09 | 78.3       | 45.75    | 35.32    | 12.45  | 34.31  | 251    | 48      | P     | H     |
|                                                  |                                                                                             | 5863.12   | 58.72      | -15.28 | 74         | 45.26    | 35.32    | 12.49  | 34.35  | 251    | 48      | P     | H     |
|                                                  |                                                                                             | 5866.08   | 46.6       | -7.4   | 54         | 33.14    | 35.32    | 12.49  | 34.35  | 251    | 48      | A     | H     |
|                                                  |                                                                                             | 5710.28   | 61.64      | -12.36 | 74         | 48.31    | 35.22    | 12.26  | 34.15  | 236    | 5       | P     | V     |
|                                                  |                                                                                             | 5720.6    | 61.32      | -16.98 | 78.3       | 47.98    | 35.23    | 12.26  | 34.15  | 236    | 5       | P     | V     |
|                                                  |                                                                                             | 5711.8    | 48.39      | -5.61  | 54         | 35.06    | 35.22    | 12.26  | 34.15  | 236    | 5       | A     | V     |
|                                                  | *                                                                                           | 5775      | 95.44      | -      | -          | 82.04    | 35.27    | 12.33  | 34.2   | 236    | 5       | P     | V     |
|                                                  | *                                                                                           | 5775      | 85.03      | -      | -          | 71.63    | 35.27    | 12.33  | 34.2   | 236    | 5       | A     | V     |
|                                                  |                                                                                             | 5851.12   | 58.8       | -19.5  | 78.3       | 45.35    | 35.31    | 12.45  | 34.31  | 236    | 5       | P     | V     |
|                                                  |                                                                                             | 5872.88   | 57.64      | -16.36 | 74         | 44.17    | 35.33    | 12.49  | 34.35  | 236    | 5       | P     | V     |
|                                                  |                                                                                             | 5861.2    | 45.57      | -8.43  | 54         | 32.11    | 35.32    | 12.49  | 34.35  | 236    | 5       | A     | V     |
| <b>Remark</b>                                    | 1. No other spurious found.<br>2. All results are PASS against Peak and Average limit line. |           |            |        |            |          |          |        |        |        |         |       |       |

**15E Band 4 5725~5850MHz****WIFI 802.11ac VHT80 (Harmonic @ 3m)**

| WIFI                                   | Note                                                         | Frequency | Level      | Over   | Limit      | Read     | Antenna  | Cable  | Preamp | Ant    | Table   | Peak  | Pol.  |
|----------------------------------------|--------------------------------------------------------------|-----------|------------|--------|------------|----------|----------|--------|--------|--------|---------|-------|-------|
| Ant.                                   |                                                              |           |            | Limit  | Line       | Level    | Factor   | Loss   | Factor | Pos    | Pos     | Avg.  |       |
| 1+2                                    |                                                              | ( MHz )   | ( dBμV/m ) | ( dB ) | ( dBμV/m ) | ( dBμV ) | ( dB/m ) | ( dB ) | ( dB ) | ( cm ) | ( deg ) | (P/A) | (H/V) |
| 802.11ac<br>VHT80<br>CH 155<br>5775MHz |                                                              | 11550     | 43.93      | -30.07 | 74         | 45.92    | 38.27    | 17.46  | 57.72  | 100    | 0       | P     | H     |
|                                        |                                                              | 17328     | 49.57      | -24.43 | 74         | 42.58    | 42.15    | 21.43  | 56.59  | 100    | 0       | P     | H     |
|                                        |                                                              |           |            |        |            |          |          |        |        |        |         |       | H     |
|                                        |                                                              |           |            |        |            |          |          |        |        |        |         |       | H     |
|                                        |                                                              | 11550     | 42.86      | -31.14 | 74         | 44.85    | 38.27    | 17.46  | 57.72  | 100    | 0       | P     | V     |
|                                        |                                                              | 17328     | 49.45      | -24.55 | 74         | 42.46    | 42.15    | 21.43  | 56.59  | 100    | 0       | P     | V     |
|                                        |                                                              |           |            |        |            |          |          |        |        |        |         |       | V     |
|                                        |                                                              |           |            |        |            |          |          |        |        |        |         |       | V     |
| Remark                                 | 1. No other spurious found.                                  |           |            |        |            |          |          |        |        |        |         |       |       |
|                                        | 2. All results are PASS against Peak and Average limit line. |           |            |        |            |          |          |        |        |        |         |       |       |

### 15E Emission below 1GHz

### 5GHz WIFI 802.11a (LF @ 3m)

[illegible]





## 15E Emission below 1GHz

## 5GHz WIFI 802.11n HT20 (LF @ 3m)

| WIFI                          | Note                                                                       | Frequency | Level      | Over   | Limit      | Read   | Antenna  | Cable  | Preamp | Ant    | Table   | Peak  | Pol.  |
|-------------------------------|----------------------------------------------------------------------------|-----------|------------|--------|------------|--------|----------|--------|--------|--------|---------|-------|-------|
| Ant.                          |                                                                            |           |            | Limit  | Line       | Level  | Factor   | Loss   | Factor | Pos    | Pos     | Avg.  |       |
| 1+2                           |                                                                            | ( MHz )   | ( dBμV/m ) | ( dB ) | ( dBμV/m ) | (dBμV) | ( dB/m ) | ( dB ) | ( dB ) | ( cm ) | ( deg ) | (P/A) | (H/V) |
| 5GHz<br>802.11n<br>HT20<br>LF |                                                                            | 30.27     | 28.48      | -11.52 | 40         | 39.41  | 18.8     | 1.77   | 31.5   | 241    | 37      | P     | H     |
|                               |                                                                            | 55.92     | 19.64      | -20.36 | 40         | 42.77  | 6.32     | 1.77   | 31.22  | -      | -       | P     | H     |
|                               |                                                                            | 129.9     | 14.99      | -28.51 | 43.5       | 31.71  | 12       | 2.38   | 31.1   | -      | -       | P     | H     |
|                               |                                                                            | 746.6     | 27.11      | -18.89 | 46         | 30.9   | 22.13    | 4.48   | 30.4   | -      | -       | P     | H     |
|                               |                                                                            | 840.4     | 27.82      | -18.18 | 46         | 30.3   | 23.2     | 4.7    | 30.38  | -      | -       | P     | H     |
|                               |                                                                            | 930       | 28.92      | -17.08 | 46         | 30.18  | 24.3     | 4.8    | 30.36  | -      | -       | P     | H     |
|                               |                                                                            |           |            |        |            |        |          |        |        |        |         |       | H     |
|                               |                                                                            |           |            |        |            |        |          |        |        |        |         |       | H     |
|                               |                                                                            |           |            |        |            |        |          |        |        |        |         |       | H     |
|                               |                                                                            |           |            |        |            |        |          |        |        |        |         |       | H     |
|                               |                                                                            |           |            |        |            |        |          |        |        |        |         |       | H     |
|                               |                                                                            |           |            |        |            |        |          |        |        |        |         |       | H     |
|                               |                                                                            | 31.08     | 26.69      | -13.31 | 40         | 38.1   | 18.28    | 1.77   | 31.46  | 100    | 93      | P     | V     |
|                               |                                                                            | 38.91     | 19.62      | -20.38 | 40         | 34.63  | 14.44    | 1.77   | 31.22  | -      | -       | P     | V     |
|                               |                                                                            | 77.79     | 18.73      | -21.27 | 40         | 40.97  | 6.9      | 2.06   | 31.2   | -      | -       | P     | V     |
|                               |                                                                            | 750.8     | 25.9       | -20.1  | 46         | 29.72  | 22.1     | 4.48   | 30.4   | -      | -       | P     | V     |
|                               |                                                                            | 849.5     | 27.86      | -18.14 | 46         | 30.26  | 23.3     | 4.7    | 30.4   | -      | -       | P     | V     |
|                               |                                                                            | 938.4     | 29.11      | -16.89 | 46         | 30.39  | 24.3     | 4.8    | 30.38  | -      | -       | P     | V     |
|                               |                                                                            |           |            |        |            |        |          |        |        |        |         |       | V     |
|                               |                                                                            |           |            |        |            |        |          |        |        |        |         |       | V     |
|                               |                                                                            |           |            |        |            |        |          |        |        |        |         |       | V     |
|                               |                                                                            |           |            |        |            |        |          |        |        |        |         |       | V     |
|                               |                                                                            |           |            |        |            |        |          |        |        |        |         |       | V     |
|                               |                                                                            |           |            |        |            |        |          |        |        |        |         |       | V     |
|                               |                                                                            |           |            |        |            |        |          |        |        |        |         |       | V     |
|                               |                                                                            |           |            |        |            |        |          |        |        |        |         |       | V     |
|                               |                                                                            |           |            |        |            |        |          |        |        |        |         |       | V     |
|                               |                                                                            |           |            |        |            |        |          |        |        |        |         |       | V     |
|                               |                                                                            |           |            |        |            |        |          |        |        |        |         |       | V     |
|                               |                                                                            |           |            |        |            |        |          |        |        |        |         |       | V     |
|                               |                                                                            |           |            |        |            |        |          |        |        |        |         |       | V     |
|                               |                                                                            |           |            |        |            |        |          |        |        |        |         |       | V     |
| Remark                        | 1. No other spurious found.<br>2. All results are PASS against limit line. |           |            |        |            |        |          |        |        |        |         |       |       |

### 15E Emission below 1GHz

**5GHz WIFI 802.11n HT40 (LF @ 3m)**

[illegible]

### 15E Emission below 1GHz

### 5GHz WIFI 802.11ac VHT80 (LF @ 3m)

[illegible]



**Note symbol**

|     |                                                                                                                                                                        |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| *   | <b>Fundamental Frequency</b> which can be ignored. However, the level of any unwanted emissions shall not exceed the level of the fundamental frequency per 15.209(c). |
| !   | Test result is <b>over limit</b> line.                                                                                                                                 |
| P/A | <b>Peak</b> or <b>Average</b>                                                                                                                                          |
| H/V | <b>Horizontal</b> or <b>Vertical</b>                                                                                                                                   |



A calculation example for radiated spurious emission is shown as below:

| WIFI    | Note | Frequency | Level      | Over   | Limit      | Read     | Antenna  | Cable  | Preamp | Ant    | Table   | Peak    | Pol.    |
|---------|------|-----------|------------|--------|------------|----------|----------|--------|--------|--------|---------|---------|---------|
| Ant.    |      |           |            | Limit  | Line       | Level    | Factor   | Loss   | Factor | Pos    | Pos     | Avg.    |         |
| 1+2     |      | ( MHz )   | ( dBμV/m ) | ( dB ) | ( dBμV/m ) | ( dBμV ) | ( dB/m ) | ( dB ) | ( dB ) | ( cm ) | ( deg ) | ( P/A ) | ( H/V ) |
| 802.11b |      | 2390      | 55.45      | -18.55 | 74         | 54.51    | 32.22    | 4.58   | 35.86  | 103    | 308     | P       | H       |
| CH 01   |      |           |            |        |            |          |          |        |        |        |         |         |         |
| 2412MHz |      | 2390      | 43.54      | -10.46 | 54         | 42.6     | 32.22    | 4.58   | 35.86  | 103    | 308     | A       | H       |

1. Level(dBμV/m) =

Antenna Factor(dB/m) + Cable Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)

2. Over Limit(dB) = Level(dBμV/m) – Limit Line(dBμV/m)

**For Peak Limit @ 2390MHz:**

1. Level(dBμV/m)

= Antenna Factor(dB/m) + Cable Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)

= 32.22(dB/m) + 4.58(dB) + 54.51(dBμV) – 35.86 (dB)

= 55.45 (dBμV/m)

2. Over Limit(dB)

= Level(dBμV/m) – Limit Line(dBμV/m)

= 55.45(dBμV/m) – 74(dBμV/m)

= -18.55(dB)

**For Average Limit @ 2390MHz:**

1. Level(dBμV/m)

= Antenna Factor(dB/m) + Cable Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)

= 32.22(dB/m) + 4.58(dB) + 42.6(dBμV) – 35.86 (dB)

= 43.54 (dBμV/m)

2. Over Limit(dB)

= Level(dBμV/m) – Limit Line(dBμV/m)

= 43.54(dBμV/m) – 54(dBμV/m)

= -10.46(dB)

**Both peak and average measured complies with the limit line, so test result is “PASS”.**



## Appendix C. Radiated Spurious Emission





|                 |            |                     |         |
|-----------------|------------|---------------------|---------|
| Test Engineer : | Luke Chang | Temperature :       | 21~23°C |
|                 |            | Relative Humidity : | 41~42%  |

### Band 4 - 5725~5850MHz

#### WIFI 802.11a (Band Edge @ 3m)

| WIFI | Band 4 5725~5850MHz Band Edge @ 3m                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11a CH149 5745MHz                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 1+2  | Horizontal                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Vertical                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Peak | <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal orientation. The plot shows a blue line representing the measured signal and a red line for the FCC CLASS-B BAND 4 limit. The signal peaks at approximately 5745 MHz, reaching about 102.4 dBuV/m. The limit is at 73.1 dBuV/m. The date is 2015-09-04.</p> <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B BAND 4 3m HF-ANT_130829 HORIZONTAL<br/>Detector : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto<br/>Peak</p> | <p>Level (dBuV/m) vs Frequency (MHz) for Vertical orientation. The plot shows a blue line representing the measured signal and a red line for the FCC CLASS-B BAND 4 limit. The signal peaks at approximately 5745 MHz, reaching about 102.4 dBuV/m. The limit is at 73.1 dBuV/m. The date is 2015-09-04.</p> <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B BAND 4 3m HF-ANT_130829 VERTICAL<br/>Detector : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto<br/>Peak</p> |
| Avg. | <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal orientation. The plot shows a blue line representing the measured signal and a red line for the FCC CLASS-B (AVG) limit. The signal peaks at approximately 5745 MHz, reaching about 102.4 dBuV/m. The limit is at 58.5 dBuV/m. The date is 2015-09-04.</p> <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B (AVG) 3m HF-ANT_130829 HORIZONTAL<br/>Detector : RBW:1000.000kHz VBW:0.010kHz SWT:Auto<br/>Peak</p>      | <p>Level (dBuV/m) vs Frequency (MHz) for Vertical orientation. The plot shows a blue line representing the measured signal and a red line for the FCC CLASS-B (AVG) limit. The signal peaks at approximately 5745 MHz, reaching about 102.4 dBuV/m. The limit is at 58.5 dBuV/m. The date is 2015-09-04.</p> <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B (AVG) 3m HF-ANT_130829 VERTICAL<br/>Detector : RBW:1000.000kHz VBW:0.010kHz SWT:Auto<br/>Peak</p>      |



| WIFI | Band 4 5725~5850MHz Band Edge @ 3m                                                                                                                                                                                                               |                                                                                                                                                                                                                                                 |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11a CH157 5785MHz – Low channel location                                                                                                                                                                                                     |                                                                                                                                                                                                                                                 |
| 1+2  | Horizontal                                                                                                                                                                                                                                       | Vertical                                                                                                                                                                                                                                        |
| Peak | <p></p> <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m HF-ANT_130829 HORIZONTAL<br/>Detector : Peak<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p> | <p></p> <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m HF-ANT_130829 VERTICAL<br/>Detector : Peak<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p> |
| Avg. | <p></p> <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B (AVG) 3m HF-ANT_130829 HORIZONTAL<br/>Detector : Peak<br/>RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>   | <p></p> <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B (AVG) 3m HF-ANT_130829 VERTICAL<br/>Detector : Peak<br/>RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>   |



| WIFI | Band 4 5725~5850MHz Band Edge @ 3m                                                                                                                                 |                                                                                                                                                                  |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11a CH157 5785MHz – High channel location                                                                                                                      |                                                                                                                                                                  |
| 1+2  | Horizontal                                                                                                                                                         | Vertical                                                                                                                                                         |
| Peak | <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m HF-ANT_130829 HORIZONTAL<br/>Detector : RBW:1000.000KHz VEW:3000.000KHz SWT:Auto<br/>Detector : Peak</p> | <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m HF-ANT_130829 VERTICAL<br/>Detector : RBW:1000.000KHz VEW:3000.000KHz SWT:Auto<br/>Detector : Peak</p> |
| Avg. | <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B (AVG) 3m HF-ANT_130829 HORIZONTAL<br/>Detector : RBW:1000.000KHz VEW:0.010KHz SWT:Auto<br/>Detector : Peak</p>     | <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B (AVG) 3m HF-ANT_130829 VERTICAL<br/>Detector : RBW:1000.000KHz VEW:0.010KHz SWT:Auto<br/>Detector : Peak</p>     |













| WIFI | Band 4 5725~5850MHz Band Edge @ 3m                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                        |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11a CH165 5825MHz                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 1+2  | Horizontal                                                                                                                                                                                                                                                                                                                                                                                                                 | Vertical                                                                                                                                                                                                                                                                                                                                                                                                               |
| Peak | <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal orientation. The plot shows a signal peak around 5825 MHz. The y-axis ranges from 14.6 to 117 dBuV/m, and the x-axis ranges from 5810 to 5890 MHz. A red line indicates the FCC CLASS-B_BAND 4 limit. Two vertical markers labeled 1 and 2 are present.</p> <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m HF-ANT_130829 HORIZONTAL<br/>Detector : Peak</p> | <p>Level (dBuV/m) vs Frequency (MHz) for Vertical orientation. The plot shows a signal peak around 5825 MHz. The y-axis ranges from 14.6 to 117 dBuV/m, and the x-axis ranges from 5810 to 5890 MHz. A red line indicates the FCC CLASS-B_BAND 4 limit. Two vertical markers labeled 1 and 2 are present.</p> <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m HF-ANT_130829 VERTICAL<br/>Detector : Peak</p> |
| Avg. | <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal orientation. The plot shows the average signal level around 5825 MHz. The y-axis ranges from 14.6 to 117 dBuV/m, and the x-axis ranges from 5810 to 5890 MHz. A red line indicates the FCC CLASS-B (AVG) limit. A vertical marker labeled 1 is present.</p> <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B (AVG) 3m HF-ANT_130829 HORIZONTAL<br/>Detector : Peak</p>  | <p>Level (dBuV/m) vs Frequency (MHz) for Vertical orientation. The plot shows the average signal level around 5825 MHz. The y-axis ranges from 14.6 to 117 dBuV/m, and the x-axis ranges from 5810 to 5890 MHz. A red line indicates the FCC CLASS-B (AVG) limit. A vertical marker labeled 1 is present.</p> <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B (AVG) 3m HF-ANT_130829 VERTICAL<br/>Detector : Peak</p>  |



Band 4 5725~5850MHz  
WIFI 802.11n HT20 (Band Edge @ 3m)

| WIFI | Band 4 5725~5850MHz Band Edge @ 3m                                                                                                                                                                                                         |                                                                                                                                                                                                                                           |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11n HT20 CH149 5745MHz                                                                                                                                                                                                                 |                                                                                                                                                                                                                                           |
| 1+2  | Horizontal                                                                                                                                                                                                                                 | Vertical                                                                                                                                                                                                                                  |
| Peak |  <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m HF-ANT_130829 HORIZONTAL<br/>Detector : Peak<br/>RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> |  <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m HF-ANT_130829 VERTICAL<br/>Detector : Peak<br/>RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> |
| Avg. |  <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B (AVG) 3m HF-ANT_130829 HORIZONTAL<br/>Detector : Peak<br/>RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>    |  <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B (AVG) 3m HF-ANT_130829 VERTICAL<br/>Detector : Peak<br/>RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>    |



| WIFI | Band 4 5725~5850MHz Band Edge @ 3m                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                  |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11n HT20 CH157 5785MHz – Low channel location                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                  |
| 1+2  | Horizontal                                                                                                                                                                                                                                                                                                                                        | Vertical                                                                                                                                                                                                                                                                                                                                         |
| Peak | <div><p>Level (dBuV/m)</p><p>Frequency (MHz)</p><p>Date: 2015-09-04</p><p>FCC CLASS-B_BAND 4</p><p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m HF-ANT_130829 HORIZONTAL<br/>RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto<br/>Detector : Peak</p></div> | <div><p>Level (dBuV/m)</p><p>Frequency (MHz)</p><p>Date: 2015-09-04</p><p>FCC CLASS-B_BAND 4</p><p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m HF-ANT_130829 VERTICAL<br/>RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto<br/>Detector : Peak</p></div> |
| Avg. | <div><p>Level (dBuV/m)</p><p>Frequency (MHz)</p><p>Date: 2015-09-04</p><p>FCC CLASS-B (AVG)</p><p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B (AVG) 3m HF-ANT_130829 HORIZONTAL<br/>RBW: 1000.000KHz VBW: 0.010KHz SWT: Auto<br/>Detector : Peak</p></div>    | <div><p>Level (dBuV/m)</p><p>Frequency (MHz)</p><p>Date: 2015-09-04</p><p>FCC CLASS-B (AVG)</p><p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B (AVG) 3m HF-ANT_130829 VERTICAL<br/>RBW: 1000.000KHz VBW: 0.010KHz SWT: Auto<br/>Detector : Peak</p></div>    |



| WIFI | Band 4 5725~5850MHz Band Edge @ 3m                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11n HT20 CH157 5785MHz – High channel location                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 1+2  | Horizontal                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Vertical                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Peak | <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 14.6 to 117 dBuV/m, and the x-axis ranges from 5810 to 5890 MHz. A red line indicates the FCC CLASS-B_BAND 4 limit at 73.1 dBuV/m. The blue trace shows the measured signal, with two peaks labeled 1 and 2. Peak 1 is at approximately 5855 MHz and Peak 2 is at approximately 5885 MHz. The date is 2015-09-04.</p> <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m HF-ANT_130829 HORIZONTAL<br/>Detector : RBW:1000.000KHz VEW:3000.000KHz SWT:Auto<br/>Detector : Peak</p> | <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 14.6 to 117 dBuV/m, and the x-axis ranges from 5810 to 5890 MHz. A red line indicates the FCC CLASS-B_BAND 4 limit at 73.1 dBuV/m. The blue trace shows the measured signal, with two peaks labeled 1 and 2. Peak 1 is at approximately 5855 MHz and Peak 2 is at approximately 5885 MHz. The date is 2015-09-04.</p> <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m HF-ANT_130829 VERTICAL<br/>Detector : RBW:1000.000KHz VEW:3000.000KHz SWT:Auto<br/>Detector : Peak</p> |
| Avg. | <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 14.6 to 117 dBuV/m, and the x-axis ranges from 5810 to 5890 MHz. A red line indicates the FCC CLASS-B (AVG) limit at 58.5 dBuV/m. The blue trace shows the averaged signal, with a single peak labeled 1 at approximately 5855 MHz. The date is 2015-09-04.</p> <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B (AVG) 3m HF-ANT_130829 HORIZONTAL<br/>Detector : RBW:1000.000KHz VEW:0.010KHz SWT:Auto<br/>Detector : Peak</p>                                                           | <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 14.6 to 117 dBuV/m, and the x-axis ranges from 5810 to 5890 MHz. A red line indicates the FCC CLASS-B (AVG) limit at 58.5 dBuV/m. The blue trace shows the averaged signal, with a single peak labeled 1 at approximately 5855 MHz. The date is 2015-09-04.</p> <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B (AVG) 3m HF-ANT_130829 VERTICAL<br/>Detector : RBW:1000.000KHz VEW:0.010KHz SWT:Auto<br/>Detector : Peak</p>                                                           |



| WIFI | Band 4 5725~5850MHz Band Edge @ 3m                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                   |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11n HT20 CH165 5825MHz                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 1+2  | Horizontal                                                                                                                                                                                                                                                                                                                                                                                                            | Vertical                                                                                                                                                                                                                                                                                                                                                                                                          |
| Peak | <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a signal band from 5725 to 5825 MHz. The y-axis ranges from 14.6 to 117 dBuV/m. A red line indicates the FCC CLASS-B_BAND 4 limit. The signal level is approximately 102.4 dBuV/m. The plot is dated 2015-09-04.</p> <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m HF-ANT_130829 HORIZONTAL<br/>Detector : Peak</p> | <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The plot shows a signal band from 5725 to 5825 MHz. The y-axis ranges from 14.6 to 117 dBuV/m. A red line indicates the FCC CLASS-B_BAND 4 limit. The signal level is approximately 102.4 dBuV/m. The plot is dated 2015-09-04.</p> <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m HF-ANT_130829 VERTICAL<br/>Detector : Peak</p> |
| Avg. | <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a signal band from 5725 to 5825 MHz. The y-axis ranges from 14.6 to 117 dBuV/m. A red line indicates the FCC CLASS-B (AVG) limit. The signal level is approximately 102.4 dBuV/m. The plot is dated 2015-09-04.</p> <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B (AVG) 3m HF-ANT_130829 HORIZONTAL<br/>Detector : Peak</p>   | <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The plot shows a signal band from 5725 to 5825 MHz. The y-axis ranges from 14.6 to 117 dBuV/m. A red line indicates the FCC CLASS-B (AVG) limit. The signal level is approximately 102.4 dBuV/m. The plot is dated 2015-09-04.</p> <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B (AVG) 3m HF-ANT_130829 VERTICAL<br/>Detector : Peak</p>   |







Band 4 5725~5850MHz  
WIFI 802.11n HT40 (Band Edge @ 3m)

| WIFI | Band 4 5725~5850MHz Band Edge @ 3m                                                                                                                                 |                                                                                                                                                                  |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11n HT40 CH151 5755MHz – Low channel location                                                                                                                  |                                                                                                                                                                  |
| 1+2  | Horizontal                                                                                                                                                         | Vertical                                                                                                                                                         |
| Peak | <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m HF-ANT_130829 HORIZONTAL<br/>Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Detector : Peak</p> | <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m HF-ANT_130829 VERTICAL<br/>Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Detector : Peak</p> |
| Avg. | <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B (AVG) 3m HF-ANT_130829 HORIZONTAL<br/>Detector : RBW:1000.000KHz VBW:2.000KHz SWT:Auto<br/>Detector : Peak</p>     | <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B (AVG) 3m HF-ANT_130829 VERTICAL<br/>Detector : RBW:1000.000KHz VBW:2.000KHz SWT:Auto<br/>Detector : Peak</p>     |



| WIFI | Band 4 5725~5850MHz Band Edge @ 3m                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11n HT40 CH151 5755MHz – High channel location                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 1+2  | Horizontal                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Vertical                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Peak | <div><p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 14.6 to 117 dBuV/m, and the x-axis ranges from 5810 to 5890 MHz. A red line indicates the FCC CLASS-B_BAND 4 limit at 73.1 dBuV/m. The blue trace shows the measured signal with two peaks labeled 1 and 2. Peak 1 is at approximately 5850 MHz and Peak 2 is at approximately 5880 MHz. The date is 2015-09-04.</p><p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m HF-ANT_130829 HORIZONTAL<br/>Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Detector : Peak</p></div> | <div><p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 14.6 to 117 dBuV/m, and the x-axis ranges from 5810 to 5890 MHz. A red line indicates the FCC CLASS-B_BAND 4 limit at 73.1 dBuV/m. The blue trace shows the measured signal with two peaks labeled 1 and 2. Peak 1 is at approximately 5850 MHz and Peak 2 is at approximately 5880 MHz. The date is 2015-09-04.</p><p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m HF-ANT_130829 VERTICAL<br/>Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Detector : Peak</p></div> |
| Avg. | <div><p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 14.6 to 117 dBuV/m, and the x-axis ranges from 5810 to 5890 MHz. A red line indicates the FCC CLASS-B (AVG) limit at 58.5 dBuV/m. The blue trace shows the averaged signal with a single peak labeled 1 at approximately 5850 MHz. The date is 2015-09-04.</p><p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B (AVG) 3m HF-ANT_130829 HORIZONTAL<br/>Detector : RBW:1000.000KHz VBW:2.000KHz SWT:Auto<br/>Detector : Peak</p></div>                                                           | <div><p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 14.6 to 117 dBuV/m, and the x-axis ranges from 5810 to 5890 MHz. A red line indicates the FCC CLASS-B (AVG) limit at 58.5 dBuV/m. The blue trace shows the averaged signal with a single peak labeled 1 at approximately 5850 MHz. The date is 2015-09-04.</p><p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B (AVG) 3m HF-ANT_130829 VERTICAL<br/>Detector : RBW:1000.000KHz VBW:2.000KHz SWT:Auto<br/>Detector : Peak</p></div>                                                           |

| WIFI | Band 4 5725~5850MHz Band Edge @ 3m                                                                                                                                                                                                        |                                                                                                                                                                                                                                          |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11n HT40 CH159 5795MHz – Low channel location                                                                                                                                                                                         |                                                                                                                                                                                                                                          |
| 1+2  | Horizontal                                                                                                                                                                                                                                | Vertical                                                                                                                                                                                                                                 |
| Peak |  <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B BAND 4 3m HF-ANT_130829 HORIZONTAL<br/>RBW:1000.000kHz VBW:3000.000kHz SWT:Auto<br/>Detector : Peak</p> |  <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B BAND 4 3m HF-ANT_130829 VERTICAL<br/>RBW:1000.000kHz VBW:3000.000kHz SWT:Auto<br/>Detector : Peak</p> |
| Avg. |  <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B (AVG) 3m HF-ANT_130829 HORIZONTAL<br/>RBW:1000.000kHz VBW:2.000kHz SWT:Auto<br/>Detector : Peak</p>   |  <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B (AVG) 3m HF-ANT_130829 VERTICAL<br/>RBW:1000.000kHz VBW:2.000kHz SWT:Auto<br/>Detector : Peak</p>   |









| WIFI | Band 4 5725~5850MHz Band Edge @ 3m                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11n HT40 CH159 5795MHz – High channel location                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 1+2  | Horizontal                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Vertical                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Peak | <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 14.6 to 117 dBuV/m, and the x-axis ranges from 5810 to 5890 MHz. A red line indicates the FCC CLASS-B_BAND 4 limit at 73.1 dBuV/m. The blue trace shows the measured signal, which is below the limit. Two vertical markers labeled 1 and 2 are present at approximately 5855 MHz and 5885 MHz respectively.</p> <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m HF-ANT_130829 HORIZONTAL<br/>Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Detector : Peak</p> | <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 14.6 to 117 dBuV/m, and the x-axis ranges from 5810 to 5890 MHz. A red line indicates the FCC CLASS-B_BAND 4 limit at 73.1 dBuV/m. The blue trace shows the measured signal, which is below the limit. Two vertical markers labeled 1 and 2 are present at approximately 5855 MHz and 5885 MHz respectively.</p> <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m HF-ANT_130829 VERTICAL<br/>Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Detector : Peak</p> |
| Avg. | <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 14.6 to 117 dBuV/m, and the x-axis ranges from 5810 to 5890 MHz. A red line indicates the FCC CLASS-B (AVG) limit at 58.5 dBuV/m. The blue trace shows the measured signal, which is below the limit. A vertical marker labeled 1 is present at approximately 5855 MHz.</p> <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B (AVG) 3m HF-ANT_130829 HORIZONTAL<br/>Detector : RBW:1000.000KHz VBW:2.000KHz SWT:Auto<br/>Detector : Peak</p>                                          | <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 14.6 to 117 dBuV/m, and the x-axis ranges from 5810 to 5890 MHz. A red line indicates the FCC CLASS-B (AVG) limit at 58.5 dBuV/m. The blue trace shows the measured signal, which is below the limit. A vertical marker labeled 1 is present at approximately 5855 MHz.</p> <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B (AVG) 3m HF-ANT_130829 VERTICAL<br/>Detector : RBW:1000.000KHz VBW:2.000KHz SWT:Auto<br/>Detector : Peak</p>                                          |



Band 4 5725~5850MHz  
WIFI 802.11ac VHT80 (Band Edge @ 3m)

| WIFI | Band 4 5725~5850MHz Band Edge @ 3m                                                                                                                      |                                                                                                                                                       |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11ac VHT80 CH155 5775MHz – Low channel location                                                                                                     |                                                                                                                                                       |
| 1+2  | Horizontal                                                                                                                                              | Vertical                                                                                                                                              |
| Peak | <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m HF-ANT_130829 HORIZONTAL<br/>Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Peak</p> | <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m HF-ANT_130829 VERTICAL<br/>Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Peak</p> |
| Avg. | <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B (AVG) 3m HF-ANT_130829 HORIZONTAL<br/>Detector : RBW:1000.000KHz VBW:3.000KHz SWT:Auto<br/>Peak</p>     | <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B (AVG) 3m HF-ANT_130829 VERTICAL<br/>Detector : RBW:1000.000KHz VBW:3.000KHz SWT:Auto<br/>Peak</p>     |





| WIFI | Band 4 5725~5850MHz Band Edge @ 3m                                                                                                                                                                                                        |                                                                                                                                                                                                                                          |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11ac VHT80 CH155 5775MHz – High channel location                                                                                                                                                                                      |                                                                                                                                                                                                                                          |
| 1+2  | Horizontal                                                                                                                                                                                                                                | Vertical                                                                                                                                                                                                                                 |
| Peak |  <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m HF-ANT_130829 HORIZONTAL<br/>Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Peak</p> |  <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m HF-ANT_130829 VERTICAL<br/>Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto<br/>Peak</p> |
| Avg. |  <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B (AVG) 3m HF-ANT_130829 HORIZONTAL<br/>Detector : RBW:1000.000KHz VBW:3.000KHz SWT:Auto<br/>Peak</p>   |  <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B (AVG) 3m HF-ANT_130829 VERTICAL<br/>Detector : RBW:1000.000KHz VBW:3.000KHz SWT:Auto<br/>Peak</p>   |



Band 4 - 5725~5850MHz

WIFI 802.11a (Harmonic @ 3m)

| WIFI         | Band 4 5725~5850MHz Harmonic @ 3m                                                                                                                                                              |                                                                                                                                                                                               |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT          | 802.11a CH149 5745MHz                                                                                                                                                                          |                                                                                                                                                                                               |
| 1+2          | Horizontal                                                                                                                                                                                     | Vertical                                                                                                                                                                                      |
| Peak<br>Avg. |  <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m SHF-EHF_131029 HORIZONTAL<br/>Detector : Peak</p> |  <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m SHF-EHF_131029 VERTICAL<br/>Detector : Peak</p> |



| WIFI         | Band 4 5725~5850MHz Harmonic @ 3m                                                                           |                                                                                                           |
|--------------|-------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| ANT          | 802.11a CH157 5785MHz                                                                                       |                                                                                                           |
| 1+2          | Horizontal                                                                                                  | Vertical                                                                                                  |
| Peak<br>Avg. | <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m SHF-EHF_131029 HORIZONTAL<br/>Detector : Peak</p> | <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m SHF-EHF_131029 VERTICAL<br/>Detector : Peak</p> |



| WIFI         | Band 4 5725~5850MHz Harmonic @ 3m                                                                           |                                                                                                           |
|--------------|-------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| ANT          | 802.11a CH165 5825MHz                                                                                       |                                                                                                           |
| 1+2          | Horizontal                                                                                                  | Vertical                                                                                                  |
| Peak<br>Avg. | <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m SHF-EHF_131029 HORIZONTAL<br/>Detector : Peak</p> | <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m SHF-EHF_131029 VERTICAL<br/>Detector : Peak</p> |



Band 4 5725~5850MHz  
WIFI 802.11n HT20 (Harmonic @ 3m)



| WIFI         | Band 4 5725~5850MHz Harmonic @ 3m                                                                                                                                  |                                                                                                                                                                  |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT          | 802.11n HT20 CH149 5745MHz                                                                                                                                         |                                                                                                                                                                  |
| 1+2          | Horizontal                                                                                                                                                         | Vertical                                                                                                                                                         |
| Peak<br>Avg. | <div><p>Level (dBuV/m)</p><p>Date: 2015-09-06</p><p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m SHF-EHF_131029 HORIZONTAL<br/>Detector : Peak</p></div> | <div><p>Level (dBuV/m)</p><p>Date: 2015-09-06</p><p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m SHF-EHF_131029 VERTICAL<br/>Detector : Peak</p></div> |



| WIFI         | Band 4 5725~5850MHz Harmonic @ 3m                                                                           |                                                                                                           |
|--------------|-------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| ANT          | 802.11n HT20 CH157 5785MHz                                                                                  |                                                                                                           |
| 1+2          | Horizontal                                                                                                  | Vertical                                                                                                  |
| Peak<br>Avg. | <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m SHF-EHF_131029 HORIZONTAL<br/>Detector : Peak</p> | <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m SHF-EHF_131029 VERTICAL<br/>Detector : Peak</p> |





| WIFI         | Band 4 5725~5850MHz Harmonic @ 3m                                                                                                                                                             |                                                                                                                                                                                              |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT          | 802.11n HT20 CH165 5825MHz                                                                                                                                                                    |                                                                                                                                                                                              |
| 1+2          | Horizontal                                                                                                                                                                                    | Vertical                                                                                                                                                                                     |
| Peak<br>Avg. |  <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m SHF-EHF_131029 HORIZONTAL<br/>Detector : Peak</p> |  <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m SHF-EHF_131029 VERTICAL<br/>Detector : Peak</p> |



Band 4 5725~5850MHz  
WIFI 802.11n HT40 (Harmonic @ 3m)



| WIFI         | Band 4 5725~5850MHz Harmonic @ 3m                                                                           |                                                                                                           |
|--------------|-------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| ANT          | 802.11n HT40 CH151 5755MHz                                                                                  |                                                                                                           |
| 1+2          | Horizontal                                                                                                  | Vertical                                                                                                  |
| Peak<br>Avg. | <p>Site : 03CH07.HY<br/>Condition : FCC CLASS-B_BAND 4 3m SHF-EHF_131029 HORIZONTAL<br/>Detector : Peak</p> | <p>Site : 03CH07.HY<br/>Condition : FCC CLASS-B_BAND 4 3m SHF-EHF_131029 VERTICAL<br/>Detector : Peak</p> |



| WIFI         | Band 4 5725~5850MHz Harmonic @ 3m                                                                                                                  |                                                                                                                                                  |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT          | 802.11n HT40 CH159 5795MHz                                                                                                                         |                                                                                                                                                  |
| 1+2          | Horizontal                                                                                                                                         | Vertical                                                                                                                                         |
| Peak<br>Avg. | <p>Level (dBuV/m) Date: 2015-09-06</p> <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m SHF-EHF_131029 HORIZONTAL<br/>Detector : Peak</p> | <p>Level (dBuV/m) Date: 2015-09-06</p> <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m SHF-EHF_131029 VERTICAL<br/>Detector : Peak</p> |





Band 4 5725~5850MHz  
WIFI 802.11ac VHT80 (Harmonic @ 3m)

| WIFI         | Band 4 5725~5850MHz Harmonic @ 3m                                                                                                                                                              |                                                                                                                                                                                               |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT          | 802.11ac VHT80 CH155 5775MHz                                                                                                                                                                   |                                                                                                                                                                                               |
| 1+2          | Horizontal                                                                                                                                                                                     | Vertical                                                                                                                                                                                      |
| Peak<br>Avg. |  <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m SHF-EHF_131029 HORIZONTAL<br/>Detector : Peak</p> |  <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B_BAND 4 3m SHF-EHF_131029 VERTICAL<br/>Detector : Peak</p> |





Emission below 1GHz  
5GHz WIFI 802.11a (LF)

| WIFI         | 5GHz 5725~5850MHz                                                                  |                                                                                     |
|--------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| ANT          | 802.11a LF                                                                         |                                                                                     |
| 1+2          | Horizontal                                                                         | Vertical                                                                            |
| QP /<br>Peak |  |  |
|              |                                                                                    |                                                                                     |





Emission below 1GHz  
5GHz WIFI 802.11n HT20 (LF)

| WIFI         | 5GHz 5725~5850MHz                                                                                    |                                                                                                     |
|--------------|------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
| ANT          | 802.11n HT20 LF                                                                                      |                                                                                                     |
| 1+2          | Horizontal                                                                                           | Vertical                                                                                            |
| QP /<br>Peak |  <p>Horizontal</p> |  <p>Vertical</p> |
|              |                                                                                                      |                                                                                                     |





Emission below 1GHz  
5GHz WIFI 802.11n HT40 (LF)

| WIFI         | 5GHz 5725~5850MHz                                                                                                                                                   |                                                                                                                                                                    |
|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT          | 802.11n HT40 LF                                                                                                                                                     |                                                                                                                                                                    |
| 1+2          | Horizontal                                                                                                                                                          | Vertical                                                                                                                                                           |
| QP /<br>Peak |  <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B 3m LF-ANT(131102) HORIZONTAL</p> |  <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B 3m LF-ANT(131102) VERTICAL</p> |
|              |                                                                                                                                                                     |                                                                                                                                                                    |



Emission below 1GHz

5GHz WIFI 802.11ac VHT80 (LF)

| WIFI         | 5GHz 5725~5850MHz                                                                                                                                                   |                                                                                                                                                                    |
|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT          | 802.11ac VHT80 LF                                                                                                                                                   |                                                                                                                                                                    |
| 1+2          | Horizontal                                                                                                                                                          | Vertical                                                                                                                                                           |
| QP /<br>Peak |  <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B 3m LF-ANT(131102) HORIZONTAL</p> |  <p>Site : 03CH07-HY<br/>Condition : FCC CLASS-B 3m LF-ANT(131102) VERTICAL</p> |
|              |                                                                                                                                                                     |                                                                                                                                                                    |