



Prepared by
HW PM Daniel Flinck
Contents responsible if other than preparer

Approved by
HW PM Daniel Flinck

Company Internal
Specification
Document number
1275-3715
Date
2013-07-11
Remarks
This document is handled in SPACE

1(4)
Revision
6

- Type number: RD-0050
- FCC id: PY7-RD0050
- IC id: 4170B-RD0050

Specification Core Unit Marking

Contents

1	Printing information.....	2
2	Contents and positioning of lazer etch printing	2
2.1	Contents.....	2
2.2	Positioning of printing	4
3	REVISION INFORMATION	4

Abstract

This document describes the label printing for SW2 (SmartWatch 2) 1271-4651



1 Printing information

The printing is lazer etched in a grey color. The printing shall be sharp and well readable and shall withstand wearing.

Material can be found in SPACE under 1271-4651

2 Contents and positioning of lazer etch printing


2.1 Contents

The label shall have the following content, Position and alignment may vary:

RTL type

Position	Text	Align	Note
Icon middle	SONY	SONY-icon height:1.5mm Isolation zone: 1.5mm	
Text middle	Model: SW2	height:1.0mm	
Text middle	1271-4651.1	height:1.0mm	
Text middle	Type number: RD-0050	height:1.0mm	
Text middle	FCC ID: PY7-RD0050	height:1.0mm	
Text middle	IC: 4170B-RD0050	height:1.0mm	
Icon middle		NFC icon height: 3.0mm Isolation zone: 1.5mm	
Text middle	Made in Malaysia	height:1.0mm	
Text middle	yyWww	height:1.0mm	yy = production year ww = production week
Text middle	BDA: XXXXXXXXXXXXX	height:1.0mm	actual unique BT address
Text middle	S/N: YYWWSSPCXXXXXC	height:1.0mm	Note 1
Icon middle	Li-ion電池のリサイクルにご協力を	height:1.0mm width:9.5 mm	Japanese Lithium Ion battery statement Size: 1.0x9.5mm
Icon middle	 R 202-SMB045 T D 13-0022 202	height:3.0mm	Japanese TA number and logo Symbol size: 3mm, text 1mm height




Icon middle		height: 5.0mm	CE-mark, symbol height 5.0mm
Icon left		C-tick height: 3.0mm Text height:1.0mm mm	C-tick icon with N12878 number Australian EMC requirement. Ref. doc 1001-5788 C-tick mark height 3.0mm and text height 1.0mm
Icon left	Z354	height:0.9 width:3.1	New Zealand EMC-requirement. Shall be put together with C-tick
Icon right		height:5.0 width:4.5	Recycling WEEE icon ref.doc. 1003-0743 Min size: 5mm height of cross

Note1: Serial No according to 4/159 35-LXE 108 179
YYWWSSPCXXXXXXC
 YY = Year
 WW = Week of production
 SS = Supplier/site
 PC = Production Line/Product Code
 XXXXXX = Serial value
 C = Checksum (in two positions)



2.2 Positioning of printing

The logotype, text and safety approval symbols mentioned under content shall be placed according to the following schematic sketch (only layout, no measurements).



3 REVISION INFORMATION

<u>Version</u>	<u>Date</u>	<u>Note</u>
1-3	2013	Development revisions
4	July, 8 th 2013	New release
5	July, 9 th 2013	Complete re-make including size and position
6	July, 11 th 2013	Added NFC icon and adjusted height of some icons