

- **Type number: RD-0060**
- **FCC ID: PY7-RD0060**
- **IC : 4170B-RD0060**

## Label Content Specification Product Label

(For Type numbers, see contents below)

### Contents

1	General Information.....	1
1.1	SCOPE.....	1
1.2	DOCUMENTATION.....	1
1.3	LABEL INFORMATION .....	1
1.4	PRINTING INFORMATION .....	1
1.5	LANGUAGE (optional).....	2
1.6	TESTS (optional).....	2
2	CONTENTS AND POSITIONING OF LABEL PRINTING .....	2
2.1	CONTENTS.....	2
2.2	POSITIONING OF LABEL PRINTING .....	3
3	REVISION INFORMATION .....	4

## 1 General Information

### 1.1 SCOPE

This document specifies the label printing for SBH52 (ROW: 1274-8295, JPN: 1274-8302)

### 1.2 DOCUMENTATION

All documents are listed in the SPACE BOMs 1274-8295 and 1274-8302

### 1.3 LABEL INFORMATION

Material and measurements are specified in document 1277-2544.

### 1.4 PRINTING INFORMATION

- Colour text: "Text gray color"
- Printing: All printing shall be sharp, well readable and permanent
- Text height: Refer to Chapter 2.1
- Text font: "Arial or equivalent"

## 1.5 LANGUAGE (optional)

Only English text shall be printed on the label according to specification in section 2 below.

## 1.6 TESTS (optional)





The label shall be tested and approved according to valid safety requirements.



# 2 CONTENTS AND POSITIONING OF LABEL PRINTING

## 2.1 CONTENTS

The label shall have the following content, Line and alignment may vary:

### RTL type

<u>LINE</u>	<u>TEXT</u>	<u>ALIGN</u>	<u>NOTE</u>
<b>Unibody</b>			
LOGO	SONY	Left, Height:1.8mm	Note 1
Line 1:	Model: SBH52	Left, Height:1.4mm	
Line 2:	XXXX-XXXX.Y	Left, Height:1.4mm	Note 2
Line 3:	Type: RD-0060	Left, Height:1.4mm	
Line 4:	FCC ID: PY7-RD0060	Left, Height:1.4mm	
Line 5:	IC: 4170B-RD0060	Left, Height:1.4mm	
Line 6:	Made in China	Left, Height:1.4mm	Note 4
<b>Clip</b>			
Icon		Left, Height: 5.0mm	
Icon:		Right Height:5.7mm width:5.0 mm	
Icon	 R202-SMB046 TD 13-0024 202	Left, Circle 3.0mm, text height 0.96	Japanese TA number and logo Symbol size: 3mm, Text: 1mm height
Icon		Left Height : 0.8 mm	

Icon		Right, Height:3mm	<b>C-tick icon with N12878</b> number Australian EMC requirement Ref. doc <u>1001-5788</u> Min size: 3mm
Icon		Right, Height:1.1mm	New Zealand EMC- requirement. Shall be put together with C-tick
Line 4:	BDA: XXXXXXXXXXXXX	Left, Height:1.0mm	
Line 5:	Serial No.: YYWWSSPCXXXXXC	Left, Height:1.0 mm	Note 3

Note 1: Sony trademark according to: 190 89-EN/LZT 108 5347.


Note 2: XXXX-XXXX is the SPACE id.  
Y is the revision number (1,2,3 etc)  
1274-8295 for ROW ,black  
1274-8302 for Japan ,black


Note 3: Serial No according to 4/159 35-LXE 108 179  
**YYWWSSPCXXXXXC**  
YY = Year  
WW = Week of production  
SS = Supplier/site (07)  
P = Production Line/Product Code (A)  
XXXXXX = Serial value  
C = Checksum ( in two positions)

Note 4: Country of origin

## 2.2 POSITIONING OF LABEL PRINTING

The logotype, text and safety approval symbols mentioned shall be placed according to the following schematic sketch (only layout, no measurements).





**SONY**  
Model: SBH52  
1274-8295.1  
Type: RD-0060  
FCC ID: PY7-RD0060  
IC: 4170B-RD0060  
Made in China

Bottom cover  
BLACK (FOR ROW)

**SONY**  
Model: SBH52  
1274-8302.1  
Type: RD-0060  
FCC ID: PY7-RD0060  
IC: 4170B-RD0060  
Made in China

Bottom cover  
BLACK (FOR JAPAN)

### 3 REVISION INFORMATION

Rev. 1.....2013-07-08

Rev. 2.....2013-07-18