

Document number  
1/1483-1/FCP 101 2336 Uen 151-86  
Date  
7/10/03Revision  
Rev LPrepared by  
SEM/BGR/RDV KIM REETZ

Contents responsible if other than preparer

Remarks  
This document is managed in metaDoc.

Approved by

## 151-86 KRH 101 93 Marking Drawing For T226

### Type AAA -104 1011-BV.

### Label

The Label used for marking is defined in the Manufacturing Specification 1301-SVF 930 2239.

### Placing

The label shall be placed on the back of the telephone according to the Assembly Drawing (151 88 KRH 101 83) for the KRH.

### Print Layout

Sony Ericsson IMEI: 01020800-123456-0 A 6103.1000 FCC ID: PY 7A 1041011 Can IC: 4170B-A 1041011
---

### Line

1  
2  
3  
4  
5  
6  
7

T226DPY 101 1401 RXX AAA-104 1011-BV AAA
Made in Sweden 03W18

### 8, 9, 10



<u>Line</u>	<u>Text</u>
1.	Sony Ericsson Trademark
2.	IMEI Number as Bar Code
3.	IMEI Number as Characters
4.	Serial Number as Bar Code
5.	Serial Number as Characters
6.	Country Approval mark 1
7.	Country Approval mark 2.
8.	Model number, Reduced DPY number, Type approval number GHY1 fields.
9.	
10.	Marking of Origin Build week

**Definitions:**

Sony Ericsson trademark	Sony Ericsson trademark shall be according to the corporate standard 190 89-EN/LZT 108 5347.
IMEI number as bar code	See below for definition of IMEI-number. The bar code shall only contain the digits of the IMEI number (no -).
IMEI number as characters	The IMEI number has format: 01AAAAAA-BBBBBB-C AAAAAA = 020800 BBBBBB = assigned serial number C = A check digit, from 0-9, calculated according to the Luhn formula (ISO/IEC 7812), GSM 02.16.
Serial number as bar code	According to Ericsson corporate standard 102 01 – 109.
Serial number as characters	According to Ericsson group standard 0012-101. Ericsson group factory number system according the Ericsson corporate standard 1120-101
Country approval mark 1	Consist of text: FCC ID: PY7A1041011 <b>Within a frame</b> with height > 1,5 mm.
Country approval mark 2	Consist of text: IC: 4170B-A1041011

Model Number	The model number is T226 and shall be printed "T226"
Reduced DPY	Reduced DPY-Number See product listing below.
Type Number	The type number is AAA 1041011-BV and shall be printed "AAA-041011-BV"
G – Field	R-State identification of the CXC-module according to the Marking Data 1/151 86 for the KRC
H-field	R-state identification of the KRH according to the Marking data 1/151 86 for the KRH.
Y <sup>1</sup> -field	R-state identification of the ROA according to the Marking data 1/151 86 for the KRH.
Marking of origin	"Made in" statement should reflect the country of origin of the 1/KRC (i.e. Made in Malaysia).
Build Week	Build Week, in format year W XX, ie 03W18 is equal to build year 2003, Week 18.

#### **Print regulations**

The printing shall be well readable and permanent.

Typeface	OCR-B
Type size	min 1.1 mm
Line spacing	min 1.5 mm
Trademark	min 1.5 mm
Approval Marks	min 5.0 mm

#### **Product Listing**

Product Number	Customer
DPY 1401	Generic T226
DPY 1413	Generic Blue/Blue T226
DPY 1413/30	Cingular
DPY 1413/26	T-Mobile

#### **Revision Table**

Revision	Reason
E	Add revision table, Product list, Modify GHY, real IMEI number and change title
F	Removed the "prototype not for Sale" line
G	Added SVV number



---

H	New picture with correct IMEI format, FCC and IC number
K	Updated type description, DPY reduction in table and Ref CE mark doc. Removed CE mark at request of Compliance group. Dual band US only phones should not have CE mark.
L	To add the type number AAA designation back in as required by regulatory, to change the header to KRH not SVV.