



Accredited testing laboratory

DAR registration number: DAT-P-176/94-D1

Test report no. : 2-4883-60-05/08-A
Type identification : AAD-3252081-BV
Test specification : IEEE 1528-2003
FCC-ID : PY7A3252081
IC-ID : 4170B-A3252081

Annex 3 Photo documentation

Photo 1: Measurement System DASY 4



Photo 2: DUT - front view




Photo 3: DUT - front view (slide opened)



Photo 4: DUT - side view (slide opened)



Photo 5: DUT - side view



Photo 6: DUT - rear view



Photo 7: DUT - rear view (slide opened)



Photo 8: DUT - rear view (open) with WWAN, WLAN and BT antenna position



Photo 9: DUT - rear view (open) without battery



Photo 10: DUT (label)



Photo 11: The battery



Photo 12: Test position left hand touched (slide in)



Photo 13: Test position left hand touched (slide in)



Photo 14: Test position left hand touched (slide in)



Photo 15: Test position left hand tilted 15° (slide in)



Photo 16: Test position left hand tilted 15° (slide in)



Photo 17: Test position left hand touched (slide opened)




Photo 18: Test position left hand touched (slide opened)



Photo 19: Test position left hand touched (slide opened)



Photo 20: Test position left hand tilted 15° (slide opened)



Photo 21: Test position left hand tilted 15° (slide opened)



Photo 22: Test position right hand touched (slide in)




Photo 23: Test position right hand touched (slide in)



Photo 24: Test position right hand touched (slide in)



Photo 25: Test position right hand tilted 15° (slide in)




Photo 26: Test position right hand tilted 15° (slide in)



Photo 27: Test position right hand touched (slide opened)




Photo 28: Test position right hand touched (slide opened)




Photo 29: Test position right hand touched (slide opened)




Photo 30: Test position right hand tilted 15° (slide opened)




Photo 31: Test position right hand tilted 15° (slide opened)



Photo 32: Test position body worn front side with 15 mm distance



Photo 33: Test position body worn front side with 15 mm distance



Photo 34: Test position body worn rear side with 15 mm distance



Photo 35: Test position body worn rear side with 15 mm distance



Annex 3.1 Liquid depth

Photo 36: Liquid depth 850 MHz head simulating liquid



Photo 37: Liquid depth 850 MHz body simulating liquid




Photo 38: Liquid depth 1900 MHz head simulating liquid



Photo 39: Liquid depth 1900 MHz body simulating liquid




Photo 40: Liquid depth 2450 MHz head simulating liquid




Photo 41: Liquid depth 2450 MHz body simulating liquid

