



Prepared (also subject responsible if other)

SEM/CCDGP, Leif Hedin

Approved

SEM/CCDGP, Leif Hedin

Checked

Company Internal  
MARKING DRAWING  
No.

1222-1918 Uen

Date

2009-02-11

Rev

1

Reference

5

## C903a, Mobile Phone label content, Made in...

Type Number: AAD-3880027-BV

FCC ID: PY7A3880027

Canada IC: 4170B-A3880027

### 1 General information

Mobile Phone label part no	<ul style="list-style-type: none"> <li>1207-8040</li> </ul>
Mobile Phone label content part no	<ul style="list-style-type: none"> <li>1222-1917</li> </ul>
Bar code	<ul style="list-style-type: none"> <li><b>Print quality:</b> according to COSMETIC GUIDELINE – Bar code labels document 4/0113-LXE 108 063 Uen</li> <li><b>Quiet zone:</b> No bar codes are allowed to be closer to a label edge than 2 mm!</li> </ul>
Text	If applicable, or nothing else specified, Zebra printer Scaleable Smooth Font CG Triumvirate Bold Condensed is imposed. When needed, the text is adjusted to fit the label.
Coordinates	“(x/y)” under each line number specifies the bottom / left alignment for text, graphics and bar codes, x is measured vertically, and y horizontally from the upper left corner of the label (landscape format), both in mm. When needed, the alignment is adjusted to fit the label.

MLCI= Main Label Content Information Document

### 2 Printing information

Content	Format
<b>Line 1</b> (10,0/17,0) SIM-card logo	Graphics height 8,0mm. According to 1001-4476 document, rotated 180 degrees clock wise.
<b>Line 2a</b> (13,5/2,0) Sony Ericsson stylized name.	Graphics, height 1,5 mm. According to 1200-1925.
<b>Line 2b</b> (13,5/19,0) Model Name “C903a”	Text, height 1,2 mm. <i>According to Chapter 1 in MLCI.</i>
<b>Line 3</b> (16,0/2,0) Product number without revision of the Sales Item in which the phone is packed, if applicable. “SI XXXX-XXXX”	Text, height 1,2 mm.
<b>Line 4a</b> (18,0/2,0) “TYPE: AAD-3880027-BV”	Text, height 1,2 mm. <i>According to Chapter 1 in MLCI.</i>
<b>Line 4b</b> (18,0/19,0) HW & SW identification field, if applicable; “FFGG”	Text, height 1,2 mm. According to Type-testing report under specifying document in product model.
<b>Line 4c</b> (18,0/26,0) Location code of where the phone is flashed, if applicable, “XXX”	Text, height 1,2 mm.
<b>Line 5a</b> (20,0/2,0) “FCC ID: PY7A3880027”	Text, height 1,2 mm. <i>According to Chapter 1 in MLCI.</i>
<b>Line 5b</b> (20,0/19,0) Production week (flash), “yy’W’ww” (yy = year, ww = week)	Text, height 1,2 mm.



Prepared (also subject responsible if other)

SEM/CCDGP, Leif Hedin

Approved

SEM/CCDGP, Leif Hedin

Checked

Company Internal  
MARKING DRAWING  
No.

1222-1918 Uen

Date

2009-02-11

Rev

1

Reference

5

<b>Line 6a</b> (22,0/2,0)	"IC: 4170B-A3880027"	Text, height 1,2 mm. <i>According to Chapter 1 in MLCI.</i>
<b>Line 6b</b> (22,0/19,0)	Repair week, if applicable. "Ry'W'ww" (y = year, ww = week)	Text, height 1,2 mm.
<b>Line 7</b> (24,0/2,0)	Supplier's identification for trace-ability of the telephone, as desired by supplier (e.g. "S/N: nnn...." for serial number).	Text, height 1,2 mm. Defined by supplier.
<b>Line 8</b> (27,0/2,0)	Line 6 in bar code. As desired by supplier (e.g. only actual number).	Bar code, height 2,0 mm. As desired by supplier (e.g. Code 128 symbology).
<b>Line 9</b> (29,0/2,0)	Actual electronic serial number (IMEI) of the Mobile Phone, "00000000-000000-0"	Text, height 1,2 mm. In the format TAC-SNR-CD. TAC and SNR derived from pos 500 in BOM. CD = check digit according to the Luhn formula (ISO/IEC 7812), GSM 02.16.
<b>Line 10</b> (32,0/2,0)	Line 8 in bar code (only actual number, without data identifier).	Bar code, height 2,0 mm. Code 128 symbology, code C subset. If uneven number of digits, code B subset shall be used for the last digit.
<b>Line 11a</b> (38,0/2,0)	Marking of origin: "Xxx"= actual country of production of the included telephone, in English.	Text, height 1,2 mm.
<b>Line 11b</b> (38,0/13,0)	CE approval symbol	Graphics, height 5 mm. According to 1210-0131.
<b>Line 11c</b> (38,0/21,0)	The notified body number "0682"	Text, height 1,2 mm.
<b>Line 11d</b> (38,0/32,0)	WEEE trashcan without bar symbol	Graphics, min. height 5mm, according to 1202-5537.
<b>Line 12</b> (47,0/27,0)	M2 Memory Stick logo upside down	Graphics height 6,5mm, according to 1225-4335.



Prepared (also subject responsible if other)

SEM/CCDGP, Leif Hedin

Approved

SEM/CCDGP, Leif Hedin

Checked

Company Internal  
MARKING DRAWING  
No.

1222-1918 Uen

Date

2009-02-11

Rev

1

Reference

5

### 3 Layout

The conceptual picture (for Zebra 90Xill printer, or equivalent) should not be considered as specifications, but as an additional help for setting up the label.

#### 3.1 Conceptual picture



double underlined = major changes since last revision.

Prepared (also subject responsible if other)

SEM/CCDGP, Leif Hedin

Approved

SEM/CCDGP, Leif Hedin

Checked

Company Internal  
MARKING DRAWING  
No.

1222-1918 Uen

Date

2009-02-11

Rev

1

Reference

5

## Label placement

To find the label follow these steps:

1. Remove the cover on the rear side of the product.
2. Remove the battery.
3. The label is located behind the battery.

