



Prepared (also subject responsible if other)  
 SEM/CVVGP, Anna Englund  
 Approved  
 SEM/CVVGP, Anna Englund

Checked

Company Internal  
 MARKING DRAWING  
 No.

1234-2226 Uen

Date Rev Reference  
 2010-02-11 1

## E10i, Mobile Phone label content, Made in...

### 1 General information

<b>Mobile Phone label part no</b>	<ul style="list-style-type: none"> <li>1227-6777</li> </ul>
<b>Mobile Phone label content part no</b>	<ul style="list-style-type: none"> <li>1234-2225</li> </ul>
<b>Bar code</b>	<ul style="list-style-type: none"> <li><b>Print quality:</b> according to COSMETIC GUIDELINE – Bar code labels document 1222-6072 Uen</li> <li><b>Quiet zone:</b> No bar codes are allowed to be closer to a label edge than 2 mm!</li> </ul>
<b>Text</b>	If applicable, or nothing else specified, Zebra printer Scaleable Smooth Font CG Triumvirate Bold Condensed is imposed. When needed, the text is adjusted to fit the label.
<b>Coordinates</b>	“(x/y)” under each line number specifies the bottom / left alignment for text, graphics and bar codes, x is measured vertically, and y horizontally from the upper left corner of the label (landscape format), both in mm. When needed, the alignment is adjusted to fit the label.

MLCI= Main Label Content Information Document

### 2 Printing information

	<b>Content</b>	<b>Format</b>
<b>Line 1</b> (3,0/2,0)	Line 1 in bar code, according to line 2a. As desired by supplier (e.g. only actual number).	Bar code, height 2,0 mm. As desired by supplier (e.g. Code 128 symbology).
<b>Line 2 a</b> (4,0/2,0)	Supplier's identification for trace-ability of the telephone, as desired by supplier (e.g. "S/N: nnn..." for serial number).	Text, height 1,2 mm. Defined by supplier.
<b>Line 2 b</b> (4,0/16,0)	Actual electronic serial number (IMEI) of the Mobile Phone, "00000000-000000-0"	Text, height 1,2 mm. In the format TAC-SNR-CD. TAC and SNR derived from pos 500 in BOM. CD = check digit according to the Luhn formula (ISO/IEC 7812), GSM 02.16.
<b>Line 3</b> (6,5/2,0)	Line 3 in bar code, according to line 2b (only actual number, without data identifier).	Bar code, height 2,0 mm. Code 128 symbology, code C subset. If uneven number of digits, code B subset shall be used for the last digit.
<b>Line 4a</b> (7,8/2,0)	Sony Ericsson stylized name.	Graphics, height 1,4 mm. According to 1200-1925
<b>Line 4b</b> (7,80/18,0)	Model Name "E10i"	Text, height 1,2 mm. <i>According to Chapter 1 in MLCI.</i>
<b>Line 5a</b> (9,2/2,0)	Product number of the Sales Item in which the phone is packed, if applicable. "SI XXXX-XXXX"	Text, height 1,2 mm.
<b>Line 5b</b> (9,2/15,0)	Location code of where the phone is flashed, if applicable, "XXX"	Text, height 1,2 mm.



Prepared (also subject responsible if other)

SEM/CVVGP, Anna Englund

Approved

SEM/CVVGP, Anna Englund

Checked

Company Internal  
MARKING DRAWING

No.

1234-2226 Uen

Date

2010-02-11

Rev

1

Reference


18

<b>Line 5c</b> (9,2/16,5)	Production week (flash), "yy'W'ww" (yy = year, ww = week)	Text, height 1,2 mm.
<b>Line 5d</b> (9,2/22,2)	Repair week, if applicable. "Ry'W'ww" (y = year, ww = week)	Text, height 1,2 mm.
<b>Line 6a</b> (10,8/2,0)	TypenumbeF: "AAD-3880069-BV"	Text, height 1,2 mm. <i>According to Chapter 1 in MLCI.</i>
<b>Line 6b</b> (10,8/17,5)	HW & SW identification field, if applicable; "FFGG"	Text, height 1,2 mm. According to Type-testing report under Product Model Specifying Documents
<b>Line 7</b> (13,1/2,0)	FCC ID: " PY7A3880069"	Text, height 1,2 mm. <i>According to Chapter 1 in MLCI.</i>
<b>Line 8</b> (13,8/2,0)	"IC:4170B-A3880069"	Text, height 1,2 mm. <i>According to Chapter 1 in MLCI.</i>
<b>Line 9</b> (15,0/2,0)	Marking of origin. "Made in Xxx"; "Xxx" = actual country of production of the included telephone, in English	Text, height 1,2 mm.
<b>Line 10</b> (16,0/19,2)	WEEE trashcan without bar symbol	Graphics, min. height 5mm, according to 1202-5537.
<b>Line 11a</b> (20,1/4,3)	CE approval symbol	Graphics, height 5 mm. According to 1210-0131.
<b>Line 11b</b> (20,1/12,0)	The notified body number "0682"	Text, height 1,2 mm.
<b>Line 11c</b> (20,1/13,9)	"Alert Symbol"	Graphics, height 5 mm According to 1001-5859

### 3 Layout

The conceptual picture (for Zebra 90Xill printer, or equivalent) should not be considered as specifications, but as an additional help for setting up the label.

#### 3.1 Conceptual picture



double underlined = major changes since last revision.

Prepared (also subject responsible if other)

SEM/CVVGP, Anna Englund

Approved

SEM/CVVGP, Anna Englund

Checked

Company Internal  
MARKING DRAWING

No.

1234-2226 Uen

Date

2010-02-11

Rev

1

Reference

6

## Label placement

To find the label follow these steps:

1. Remove the cover on the rear side of the product.
2. Remove the battery.
3. The label is located behind the battery.

