

Prepared by
 SEM/CVTHBB SHINGO OTSUKA
 Contents responsible if other than preparer

Approved by
 SEM/CVTAPP (KENSHI TAGAMI)

AAH-5880011-BV

SOX02 Marking Drawing (Label Details)

1. General Information

This is KDDI's OEM product. The label is based on the requirement of KDDI and it has been approved.

2. Printing Information

	Content	Format
Line 1a	Symbol of insertion direction for auIC card	Graphic, height : 2.8 mm
Line 1b	Symbol of insertion direction for microSD/microSDHC	Graphic, height : 2.8 mm
Line 2	Please be careful with inserting direction	Text, height : 1.2 mm
Line 3	au IC card	Text, height : 1.2 mm
Line 4	micro SD	Text, height : 1.2 mm
Line 5	micro SDHC	Text, height : 1.2 mm
Line 6 & 7a	Operator's name (Logo: au by KDDI)	Graphic, height : 2.5 mm
Line 7b	Official name (CDMA SOX02)	Text, height : 1.4 mm
Line 8	Sony Ericsson stylized name	Graphic, height : 2.0 mm
Line 9	JATE number: ADXX-XXXXXXX	Text, height : 1.0 mm
Line 10	Telecommunications mark	Graphic, height : 1.0 mm
Line 11	TELEC number (for CDMA): 001XZAAXXXX	Text, height : 1.0 mm
Line 12	Operator's product code	Text, height : 1.5 mm
Line 13	TELEC symbol	Graphic, height : 5.2 mm
Line 14	TELEC number (for MC-CDMA): 001ZYAAXXXX	Text, height : 1.0 mm
Line 15	TELEC number (for T-CDMA): 001NXAAXXXX	Text, height : 1.0 mm
Line 16	SOX02XXX (Operator's product code)	Text, height : 1.5 mm
Line 17	Radio Law certification number mark	Graphic, height : 1.0 mm
Line 18	TELEC number (for T-CDMA MC): 001XUAAXXXX	Text, height : 1.0 mm
Line 19	TELEC number (for Bluetooth): 001WWDAXXXX	Text, height : 1.0 mm



Line 20	The name of distribution company: KDDI Inc and Okinawa Cellular Telephone Company	Text, height : 1.2 mm
Line 21	FCC ID: PY7A5880011	Text, height : 1.0 mm
Line 22	IC ID: 4170B-A5880011	Text, height : 1.0 mm
Line 23a	Manufacture : Applicant	Text, height : 1.2 mm
Line 23b & 25	Sony Ericsson Mobile Communications AB (The name of manufacture)	Text, height : 1.2 mm
Line 24a	Type number: AAH-5880011-BV	Text, height : 1.2 mm
Line 24b	HW&SW identification field: AAAA	Text, height : 1.2 mm
Line 25	Date of manufacture	Text, height : 1.5 mm
Line 26	Line 22 in bar code for Manufacturing number for KDDI	Bar code height : 2.5 mm
Line 27	20XX/XX (Year/Month: Date of manufacture)	Text, height : 1.5 mm
Line 28	Manufacturing number for KDDI (SSOXXXXXXXXX)	Text, height : 1.5 mm
Line 29	Line 24 in bar code for IMEI number	Bar code height : 2.5 mm
Line 30	IMEI number (IMEI XXXXXXXXXXXXXXXX)	Text, height : 1.5 mm
Line 31a	Bluetooth figure mark (Bluetooth logo)	Graphic, height : 3.0 mm
Line 31b	ARIB mark	Graphic, height : 2.5 mm
Line 32a	CE approved symbol	Graphic, height : 5.0 mm
Line 32b	Alert mark	Graphic, height : 5.0 mm
Line 32c	Trash can mark	Graphic, height : 5.0 mm
Line 32d	Recycling Li-ion symbol	Graphic, height : 5.9 mm
Line 33a	Caution symbol	Graphic, height : 1.5 mm
Line 33b	Caution message. "Please turn off power in an airplane and in a hospital"	Text, height : 1.2 mm
Line 34a	Caution message. "Please do not peel off this sticker"	Text, height : 1.2 mm
Line 34b	Marking of Origin: Made in Japan	Text, height : 1.2 mm

3. Layout





Label placement

To find the label follow these steps:

1. Remove the cover on the rear side of the product.
2. Remove the battery.
3. The label is located behind the battery.

