

Prepared (also subject responsible if other)

SEM/CVVGP, Anna Englund

Approved

Checked

 Company Internal
 MARKING DRAWING
 No.

1249-4508 Uen

Date

Rev

Reference

2011-02-11

1

SEM/CVVGP, Anna Englund

R800x, Mobile Phone label, Verizon X-version, Made in...

1 General information

Mobile Phone label part no	<ul style="list-style-type: none"> 1233-5697
Mobile Phone label content part no	<ul style="list-style-type: none"> 1249-4507
Bar code	<ul style="list-style-type: none"> Print quality: according to COSMETIC GUIDELINE – Bar code labels document 1222-6072 Uen Quiet zone: No bar codes are allowed to be closer to a label edge than 4 mm!
Text	If applicable, or nothing else specified, Zebra printer Scaleable Smooth Font CG Triumvirate Bold Condensed is imposed. When needed, the text is adjusted to fit the label.
Coordinates	“(x/y)” under each line number specifies the bottom / left alignment for text, graphics and bar codes, x is measured vertically, and y horizontally from the upper left corner of the label (landscape format), both in mm. When needed, the alignment is adjusted to fit the label.

MLCI= Main Label Content Information Document

2 Printing information

	Content	Format
Line 1a (7,0/6,0)	Sony Ericsson stylized name.	Graphics, height 1,5 mm. According to 1200-1925
Line 1b (7,0/24,0)	Model Name//SKU “R800x”	Text, height 1,2 mm. <i>According to Chapter 1 in MLCI.</i>
Line 2 (9,0/6,0)	Marking of origin; “Made in Xxx” “Xxx” = actual country of production of the included telephone, in English	Text, height 1,2 mm.
Line 3a (13,0/6,0)	Product number of the Sales Item in which the phone is packed, if applicable. “SI XXXX-XXXX”	Text, height 1,2 mm.
Line 3b (13,0/24,0)	Location code of where the phone is flashed, if applicable, “XXX”	Text, height 1,2 mm.
Line 4a (18,0/6,0)	“TYPE: AAJ-6880004-BV”	Text, height 1,2 mm. <i>According to Chapter 1 in MLCI.</i>
Line 4b (18,0/24,0)	HW & SW identification field, if applicable; “FFGG”	Text, height 1,2 mm. According to Type-testing report under Product Model Specifying Documents
Line 5a (20,0/6,0)	“FCC ID: PY7A6880004”	Text, height 1,2 mm. <i>According to Chapter 1 in MLCI.</i>
Line 5b (20,0/24,0)	Production week (flash), “yyWww” (yy = year, ww = week)	Text, height 1,2 mm.

Prepared (also subject responsible if other)

SEM/CVVGP, Anna Englund

Approved

Checked

 Company Internal
MARKING DRAWING

No.

1249-4508 Uen

Date

Rev

Reference

2011-02-11

1

SEM/CVVGP, Anna Englund

Line 6a (22,0/6,0)	"IC: 4170B-A6880004"	Text, height 1,2 mm. <i>According to Chapter 1 in MLCI.</i>
Line 6b (22,0/24,0)	Repair week, if applicable. "RyyWww" (yy = year, ww = week)	Text, height 1,2 mm.
Line 7 (28,0/6,0)	Line 7 in bar code, according to line 8. As desired by supplier (e.g. only actual number).	Bar code, height 2,0 mm. As desired by supplier (e.g. Code 128 symbology, code set B).
Line 8 (30,06,0)	Supplier's identification for trace-ability of the telephone, as desired by supplier (e.g. "S/N: nnn...." for serial number).	Text, height 1,5 mm. Defined by supplier.
Line 9 (30,06,0)	Line 9 in bar code, (only actual number, without data identifier), according to line 10	Bar code, height 2 mm. Code 39 Regular symbology, without check digit.
Line 10 (26,0/17,0)	Electronic serial number of the included telephone, "MEID HEX: 00000000000000"	Text, height 1,5 mm. In the format TAC-SNR-CD, 14 digit TAC and SNR derived from pos 500 in BOM.
Line 11a (47,0/3,0)	CE approval symbol, the NB-"0682" and "Alert Symbol" in one artwork	Graphics, height 5 mm. According to 1242-7470
Line 11b (47,0/33,0)	WEEE trashcan without bar symbol	Graphics, min. height 5mm, according to 1202-5537.
Line 12 (54,0/9,0)	A circle shaped hole in the drawing, already made in the label material	Ø=5 mm

3 Layout

The conceptual picture (for Zebra 90XIII printer, or equivalent) should not be considered as specifications, but as an additional help for setting up the label.

3.1 Conceptual picture



Prepared (also subject responsible if other)

SEM/CVVGP, Anna Englund

Approved

Checked

Company Internal
MARKING DRAWING
No.

1249-4508

Date

2011-02-11

Rev

1

Reference

SEM/CVVGP, Anna Englund

double underlined = major changes since last revision.

Label placement

To find the label follow these steps:

1. Remove the cover on the rear side of the product.
2. Remove the battery.
3. The label is located behind the battery.

