



Prepared by

SEMC /CNDSE/ OOI SOO JIE

Contents responsible if other than preparer

Approved by

SEMC/ CNDSP/ JESSIE TAN

- **Type number: DDA-0002026**
- **IC ID:4170B-DDA2026**
- **FCC ID:PY7DDA-2026**

Marking Specification

Contents

1	General Information	2
1.1	SCOPE	2
1.2	DOCUMENTATION	2
1.3	LABEL INFORMATION	2
1.4	PRINTING INFORMATION for BULK PACKAGING	2
1.5	LANGUAGE (optional)	3
1.6	TESTS (optional)	3
2	CONTENTS AND POSITIONING OF LABEL PRINTING for VH700's BULK PACKAGING	3
2.1	CONTENTS for Date Code Marking (Laser Etching on product)	3
2.2	CONTENTS for Date Code Label (Put on BAG)	4
2.3	CONTENTS for Date Code Label (Put on BOX)	5
2.4	CONTENTS for Date Code Label (Put on under BOX)	5
2.5	CONTENTS for Date Code Label (Put on CARTON)	5
2.6	CONTENTS for Pallet Label (Put on Pallet)	7
2.7	POSITIONING OF LABEL PRINTING	7
3	REVISION INFORMATION	9



1 General Information

1.1 SCOPE

This document specifies the label printing for [VH700, FCP 119 0894](#)

SEMC Product number (ID) on Product can be exchanged as product number shown in below table for [VH700](#) series BT headsets.

item	SEMC product number (ID)	Color
1	1233.9800.1	White
2	1233.9799.1	Black

1.2 DOCUMENTATION

All documents are listed in the Document overview [1056-FCP 119 0894](#)

1.3 LABEL INFORMATION

Material and measurements are specified in document [1301-FCP 119 0894](#)

1.4 PRINTING INFORMATION for BULK PACKAGING

- CONTENTS for Date Code Marking
(Laser Etching on product):
 - Color text : Written color : Grey Letters
 - Printing : All printing shall be sharp, well readable and permanent
 - Text height : Refer to the page (3) of 2.1 explanation
 - Text font : "Gulim" ,Except the text "Sony Ericsson" on Line1 should be printed with the SE logo text style/font .
- Date code label (put on Paper Bag)
 - Color text : Written color : Black Letters / Background color: White
 - Printing : All printing shall be sharp, well readable and permanent
 - Text height : 2 mm
 - Text font : "Arial"
- Box Label
 - Color text : Written color :Black Letters / Background color: Green Pantone 368C
 - Printing : All printing shall be sharp, well readable and permanent
 - Text height : 3 mm
 - Text font : "Arial"
- Label (under White BOX)
 - Color text : Written color :Black Letters / Background color: White
 - Printing : All printing shall be sharp, well readable and permanent
 - Text height : 5 mm
 - Text font : "Arial"
- Carton Label
 - Color text : Written color :Black Letters / Background color: Green Pantone 368C



- Printing : All printing shall be sharp, well readable and permanent
- Text height : 3 mm
- Text font : "Arial"

➤ Pallet Label

- Color text : Written color :Black Letters / Background color: White
- Printing : All printing shall be sharp, well readable and permanent
- Text height : 2 mm
- Text font : "Arial"

1.5 LANGUAGE (optional)

Only English text shall be printed on the label according to specification in section 2 below.

1.6 TESTS (optional)

The label shall be tested and approved according to valid safety requirements.

2 CONTENTS AND POSITIONING OF LABEL PRINTING for VH700's BULK PACKAGING

2.1 CONTENTS for Date Code Marking (Laser Etching on product)

The label shall have the following content, Line and alignment may vary:

Laser Etching on product Rear Cover

<u>LINE</u>	<u>TEXT</u>	<u>ALIGN</u>	<u>NOTE</u>
Line 1:	Sony Ericsson	Right, Width 9.55 mm High 1.17 mm	printed with the SE logo text style/font
Line 2:	Japanese TA marking R 202WW095663811 T D 09-0006 202	Left, Width 13.5 mm High 3 mm	
Line 3:	Japan Lion built-in battery statement	Left, Width 11.25 mm High 0.69 mm	
Line 4:	Type:DDA-0002026	Left, Width 9.77 mm High 1 mm	
Line 5:	IC:4170B-DDA2026	Left, Width 11 mm High 0.85 mm	
Line 6:	FCC ID:PY7DDA-2026	Left, Width 10.9 mm High 0.85 mm	
Line 7:	C-Tick marking & N12878	Left, Width 6.8 mm High 3 mm	
Line 7:	Z354 Marking (New Zealand)	Middle, Width 6.8 mm High 3 mm	



- Line 7: **CE 0682 Marking** Middle,
Width 7.02 mm
High 3 mm
- Line 7: Model:VH700 Right, Note 1
Width 5.8 mm
High 0.75 mm
- Line 8: **XXXX-XXXX.X** Right, Note 2
Width 5.8 mm
High 0.75 mm
- Note 1: Sony Ericsson Product Name.
Note 2: Product number and R-state along with color change

item	SEMC product number (ID)	Color
1	1233.9800.1	White
2	1233.9799.1	Black

Laser Etching on product Holder Clip

- | LINE | TEXT | ALIGN | NOTE |
|---------|-------------------------|--|--------|
| Line 1: | WEEE Marking | Left
Width 4.93 mm
High 5.42 mm | |
| Line 1: | S/N:
YYWWSSPCXXXXXXC | Right
width 9.8 mm
High 2.2 mm | Note 1 |
| Line 2: | BDA:
XXXXXXXXXXXXX | Right
Width 7.82 mm
High 2.13 mm | |
| Line 3: | yyWww | Left
width 3.02 mm
High 0.83 mm | Note 2 |
| Line 3: | Made in China | Right
Width 6.85 mm
High 0.71 mm | Note 3 |
- Note 1: (Y)Year
(W)Week
(S)Supplier site code, identify production site, managed by sourcing
(P)Production line / Product code, handled by supplier
(X)Running number
(C1)Checksum
(C2)Checksum
- Note 2: Is a variable digit "10W03" means year 2010 week 3
- Note 3: Country of origin

2.2 CONTENTS for Date Code Label (Put on BAG)

- | LINE | TEXT | ALIGN | NOTE |
|---------|-------------|--------------------------------------|--------|
| Line 1: | Barcode | Left
width 36.5 mm
High 8.0 mm | Note 1 |
| Line 2: | XXXX-XXXX.X | Left
width 19.0 mm
High 2.0 mm | Note 1 |
| Line 3: | yyWww | Left | Note 2 |



Line 4:	WEEE logo	width 9.6 mm High 2.6 mm Right width 6.75 mm High 6.7 mm	
Line 4:	Made in China	Middle width 18.2 mm High 2.0 mm	Note 3
Note 1:	Product number and R-state		
Note 2:	Is a variable digit "10W03" means year 2010 week 3		
Note 3:	Country of origin		

2.3 CONTENTS for Date Code Label (Put on BOX)

<u>LINE</u>	<u>TEXT</u>	<u>ALIGN</u>	<u>NOTE</u>
Line 1:	P/O:	Left width 20 mm High 3.0 mm	Note 1
Line 2:	Q'TY:	Left width 17 mm High 3.0 mm	
Line 3	Supplier:Merry Electronics Co., Ltd.	Left width 47 mm High 3.0 mm	
Line 4:	P/N:XXXX-XXXX.X	Left width 27 mm High 3.0 mm	Note 2
Note 1:	Order Number by each one Sales Order.		
Note 2:	Product number and R-state		

2.4 CONTENTS for Date Code Label (Put on under BOX)

<u>LINE</u>	<u>TEXT</u>	<u>ALIGN</u>	<u>NOTE</u>
Line 1:	BLUETOOTH	Left width 43 mm High 5 mm	
Line 2:	HEADSET	Left width 33 mm High 5 mm	

2.5 CONTENTS for Date Code Label (Put on CARTON)

<u>LINE</u>	<u>TEXT</u>	<u>ALIGN</u>	<u>NOTE</u>
Line 1:	(P)Product No. XXXX-XXXX.X	Left width 24 mm High 3.3 mm	Note 1
Line 1:	Product Name Bluetooth Headset	Middle width 28.7 mm High 6.8 mm	
Line 1:	Country of origin CB	Right width 25 mm High 6.8 mm	
Line 2:	(V)Factory code	Left width 25.7 mm	



Line 2:	(12D) Year/Month/Day	High 3.3 mm Middle width 34.7 mm	
Line 2:	(K)Purchase order No.	High 3.3 mm Right width 35.8 mm	Note 2:
Line 3:	(1T)Lot no.	High 3.3 mm Middle width 17.7 mm	
Line 3:	CE-and/or TTE-marking	High 3.3 mm Right width 37 mm	
Line 4:	(Q)Quantity	High 3.3 mm Left width 19 mm	
Line 5:	Item Code	High 3.3 mm Left width 16.5mm	Note 3:
Line 5:	Ship to	High 2.6 mm Right width 10 mm	
Line 6:	Po Nr.:	High 2.6 mm Left width 10 mm	Note 3:
Line 6:	MODEL NO.:	High 2.6 mm Right width 19 mm	Note 3:
Line 7:	Pos. Nr.:	High 2.6 mm Left width 12 mm	Note 3:
Line 7:	N.W.:	High 2.6 mm Right width 7.6 mm	Note 3:
Line 8:	CTN Nr.:	High 2.6 mm Left width 13 mm	Note 3:
Line 8:	G.W.:	High 2.6 mm Right width 8 mm	Note 3:
Line 9:	Pallet Nr.:	High 2.6 mm Left width 14.6 mm	Note 3:
Line 9:	Q'TY:	High 2.6 mm Right width 8 mm	Note 3:
Line 10:	Merry Electronics Co., Ltd.	High 2.6 mm Left width 40 mm	
Line 21:	Made in China	High 3.0 mm Right width 21 mm	

Note 1: Product number and R-state

Note 2: Order Number by each one Sales Order.

Note 3: Printing content is subject to change according to PO requirement



2.6 CONTENTS for Pallet Label (Put on Pallet)

The label shall have the following contents Line and alignment may vary:

<u>LINE</u>	<u>TEXT</u>	<u>ALIGN</u>	<u>NOTE</u>
Line 1:	(1J)License plate No.	Left width 24 mm High 2 mm	
Line 1:	Shipper's Address	Right width 54 mm High 2.0 mm	
Line 2:	Receiving Address	Right width 38 mm High 2.0 mm	
Line 3:	(Q)Quantity	Left width 14 mm High 2.0 mm	
Line 4:	(1K)Purchase Order No.	Left width 27 mm High 2.0 mm	Note 1
Line 4:	Weight/Volume	Right width 22 mm High 2.0 mm	
Line 5:	(1P)Product No.	Left width 19 mm High 2.0 mm	Note 2


Note 1: Product number and R-state

Note 2: Order Number by each one Sales Order.

2.7 POSITIONING OF LABEL PRINTING

The logotype, text and safety approval symbols mentioned shall be placed according to the following schematic sketch (only layout, no measurements).

Date code Marking (Laser Etching on product) :






label (put on bag) :



label (put on box) :



label (put on under box) :



bar code label (put on carton) :

(P) Product No. XXXX-XXXX.X 	Product Name Bluetooth Headset	Country of origin CB
(V) Factory code Z7197 	(12D) Year/Month/Day YYYYMMDD 	(K) Purchase order No. XXXXXXXXXX
(1T) Lot no. XXXXX 	CE-and/or TTE-marking	
(Q) Quantity XXX 		
Item Code:	Ship to	
Po Nr.:	MODEL NO.:	
Pos.Nr.:	N.W.:	
CTN Nr.:	G.W.:	
Pallet Nr.:	Q'TY:	
Merry Electronics Co.,Ltd.	Made in China	



bar code label (put on pallet) :

(1J) License plate No. Z7197 	Ship to : Ship address
	From : MERRY ELECTRONICS (SHENZHEN) CO., LTD. DA LOUNG IND. PARK. LOUGHUA, BAOAN, SHENZHEN, CHINA
(Q) Quantity XXXX 	
(1K) Purchase order No. XXXXXXXX 	Weight/Volume XXKGS/XXXL
(1P) Product No. XXXX-XXXX.X 	

3 REVISION INFORMATION

<u>Version</u>	<u>Date</u>	<u>Note</u>
1	March, 03, 2010	New Release
2	Apr. 12.2010	Update for Voice Clarity Solution