

Annex 3 Photo documentation

Photo 1: Measurement System DASY 4



Photo 2: DUT - front view



Photo 3: DUT - side view



Photo 4: DUT - rear view



Photo 5: 1st Laptop – Acer TravelMate C310



Photo 6: 1st Laptop – Acer TravelMate C310




Photo 7: 1st Laptop – Acer TravelMate C310



Photo 8: 1st Laptop – Acer TravelMate C310 (label)



Photo 9: 2nd Laptop – IBM 2628



Photo 10: 2nd Laptop – IBM 2628



Photo 11: 2nd Laptop – IBM 2628



Photo 12: 2nd Laptop – IBM 2628 (label)



Photo 13: 3rd Laptop – Gateway W350A



Photo 14: 3rd Laptop – Gateway W350A



Photo 15: 3rd Laptop – Gateway W350A



Photo 16: 3rd Laptop – Gateway W350A (label)



Photo 17: Test position underside with Acer TravelMate C310



Photo 18: Test position underside with Acer TravelMate C310



Photo 19: Test position underside with IBM 2628



Photo 20: Test position underside with IBM 2628



Photo 21: Test position underside with Gateway W350A



Photo 22: Test position underside with Gateway W350A



Photo 23: Liquid depth 850 MHz body tissue simulating liquid



Photo 24: Liquid depth 1900 MHz body tissue simulating liquid

