



Prepared (also subject responsible if other)

SEM/BGODLD Mats Hörlin

Approved

SEM/BGODLDC (Hans-Olov Hallin)

Checked

Company Internal
MARKING DRAWING
No.

151 86-SVV 107 636/1 Uen

Date

2007-03-15

Rev

B

Reference

Elena, KRH-label, TYPE: FAD-3022015-BV, Made in...

1 General information

The format of the label is based on a label SVF 930 1450 (35,0 x 45,0 mm).

If applicable, or nothing else specified, Zebra printer Scaleable Smooth Font CG Triumvirate Bold Condensed is imposed. When needed, the text is adjusted to fit the label.

All bar codes, when applicable, are according to Ericsson corporate standard 102 01–109 Uen. All bar codes shall fulfil minimum print quality C according to ANSI X3.182-1990 as stated in Ericsson corporate standard 102 01–1003 Uen. No bar codes are allowed to be closer to a label edge than 2 mm! (quiet zone).

“(x/y)” under each line number specifies the bottom / left alignment for text, graphics and bar codes, x is measured vertically, and y horizontally from the upper left corner of the label (landscape format), both in mm. When needed, the alignment is adjusted to fit the label.

The label shall be placed on the back of the telephone according to the Assembly Drawing (151 88-) for the KRH.

2 Printing information

	Content	Format
Line 1 (8,0/2,0)	Simcard symbol	Graphics, height 14 mm. According to 1424-SVF 930 2622/1.
Line 2 (12,5/2,0)	Sony Ericsson stylized name.	Graphics, height 2,0 mm. According to 190 89-EN/LZT 108 5347
Line 3a (14,5/2,0)	Model name, “XXXXi”	Text, height 1,2 mm.
Line 3b (14,5/8,0)	Product number of the DPY kit in which the phone is packed. Printed without “R-state”, “DPY 101 0000/000”	Text, height 1,2 mm.
Line 4a (16,5/2,0)	Country approval mark 1 “FCC ID: PY7FD022015”	Text, height 1,2 mm.
Line 4b (16,5/18,0)	Country approval mark 2 “IC:4170B-FD022015”	Text, height 1,2 mm.
Line 5a (18,5/2,0)	Type number of the phone (KRH), “Type: FAD-3022015-BV”.	Text, height 1,2 mm.
Line 5b (18,5/18,0)	ROA and R-state identification field, “G ₁ G ₂ G ₃ HY ₁ Y ₂ Y ₃ ”	Text, height 1,2 mm. “G”, “H” and “Y”-field According to the Type approval report 174 52-SVV 107 636/1. This document will be found in the 1095- for this SVV.



Prepared (also subject responsible if other)

SEM/BGODLD Mats Hörlin

Approved

SEM/BGODLDC (Hans-Olov Hallin)

Checked

Company Internal
MARKING DRAWING
No.

151 86-SVV 107 636/1 Uen

Date

Rev

Reference

2007-03-15

B

5

	Content	Format
Line 6 (21,5/2,0)	Line 7 in bar code. As desired by supplier (e.g. only actual number).	Bar code, height 2,0 mm. As desired by supplier (e.g. Code 128 symbology).
Line 7 (23,0/2,0)	Supplier's identification for traceability of the telephone, as desired by supplier (e.g. "S/N: nnn...." For serial number).	Text, height 1,2 mm. Defined by supplier.
Line 8 (26,0/2,0)	Line 9a in bar code (only actual number, without data identifier).	Bar code, height 4,0 mm. Code 128 symbology, code C subset. If uneven number of digits, code B subset shall be used for the last digit.
Line 9a (27,5/2,0)	Actual electronic serial number (IMEI) of the phone (KRH), "00000000-000000-0"	Text, height 1,2 mm. In the format TAC-SNR-CD. TAC and SNR derived from the 1301-FAD 109 0117/1 document in the 1095- for the SVV. CD = check digit according to the Luhn formula (ISO/IEC 7812), GSM 02.16.
Line 9b (27,5/27,0)	Repair week, if applicable. "Ry'W'ww" (y = year, ww = week)	Text, height 1,2 mm.
Line 10a (30,0/2,0)	Production week (flash), "yy'W'ww" (yy = year, ww = week)	Text, height 1,2 mm.
Line 10b (30,0/8,0)	Location code of where the phone is flashed, if applicable, "FFF"	Text, height 1,2 mm.
Line 11 (32,5/2,0)	Marking of origin. The line shall be printed as stated in chapter 3 in this document.	Text, height 1,2 mm.
Line 12a (44,0/2,0)	CE approval symbol.	Graphics, height 5 mm. According to 1424-SVF 930 52.
Line 12b (44,0/8,0)	The Notified body number. "0682"	Text, height 2,5 mm.
Line 12c (44,0/14,5)	Alert sign	Graphics, height 5 mm. According to 1424-SVF 930 2517.



Prepared (also subject responsible if other)

SEM/BGODLD Mats Hörlin

Approved

SEM/BGODLDC (Hans-Olov Hallin)

Checked

Company Internal
MARKING DRAWING
No.

151 86-SVV 107 636/1 Uen

Date

Rev

Reference

2007-03-15

B

5

3 Marking of Origin

3.1 Content

“Made in Xxx”;

“Xxx” = actual country of production of the included telephone, in English

4 Layout

The conceptual picture (for Zebra 90Xill printer, or equivalent) should not be considered as specifications, but as an additional help for setting up the label.

4.1 Conceptual picture



double underlined = major changes since last revision.

Position of label 151 86 - SVV 107 636/P1 A

The view below is taken from the back side of the mobile telephone. The label is located below the battery lid.

