



The Photos of SAR test

No. 2013SAR00182

For

Sony Mobile Communications (China) Co. Ltd

GSM/WCDMA/LTE mobile phone

Type number: PM-0763-BV

Marketing name: D5306

With

Hardware Version: AP1

Software Version: 19.0.A.0.261 (Main antenna)

s_atp_tianchi_1_0_14_7 (WLAN antenna)

FCC ID: PY7PM-0763

Issued Date: 2014-01-29



Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of TMC Beijing.

Test Laboratory:


TMC Beijing, Telecommunication Metrology Center of MIIT

No. 52, Huayuan Bei Road, Haidian District, Beijing, P. R. China 100191.


Tel:+86(0)10-62304633-2079, Fax:+86(0)10-62304633 Email:welcome@emcite.com. www.emcite.com




Picture 1: Constituents of the sample



Picture 2: Left Hand Touch Cheek Position



Picture 3: Left Hand Tilt 15° Position





Picture 4: Right Hand Touch Cheek Position




Picture 5: Right Hand Tilt 15° Position

Test positions for body:

The Body SAR is tested at the following 6 test positions all with the distance =10mm or 15mm between the EUT and the phantom bottom:





Picture 6: Front – 10mm




Picture 6-1: Front – 15mm




Picture 6-2: Front with headset – 15mm




Picture 7: Rear – 10mm




Picture 7-1: Rear – 15mm





Picture 7-2: Rear with headset -15mm




Picture 8: Left Edge – 10mm




Picture 8-1: Left Edge – 15mm




Picture 9: Right Edge – 10mm




Picture 9-1: Right Edge – 15mm




Picture 10: Bottom Edge – 10mm



Picture 10-1: Bottom Edge – 15mm



Picture 11: Top Edge – 10mm



Picture 11-1: Top Edge – 15mm