

Fig.A.6.1.65 Conducted Spurious Emission (802.11n-HT20, Ch11, Center Frequency)




Fig.A.6.1.66 Conducted Spurious Emission (802.11n-HT20, Ch11, 30 MHz-1 GHz)




Fig.A.6.1.67 Conducted Spurious Emission (802.11n-HT20, Ch11, 1 GHz-2.5 GHz)




Fig.A.6.1.68 Conducted Spurious Emission (802.11n-HT20, Ch11, 2.5 GHz-7.5 GHz)




Fig.A.6.1.69 Conducted Spurious Emission (802.11n-HT20, Ch11, 7.5 GHz-10 GHz)




Fig.A.6.1.70 Conducted Spurious Emission (802.11n-HT20, Ch11, 10 GHz-15 GHz)




Fig.A.6.1.71 Conducted Spurious Emission (802.11n-HT20, Ch11, 15 GHz-20 GHz)




Fig.A.6.1.72 Conducted Spurious Emission (802.11n-HT20, Ch11, 20 GHz-26 GHz)

A.6.2 Transmitter Spurious Emission - Radiated

Limit in restricted band:

Measurement Results:

802.11b mode

Mode	Channel	Frequency Range	Test Results	Conclusion
802.11b	Power	2.38GHz ~2.45GHz	Fig.A.6.2.1	P
	1	1 GHz ~ 3 GHz	Fig.A.6.2.2	P
		3 GHz ~ 18 GHz	Fig.A.6.2.3	P
	6	30 MHz ~1 GHz	Fig.A.6.2.4	P
		1 GHz ~ 3 GHz	Fig.A.6.2.5	P
		3 GHz ~ 18 GHz	Fig.A.6.2.6	P
		18 GHz~ 26.5 GHz	Fig.A.6.2.7	P
	Power	2.45GHz ~2.5GHz	Fig.A.6.2.8	P
	11	1 GHz ~ 3 GHz	Fig.A.6.2.9	P
		3 GHz ~ 18 GHz	Fig.A.6.2.10	P

802.11g mode

Mode	Channel	Frequency Range	Test Results	Conclusion
802.11g	Power	2.38GHz ~2.43GHz	Fig.A.6.2.11	P
	1	1 GHz ~ 3 GHz	Fig.A.6.2.12	P
		3 GHz ~ 18 GHz	Fig.A.6.2.13	P
	6	30 MHz ~1 GHz	Fig.A.6.2.14	P
		1 GHz ~ 3 GHz	Fig.A.6.2.15	P
		3 GHz ~ 18 GHz	Fig.A.6.2.16	P
		18 GHz~ 26.5 GHz	Fig.A.6.2.17	P
	Power	2.45GHz ~2.5GHz	Fig.A.6.2.18	P
	11	1 GHz ~ 3 GHz	Fig.A.6.2.19	P
		3 GHz ~ 18 GHz	Fig.A.6.2.20	P

802.11n-HT20 mode

Mode	Channel	Frequency Range	Test Results	Conclusion
802.11n (HT20)	Power	2.38GHz ~2.45GHz	Fig.A.6.2.21	P
	1	1 GHz ~ 3 GHz	Fig.A.6.2.22	P
		3 GHz ~ 18 GHz	Fig.A.6.2.23	P
	6	30 MHz ~1 GHz	Fig.A.6.2.24	P
		1 GHz ~ 3 GHz	Fig.A.6.2.25	P
		3 GHz ~ 18 GHz	Fig.A.6.2.26	P
		18 GHz~ 26.5 GHz	Fig.A.6.2.27	P
	Power	2.45GHz ~2.5GHz	Fig.A.6.2.28	P
	11	1 GHz ~ 3 GHz	Fig.A.6.2.29	P
		3 GHz ~ 18 GHz	Fig.A.6.2.30	P

Conclusion: PASS

Note:

A "reference path loss" is established and the A_{Rpl} is the attenuation of "reference path loss", and including the gain of receive antenna, the gain of the preamplifier, the cable loss.

P_{Mea} is the field strength recorded from the instrument.

The measurement results are obtained as described below:

$$\text{Result} = P_{Mea} + A_{Rpl} = P_{Mea} + \text{Cable Loss} + \text{Antenna Factor}$$

These recorded emissions around 21GHz are highest noise floor levels since no higher spurious emission is detected.

802.11b

Ch1

Frequency(MHz)	Result (dBuV/m)	Cable Loss(dB)	Antenna Factor	P_{Mea} (dBuV/m)	Polarization
2385.430	45.4	-38.8	27.7	56.500	V
17974.500	56.3	-17.7	45.6	28.400	V
17949.000	56.2	-17.7	45.6	28.300	V
17991.000	55.9	-17.7	45.6	28.000	V
18000.000	55.9	-17.7	44.5	29.100	H
17814.000	55.8	-18.5	45.6	28.700	V

Ch6

Frequency(MHz)	Result (dBuV/m)	Cable Loss(dB)	Antenna Factor	P_{Mea} (dBuV/m)	Polarization
18000.000	56.2	-17.7	44.5	29.400	V
17985.000	56.1	-17.7	45.6	28.200	V
17979.000	55.7	-17.7	45.6	27.800	V
17989.500	55.6	-17.7	45.6	27.700	V
17836.500	55.5	-18.5	45.6	28.400	H
17922.000	55.5	-17.7	45.6	27.600	V

Ch11

Frequency(MHz)	Result (dBuV/m)	Cable Loss(dB)	Antenna Factor	P_{Mea} (dBuV/m)	Polarization
2483.890	46.3	-38.9	27.7	57.500	V
17827.500	56.1	-18.5	45.6	29.000	V
17908.500	55.9	-18.5	45.6	28.800	H
17977.500	55.9	-17.7	45.6	28.000	V
17823.000	55.7	-18.5	45.6	28.600	V
17926.500	55.6	-17.7	45.6	27.700	V

802.11g

Ch1

Frequency(MHz)	Result (dBuV/m)	Cable Loss(dB)	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
2389.810	45.7	-38.8	27.7	56.800	V
17976.000	55.8	-17.7	45.6	27.900	V
17775.000	55.5	-18.5	45.6	28.400	H
17988.000	55.5	-17.7	45.6	27.600	V
17991.000	55.5	-17.7	45.6	27.600	V
17983.500	55.4	-17.7	45.6	27.500	H

Ch6

Frequency(MHz)	Result (dBuV/m)	Cable Loss(dB)	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
17892.000	55.8	-18.5	45.6	28.700	V
17868.000	55.8	-18.5	45.6	28.700	V
18000.000	55.8	-17.7	44.5	29.000	V
17991.000	55.8	-17.7	45.6	27.900	H
17998.500	55.7	-17.7	45.6	27.800	V
17872.500	55.5	-18.5	45.6	28.400	V

Ch11

Frequency(MHz)	Result (dBuV/m)	Cable Loss(dB)	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
2483.500	54.0	-38.9	27.7	65.200	V
17997.000	56.5	-17.7	45.6	28.600	V
17719.500	56.0	-18.9	45.6	29.300	V
17994.000	55.9	-17.7	45.6	28.000	V
17782.500	55.9	-18.5	45.6	28.800	V
17920.500	55.7	-17.7	45.6	27.800	H

802.11n-HT20

Ch1

Frequency(MHz)	Result (dBuV/m)	Cable Loss(dB)	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
2389.210	46.2	-38.8	27.7	57.300	V
17874.000	56.0	-18.5	45.6	28.900	H
17925.000	56.0	-17.7	45.6	28.100	V
17962.500	55.9	-17.7	45.6	28.000	V
17986.500	55.8	-17.7	45.6	27.900	V
17992.500	55.6	-17.7	45.6	27.700	V

Ch6

Frequency(MHz)	Result (dBuV/m)	Cable Loss(dB)	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
18000.000	56.9	-17.7	44.5	30.100	V
17989.500	56.3	-17.7	45.6	28.400	V
17997.000	55.8	-17.7	45.6	27.900	V
17964.000	55.6	-17.7	45.6	27.700	V
17980.500	55.5	-17.7	45.6	27.600	V
17991.000	55.4	-17.7	45.6	27.500	V

Ch11

Frequency(MHz)	Result (dBuV/m)	Cable Loss(dB)	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
2483.970	52.4	-38.9	27.7	63.600	V
17979.000	56.4	-17.7	45.6	28.500	H
17959.500	55.9	-17.7	45.6	28.000	V
17895.000	55.8	-18.5	45.6	28.700	V
18000.000	55.8	-17.7	44.5	29.000	V
17991.000	55.7	-17.7	45.6	27.800	H

Test graphs as below:




Fig.A.6.2.1 Radiated Spurious Emission (Power): 802.11b, ch1, 2.38 GHz – 2.45GHz




Fig.A.6.2.2 Radiated Spurious Emission (802.11b, Ch1, 1 GHz-3 GHz)




Fig.A.6.2.3 Radiated Spurious Emission (802.11b, Ch1, 3 GHz-18 GHz)




Fig.A.6.2.4 Radiated Spurious Emission (802.11b, Ch6, 30 MHz-1 GHz)




Fig.A.6.2.5 Radiated Spurious Emission (802.11b, Ch6, 1 GHz-3 GHz)




Fig.A.6.2.6 Radiated Spurious Emission (802.11b, Ch6, 3 GHz-18 GHz)




Fig.A.6.2.7 Radiated Spurious Emission (802.11b, Ch6, 18GHz – 26.5GHz)




Fig.A.6.2.8 Radiated Spurious Emission (Power): 802.11b, ch11, 2.45 GHz - 2.50GHz




Fig.A.6.2.9 Radiated Spurious Emission (802.11b, Ch11, 1 GHz-3 GHz)




Fig.A.6.2.10 Radiated Spurious Emission (802.11b, Ch11, 3 GHz-18 GHz)




Fig.A.6.2.11 Radiated Spurious Emission (Power): 802.11g, ch1, 2.38 GHz - 2.45GHz




Fig.A.6.2.12 Radiated Spurious Emission (802.11g, Ch1, 1 GHz-3 GHz)




Fig.A.6.2.13 Radiated Spurious Emission (802.11g, Ch1, 3 GHz-18 GHz)




Fig.A.6.2.14 Radiated Spurious Emission (802.11g, Ch6, 30 MHz-1 GHz)




Fig.A.6.2.15 Radiated Spurious Emission (802.11g, Ch6, 1 GHz-3 GHz)




Fig.A.6.2.16 Radiated Spurious Emission (802.11g, Ch6, 3 GHz-18 GHz)




Fig.A.6.2.17 Radiated Spurious Emission (802.11g, Ch6, 18GHz – 26.5GHz)




Fig.A.6.2.18 Radiated Spurious Emission (Power): 802.11g, ch11, 2.45 GHz - 2.50GHz




Fig.A.6.2.19 Radiated Spurious Emission (802.11g, Ch11, 1 GHz-3 GHz)




Fig.A.6.2.20 Radiated Spurious Emission (802.11g, Ch11, 3 GHz-18 GHz)




Fig.A.6.2.21 Radiated Spurious Emission (Power): 802.11n-HT20, ch1, 2.38 GHz - 2.45GHz




Fig.A.6.2.22 Radiated Spurious Emission (802.11n-HT20, Ch1, 1 GHz-3 GHz)




Fig.A.6.2.23 Radiated Spurious Emission (802.11n-HT20, Ch1, 3 GHz-18 GHz)




Fig.A.6.2.24 Radiated Spurious Emission (802.11n-HT20, Ch6, 30 MHz-1 GHz)




Fig.A.6.2.25 Radiated Spurious Emission (802.11n-HT20, Ch6, 1 GHz-3 GHz)




Fig.A.6.2.26 Radiated Spurious Emission (802.11n-HT20, Ch6, 3 GHz-18 GHz)




Fig.A.6.2.27 Radiated Spurious Emission (802.11n-HT20, Ch6, 18GHz – 26.5GHz)




Fig.A.6.2.28 Radiated Spurious Emission (Power): 802.11n-HT20, ch11, 2.45 GHz - 2.50GHz




Fig.A.6.2.29 Radiated Spurious Emission (802.11n-HT20, Ch11, 1 GHz-3 GHz)




Fig.A.6.2.30 Radiated Spurious Emission (802.11n-HT20, Ch11, 3 GHz-18 GHz)

A.7. AC Powerline Conducted Emission

Test Condition:

Voltage (V)	Frequency (Hz)
120	60

Measurement Result and limit:

WLAN (Quasi-peak Limit)

Frequency range (MHz)	Quasi-peak Limit (dB μ V)	Result (dB μ V)		Conclusion
		With charger		
		802.11b	Idle	
0.15 to 0.5	66 to 56	Fig.A.7.1	Fig.A.7.2	P
0.5 to 5	56			
5 to 30	60			

NOTE: The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.5 MHz.

WLAN (Average Limit)

Frequency range (MHz)	Average Limit (dB μ V)	Result (dB μ V)		Conclusion
		With charger		
		802.11b	Idle	
0.15 to 0.5	56 to 46	Fig.A.7.1	Fig.A.7.2	P
0.5 to 5	46			
5 to 30	50			

NOTE: The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.5 MHz.

The measurement is made according to ANSI C63.10

Note: Expanded measurement uncertainty for this test item is $U = 3.2\text{dB}$, $k=2$.

Conclusion: PASS

Test graphs as below:




Fig.A.7.1 AC Powerline Conducted Emission-802.11b

Note: The graphic result above is the maximum of the measurements for both phase line and neutral line.

Measurement Result 1:

Frequency (MHz)	QuasiPeak (dBµV)	PE	Line	Corr. (dB)	Margin (dB)	Limit (dBµV)
1.032000	28.9	GND	L1	9.7	27.1	56.0
1.356000	34.6	GND	L1	9.7	21.4	56.0
1.414500	27.2	GND	L1	9.7	28.8	56.0
1.468500	23.3	GND	L1	9.7	32.7	56.0
1.522500	25.4	GND	L1	9.7	30.6	56.0
1.576500	21.7	GND	L1	9.7	34.3	56.0

Measurement Result 2:

Frequency (MHz)	Average (dBµV)	PE	Line	Corr. (dB)	Margin (dB)	Limit (dBµV)
0.924000	17.0	GND	L1	9.7	29.0	46.0
0.973500	26.8	GND	L1	9.7	19.2	46.0
1.248000	22.5	GND	L1	9.7	23.5	46.0
1.306500	18.9	GND	L1	9.7	27.1	46.0
1.356000	20.0	GND	L1	9.7	26.0	46.0
1.464000	13.3	GND	L1	9.7	32.7	46.0




Fig.A.7.2 AC Powerline Conducted Emission-Idle

Note: The graphic result above is the maximum of the measurements for both phase line and neutral line.

Measurement Result 1:

Frequency (MHz)	QuasiPeak (dBµV)	PE	Line	Corr. (dB)	Margin (dB)	Limit (dBµV)
1.270500	31.9	GND	L1	9.7	24.1	56.0
1.369500	40.6	GND	L1	9.7	15.4	56.0
1.401000	36.5	GND	L1	9.7	19.5	56.0
1.441500	39.3	GND	L1	9.7	16.7	56.0
1.473000	36.6	GND	L1	9.7	19.4	56.0
1.509000	36.1	GND	L1	9.7	19.9	56.0

Measurement Result 2:

Frequency (MHz)	Average (dBµV)	PE	Line	Corr. (dB)	Margin (dB)	Limit (dBµV)
0.928500	23.6	GND	L1	9.7	22.4	46.0
0.996000	27.4	GND	L1	9.7	18.6	46.0
1.338000	19.0	GND	L1	9.7	27.0	46.0
1.369500	29.1	GND	L1	9.7	16.9	46.0
1.441500	27.7	GND	L1	9.7	18.3	46.0
1.549500	24.7	GND	L1	9.7	21.3	46.0

*** END OF REPORT BODY ***