

FCC Part 22/24/27 Compliance Test Report

Test Report no.:	FCC22&24&27_RM-893_01.docx	Date of Report:	20-May-2013
Number of pages:	54	Customer's Contact person:	Jari Rontu
Testing laboratory:	TCC Nokia Salo Laboratory P.O.Box(86) Joensuunkatu 7H / Kiila 1B FIN-24101 SALO, FINLAND Tel. +358 (0) 7180 08000 Fax. +358 (0) 7180 45220	Customer:	Nokia Corporation P.O.Box(86) Joensuunkatu 7 FIN-24101 SALO, FINLAND Tel. +358 (0) 7180 08000 Fax. +358 (0) 7180 45220
FCC listing no.:	533467		
IC recognition no.:	661V-1		
Tested devices/ accessories:	Phone RM-893 / Headset WH-208		
FCC ID:	PYAA1	IC:	661V-A1
Supplement reports:	-		
Testing has been carried out in accordance with:	CFR 47, FCC rules Parts 22/24/27 , TIA-603-C-2004 and IC standards, RSS-GEN (Issue 3, December 2010), RSS-132 (Issue 2, September 2005), RSS-133 (Issue 5, February 2009), RSS-139 (Issue 2, February 2009). Deviations, modifications or clarifications (if any) to above mentioned documents are written in each section under "Test method and limit".		
Documentation:	The test report must always be reproduced in full; reproduction of an excerpt only is subject to written approval of the testing laboratory. The documentation of the testing performed on the tested devices is archived for 15 years at TCC Nokia.		
Test Results:	The EUT complies with the requirements in respect of all parameters subject to the test. The test results relate only to devices specified in this document		
Date and signature for the contents:			

Sami Lehtonen, Specialist, EMC

1. Summary for FCC Part 22/24/27 Compliance Test Report

Date of receipt	04-May-2013
Testing completed	16-May-2013
The customer's contact person	Jari Rontu
Test Plan referred to	T:\Projects\RM-893\TestPlan\RS_testplan_RM-893_EMC_FCC_SAR_HAC.xlsm
Notes	-
Document name	T:\Projects\RM-893\EMC\FCC22&24&27_RM-893_01.docx

1.1. EUT and Accessory Information

The EUT is a mobile phone with following features:

GSM/WCDMA/WLAN/Bluetooth

The EUT is tested with maximum rated TX power.

Devices under tests

Product	Type	SN	HW	MV	SW	DUT
Phone	RM-893	355519050003839	0421	-	3036.0000.1316.10072	17377
Headset	WH-208	-	-	-	-	17313
Phone	RM-893	355519050003839	0421	-	3039.0000.1318.0000	17386

1.2. Summary of Test Results

GSM850:

Section in CFR 47	Section in RSS-GEN or RSS-132	Name of the test	Result
§2.1046(a), 22.913(a)	4.4	Conducted RF output power	-
§22.913(a)	4.4	Radiated RF output power	-
§2.1049(h)	4.6.1	99 % occupied bandwidth	PASSED
§22.917(a)	4.5	Band edge compliance	PASSED
§22.917(a), §2.1051	4.5	Spurious emissions at antenna terminals	-
§22.917(a), §2.1053	4.5	Spurious radiated emissions	-
§2.1055(a)	4.3	Frequency stability, temperature variation	PASSED
§2.1055(d)	4.3	Frequency stability, voltage variation	PASSED

WCDMA 850 (Band V):

Section in CFR 47	Section in RSS-GEN or RSS-132	Name of the test	Result
§2.1046(a), 22.913(a)	4.4	Conducted RF output power	-
§22.913(a)	4.4	Radiated RF output power	-
§2.1049(h)	4.6.1	99 % occupied bandwidth	PASSED
§22.917(a)	4.5	Band edge compliance	PASSED
§22.917(a), §2.1051	4.5	Spurious emissions at antenna terminals	-
§22.917(a), §2.1053	4.5	Spurious radiated emissions	-
§2.1055(a)	4.3	Frequency stability, temperature variation	PASSED
§2.1055(d)	4.3	Frequency stability, voltage variation	PASSED

LTE 850 (Band V):

Section in CFR 47	Section in RSS-GEN or RSS-132	Name of the test	Result
§2.1046(a), 22.913(a)	4.4	Conducted RF output power	-
§22.913(a)	4.4	Radiated RF output power	-
§2.1049(h)	4.6.1	99 % occupied bandwidth	PASSED
§22.917(a)	4.5	Band edge compliance	PASSED
§22.917(a), §2.1051	4.5	Spurious emissions at antenna terminals	-
§22.917(a), §2.1053	4.5	Spurious radiated emissions	-
§2.1055(a)	4.3	Frequency stability, temperature variation	PASSED
§2.1055(d)	4.3	Frequency stability, voltage variation	PASSED

GSM1900:

Section in CFR 47	Section in RSS-GEN or RSS-133	Name of the test	Result
§2.1046(a)	6.4	Conducted RF output power	-
§24.232(b)	6.4	Radiated RF output power	-
§2.1049(h)	4.6.1	99 % occupied bandwidth	PASSED
§24.238(a)	6.5	Band edge compliance	PASSED
§24.238(a), §2.1051	6.5	Spurious emissions at antenna terminals	-
§24.238(a), §2.1053	6.5	Spurious radiated emissions	-
§2.1055(a)	6.3	Frequency stability, temperature variation	PASSED
§2.1055(d)	6.3	Frequency stability, voltage variation	PASSED

WCDMA 1900 (Band II):

Section in CFR 47	Section in RSS-GEN or RSS-133	Name of the test	Result
§2.1046(a)	6.4	Conducted RF output power	-
§24.232(b)	6.4	Radiated RF output power	-
§2.1049(h)	4.6.1	99 % occupied bandwidth	PASSED
§24.238(a)	6.5	Band edge compliance	PASSED
§24.238(a), §2.1051	6.5	Spurious emissions at antenna terminals	-
§24.238(a), §2.1053	6.5	Spurious radiated emissions	-
§2.1055(a)	6.3	Frequency stability, temperature variation	PASSED
§2.1055(d)	6.3	Frequency stability, voltage variation	PASSED

WCDMA 1700 (Band IV):

Section in CFR 47	Section in RSS-GEN or RSS-139	Name of the test	Result
§2.1046(a)	6.4	Conducted RF output power	-
§27.50(d)(2)	6.4	Radiated RF output power	-
§2.1049(h)	4.6.1	99 % occupied bandwidth	PASSED
§27.53(g)	6.5	Band edge compliance	PASSED
§27.53(g), §2.1051	6.5	Spurious emissions at antenna terminals	-
§24.238(a), §2.1053	6.5	Spurious radiated emissions	-
§2.1055(a)	6.3	Frequency stability, temperature variation	PASSED
§2.1055(d)	6.3	Frequency stability, voltage variation	PASSED

LTE 1900 (Band II):

Section in CFR 47	Section in RSS-GEN or RSS-133	Name of the test	Result
§2.1046(a)	6.4	Conducted RF output power	-
§24.232(b)	6.4	Radiated RF output power	-
§2.1049(h)	4.6.1	99 % occupied bandwidth	PASSED
§24.238(a)	6.5	Band edge compliance	PASSED
§24.238(a), §2.1051	6.5	Spurious emissions at antenna terminals	-
§24.238(a), §2.1053	6.5	Spurious radiated emissions	-
§2.1055(a)	6.3	Frequency stability, temperature variation	PASSED
§2.1055(d)	6.3	Frequency stability, voltage variation	PASSED

LTE1700 (Band 4):

Section in CFR 47	Section in RSS-GEN or RSS-139	Name of the test	Result
§2.1046(a)	6.4	Conducted RF output power	-
§27.50(d)(4)	6.4	Radiated RF output power	-
§2.1049(h)	4.6.1	99 % occupied bandwidth	PASSED
§27.53(h)	6.5	Band edge compliance	PASSED
§27.53(h), §2.1051	6.5	Spurious emissions at antenna terminals	-
§27.53(h), §2.1053	6.5	Spurious radiated emissions	-
§2.1055(a)	6.3	Frequency stability, temperature variation	PASSED
§2.1055(d)	6.3	Frequency stability, voltage variation	PASSED
N/A	N/A	Peak to average power ratio	-

LTE700 Lower (Band 17):

Section in CFR 47	Section in RSS-GEN or RSS-133	Name of the test	Result
§2.1046 (a)	N/A	Conducted RF output power	-
§27.50(c)(10)	N/A	Radiated RF output power	-
§2.1049(h)	N/A	99 % occupied bandwidth	PASSED
§27.53(g)	N/A	Band edge compliance	PASSED
§27.53(g), §2.1051	N/A	Spurious emissions at antenna terminals	-
§27.53(g), §2.1051	N/A	Spurious radiated emissions	-
§2.1055(a)	N/A	Frequency stability, temperature variation	PASSED
§2.1055(d)	N/A	Frequency stability, voltage variation	PASSED
N/A	N/A	Peak to average power ratio	-

PASSED

FAILED

NP

The EUT complies with the essential requirements in the standard.

The EUT does not comply with the essential requirements in the standard.

The test was not performed by the TCC Nokia Laboratory.

CONTENTS


1. Summary for FCC Part 22/24/27 Compliance Test Report	2
1.1. EUT and Accessory Information.....	2
1.2. Summary of Test Results.....	2
2. 99% occupied bandwidth (FCC §2.1049(h), RSS-GEN 4.6.1)	7
2.1. Test Setup.....	7
2.2. Test method and limit.....	7
2.3. GSM 1900 Test results	8
2.4. GSM 850 Test results	9
2.5. WCDMA 1900 Test results.....	10
2.6. WCDMA 1700 Test results.....	10
2.7. WCDMA 850 Test results.....	11
2.8. LTE1900 (Band 2) Test results	12
2.9. LTE1700 (Band 4) Test results	18
2.10. LTE850 (Band 5) Test results	25
2.11. LTE700 Lower (Band 17) Test results.....	30
3. Band edge compliance (FCC §22.917(a), §24.238(a), §27.53(g), §27.53(h), §27.53(c)(2)(4), §27.53(g), RSS- 132 4.5, RSS-133 6.5, RSS-139 6.5).....	32
3.1. Test Setup.....	32
3.2. Test method and limit.....	32
3.3. GSM 1900 Test results	33
3.4. GSM 850 Test results	35
3.5. WCDMA 1900 Test results.....	37
3.6. WCDMA 1700 Test results.....	38
3.7. WCDMA 850 Test results.....	39
3.8. LTE1900 (Band 2) Test results	40
3.9. LTE1700 (Band 4) Test results	42
3.10. LTE850 (Band 5) Test results	44
3.11. LTE700 Lower (Band 17) Test results.....	46
4. Frequency stability, temperature variation (FCC §2.1055(a), RSS-132 4.3, RSS-133 6.3, RSS-139 6.3).....	48
4.1. Test Setup.....	48
4.2. Test method and limit.....	48
4.3. GSM 1900 Test results	49
4.4. GSM 850 Test results	49
4.5. WCDMA 1700 Test results.....	49

4.6.	LTE700 Lower (Band 17) Test results.....	50
5.	Frequency stability, voltage variation (FCC §2.1055(d), RSS-132 4.3, RSS-133 6.3, RSS-139 6.3).....	51
5.1.	Test Setup.....	51
5.2.	Test method and limit.....	51
5.3.	GSM 1900 Test results	52
5.4.	GSM 850 Test results	52
5.5.	WCDMA 1700 Test results.....	52
5.6.	LTE700 Lower (Band 17) Test results.....	52
6.	Test Equipment.....	53
6.1.	Conducted measurements	53
6.2.	Radiated measurements	53

2. 99% occupied bandwidth (FCC §2.1049(h), RSS-GEN 4.6.1)

EUT with DUT number	RM-893, DUT 17377 , RM-893, DUT 17386
Accessories with DUT numbers	WH-208, DUT 17313
Operation Voltage [V] / [Hz]	Nominal
Results	PASSED
Remarks	-
Temp [°C] / Humidity [%RH] / Air Pressure [kPa]	22 / 31 / 101.8
Date of measurements	04-May-2013
Measured by	Tomi Lipponen / Jari Keto

2.1. Test Setup




2.2. Test method and limit

The measurement is made according to FCC rules parts 22, 24, 27 and IC standard RSS-GEN.


2.3. GSM 1900 Test results

Operation mode (TX on)	99% Occupied bandwidth [kHz]
GSM	244
EGPRS	240

GSM, Channel 661 / 1880.0 MHz




EGPRS, Channel 661 / 1880.0 MHz




2.4. GSM 850 Test results

Operation mode (TX on)	99% Occupied bandwidth [kHz]
GSM	244
EGPRS	240

GSM, Channel 190 / 836.6 MHz




EGPRS, Channel 190 / 836.6 MHz



2.5. WCDMA 1900 Test results

Operation mode (TX on)	99% Occupied bandwidth [kHz]
FDD	4180


FDD, Channel 9400 / 1880.0 MHz



2.6. WCDMA 1700 Test results

Operation mode (TX on)	99% Occupied bandwidth [kHz]
FDD	4180


FDD, Channel 1412 / 1732.4 MHz



2.7. WCDMA 850 Test results

Operation mode (TX on)	99% Occupied bandwidth [kHz]
FDD	4180


FDD, Channel 4175 / 835.0 MHz




2.8. LTE1900 (Band 2) Test results

Operation mode (TX on)	99% Occupied bandwidth [kHz]
FDD, CBW 1.4MHz, QPSK, 6 RB	1120
FDD, CBW 3MHz, QPSK, 15 RB	2720
FDD, CBW 5MHz, QPSK, 25 RB	4480
FDD, CBW 10MHz, QPSK, 50 RB	8960
FDD, CBW 15MHz, QPSK, 75 RB	13440
FDD, CBW 20MHz, QPSK, 100 RB	17840
FDD, CBW 1.4MHz, 16QAM, 6 RB	1120
FDD, CBW 3MHz, 16QAM, 15 RB	2720
FDD, CBW 5MHz, 16QAM, 25 RB	4480
FDD, CBW 10MHz, 16QAM, 50 RB	8960
FDD, CBW 15MHz, 16QAM, 75 RB	13400
FDD, CBW 20MHz, 16QAM, 100 RB	17840


FDD, CBW 1.4MHz, QPSK, 6 RB, Channel 18900 / 1880.0 MHz




FDD, CBW 3MHz, QPSK, 15 RB, Channel 18900 / 1880.0 MHz




FDD, CBW 5MHz, QPSK, 25 RB, Channel 18900 / 1880.0 MHz




FDD, CBW 10MHz, QPSK, 50 RB, Channel 18900 / 1880.0 MHz




FDD, CBW 15MHz, QPSK, 75 RB, Channel 18900 / 1880.0 MHz




FDD, CBW 20MHz, QPSK, 100 RB, Channel 18900 / 1880.0 MHz




FDD, CBW 1.4MHz, 16QAM, 6 RB, Channel 18900 / 1880.0 MHz




FDD, CBW 3MHz, 16QAM, 15 RB, Channel 18900 / 1880.0 MHz




FDD, CBW 5MHz, 16QAM, 25 RB, Channel 18900 / 1880.0 MHz




FDD, CBW 10MHz, 16QAM, 50 RB, Channel 18900 / 1880.0 MHz



FDD, CBW 15MHz, 16QAM, 75 RB, Channel 18900 / 1880.0 MHz




FDD, CBW 20MHz, 16QAM, 100 RB, Channel 18900 / 1880.0 MHz




2.9. LTE1700 (Band 4) Test results

Operation mode (TX on)	99% Occupied bandwidth [kHz]
FDD, CBW 1.4MHz, QPSK, 6 RB	1120
FDD, CBW 3MHz, QPSK, 15 RB	2720
FDD, CBW 5MHz, QPSK, 25 RB	4480
FDD, CBW 10MHz, QPSK, 50 RB	8960
FDD, CBW 15MHz, QPSK, 75 RB	13440
FDD, CBW 20MHz, QPSK, 100 RB	17880
FDD, CBW 1.4MHz, 16QAM, 6 RB	1120
FDD, CBW 3MHz, 16QAM, 15 RB	2720
FDD, CBW 5MHz, 16QAM, 25 RB	4480
FDD, CBW 10MHz, 16QAM, 50 RB	8960
FDD, CBW 15MHz, 16QAM, 75 RB	13440
FDD, CBW 20MHz, 16QAM, 100 RB	17880


FDD, CBW 1.4MHz, QPSK, 6 RB, Channel 20175 / 1732.5 MHz




FDD, CBW 3MHz, QPSK, 15 RB, Channel 20175 / 1732.5 MHz




FDD, CBW 5MHz, QPSK, 25 RB, Channel 20175 / 1732.5 MHz




FDD, CBW 10MHz, QPSK, 50 RB, Channel 20175 / 1732.5 MHz




FDD, CBW 15MHz, QPSK, 75 RB, Channel 20175 / 1732.5 MHz




FDD, CBW 20MHz, QPSK, 100 RB, Channel 20175 / 1732.5 MHz




FDD, CBW 1.4MHz, 16QAM, 6 RB, Channel 20175 / 1732.5 MHz




FDD, CBW 3MHz, 16QAM, 15 RB, Channel 20175 / 1732.5 MHz




FDD, CBW 5MHz, 16QAM, 25 RB, Channel 20175 / 1732.5 MHz




FDD, CBW 10MHz, 16QAM, 50 RB, Channel 20175 / 1732.5 MHz



FDD, CBW 15MHz, 16QAM, 75 RB, Channel 20175 / 1732.5 MHz




FDD, CBW 20MHz, 16QAM, 100 RB, Channel 20175 / 1732.5 MHz




2.10. LTE850 (Band 5) Test results

Operation mode (TX on)	99% Occupied bandwidth [kHz]
FDD, CBW 1.4MHz, QPSK, 6 RB	1120
FDD, CBW 3MHz, QPSK, 15 RB	2700
FDD, CBW 5MHz, QPSK, 25 RB	4480
FDD, CBW 10MHz, QPSK, 50 RB	8960
FDD, CBW 1.4MHz, 16QAM, 6 RB	1120
FDD, CBW 3MHz, 16QAM, 15 RB	2700
FDD, CBW 5MHz, 16QAM, 25 RB	4480
FDD, CBW 10MHz, 16QAM, 50 RB	8920


FDD, CBW 1.4MHz, QPSK, 6 RB, Channel 20525 / 836.5 MHz




FDD, CBW 3MHz, QPSK, 15 RB, Channel 20525 / 836.5 MHz




FDD, CBW 5MHz, QPSK, 25 RB, Channel 20525 / 836.5 MHz




FDD, CBW 10MHz, QPSK, 50 RB, Channel 20525 / 836.5 MHz




FDD, CBW 1.4MHz, 16QAM, 6 RB, Channel 20525 / 836.5 MHz




FDD, CBW 3MHz, 16QAM, 15 RB, Channel 20525 / 836.5 MHz



FDD, CBW 5MHz, 16QAM, 25 RB, Channel 20525 / 836.5 MHz




FDD, CBW 10MHz, 16QAM, 50 RB, Channel 20525 / 836.5 MHz




2.11. LTE700 Lower (Band 17) Test results

Operation mode (TX on)	99% Occupied bandwidth [kHz]
FDD, CBW 5MHz, QPSK, 25 RB	4500
FDD, CBW 10MHz, QPSK, 50 RB	8960
FDD, CBW 5MHz, 16QAM, 25 RB	4500
FDD, CBW 10MHz, 16QAM, 50 RB	8940


FDD, CBW 5MHz, QPSK, 25 RB, Channel 23790 / 710.0 MHz




FDD, CBW 10MHz, QPSK, 50 RB, Channel 23790 / 710.0 MHz



FDD, CBW 5MHz, 16QAM, 25 RB, Channel 23790 / 710.0 MHz



FDD, CBW 10MHz, 16QAM, 50 RB, Channel 23790 / 710.0 MHz




3. Band edge compliance

(FCC §22.917(a), §24.238(a), §27.53(g), §27.53(h), §27.53(c)(2)(4), §27.53(g), RSS-132 4.5, RSS-133 6.5, RSS-139 6.5)

EUT with DUT number	RM-893, DUT 17377 , RM-893, DUT 17386
Accessories with DUT numbers	WH-208, DUT 17313
Operation Voltage [V] / [Hz]	Nominal
Results	PASSED
Remarks	-
Temp [°C] / Humidity [%RH] / Air Pressure [kPa]	22 / 31 / 101.8
Date of measurements	04-May-2013
Measured by	Tomi Lipponen / Jari Keto

3.1. Test Setup



3.2. Test method and limit


The measurement is made according to FCC rules parts 22, 24, 27 and IC standards , RSS-132, RSS-133, RSS-139.

Limits for band edge compliance measurements

Operation band	Frequency range [MHz]	Limit [dBm]
LTE 700 Lower	703.9 – 704 and 716 – 716.1 Below 703.9 and above 716.1	-13 (RBW = 30 kHz, ERP) -13 (RBW = 30 kHz, ERP)
GSM850 / WCDMA850 / LTE850	Below 824 and above 849	-13
WCDMA1700 / LTE1700	Below 1710 and above 1755	-13
GSM1900 / LTE1900 / WCDMA1900	Below 1850 and above 1910	-13

3.3. GSM 1900 Test results


Channel 512 / 1850.2 MHz



Peak (RBW: 3 kHz, VBW: 3 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
GSM	1849.998	-15.73	PASSED


Channel 810 / 1909.8 MHz



Peak (RBW: 3 kHz, VBW: 3 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
GSM	1910.022	-14.15	PASSED


Channel 512 / 1850.2 MHz



Peak (RBW: 3 kHz, VBW: 3 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
EGPRS	1849.986	-22.92	PASSED

Channel 810 / 1909.8 MHz




Peak (RBW: 3 kHz, VBW: 3 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
EGPRS	1910.012	-22.69	PASSED

3.4. GSM 850 Test results


Channel 128 / 824.2 MHz



Peak (RBW: 3 kHz, VBW: 3 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
GSM	823.994	-13.41	PASSED


Channel 251 / 848.8 MHz



Peak (RBW: 3 kHz, VBW: 3 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
GSM	849.018	-13.49	PASSED


Channel 128 / 824.2 MHz



Peak (RBW: 3 kHz, VBW: 3 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
EGPRS	823.966	-22.13	PASSED

Channel 251 / 848.8 MHz




Peak (RBW: 3 kHz, VBW: 3 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
EGPRS	849.016	-16.59	PASSED

3.5. WCDMA 1900 Test results


Channel 9262 / 1852.4 MHz



RMS (RBW: 50 kHz, VBW: 50 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD	1849.946	-28.26	PASSED

Channel 9538 / 1907.6 MHz




RMS (RBW: 50 kHz, VBW: 50 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD	1910.032	-33.94	PASSED

3.6. WCDMA 1700 Test results


Channel 1312 / 1712.4 MHz



RMS (RBW: 50 kHz, VBW: 50 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD	1709.970	-33.52	PASSED

Channel 1513 / 1752.6 MHz




RMS (RBW: 50 kHz, VBW: 50 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD	1755.028	-34.28	PASSED

3.7. WCDMA 850 Test results


Channel 4132 / 826.4 MHz



RMS (RBW: 50 kHz, VBW: 50 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD	823.984	-31.96	PASSED

Channel 4233 / 846.6 MHz




RMS (RBW: 50 kHz, VBW: 50 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD	849.040	-28.52	PASSED

3.8. LTE1900 (Band 2) Test results


Channel 19100 / 1900 MHz



RMS (RBW: 200 kHz, VBW: 200 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD, CBW 20MHz, QPSK, 100 RB	1910.004	-28.65	PASSED


Channel 18700 / 1860 MHz



RMS (RBW: 200 kHz, VBW: 200 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD, CBW 20MHz, QPSK, 100 RB	1849.984	-27.19	PASSED


Channel 19100 / 1900 MHz



RMS (RBW: 200 kHz, VBW: 200 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD, CBW 20MHz, 16QAM, 100 RB	1910.042	-29.04	PASSED

Channel 18700 / 1860 MHz




RMS (RBW: 200 kHz, VBW: 200 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD, CBW 20MHz, 16QAM, 100 RB	1849.990	-27.25	PASSED

3.9. LTE1700 (Band 4) Test results


Channel 20300 / 1745 MHz



RMS (RBW: 200 kHz, VBW: 200 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD, CBW 20MHz, QPSK, 100 RB	1755.000	-30.12	PASSED


Channel 20050 / 1720 MHz



RMS (RBW: 200 kHz, VBW: 200 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD, CBW 20MHz, QPSK, 100 RB	1709.958	-32.70	PASSED


Channel 20300 / 1745 MHz



RMS (RBW: 200 kHz, VBW: 200 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD, CBW 20MHz, 16QAM, 100 RB	1755.058	-29.80	PASSED

Channel 20050 / 1720 MHz




RMS (RBW: 200 kHz, VBW: 200 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD, CBW 20MHz, 16QAM, 100 RB	1709.984	-32.42	PASSED

3.10. LTE850 (Band 5) Test results


Channel 20600 / 844 MHz



RMS (RBW: 50 kHz, VBW: 50 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD, CBW 10MHz, QPSK, 50 RB	849.012	-37.19	PASSED


Channel 20450 / 829 MHz



RMS (RBW: 50 kHz, VBW: 50 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD, CBW 10MHz, QPSK, 50 RB	823.998	-36.35	PASSED


Channel 20600 / 844 MHz



RMS (RBW: 50 kHz, VBW: 50 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD, CBW 10MHz, 16QAM, 50 RB	849.014	-37.53	PASSED

Channel 20450 / 829 MHz




RMS (RBW: 50 kHz, VBW: 50 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD, CBW 10MHz, 16QAM, 50 RB	823.986	-37.72	PASSED

3.11. LTE700 Lower (Band 17) Test results


Channel 23800 / 711 MHz



RMS detector

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD, CBW 10MHz, QPSK, 50 RB	716.036	-30.51	PASSED


Channel 23780 / 709 MHz



RMS detector

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD, CBW 10MHz, QPSK, 50 RB	703.975	-26.85	PASSED


Channel 23800 / 711 MHz



RMS detector

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD, CBW 10MHz, 16QAM, 50 RB	716.002	-29.58	PASSED

Channel 23780 / 709 MHz




RMS detector

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD, CBW 10MHz, 16QAM, 50 RB	703.995	-28.57	PASSED

4. Frequency stability, temperature variation (FCC §2.1055(a), RSS-132 4.3, RSS-133 6.3, RSS-139 6.3)

EUT with DUT number	RM-893, DUT 17377 , RM-893, DUT 17386
Accessories with DUT numbers	WH-208, DUT 17313
Operation Voltage [V] / [Hz]	Nominal
Results	PASSED
Remarks	-
Temp [°C] / Humidity [%RH] / Air Pressure [kPa]	22 / 31 / 101.8
Date of measurements	04-May-2013
Measured by	Tomi Lipponen / Jari Keto

4.1. Test Setup



4.2. Test method and limit

The measurement is made according to FCC rules parts 22, 24, 27 and IC standard RSS-132, RSS-133 and RSS-139 as follows:

The climate chamber temperature is set to the maximum value and the temperature is allowed to stabilize.

The EUT is placed in the chamber.

The EUT is set in idle mode for 15 minutes.

The EUT is set to transmit.

The transmit frequency error was measured immediately.

The steps c - e were repeated for each temperature. Limits for frequency stability, temperature variation measurements

Frequency deviation [ppm]
+/- 2.5

4.3. GSM 1900 Test results

GSM, Channel 661 / 1880.0 MHz

Temperature [°C]	Frequency [MHz]	Deviation [Hz]	Deviation [ppm]	Result
50	1880.00	-31.19000	-0.0166	PASSED
40	1880.00	-25.57000	-0.0136	PASSED
30	1880.00	-11.43000	-0.0061	PASSED
20	1880.00	-20.08000	-0.0107	PASSED
10	1880.00	-11.11000	-0.0059	PASSED
0	1880.00	-14.33000	-0.0076	PASSED
-10	1880.00	-8.85000	-0.0047	PASSED
-20	1880.00	-17.18000	-0.0091	PASSED
-30	1880.00	-20.66000	-0.011	PASSED

4.4. GSM 850 Test results

GSM, Channel 190 / 836.6 MHz

Temperature [°C]	Frequency [MHz]	Deviation [Hz]	Deviation [ppm]	Result
50	836.60	-12.27000	-0.0147	PASSED
40	836.60	-5.62000	-0.0067	PASSED
30	836.60	-9.56000	-0.0114	PASSED
20	836.60	-2.78000	-0.0033	PASSED
10	836.60	-10.59000	-0.0127	PASSED
0	836.60	-8.07000	-0.0096	PASSED
-10	836.60	-2.91000	-0.0035	PASSED
-20	836.60	-5.81000	-0.0069	PASSED
-30	836.60	-4.07000	-0.0049	PASSED

4.5. WCDMA 1700 Test results

FDD, Channel 1412 / 1732.4 MHz

Temperature [°C]	Frequency [MHz]	Deviation [Hz]	Deviation [ppm]	Result
50	1732.40	-4.05884	-0.0023	PASSED
40	1732.40	-0.54932	-0.0003	PASSED
30	1732.40	-2.83814	-0.0016	PASSED
20	1732.40	-3.99780	-0.0023	PASSED
10	1732.40	-2.94495	-0.0017	PASSED
0	1732.40	-2.18201	-0.0013	PASSED
-10	1732.40	-0.99182	-0.0006	PASSED
-20	1732.40	-1.25122	-0.0007	PASSED
-30	1732.40	-1.70898	-0.001	PASSED

4.6. LTE700 Lower (Band 17) Test results


FDD, CBW 10MHz, QPSK, 50 RB, Channel 23790 / 710.0 MHz

Temperature [°C]	Frequency [MHz]	Deviation [Hz]	Deviation [ppm]	Result
50	710.00	-1.14441	-0.0016	PASSED
40	710.00	-1.67370	-0.0024	PASSED
30	710.00	0.05722	0.0001	PASSED
20	710.00	-0.18597	-0.0003	PASSED
10	710.00	1.20163	0.0017	PASSED
0	710.00	-1.63078	-0.0023	PASSED
-10	710.00	-1.44482	-0.002	PASSED
-20	710.00	0.02861	0	PASSED
-30	710.00	1.25885	0.0018	PASSED

5. Frequency stability, voltage variation (FCC §2.1055(d), RSS-132 4.3, RSS-133 6.3, RSS-139 6.3)

EUT with DUT number	RM-893, DUT 17377 , RM-893, DUT 17386
Accessories with DUT numbers	WH-208, DUT 17313
Operation Voltage [V] / [Hz]	Nominal
Results	PASSED
Remarks	-
Temp [°C] / Humidity [%RH] / Air Pressure [kPa]	22 / 31 / 101.8
Date of measurements	04-May-2013
Measured by	Tomi Lipponen / Jari Keto

5.1. Test Setup



5.2. Test method and limit

The measurement is made according to FCC rules parts 22, 24, 27 and IC standard RSS-132, RSS-133 and RSS-139 as follows:

The EUT battery was replaced with an adjustable power supply. The frequency stability was measured at nominal voltage and at the battery cut-off point.

Limits for frequency stability, voltage variation measurements

Frequency deviation [ppm]
+/- 2.5

5.3. GSM 1900 Test results

GSM,

Voltage level [V]	Frequency [MHz]	Deviation [Hz]	Deviation [ppm]	Result
Max / 4.2	1880.00	-17.18000	-0.0091	PASSED
Nominal / 3.7	1880.00	-17.05000	-0.0091	PASSED
Battery cut-off point / 3.5	1880.00	-6.91000	-0.0037	PASSED

5.4. GSM 850 Test results

GSM,

Voltage level [V]	Frequency [MHz]	Deviation [Hz]	Deviation [ppm]	Result
Max / 4.2	836.60	-5.23000	-0.0063	PASSED
Nominal / 3.7	836.60	-8.78000	-0.0105	PASSED
Battery cut-off point / 3.5	836.60	-1.29000	-0.0015	PASSED

5.5. WCDMA 1700 Test results

FDD,

Voltage level [V]	Frequency [MHz]	Deviation [Hz]	Deviation [ppm]	Result
Max / 4.2	1732.40	-5.18799	-0.003	PASSED
Nominal / 3.7	1732.40	-2.76184	-0.0016	PASSED
Battery cut-off point / 3.5	1732.40	-2.15149	-0.0012	PASSED

5.6. LTE700 Lower (Band 17) Test results

FDD, CBW 10MHz, ,50 RB, Channel 23790 / 710.0 MHz

Voltage level [V]	Frequency [MHz]	Deviation [Hz]	Deviation [ppm]	Result
Max / 4.2	710.00	-1.83106	-0.0026	PASSED
Nominal / 3.7	710.00	-2.40326	-0.0034	PASSED
Battery cut-off point / 3.5	710.00	-0.21458	-0.0003	PASSED

6. Test Equipment

6.1. Conducted measurements

Eq. No	Equipment	Type	Manufacturer	Used in
1759	LISN 50 µH	ESH3-Z5	R&S	15C, 15B
1916	Communication Tester	CMTA84	R&S	15B
1992	Signal Generator	83630B	Agilent	15C, 15B
1999	Receiver	ESIB26	R&S	22/24/27, 15C, 15B
2039	Power Supply	PL330QMD	Thurlby	15C, 15B
2059	V-network	ESH3-Z6	R&S	-
2097	Pulse Limiter	ESH3-Z2	R&S	15C, 15B
2156	Communication Tester	CMU200	R&S	22/24/27, 15C, 15B
2180	Communication Tester	CMU200	R&S	22/24/27, 15C, 15B
2206	Signal Generator	SMX	R&S	15C, 15B
2347	Communication Tester	CMU200	R&S	22/24/27, 15C, 15B
2352	Spectrum Analyzer	FSP-30	R&S	22/24/27, 15C
2359	Temperature Test Chamber	VT4002	Vötsch	22/24/27
2388	Bluetooth Tester	CBT	R&S	15B
2389	Signal Generator	SMJ 100A	R&S	15B
2390	Directional Coupler	DC2600	AR	-
6009	GPS Antenna	SA-700	Chronos	15C
6010	GPS Network amplifier	NLA20FPDC	GPS Networking, Inc	15C
6011	GPS signal Splitter	LDCBS1x4	GPS Networking, Inc	15C
6012	CDN	CDN USB/c	Teseq	-
6015	Receiver	ESI	R&S	22/24, 15C, 15B
6036	Data Logger	175-H2	Testo	22/24/27, 15C, 15B
6038	Data Logger	Testo 580	Testo	22/24/27, 15C, 15B
6039	USB Interface	5541765	Testo	22/24/27, 15C, 15B
6044	V-network	ESH3-Z6	R&S	-
6045	Power splitter	11667B	Agilent	22/24/27, 15C
6046	Attenuator 10dB	8493C	Agilent	22/24/27, 15C
6047	Attenuator 20dB	8493C	Agilent	22/24/27, 15C
6094	Communication Tester	CMW500	R&S	22/24/27, 15C, 15B
6096	EMC Analyzer	E7405A	HP	-
6098	Signal Generator	8648C	Agilent	-
6103	Bluetooth tester	CBT	R&S	15B
6113	Signal Generator	SMF100A	R&S	22/24/27, 15C 15B
6120	Thermal Chamber	WT 20/40	Weiss	22/24/27, 15C 15B
6121	Power Splitter	HP11667B	Agilent	22/24/27, 15C 15B
6122	Power Splitter	HP11667B	Agilent	22/24/27, 15C 15B
6134	Attenuator 10dB	BW-S10-2W263+	Mini-Circuits	22/24/27, 15C
6136	Attenuator 20dB	BW-S20-2W263+	Mini-Circuits	22/24/27, 15C
10479	Communication Tester	CMW500	R&S	22/24/27, 15C, 15B
-	BT / WLAN Antenna	SPA 2400/75/9/0/V	Huber-Suhner	15C, 15B
-	BT / WLAN Antenna	SPA 2400/75/9/0/V	Huber-Suhner	15C, 15B

6.2. Radiated measurements

Eq. No	Equipment	Type	Manufacturer	Used in
1917	Communication Tester	CMTA84	R&S	15B
1984	Antenna	BBHA 9120 D	Schwarzbeck	22/24/27, 15C, 15B
2009	Signal Generator	SMP 22	R&S	22/24/27, 15C, 15B
2027	CDN	M2 (modified) DC1	MEB	22/24/27, 15C, 15B
2028	CDN	M3 (modified) DC2	MEB	22/24/27, 15C, 15B
2029	Power Supply	PL330	Thurlby	22/24/27, 15C
2043	Band Reject Filter	WRCA824/849-0,2-6SS	Wainwright	22
2135	CDN	CDN 801-M3	Lüthi	22/24/27, 15C, 15B

Eq. No	Equipment	Type	Manufacturer	Used in
2140	Antenna	EMCO93110B	EMCO	22/24/27, 15C
2142	Antenna	3146	EMCO	22/24/27, 15C
2156	Communication Tester	CMU200	R&S	22/24/27, 15C, 15B
2176	CDN	CDN 801-M3	Lüthi	22/24/27, 15C, 15B
2180	Communication Tester	CMU200	R&S	22/24/27, 15C, 15B
2347	Communication Tester	CMU200	R&S	22/24/27, 15C, 15B
2353	Receiver	ESIB26	R&S	22/24/27, 15C, 15B
2357	Band Reject Filter	WRCG2400/2483-2390/2493-35/10SS	Wainwright	15C
2361	Anechoic Chamber	3 m Semi / Full Anechoic Chamber	Euroshield	22/24/27, 15C, 15B
2364	Band Reject Filter	WRCG1877/1883 - 1870/1890-40/6SS	Wainwright	24
2384	Band Reject Filter	WRCG832/838-825/845-40/5SS	Wainwright	22
2388	Bluetooth Tester	CBT	R&S	15B
2389	Signal Generator	SMJ 100A	R&S	15B
2391	Band Reject Filter	WRCG1729.4/1735.4-1722.4/1742.4-40/6SS	Wainwright	27
6009	GPS Antenna	SA-700	Chronos	15C
6010	GPS Network amplifier	NLA20FPDC	GPS Networking, Inc	15C
6011	GPS signal Splitter	LDCBS1x4	GPS Networking, Inc	15C
6014	Substitute Calibration Cable	Sucoflex 104PB	Suhner	-
6017	Antenna	SBA 9113	Schwarzbeck	22 / 24 / 27
6037	Data Logger	175-H2	Testo	22/24/27, 15C, 15B
6038	Data Logger	Testo 580	Testo	22/24/27, 15C, 15B
6039	USB Interface	5541765	Testo	22/24/27, 15C, 15B
6087	Antenna	BBHA 9120D	Scharzbeck	22/24/27, 15C
6088	Antenna	VUBA 9117	Scharzbeck	22/24/27, 15C
6089	Antenna	HFH2-Z2	R&S	15C, 15B
6094	Communication Tester	CMW500	R&S	22/24/27, 15C, 15B
6103	Bluetooth tester	CBT	R&S	15B
6113	Signal Generator	SMF100A	R&S	22/24/27, 15C 15B
6115	Open switch and control unit	OSP 130	R&S	22/24/27, 15C 15B
6116	Open switch and control unit	OSP 150	R&S	22/24/27, 15C 15B
6130	Notch Filter	WRCD1880-1.1.25/50-10SS	Wainwright	22/24/27
6131	Notch Filter	WRCT902.4-0.4/40-8SS	Wainwright	-
6135	Notch Filter	WRCJV2531/2539-2523/2547-60/12SS	Wainwright	22/24/27
10479	Communication Tester	CMW500	R&S	22/24/27, 15C, 15B
-	BT / WLAN Antenna	SPA 2400/75/9/0/V	Huber-Suhner	15C, 15B
-	BT / WLAN Antenna	SPA 2400/75/9/0/V	Huber-Suhner	15C, 15B
-	RF immunity / Emission Software	EMC32	R&S	22/24/27, 15C, 15B