

SPURIOUS CONDUCTED EMISSIONS

Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Interval (mos)
Spectrum Analyzer	Agilent	N9010A	AFL	9/20/2014	12
DC Block, 40 GHz	Fairview Microwave	SD3379	AMM	2/27/2015	12
Attenuator, 20dB, 40 GHz	Fairview Microwave	SA4018-20	TQY	2/27/2015	12
Signal Generator, 40 GHz	Agilent	N5173B	TIW	7/15/2014	36

TEST DESCRIPTION

The spurious RF conducted emissions were measured with the EUT set to low, medium and high transmit frequencies. The measurements were made using a direct connection between the RF output of the EUT and the spectrum analyzer. The reference level offset on the spectrum analyzer was adjusted to compensate for cable loss and the external attenuation used between the RF output and the spectrum analyzer input.


The EUT was transmitting at the data rate(s) listed in the datasheet. For each transmit frequency, the spectrum was scanned throughout the specified frequency range.

SPURIOUS CONDUCTED EMISSIONS


EUT: Firebox T50-W (BS5AE7W)		Work Order: VDEI0009	
Serial Number: 70AF00069-3EB6		Date: 07/29/15	
Customer: WatchGuard Technologies, Inc.		Temperature: 24.9°C	
Attendees: None		Humidity: 47%	
Project: None		Barometric Pres.: 1014 mbar	
Tested by: Jonathan Kiefer		Power: 110VAC/60Hz	
TEST SPECIFICATIONS		Job Site: TX09	
FCC 15.247:2015		Test Method	
		ANSI C63.10:2013	
COMMENTS			
2x2 MIMO mode, Chain BC (Chains 1 and 2). Tested the modulation that produced the highest conducted output power.			
DEVIATIONS FROM TEST STANDARD			
None			
Configuration #	1	Signature <i>Jonathan Kiefer</i>	
		Frequency Range	Max Value (dBc) Limit ≤ (dBc) Result
Chain B			
20 MHz			
2400 MHz - 2483.5 MHz Band			
802.11(n) MCS8			
	Low Channel 1, 2412 MHz	Fundamental	N/A N/A N/A
	Low Channel 1, 2412 MHz	30 MHz - 12.5 GHz	-52.14 -20 Pass
	Low Channel 1, 2412 MHz	12.5 GHz - 25 GHz	-56.99 -20 Pass
	Mid Channel 6, 2437 MHz	Fundamental	N/A N/A N/A
	Mid Channel 6, 2437 MHz	30 MHz - 12.5 GHz	-59 -20 Pass
	Mid Channel 6, 2437 MHz	12.5 GHz - 25 GHz	-57.37 -20 Pass
	High Channel 11, 2462 MHz	Fundamental	N/A N/A N/A
	High Channel 11, 2462 MHz	30 MHz - 12.5 GHz	-58.96 -20 Pass
	High Channel 11, 2462 MHz	12.5 GHz - 25 GHz	-56.44 -20 Pass
Chain C			
20 MHz			
2400 MHz - 2483.5 MHz Band			
802.11(n) MCS8			
	Low Channel 1, 2412 MHz	Fundamental	N/A N/A N/A
	Low Channel 1, 2412 MHz	30 MHz - 12.5 GHz	-50.6 -20 Pass
	Low Channel 1, 2412 MHz	12.5 GHz - 25 GHz	-56.81 -20 Pass
	Mid Channel 6, 2437 MHz	Fundamental	N/A N/A N/A
	Mid Channel 6, 2437 MHz	30 MHz - 12.5 GHz	-60.09 -20 Pass
	Mid Channel 6, 2437 MHz	12.5 GHz - 25 GHz	-57.25 -20 Pass
	High Channel 11, 2462 MHz	Fundamental	N/A N/A N/A
	High Channel 11, 2462 MHz	30 MHz - 12.5 GHz	-59.79 -20 Pass
	High Channel 11, 2462 MHz	12.5 GHz - 25 GHz	-56.69 -20 Pass

SPURIOUS CONDUCTED EMISSIONS

Chain B, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS8, Low Channel 1, 2412 MHz						
Frequency Range		Max Value (dBc)		Limit ≤ (dBc)		Result
Fundamental		N/A		N/A		N/A




Chain B, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS8, Low Channel 1, 2412 MHz						
Frequency Range		Max Value (dBc)		Limit ≤ (dBc)		Result
30 MHz - 12.5 GHz		-52.14		-20		Pass




SPURIOUS CONDUCTED EMISSIONS

Chain B, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS8, Low Channel 1, 2412 MHz				
Frequency Range	Max Value (dBc)	Limit ≤ (dBc)	Result	
12.5 GHz - 25 GHz	-56.99	-20	Pass	




Chain B, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS8, Mid Channel 6, 2437 MHz				
Frequency Range	Max Value (dBc)	Limit ≤ (dBc)	Result	
Fundamental	N/A	N/A	N/A	




SPURIOUS CONDUCTED EMISSIONS

Chain B, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS8, Mid Channel 6, 2437 MHz				
Frequency Range	Max Value (dBc)	Limit ≤ (dBc)	Result	
30 MHz - 12.5 GHz	-59	-20	Pass	




Chain B, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS8, Mid Channel 6, 2437 MHz				
Frequency Range	Max Value (dBc)	Limit ≤ (dBc)	Result	
12.5 GHz - 25 GHz	-57.37	-20	Pass	




SPURIOUS CONDUCTED EMISSIONS

Chain B, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS8, High Channel 11, 2462 MHz						
Frequency Range		Max Value (dBc)		Limit ≤ (dBc)	Result	
Fundamental		N/A		N/A	N/A	




Chain B, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS8, High Channel 11, 2462 MHz						
Frequency Range		Max Value (dBc)		Limit ≤ (dBc)	Result	
30 MHz - 12.5 GHz		-58.96		-20	Pass	




SPURIOUS CONDUCTED EMISSIONS

Chain B, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS8, High Channel 11, 2462 MHz				
Frequency Range	Max Value (dBc)	Limit ≤ (dBc)	Result	
12.5 GHz - 25 GHz	-56.44	-20	Pass	




Chain C, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS8, Low Channel 1, 2412 MHz				
Frequency Range	Max Value (dBc)	Limit ≤ (dBc)	Result	
Fundamental	N/A	N/A	N/A	




SPURIOUS CONDUCTED EMISSIONS

Chain C, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS8, Low Channel 1, 2412 MHz				
Frequency Range	Max Value (dBc)	Limit ≤ (dBc)	Result	
30 MHz - 12.5 GHz	-50.6	-20	Pass	




Chain C, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS8, Low Channel 1, 2412 MHz				
Frequency Range	Max Value (dBc)	Limit ≤ (dBc)	Result	
12.5 GHz - 25 GHz	-56.81	-20	Pass	




SPURIOUS CONDUCTED EMISSIONS

Chain C, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS8, Mid Channel 6, 2437 MHz						
Frequency Range		Max Value (dBc)		Limit ≤ (dBc)	Result	
Fundamental		N/A		N/A	N/A	




Chain C, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS8, Mid Channel 6, 2437 MHz						
Frequency Range		Max Value (dBc)		Limit ≤ (dBc)	Result	
30 MHz - 12.5 GHz		-60.09		-20	Pass	




SPURIOUS CONDUCTED EMISSIONS

Chain C, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS8, Mid Channel 6, 2437 MHz				
Frequency Range	Max Value (dBc)	Limit ≤ (dBc)	Result	
12.5 GHz - 25 GHz	-57.25	-20	Pass	




Chain C, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS8, High Channel 11, 2462 MHz				
Frequency Range	Max Value (dBc)	Limit ≤ (dBc)	Result	
Fundamental	N/A	N/A	N/A	



SPURIOUS CONDUCTED EMISSIONS


Chain C, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS8, High Channel 11, 2462 MHz

Frequency Range	Max Value (dBc)	Limit ≤ (dBc)	Result
30 MHz - 12.5 GHz	-59.79	-20	Pass



Chain C, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS8, High Channel 11, 2462 MHz

Frequency Range	Max Value (dBc)	Limit ≤ (dBc)	Result
12.5 GHz - 25 GHz	-56.69	-20	Pass



SPURIOUS CONDUCTED EMISSIONS

Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Interval (mos)
DC Block, 40 GHz	Fairview Microwave	SD3379	AMM	2/27/2015	12
Spectrum Analyzer	Agilent	N9010A	AFL	9/20/2014	12
Attenuator, 20dB, 40 GHz	Fairview Microwave	SA4018-20	TQY	2/27/2015	12
Signal Generator, 40 GHz	Agilent	N5173B	TIW	7/15/2014	36

TEST DESCRIPTION

The spurious RF conducted emissions were measured with the EUT set to low, medium and high transmit frequencies. The measurements were made using a direct connection between the RF output of the EUT and the spectrum analyzer. The reference level offset on the spectrum analyzer was adjusted to compensate for cable loss and the external attenuation used between the RF output and the spectrum analyzer input.


The EUT was transmitting at the data rate(s) listed in the datasheet. For each transmit frequency, the spectrum was scanned throughout the specified frequency range.

SPURIOUS CONDUCTED EMISSIONS


EUT: Firebox T50-W (BS5AE7W)		Work Order: VDEI0009			
Serial Number: 70AF00069-3EB6		Date: 07/29/15			
Customer: WatchGuard Technologies, Inc.		Temperature: 24.9°C			
Attendees: None		Humidity: 47%			
Project: None		Barometric Pres.: 1014 mbar			
Tested by: Jonathan Kiefer		Power: 110VAC/60Hz	Job Site: TX09		
TEST SPECIFICATIONS		Test Method			
FCC 15.247:2015		ANSI C63.10:2013			
COMMENTS					
3x3 MIMO mode, Chain ABC (Chains 0, 1 and 2). Tested the modulation that produced the highest conducted output power.					
DEVIATIONS FROM TEST STANDARD					
None					
Configuration #	1	Signature <i>Jonathan Kiefer</i>			
		Frequency Range	Max Value (dBc)	Limit ≤ (dBc)	Result
Chain A					
	20 MHz				
	2400 MHz - 2483.5 MHz Band				
	802.11(n) MCS16				
	Low Channel 1, 2412 MHz	Fundamental	N/A	N/A	N/A
	Low Channel 1, 2412 MHz	30 MHz - 12.5 GHz	-51.83	-20	Pass
	Low Channel 1, 2412 MHz	12.5 GHz - 25 GHz	-57.6	-20	Pass
	Mid Channel 6, 2437 MHz	Fundamental	N/A	N/A	N/A
	Mid Channel 6, 2437 MHz	30 MHz - 12.5 GHz	-60.53	-20	Pass
	Mid Channel 6, 2437 MHz	12.5 GHz - 25 GHz	-57.87	-20	Pass
	High Channel 11, 2462 MHz	Fundamental	N/A	N/A	N/A
	High Channel 11, 2462 MHz	30 MHz - 12.5 GHz	-59.77	-20	Pass
	High Channel 11, 2462 MHz	12.5 GHz - 25 GHz	-57	-20	Pass
Chain B					
	20 MHz				
	2400 MHz - 2483.5 MHz Band				
	802.11(n) MCS16				
	Low Channel 1, 2412 MHz	Fundamental	N/A	N/A	N/A
	Low Channel 1, 2412 MHz	30 MHz - 12.5 GHz	-51.31	-20	Pass
	Low Channel 1, 2412 MHz	12.5 GHz - 25 GHz	-57.32	-20	Pass
	Mid Channel 6, 2437 MHz	Fundamental	N/A	N/A	N/A
	Mid Channel 6, 2437 MHz	30 MHz - 12.5 GHz	-59.36	-20	Pass
	Mid Channel 6, 2437 MHz	12.5 GHz - 25 GHz	-57.28	-20	Pass
	High Channel 11, 2462 MHz	Fundamental	N/A	N/A	N/A
	High Channel 11, 2462 MHz	30 MHz - 12.5 GHz	-59.11	-20	Pass
	High Channel 11, 2462 MHz	12.5 GHz - 25 GHz	-56.72	-20	Pass
Chain C					
	20 MHz				
	2400 MHz - 2483.5 MHz Band				
	802.11(n) MCS16				
	Low Channel 1, 2412 MHz	Fundamental	N/A	N/A	N/A
	Low Channel 1, 2412 MHz	30 MHz - 12.5 GHz	-50.95	-20	Pass
	Low Channel 1, 2412 MHz	12.5 GHz - 25 GHz	-57.55	-20	Pass
	Mid Channel 6, 2437 MHz	Fundamental	N/A	N/A	N/A
	Mid Channel 6, 2437 MHz	30 MHz - 12.5 GHz	-58.56	-20	Pass
	Mid Channel 6, 2437 MHz	12.5 GHz - 25 GHz	-56.06	-20	Pass
	High Channel 11, 2462 MHz	Fundamental	N/A	N/A	N/A
	High Channel 11, 2462 MHz	30 MHz - 12.5 GHz	-59.97	-20	Pass
	High Channel 11, 2462 MHz	12.5 GHz - 25 GHz	-56.64	-20	Pass

SPURIOUS CONDUCTED EMISSIONS

Chain A, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS16, Low Channel 1, 2412 MHz						
Frequency Range		Max Value (dBc)		Limit ≤ (dBc)		Result
Fundamental		N/A		N/A		N/A




Chain A, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS16, Low Channel 1, 2412 MHz						
Frequency Range		Max Value (dBc)		Limit ≤ (dBc)		Result
30 MHz - 12.5 GHz		-51.83		-20		Pass



SPURIOUS CONDUCTED EMISSIONS


Chain A, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS16, Low Channel 1, 2412 MHz

Frequency Range	Max Value (dBc)	Limit ≤ (dBc)	Result
12.5 GHz - 25 GHz	-57.6	-20	Pass




Chain A, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS16, Mid Channel 6, 2437 MHz

Frequency Range	Max Value (dBc)	Limit ≤ (dBc)	Result
Fundamental	N/A	N/A	N/A




SPURIOUS CONDUCTED EMISSIONS

Chain A, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS16, Mid Channel 6, 2437 MHz				
Frequency Range	Max Value (dBc)	Limit ≤ (dBc)	Result	
30 MHz - 12.5 GHz	-60.53	-20	Pass	




Chain A, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS16, Mid Channel 6, 2437 MHz				
Frequency Range	Max Value (dBc)	Limit ≤ (dBc)	Result	
12.5 GHz - 25 GHz	-57.87	-20	Pass	




SPURIOUS CONDUCTED EMISSIONS

Chain A, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS16, High Channel 11, 2462 MHz						
Frequency Range		Max Value (dBc)		Limit ≤ (dBc)		Result
Fundamental		N/A		N/A		N/A




Chain A, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS16, High Channel 11, 2462 MHz						
Frequency Range		Max Value (dBc)		Limit ≤ (dBc)		Result
30 MHz - 12.5 GHz		-59.77		-20		Pass




SPURIOUS CONDUCTED EMISSIONS

Chain A, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS16, High Channel 11, 2462 MHz				
Frequency Range	Max Value (dBc)	Limit ≤ (dBc)	Result	
12.5 GHz - 25 GHz	-57	-20	Pass	




Chain B, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS16, Low Channel 1, 2412 MHz				
Frequency Range	Max Value (dBc)	Limit ≤ (dBc)	Result	
Fundamental	N/A	N/A	N/A	




SPURIOUS CONDUCTED EMISSIONS

Chain B, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS16, Low Channel 1, 2412 MHz				
Frequency Range	Max Value (dBc)	Limit ≤ (dBc)	Result	
30 MHz - 12.5 GHz	-51.31	-20	Pass	




Chain B, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS16, Low Channel 1, 2412 MHz				
Frequency Range	Max Value (dBc)	Limit ≤ (dBc)	Result	
12.5 GHz - 25 GHz	-57.32	-20	Pass	




SPURIOUS CONDUCTED EMISSIONS

Chain B, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS16, Mid Channel 6, 2437 MHz						
Frequency Range		Max Value (dBc)		Limit ≤ (dBc)		Result
Fundamental		N/A		N/A		N/A




Chain B, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS16, Mid Channel 6, 2437 MHz						
Frequency Range		Max Value (dBc)		Limit ≤ (dBc)		Result
30 MHz - 12.5 GHz		-59.36		-20		Pass




SPURIOUS CONDUCTED EMISSIONS

Chain B, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS16, Mid Channel 6, 2437 MHz				
Frequency Range	Max Value (dBc)	Limit ≤ (dBc)	Result	
12.5 GHz - 25 GHz	-57.28	-20	Pass	




Chain B, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS16, High Channel 11, 2462 MHz				
Frequency Range	Max Value (dBc)	Limit ≤ (dBc)	Result	
Fundamental	N/A	N/A	N/A	




SPURIOUS CONDUCTED EMISSIONS

Chain B, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS16, High Channel 11, 2462 MHz				
Frequency Range	Max Value (dBc)	Limit ≤ (dBc)	Result	
30 MHz - 12.5 GHz	-59.11	-20	Pass	




Chain B, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS16, High Channel 11, 2462 MHz				
Frequency Range	Max Value (dBc)	Limit ≤ (dBc)	Result	
12.5 GHz - 25 GHz	-56.72	-20	Pass	




SPURIOUS CONDUCTED EMISSIONS

Chain C, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS16, Low Channel 1, 2412 MHz						
Frequency Range		Max Value (dBc)		Limit ≤ (dBc)		Result
Fundamental		N/A		N/A		N/A




Chain C, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS16, Low Channel 1, 2412 MHz						
Frequency Range		Max Value (dBc)		Limit ≤ (dBc)		Result
30 MHz - 12.5 GHz		-50.95		-20		Pass



SPURIOUS CONDUCTED EMISSIONS


Chain C, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS16, Low Channel 1, 2412 MHz

Frequency Range	Max Value (dBc)	Limit ≤ (dBc)	Result
12.5 GHz - 25 GHz	-57.55	-20	Pass




Chain C, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS16, Mid Channel 6, 2437 MHz

Frequency Range	Max Value (dBc)	Limit ≤ (dBc)	Result
Fundamental	N/A	N/A	N/A




SPURIOUS CONDUCTED EMISSIONS

Chain C, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS16, Mid Channel 6, 2437 MHz				
Frequency Range	Max Value (dBc)	Limit ≤ (dBc)	Result	
30 MHz - 12.5 GHz	-58.56	-20	Pass	




Chain C, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS16, Mid Channel 6, 2437 MHz				
Frequency Range	Max Value (dBc)	Limit ≤ (dBc)	Result	
12.5 GHz - 25 GHz	-56.06	-20	Pass	




SPURIOUS CONDUCTED EMISSIONS

Chain C, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS16, High Channel 11, 2462 MHz						
Frequency Range		Max Value (dBc)		Limit ≤ (dBc)		Result
Fundamental		N/A		N/A		N/A



Chain C, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS16, High Channel 11, 2462 MHz						
Frequency Range		Max Value (dBc)		Limit ≤ (dBc)		Result
30 MHz - 12.5 GHz		-59.97		-20		Pass



SPURIOUS CONDUCTED EMISSIONS

Chain C, 20 MHz, 2400 MHz - 2483.5 MHz Band, 802.11(n) MCS16, High Channel 11, 2462 MHz				
Frequency	Max Value	Limit		
Range	(dBc)	≤ (dBc)	Result	
12.5 GHz - 25 GHz	-56.64	-20	Pass	

