


Appendix C. Radiated Emission Co-location Report

1. Results of Radiated Emissions for Co-located


Temperature	25°C	Humidity	58%
Test Engineer	Alvin Li	Configurations	2.4G + 5G Band 1 + 5G Band 4

Horizontal



	Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg	
1	1052.71	39.17	74.00	-34.83	50.37	2.02	24.01	37.23	141	169	HORIZONTAL Peak
2	1052.79	28.87	54.00	-25.13	40.07	2.02	24.01	37.23	141	169	HORIZONTAL Average

Vertical



	Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg	
1	1052.93	29.24	54.00	-24.76	40.44	2.02	24.01	37.23	100	208	VERTICAL Average
2	1053.34	39.83	74.00	-34.17	51.03	2.02	24.01	37.23	100	208	VERTICAL Peak